Dongdong Zhang

List of Publications by Citations

Source: https://exaly.com/author-pdf/6431114/dongdong-zhang-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68 61 3,824 32 h-index g-index citations papers 80 6.14 11.7 5,392 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
68	High-efficiency fluorescent organic light-emitting devices using sensitizing hosts with a small singlet-triplet exchange energy. <i>Advanced Materials</i> , 2014 , 26, 5050-5	24	385
67	Sterically shielded blue thermally activated delayed fluorescence emitters with improved efficiency and stability. <i>Materials Horizons</i> , 2016 , 3, 145-151	14.4	323
66	Stable Enantiomers Displaying Thermally Activated Delayed Fluorescence: Efficient OLEDs with Circularly Polarized Electroluminescence. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 2889-289	3 ^{6.4}	213
65	Highly efficient blue thermally activated delayed fluorescent OLEDs with record-low driving voltages utilizing high triplet energy hosts with small singlet-triplet splittings. <i>Chemical Science</i> , 2016 , 7, 3355-3363	9.4	163
64	Versatile Indolocarbazole-Isomer Derivatives as Highly Emissive Emitters and Ideal Hosts for Thermally Activated Delayed Fluorescent OLEDs with Alleviated Efficiency Roll-Off. <i>Advanced Materials</i> , 2018 , 30, 1705406	24	162
63	Multi-Resonance Induced Thermally Activated Delayed Fluorophores for Narrowband Green OLEDs. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 16912-16917	16.4	156
62	Highly efficient hybrid warm white organic light-emitting diodes using a blue thermally activated delayed fluorescence emitter: exploiting the external heavy-atom effect. <i>Light: Science and Applications</i> , 2015 , 4, e232-e232	16.7	156
61	Highly efficient and color-stable hybrid warm white organic light-emitting diodes using a blue material with thermally activated delayed fluorescence. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 8191-	87197	121
60	Blocking Energy-Loss Pathways for Ideal Fluorescent Organic Light-Emitting Diodes with Thermally Activated Delayed Fluorescent Sensitizers. <i>Advanced Materials</i> , 2018 , 30, 1705250	24	117
59	Highly Efficient Simplified Single-Emitting-Layer Hybrid WOLEDs with Low Roll-off and Good Color Stability through Enhanced FEster Energy Transfer. <i>ACS Applied Materials & Discourted Computer Stability</i> 1, 28693-700	9.5	110
58	Towards High Efficiency and Low Roll-Off Orange Electrophosphorescent Devices by Fine Tuning Singlet and Triplet Energies of Bipolar Hosts Based on Indolocarbazole/1, 3, 5-Triazine Hybrids. <i>Advanced Functional Materials</i> , 2014 , 24, 3551-3561	15.6	106
57	Efficient and Stable Deep-Blue Fluorescent Organic Light-Emitting Diodes Employing a Sensitizer with Fast Triplet Upconversion. <i>Advanced Materials</i> , 2020 , 32, e1908355	24	100
56	Axially Chiral TADF-Active Enantiomers Designed for Efficient Blue Circularly Polarized Electroluminescence. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 3500-3504	16.4	93
55	Simultaneous Enhancement of Efficiency and Stability of Phosphorescent OLEDs Based on Efficient Fister Energy Transfer from Interface Exciplex. <i>ACS Applied Materials & Design Company Compan</i>	9.5	92
54	Ultrahigh-Efficiency Green PHOLEDs with a Voltage under 3 V and a Power Efficiency of Nearly 110 lm W at Luminance of 10 000 cd m. <i>Advanced Materials</i> , 2017 , 29, 1702847	24	92
53	Highly Efficient Full-Color Thermally Activated Delayed Fluorescent Organic Light-Emitting Diodes: Extremely Low Efficiency Roll-Off Utilizing a Host with Small Singlet-Triplet Splitting. <i>ACS Applied Materials & Amp; Interfaces</i> , 2017 , 9, 4769-4777	9.5	86
52	Achieving Pure Green Electroluminescence with CIEy of 0.69 and EQE of 28.2% from an Aza-Fused Multi-Resonance Emitter. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 17499-17503	16.4	81

(2020-2014)

51	Towards ideal electrophosphorescent devices with low dopant concentrations: the key role of triplet up-conversion. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 8983-8989	7.1	81
50	Understanding and Manipulating the Interplay of Wide-Energy-Gap Host and TADF Sensitizer in High-Performance Fluorescence OLEDs. <i>Advanced Materials</i> , 2019 , 31, e1901923	24	64
49	Sterically Shielded Electron Transporting Material with Nearly 100% Internal Quantum Efficiency and Long Lifetime for Thermally Activated Delayed Fluorescent and Phosphorescent OLEDs. <i>ACS Applied Materials & Delayed Fluorescent & Delayed & Delayed Fluorescent & Delayed Fluorescent & Delayed Fluorescent & Delayed Fluorescent & Delayed & Delayed</i>	9.5	58
48	Multi-Resonance Deep-Red Emitters with Shallow Potential-Energy Surfaces to Surpass Energy-Gap Law*. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 20498-20503	16.4	58
47	Emerging Self-Emissive Technologies for Flexible Displays. <i>Advanced Materials</i> , 2020 , 32, e1902391	24	55
46	Heavy Atom Effect of Bromine Significantly Enhances Exciton Utilization of Delayed Fluorescence Luminogens. <i>ACS Applied Materials & Enhances</i> , 2018 , 10, 17327-17334	9.5	50
45	High-Performance Fluorescent Organic Light-Emitting Diodes Utilizing an Asymmetric Anthracene Derivative as an Electron-Transporting Material. <i>Advanced Materials</i> , 2018 , 30, e1707590	24	50
44	Multi-Resonance Induced Thermally Activated Delayed Fluorophores for Narrowband Green OLEDs. <i>Angewandte Chemie</i> , 2019 , 131, 17068-17073	3.6	44
43	Colour-tunable asymmetric cyclometalated Pt(II) complexes and STM-assisted stability assessment of ancillary ligands for OLEDs. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 2560-2565	7.1	36
42	Long-Lived and Highly Efficient TADF-PhOLED with [A)nD[A)n[Structured Terpyridine Electron-Transporting Material. <i>Advanced Functional Materials</i> , 2018 , 28, 1800429	15.6	35
41	Modulation of Fister and Dexter Interactions in Single-Emissive-Layer All-Fluorescent WOLEDs for Improved Efficiency and Extended Lifetime. <i>Advanced Functional Materials</i> , 2020 , 30, 1907083	15.6	35
40	A ED and EA Exciplex-Forming Host for High-Efficiency and Long-Lifetime Single-Emissive-Layer Fluorescent White Organic Light-Emitting Diodes. <i>Advanced Materials</i> , 2020 , 32, e2004040	24	35
39	Exploiting p-Type Delayed Fluorescence in Hybrid White OLEDs: Breaking the Trade-off between High Device Efficiency and Long Lifetime. <i>ACS Applied Materials & Device Efficiency and Long Lifetime</i> . <i>ACS Applied Materials & Device Efficiency and Long Lifetime</i> . <i>ACS Applied Materials & Device Efficiency and Long Lifetime</i> .	9.5	34
38	Approaching Nearly 40% External Quantum Efficiency in Organic Light Emitting Diodes Utilizing a Green Thermally Activated Delayed Fluorescence Emitter with an Extended Linear Donor-Acceptor-Donor Structure. <i>Advanced Materials</i> , 2021 , 33, e2103293	24	33
37	A combinational molecular design to achieve highly efficient deep-blue electrofluorescence. Journal of Materials Chemistry C, 2018 , 6, 745-753	7.1	32
36	Stable Enantiomers Displaying Thermally Activated Delayed Fluorescence: Efficient OLEDs with Circularly Polarized Electroluminescence. <i>Angewandte Chemie</i> , 2018 , 130, 2939-2943	3.6	31
35	Achieving Pure Green Electroluminescence with CIEy of 0.69 and EQE of 28.2% from an Aza-Fused Multi-Resonance Emitter. <i>Angewandte Chemie</i> , 2020 , 132, 17652-17656	3.6	30
34	Strategically Modulating Carriers and Excitons for Efficient and Stable Ultrapure-Green Fluorescent OLEDs with a Sterically Hindered BODIPY Dopant. <i>Advanced Optical Materials</i> , 2020 , 8, 2000483	8.1	27

33	Progress on Light-Emitting Electrochemical Cells toward Blue Emission, High Efficiency, and Long Lifetime. <i>Advanced Functional Materials</i> , 2020 , 30, 1907156	15.6	27
32	Making silver a stronger n-dopant than cesium via in situ coordination reaction for organic electronics. <i>Nature Communications</i> , 2019 , 10, 866	17.4	27
31	High Performance Thermally Activated Delayed Fluorescence Sensitized Organic Light-Emitting Diodes. <i>Chemical Record</i> , 2019 , 19, 1611-1623	6.6	27
30	Indolo[3,2,1-jk]carbazole Embedded Multiple-Resonance Fluorophors for Narrowband Deep-blue Electroluminescence with EQEB4.7 % and CIE D .085. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 12269-12273	16.4	26
29	Istacking: a strategy to improve the electron mobilities of bipolar hosts for TADF and phosphorescent devices with low efficiency roll-off. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 3372-3387	1 ^{7.1}	25
28	Simultaneously Enhanced Reverse Intersystem Crossing and Radiative Decay in Thermally Activated Delayed Fluorophors with Multiple Through-space Charge Transfers. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 23771-23776	16.4	25
27	Simultaneous enhancement of efficiency and stability of OLEDs with thermally activated delayed fluorescence materials by modifying carbazoles with peripheral groups. <i>Science China Chemistry</i> , 2019 , 62, 393-402	7.9	23
26	Sterically Wrapped Multiple Resonance Fluorophors for Suppression of Concentration Quenching and Spectrum Broadening. <i>Angewandte Chemie - International Edition</i> , 2021 ,	16.4	23
25	High-Efficiency Narrow-Band Electro-Fluorescent Devices with Thermally Activated Delayed Fluorescence Sensitizers Combined Through-Bond and Through-Space Charge Transfers. <i>CCS Chemistry</i> , 2020 , 2, 1268-1277	7.2	22
24	Axially Chiral TADF-Active Enantiomers Designed for Efficient Blue Circularly Polarized Electroluminescence. <i>Angewandte Chemie</i> , 2020 , 132, 3528-3532	3.6	21
23	Polycyclic Aromatic Hydrocarbon Derivatives toward Ideal Electron-Transporting Materials for Organic Light-Emitting Diodes. <i>Journal of Physical Chemistry Letters</i> , 2019 , 10, 2528-2537	6.4	19
22	Non-Doped Sky-Blue OLEDs Based on Simple Structured AIE Emitters with High Efficiencies at Low Driven Voltages. <i>Chemistry - an Asian Journal</i> , 2017 , 12, 2189-2196	4.5	19
21	Thermally activated delayed fluorescence material-sensitized helicene enantiomer-based OLEDs: a new strategy for improving the efficiency of circularly polarized electroluminescence. <i>Science China Materials</i> , 2021 , 64, 899-908	7.1	17
20	Multifunctional emitters for efficient simplified non-doped blueish green organic light emitting devices with extremely low efficiency roll-off. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 6527-6536	7.1	16
19	Efficient red phosphorescent OLEDs based on the energy transfer from interface exciplex: the critical role of constituting molecules. <i>Science China Chemistry</i> , 2018 , 61, 836-843	7.9	16
18	Color-Tunable All-Fluorescent White Organic Light-Emitting Diodes with a High External Quantum Efficiency Over 30% and Extended Device Lifetime. <i>Advanced Materials</i> , 2021 , e2103102	24	15
17	Multifunctional Materials for High-Performance Double-Layer Organic Light-Emitting Diodes: Comparison of Isomers with and without Thermally Activated Delayed Fluorescence. <i>ACS Applied Materials & Delayed Fluorescence</i> , 2017 , 9, 17279-17289	9.5	14
16	Hydrogen bond modulation in 1,10-phenanthroline derivatives for versatile electron transport materials with high thermal stability, large electron mobility and excellent n-doping ability. <i>Science Bulletin</i> 2020 , 65, 153-160	10.6	13

LIST OF PUBLICATIONS

15	Multi-Resonance Deep-Red Emitters with Shallow Potential-Energy Surfaces to Surpass Energy-Gap Law**. <i>Angewandte Chemie</i> , 2021 , 133, 20661-20666	3.6	12
14	Highly efficient inverted polymer solar cells by using solution processed MgO/ZnO composite interfacial layers. <i>Journal of Colloid and Interface Science</i> , 2021 , 583, 178-187	9.3	8
13	Accelerating Radiative Decay in Blue Through-space Charge Transfer Emitters by Minimizing the Face-to-face Donor-acceptor Distances <i>Angewandte Chemie - International Edition</i> , 2022 ,	16.4	7
12	Synergistic optimization of interfacial energy-level alignment and defect passivation toward efficient annealing-free inverted polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 18792-18	3 8 01	7
11	Tough, stable and self-healing luminescent perovskite-polymer matrix applicable to all harsh aquatic environments <i>Nature Communications</i> , 2022 , 13, 1338	17.4	7
10	Indolo[3,2,1-jk]carbazole Embedded Multiple-Resonance Fluorophors for Narrowband Deep-blue Electroluminescence with EQEB4.7 % and CIEy0.085. <i>Angewandte Chemie</i> , 2021 , 133, 12377-12381	3.6	6
9	Highly Efficient and Stable Blue Organic Light-Emitting Diodes based on Thermally Activated Delayed Fluorophor with Donor-Void-Acceptor Motif <i>Advanced Science</i> , 2022 , e2106018	13.6	5
8	Modulation of ligand conjugation for efficient FAPbBr3 based green light-emitting diodes. Materials Chemistry Frontiers, 2020 , 4, 1383-1389	7.8	3
7	Approaching Ohmic hole contact via a synergetic effect of a thin insulating layer and strong electron acceptors. <i>Science China Materials</i> , 2021 , 64, 3124	7.1	3
6	Simultaneously Enhanced Reverse Intersystem Crossing and Radiative Decay in Thermally Activated Delayed Fluorophors with Multiple Through-space Charge Transfers. <i>Angewandte Chemie</i> ,	3.6	3
5	Investigation on two triphenylene based electron transport materials. <i>Science China Chemistry</i> , 2019 , 62, 775-783	7.9	2
4	Suppressing Competitive Coordination Reaction for Ohmic Cathode Contact Using Amino-Substituted Organic Ligands and Air-Stable Metals. <i>CCS Chemistry</i> , 367-376	7.2	2
3	In situ-formed tetrahedrally coordinated double-helical metal complexes for improved coordination-activated n-doping <i>Nature Communications</i> , 2022 , 13, 1215	17.4	2
2	38.2: Invited Paper: A sensitized way towards stable blue OLEDs. <i>Digest of Technical Papers SID International Symposium</i> , 2021 , 52, 484-485	0.5	
1	12.1: Invited Paper: Efficiency enhancement in dual emission OLEDs. <i>Digest of Technical Papers SID International Symposium</i> , 2021 , 52, 176-178	0.5	