Davor Solter

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6433393/publications.pdf

Version: 2024-02-01

91 9,260 45 84
papers citations h-index g-index

95 95 95 7885 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Completion of mouse embryogenesis requires both the maternal and paternal genomes. Cell, 1984, 37, 179-183.	13.5	1,452
2	Retrotransposons Regulate Host Genes in Mouse Oocytes and Preimplantation Embryos. Developmental Cell, 2004, 7, 597-606.	3.1	610
3	DNA methylation dynamics during epigenetic reprogramming in the germline and preimplantation embryos. Genes and Development, 2014, 28, 812-828.	2.7	577
4	Identification and purification of a cell surface glycoprotein mediating intercellular adhesion in embryonic and adult tissue. Cell, 1983, 34, 455-466.	13.5	402
5	Monoclonal antibody to murine embryos defines a stage-specific embryonic antigen expressed on mouse embryos and human teratocarcinoma cells. Cell, 1982, 30, 697-705.	13.5	378
6	<i>Trim28</i> Is Required for Epigenetic Stability During Mouse Oocyte to Embryo Transition. Science, 2012, 335, 1499-1502.	6.0	287
7	Immunohistochemical localization of the early embryonic antigen (SSEA-1) in postimplantation mouse embryos and fetal and adult tissues. Developmental Biology, 1981, 83, 391-398.	0.9	278
8	From teratocarcinomas to embryonic stem cells and beyond: a history of embryonic stem cell research. Nature Reviews Genetics, 2006, 7, 319-327.	7.7	271
9	Mammalian cloning: advances and limitations. Nature Reviews Genetics, 2000, 1, 199-207.	7.7	231
10	Maternal Î ² -catenin and E-cadherin in mouse development. Development (Cambridge), 2004, 131, 4435-4445.	1.2	192
11	The hapten structure of a developmentally regulated glycolipid antigen (SSEA-1) isolated from human erythrocytes and adenocarcinoma: A preliminary note. Biochemical and Biophysical Research Communications, 1981, 100, 1578-1586.	1.0	183
12	ELABELA deficiency promotes preeclampsia and cardiovascular malformations in mice. Science, 2017, 357, 707-713.	6.0	181
13	Polarity of the mouse embryo is established at blastocyst and is not prepatterned. Genes and Development, 2005, 19, 1081-1092.	2.7	172
14	The induction of antigenic changes in a teratocarcinoma stem cell line (F9) by retinoic acid. Developmental Biology, 1979, 70, 515-521.	0.9	163
15	Extrauterine Growth of Mouse Egg-cylinders results in Malignant Teratoma. Nature, 1970, 227, 503-504.	13.7	161
16	Experimental Teratoma. Current Topics in Pathology Ergebnisse Der Pathologie, 1974, 59, 69-129.	0.2	157
17	A genetic and developmental pathway from STAT3 to the OCT4–NANOG circuit is essential for maintenance of ICM lineages in vivo. Genes and Development, 2013, 27, 1378-1390.	2.7	151
18	Cracking the egg: molecular dynamics and evolutionary aspects of the transition from the fully grown oocyte to embryo. Genes and Development, 2006, 20, 2713-2727.	2.7	147

#	Article	IF	CITATIONS
19	Single-Cell DNA-Methylation Analysis Reveals Epigenetic Chimerism in Preimplantation Embryos. Science, 2013, 341, 1110-1112.	6.0	145
20	Acquisition of a transcriptionally permissive state during the 1-cell stage of mouse embryogenesis. Developmental Biology, 1992, 149, 457-462.	0.9	141
21	Stabilization of \hat{l}^2 -catenin in the mouse zygote leads to premature epithelial-mesenchymal transition in the epiblast. Development (Cambridge), 2004, 131, 5817-5824.	1.2	139
22	First cleavage plane of the mouse egg is not predetermined but defined by the topology of the two apposing pronuclei. Nature, 2004, 430, 360-364.	13.7	139
23	Ribosomal Protein S6 Gene Haploinsufficiency Is Associated with Activation of a p53-Dependent Checkpoint during Gastrulation. Molecular and Cellular Biology, 2006, 26, 8880-8891.	1.1	122
24	New member of the Snf1/AMPK kinase family, Melk, is expressed in the mouse egg and preimplantation embryo. Molecular Reproduction and Development, 1997, 47, 148-156.	1.0	120
25	Nuclear transplantation in mouse embryos. The Journal of Experimental Zoology, 1983, 228, 355-362.	1.4	100
26	Maternal Thp lethality in the mouse is a nuclear, not cytoplasmic, defect. Nature, 1984, 308, 550-551.	13.7	89
27	Expression and cell membrane localization of catenins during mouse preimplantation development. , 1996, 206, 391-402.		89
28	ETHICS: Moral Issues of Human-Non-Human Primate Neural Grafting. Science, 2005, 309, 385-386.	6.0	89
29	Temporal reduction of LATS kinases in the early preimplantation embryo prevents ICM lineage differentiation. Genes and Development, 2013, 27, 1441-1446.	2.7	85
30	Ultrastructural cytochemistry of membrane-bound phosphatases in preimplantation mouse embryos. Developmental Biology, 1977, 55, 117-134.	0.9	84
31	Cell surface glycoproteins mediate compaction, trophoblast attachment, and endoderm formation during early mouse development. Developmental Biology, 1985, 108, 513-521.	0.9	80
32	Murine embryonic antigen (SSEA-1) is expressed on human cells and structurally related human blood group antigen I is expressed on mouse embryos. Developmental Biology, 1982, 93, 54-58.	0.9	79
33	Comment on " 'Stemness': Transcriptional Profiling of Embryonic and Adult Stem Cells" and "A Stem Cell Molecular Signature" (II). Science, 2003, 302, 393c-393.	6.0	75
34	The nuage mediates retrotransposon silencing in mouse primordial ovarian follicles. Development (Cambridge), 2013, 140, 3819-3825.	1.2	73
35	Safety issues in cell-based intervention trials. Fertility and Sterility, 2003, 80, 1077-1085.	0.5	72
36	Red Cell Antigens P (Globoside) and Luke: Identification by Monoclonal Antibodies Defining the Murine Stageâ€Specific Embryonic Antigens â€3 and â€4 (SSEAâ€3 and SSEAâ€4) ¹ . Vox Sanguinis, 1986, 5	51, ⁰ ,53-56.	68

#	Article	IF	CITATIONS
37	Identification of noncollagenous basement membrane glycopolypeptides synthesized by mouse parietal entoderm and an entodermal cell line. Developmental Biology, 1980, 77, 480-487.	0.9	66
38	Public Stem Cell Banks: Considerations of Justice in Stem Cell Research and Therapy. Hastings Center Report, 2003, 33, 13.	0.7	66
39	Developmental fate and lineage commitment of singled mouse blastomeres. Development (Cambridge), 2012, 139, 3722-3731.	1.2	66
40	Positive-negative selection gene targeting with the diphtheria toxin A-chain gene in mouse embryonic stem cells. Transgenic Research, 1993, 2, 183-190.	1.3	64
41	SSEA-1, a stage-specific embryonic antigen of the mouse, is carried by the glycoprotein-bound large carbohydrate in embryonal carcinoma cells. Cell Differentiation, 1985, 16, 169-173.	1.3	59
42	Activation of a two-cell stage-specific gene following transfer of heterologous nuclei into enucleated mouse embryos. Molecular Reproduction and Development, 1991, 30, 182-186.	1.0	57
43	Expression ofMelk, a new protein kinase, during early mouse development. Developmental Dynamics, 1999, 215, 344-351.	0.8	51
44	Stage-specific embryonic antigen 3 as a marker of visceral extraembryonic endoderm. Developmental Biology, 1984, 103, 263-266.	0.9	50
45	Brain and sperm cell surface antigen (NS-4) on preimplantation mouse embryos. Developmental Biology, 1976, 52, 98-104.	0.9	48
46	[35] Construction of primary and subtracted cDNA libraries from early embryos. Methods in Enzymology, 1993, 225, 587-610.	0.4	45
47	Chimeras between parthenogenetic or androgenetic blastomeres and normal embryos: Allocation to the inner cell mass and trophectoderm. Developmental Biology, 1989, 131, 580-583.	0.9	41
48	Maid: a maternally transcribed novel gene encoding a potential negative regulator of bHLH proteins in the mouse egg and zygote., 1997, 209, 217-226.		40
49	Alterations in Protein Synthesis Following Transplantation of Mouse 8-Cell Stage Nuclei to Enucleated 1-Cell Embryos. Developmental Biology, 1994, 163, 341-350.	0.9	39
50	SPIN, a substrate in the MAP kinase pathway in mouse oocytes. Molecular Reproduction and Development, 1998, 50, 240-249.	1.0	38
51	Dolly is a clone — and no longer alone. Nature, 1998, 394, 315-316.	13.7	36
52	Does prepatterning occur in the mouse egg?. Nature, 2006, 442, E3-E4.	13.7	35
53	Mechanistic and Developmental Aspects of Genetic Imprinting in Mammals. International Review of Cytology, 1995, 160, 53-98.	6.2	34
54	The Role of Animal Models in Evaluating Reasonable Safety and Efficacy for Human Trials of Cell-Based Interventions for Neurologic Conditions. Journal of Cerebral Blood Flow and Metabolism, 2009, 29, 1-9.	2.4	34

#	Article	IF	CITATIONS
55	[43] Transplantation of nuclei to oocytes and embryos. Methods in Enzymology, 1993, 225, 719-732.	0.4	33
56	Space Asymmetry Directs Preferential Sperm Entry in the Absence of Polarity in the Mouse Oocyte. PLoS Biology, 2006, 4, e135.	2.6	32
57	Expression of SPARC/osteonectin transcript in murine embryos and gonads. Differentiation, 1988, 37, 20-25.	1.0	31
58	Inertia of the embryonic genome in mammals. Trends in Genetics, 1987, 3, 23-27.	2.9	30
59	\hat{l}^2 -catenin-mediated adhesion is required for successful preimplantation mouse embryo development. Development (Cambridge), 2016, 143, 1993-1999.	1.2	29
60	Molecular control of the oocyte to embryo transition. Philosophical Transactions of the Royal Society B: Biological Sciences, 2003, 358, 1381-1388.	1.8	28
61	Ultrastructure of mouse egg cylinders developed in vitro. The Anatomical Record, 1974, 180, 263-279.	2.3	27
62	Onset of paternal and maternal Gpi-1 expression in preimplantation mouse embryos. Developmental Biology, 1985, 109, 515-517.	0.9	26
63	Teratocarcinomas rarely develop from embryos transplanted into athymic mice. Nature, 1979, 278, 554-555.	13.7	25
64	Lambing by nuclear transfer. Nature, 1996, 380, 24-25.	13.7	25
64	Lambing by nuclear transfer. Nature, 1996, 380, 24-25. Expression of genes involved in mammalian meiosis during the transition from egg to embryo. Molecular Reproduction and Development, 2001, 59, 144-158.	13.7	25
	Expression of genes involved in mammalian meiosis during the transition from egg to embryo.		
65	Expression of genes involved in mammalian meiosis during the transition from egg to embryo. Molecular Reproduction and Development, 2001, 59, 144-158. Erase–Maintain–Establish: Natural Reprogramming of the Mammalian Epigenome. Cold Spring Harbor	1.0	22
65	Expression of genes involved in mammalian meiosis during the transition from egg to embryo. Molecular Reproduction and Development, 2001, 59, 144-158. Erase–Maintain–Establish: Natural Reprogramming of the Mammalian Epigenome. Cold Spring Harbor Symposia on Quantitative Biology, 2015, 80, 155-163. Public stem cell banks: considerations of justice in stem cell research and therapy. Hastings Center	2.0	22
65 66 67	Expression of genes involved in mammalian meiosis during the transition from egg to embryo. Molecular Reproduction and Development, 2001, 59, 144-158. Erase–Maintain–Establish: Natural Reprogramming of the Mammalian Epigenome. Cold Spring Harbor Symposia on Quantitative Biology, 2015, 80, 155-163. Public stem cell banks: considerations of justice in stem cell research and therapy. Hastings Center Report, 2003, 33, 13-27. Politically Correct Human Embryonic Stem Cells?. New England Journal of Medicine, 2005, 353,	1.0 2.0 0.7	22 22 22
65 66 67 68	Expression of genes involved in mammalian meiosis during the transition from egg to embryo. Molecular Reproduction and Development, 2001, 59, 144-158. Erase–Maintain–Establish: Natural Reprogramming of the Mammalian Epigenome. Cold Spring Harbor Symposia on Quantitative Biology, 2015, 80, 155-163. Public stem cell banks: considerations of justice in stem cell research and therapy. Hastings Center Report, 2003, 33, 13-27. Politically Correct Human Embryonic Stem Cells?. New England Journal of Medicine, 2005, 353, 2321-2323. Symmetric cell division of the mouse zygote requires an actin network. Cytoskeleton, 2012, 69,	1.0 2.0 0.7 13.9	22 22 22 21
65 66 67 68	Expression of genes involved in mammalian meiosis during the transition from egg to embryo. Molecular Reproduction and Development, 2001, 59, 144-158. Erase–Maintain–Establish: Natural Reprogramming of the Mammalian Epigenome. Cold Spring Harbor Symposia on Quantitative Biology, 2015, 80, 155-163. Public stem cell banks: considerations of justice in stem cell research and therapy. Hastings Center Report, 2003, 33, 13-27. Politically Correct Human Embryonic Stem Cells?. New England Journal of Medicine, 2005, 353, 2321-2323. Symmetric cell division of the mouse zygote requires an actin network. Cytoskeleton, 2012, 69, 1040-1046. Mechanism of First Cleavage Specification in the Mouse Egg: Is Our Body Plan Set at Day 0?. Cell Cycle,	1.0 2.0 0.7 13.9	22 22 22 21 21

#	Article	IF	CITATIONS
73	Fatal flaws in the case for prepatterning in the mouse egg. Reproductive BioMedicine Online, 2006, 12, 150-152.	1.1	15
74	Host-related factors determine the outgrowth of teratocarcinomas from Mouse egg-cylinders. Zeitschrift Fýr Krebsforschung Und Klinische Onkologie, 1974, 81, 63-69.	0.8	14
75	Embryo-derived teratocarcinoma II. Teratocarcinogenesis depends on the type of embryonic graft. International Journal of Cancer, 1980, 25, 341-343.	2.3	14
76	Preformation Versus Epigenesis in Early Mammalian Development. Current Topics in Developmental Biology, 2016, 117, 377-391.	1.0	12
77	Cloning claims challenged. Nature, 1999, 399, 13-13.	13.7	9
78	Cloning v. clowning. Genes and Development, 2002, 16, 1163-1166.	2.7	9
79	Fertilization and Activation of the Embryonic Genome. , 2002, , 5-19.		9
80	Chapter 3 Developmental Potency of Gametic and Embryonic Genomes Revealed by Nuclear Transfer. Current Topics in Developmental Biology, 1987, 23, 55-71.	1.0	8
81	Nuclear and Cytoplasmic Transfer in Mammalian Embryos. , 1986, 4, 37-55.		8
82	Relevance of genomic imprinting to human diseases. Current Opinion in Biotechnology, 1992, 3, 632-636.	3.3	6
83	Viable Rat-Mouse Chimeras: Where Do We Go from Here?. Cell, 2010, 142, 676-678.	13.5	6
84	Development of Teratocarcinomas and Teratomas in Severely Immunodeficient NOD.Cg-Prkdcscid Il2rgtm1Wjl/Szj (NSG) Mice. Stem Cells and Development, 2015, 24, 1515-1520.	1.1	6
85	Embryo-derived teratocarcinoma. IV. The role of immune factors in the regulation of teratocarcinogenesis. International Journal of Cancer, 1982, 30, 759-762.	2.3	3
86	Developmental consequences of two paternal copies of imprinted chromosome region distal 7 in mice. Journal of Cellular Physiology, 1997, 173, 242-246.	2.0	3
87	Role of Cell Surface Molecules in Mammalian Development. , 1986, , 1070-1078.		3
88	New paths to human ES cells?. Nature Biotechnology, 2003, 21, 1154-1155.	9.4	1
88	New paths to human ES cells?. Nature Biotechnology, 2003, 21, 1154-1155. Cell Differentiation and Neoplasia. Grady F. Saunders. Quarterly Review of Biology, 1979, 54, 79-80.	0.0	0

ARTICLE IF CITATIONS
91 Experimental Mouse Teratocarcinoma., 1983,, 343-356. o