Xiansheng Guo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6434262/publications.pdf

Version: 2024-02-01

430874 454955 1,039 43 18 30 citations g-index h-index papers 43 43 43 852 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Robust Source Positioning Method With Accurate and Simplified Worst-Case Approximation. IEEE Transactions on Vehicular Technology, 2022, 71, 1891-1900. | 6.3 | 6 |
| 2 | Long Short-Term Indoor Positioning System via Evolving Knowledge Transfer. IEEE Transactions on Wireless Communications, 2022, 21, 5556-5572. | 9.2 | 5 |
| 3 | Deep knowledge integration of heterogeneous features for domain adaptive SAR target recognition. Pattern Recognition, 2022, 126, 108590. | 8.1 | 9 |
| 4 | Multi-view classification with semi-supervised learning for SAR target recognition. Signal Processing, 2021, 183, 108030. | 3.7 | 19 |
| 5 | TransLoc: A Heterogeneous Knowledge Transfer Framework for Fingerprint-Based Indoor Localization. IEEE Transactions on Wireless Communications, 2021, 20, 3628-3642. | 9.2 | 15 |
| 6 | Robust WiFi Localization by Fusing Derivative Fingerprints of RSS and Multiple Classifiers. IEEE Transactions on Industrial Informatics, 2020, 16, 3177-3186. | 11.3 | 91 |
| 7 | SmartLoc: Smart Wireless Indoor Localization Empowered by Machine Learning. IEEE Transactions on Industrial Electronics, 2020, 67, 6883-6893. | 7.9 | 29 |
| 8 | A Survey on Fusion-Based Indoor Positioning. IEEE Communications Surveys and Tutorials, 2020, 22, 566-594. | 39.4 | 149 |
| 9 | A Hybrid Positioning System for Location-Based Services: Design and Implementation. IEEE Communications Magazine, 2020, 58, 90-96. | 6.1 | 24 |
| 10 | An Adaptive and Robust Model for WiFi-based Localization. , 2020, , . | | 2 |
| 11 | Multi-View Fusion Based on Expectation Maximization for SAR Target Recognition. , 2020, , . | | 1 |
| 12 | Transferred Knowledge Aided Positioning via Global and Local Structural Consistency Constraints. IEEE Access, 2019, 7, 32102-32117. | 4.2 | 8 |
| 13 | A semi-supervised deep learning approach towards localization of crowdsourced data. , 2019, , . | | 4 |
| 14 | A Hybrid Fingerprint Quality Evaluation Model for WiFi Localization. IEEE Internet of Things Journal, 2019, 6, 9829-9840. | 8.7 | 34 |
| 15 | Indoor Localization Using Visible Light via Two-Layer Fusion Network. IEEE Access, 2019, 7, 16421-16430. | 4.2 | 34 |
| 16 | An Adaptive Localization Approach Based on Deep Adaptation Networks. , 2019, , . | | 3 |
| 17 | A Semi-supervised Naive Bayesian Method for Labeling Heterogeneous Fingerprints. , 2019, , . | | O |
| 18 | Improved Smartphone-based PDR Localization for Arbitrary Placement., 2019,,. | | 0 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Accurate WiFi Localization by Unsupervised Fusion of Extended Candidate Location Set. IEEE Internet of Things Journal, 2019, 6, 2476-2485. | 8.7 | 38 |
| 20 | Expectation Maximization Indoor Localization Utilizing Supporting Set for Internet of Things. IEEE Internet of Things Journal, 2019, 6, 2573-2582. | 8.7 | 28 |
| 21 | A New Nested Array Configuration With Increased Degrees of Freedom. IEEE Access, 2018, 6, 1490-1497. | 4.2 | 46 |
| 22 | Indoor Localization by Fusing a Group of Fingerprints Based on Random Forests. IEEE Internet of Things Journal, 2018, 5, 4686-4698. | 8.7 | 77 |
| 23 | DOA estimation of rectilinear signals with a partly calibrated uniform linear array. Signal Processing, 2018, 147, 203-207. | 3.7 | 9 |
| 24 | Knowledge Aided Adaptive Localization via Global Fusion Profile. IEEE Internet of Things Journal, 2018, 5, 1081-1089. | 8.7 | 28 |
| 25 | Deep Regression Model for Received Signal Strength based WiFi Localization., 2018,,. | | 5 |
| 26 | Multiple Classifiers Global Dynamic Fusion Location System based on WiFi and Geomagnetism. , 2018, , . | | 4 |
| 27 | Accurate WiFi Localization by Fusing a Group of Fingerprints via a Global Fusion Profile. IEEE Transactions on Vehicular Technology, 2018, 67, 7314-7325. | 6.3 | 69 |
| 28 | Joint localization of multiple sources from incomplete noisy Euclidean distance matrix in wireless networks. Computer Communications, 2018, 122, 20-29. | 5.1 | 13 |
| 29 | A blind spot detection and warning system based on millimeter wave radar for driver assistance. Optik, 2017, 135, 353-365. | 2.9 | 33 |
| 30 | Indoor Localization Using Visible Light Via Fusion of Multiple Classifiers. IEEE Photonics Journal, 2017, 9, 1-16. | 2.0 | 75 |
| 31 | Accuracy analysis for passive localization from frequency measurements using single satellite. Advances in Mechanical Engineering, 2017, 9, 168781401774516. | 1.6 | 1 |
| 32 | Localization by Fusing a Group of Fingerprints via Multiple Antennas in Indoor Environment. IEEE Transactions on Vehicular Technology, 2017, 66, 9904-9915. | 6.3 | 45 |
| 33 | Accurate Localization of Multiple Sources Using Semidefinite Programming Based on Incomplete Range Matrix. IEEE Sensors Journal, 2016, 16, 5319-5324. | 4.7 | 63 |
| 34 | Robust Adaptive LCMV Beamformer Based On An Iterative Suboptimal Solution. Radioengineering, 2015, 24, 572-582. | 0.6 | 8 |
| 35 | DOA estimation of mixed circular and non-circular signals using uniform circular array. , 2014, , . | | 7 |
| 36 | Low-Complexity Iterative Adaptive Linearly Constrained Minimum Variance Beamformer. Circuits, Systems, and Signal Processing, 2014, 33, 987-997. | 2.0 | 0 |

| # | Article | lF | CITATIONS |
|----|--|-----|-----------|
| 37 | Stability analysis and decentralized Hâ^ž control for time-delay fuzzy interconnected systems via fuzzy Lyapunov-Krasovskii functional. Journal of Intelligent and Fuzzy Systems, 2014, 26, 1731-1744. | 1.4 | 3 |
| 38 | Teaching notes of MVDR in digital signal processing (DSP)., 2012,,. | | 1 |
| 39 | Source localization using a sparse representation framework to achieve superresolution. Multidimensional Systems and Signal Processing, 2010, 21, 391-402. | 2.6 | 20 |
| 40 | Blind separation of electron paramagnetic resonance signals using diversity minimization. Journal of Magnetic Resonance, 2010, 204, 26-36. | 2.1 | 10 |
| 41 | An improved direction-of-arrival estimation via phase information of sparse solution. , 2009, , . | | O |
| 42 | Low-complexity 2D coherently distributed sources decoupled DOAs estimation method. Science in China Series F: Information Sciences, 2009, 52, 835-842. | 1.1 | 21 |
| 43 | Parameters estimation of coherently distributed sources in the presence of mutual coupling. , 2006, , . | | 2 |