

Zhen Liu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6434311/zhen-liu-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

160
papers

7,328
citations

48
h-index

79
g-index

179
ext. papers

8,302
ext. citations

7.2
avg, IF

6.51
L-index

#	Paper	IF	Citations
160	On the journey exploring nanoscale packing materials for ultra-efficient liquid chromatographic separation. <i>Journal of Chromatography Open</i> , 2022 , 2, 100033		1
159	Advances in protein analysis in single live cells: principle, instrumentation and applications. <i>TrAC - Trends in Analytical Chemistry</i> , 2022 , 116619	14.6	0
158	Molecularly Imprinted and Cladded Nanoparticles Provide Better Phosphorylation Recognition. <i>Analytical Chemistry</i> , 2021 , 93, 16194-16202	7.8	0
157	Multiplexed Single-Cell Plasmonic Immunoassay of Intracellular Signaling Proteins Enables Non-Destructive Monitoring of Cell Fate. <i>Analytical Chemistry</i> , 2021 , 93, 14204-14213	7.8	2
156	Molecular imprinting and cladding produces antibody mimics with significantly improved affinity and specificity. <i>Science Bulletin</i> , 2021 ,	10.6	7
155	Controllable Engineering and Functionalizing of Nanoparticles for Targeting Specific Proteins towards Biomedical Applications. <i>Advanced Science</i> , 2021 , 8, e2101713	13.6	8
154	Dendritic Mesoporous Silica Nanospheres: Toward the Ultimate Minimum Particle Size for Ultraefficient Liquid Chromatographic Separation. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 22970-22977	9.5	47
153	An efficient approach based on basic strong cation exchange chromatography for enriching methylated peptides with high specificity for methylproteomics analysis. <i>Analytica Chimica Acta</i> , 2021 , 1161, 338467	6.6	2
152	Probing low-copy-number proteins in single living cells using single-cell plasmonic immunosandwich assays. <i>Nature Protocols</i> , 2021 , 16, 3522-3546	18.8	7
151	Recent progress and application of boronate affinity materials in bioanalysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2021 , 140, 116271	14.6	13
150	Molecularly Imprinted Polymer Nanoparticles: An Emerging Versatile Platform for Cancer Therapy. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 3858-3869	16.4	35
149	Molecularly Imprinted Polymer-Based Smart Prodrug Delivery System for Specific Targeting, Prolonged Retention, and Tumor Microenvironment-Triggered Release. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 2663-2667	16.4	42
148	Molecularly Imprinted Polymer-Based Smart Prodrug Delivery System for Specific Targeting, Prolonged Retention, and Tumor Microenvironment-Triggered Release. <i>Angewandte Chemie</i> , 2021 , 133, 2695-2699	3.6	3
147	Efficient Screening of Glycan-Specific Aptamers Using a Glycosylated Peptide as a Scaffold. <i>Analytical Chemistry</i> , 2021 , 93, 956-963	7.8	7
146	Molecularly Imprinted Polymer Nanoparticles: An Emerging Versatile Platform for Cancer Therapy. <i>Angewandte Chemie</i> , 2021 , 133, 3902-3913	3.6	0
145	Probing nucleus-enriched proteins in single living cells via a subcellular-resolved plasmonic immunosandwich assay. <i>Analyst</i> , 2021 , 146, 2878-2885	5	2
144	Advances in Protein Biomarker Assay via the Combination of Molecular Imprinting and Surface-enhanced Raman Scattering. <i>Acta Chimica Sinica</i> , 2021 , 79, 45	3.3	3

143	Three-dimensional mesoporous dendritic fibrous nanosilica as a highly efficient DNA amplification platform for ultrasensitive detection of chlorpyrifos residues. <i>Sensors and Actuators B: Chemical</i> , 2020 , 319, 128246	8.5	5
142	Epitope-Imprinted Magnetic Nanoparticles as a General Platform for Efficient Evolution of Protein-Binding Aptamers. <i>ACS Sensors</i> , 2020 , 5, 2537-2544	9.2	7
141	Convenient Construction of Orthogonal Dual Aptamer-Based Plasmonic Immunosandwich Assay for Probing Protein Disease Markers in Complex Samples and Living Animals. <i>ACS Sensors</i> , 2020 , 5, 1436-1444	9.2	10
140	Single-Cell Analysis of Signaling Proteins Provides Insights into Proapoptotic Properties of Anticancer Drugs. <i>Analytical Chemistry</i> , 2020 , 92, 12498-12508	7.8	5
139	Nanoparticles Loaded with Wnt and YAP/Mevalonate Inhibitors in Combination with Paclitaxel Stop the Growth of TNBC Patient-Derived Xenografts and Diminish Tumorigenesis. <i>Advanced Therapeutics</i> , 2020 , 3, 2000123	4.9	1
138	Comparative proteomic analysis of protein methylation provides insight into the resistance of hepatocellular carcinoma to 5-fluorouracil. <i>Journal of Proteomics</i> , 2020 , 219, 103738	3.9	1
137	Quantitative proteomic and phosphoproteomic studies reveal novel 5-fluorouracil resistant targets in hepatocellular carcinoma. <i>Journal of Proteomics</i> , 2019 , 208, 103501	3.9	7
136	Recent advances in nanostructure/nanomaterial-assisted laser desorption/ionization mass spectrometry of low molecular mass compounds. <i>Analytica Chimica Acta</i> , 2019 , 1090, 1-22	6.6	24
135	Orthogonal dual molecularly imprinted polymer-based plasmonic immunosandwich assay: A double characteristic recognition strategy for specific detection of glycoproteins. <i>Biosensors and Bioelectronics</i> , 2019 , 145, 111729	11.8	28
134	Controllably prepared molecularly imprinted core-shell plasmonic nanostructure for plasmon-enhanced fluorescence assay. <i>Biosensors and Bioelectronics</i> , 2019 , 146, 111733	11.8	23
133	Specific recognition of proteins and peptides controllable oriented surface imprinting of boronate affinity-anchored epitopes. <i>Chemical Science</i> , 2019 , 10, 1831-1835	9.4	80
132	Gold Nanoparticle-Decorated 2 Nanocomposite-Based Plasmonic Affinity Sandwich Assay of Circulating MicroRNAs in Human Serum. <i>ACS Applied Nano Materials</i> , 2019 , 2, 3960-3970	5.6	7
131	Efficient Mass Spectrometric Dissection of Glycans via Gold Nanoparticle-Assisted in-Source Cation Adduction Dissociation. <i>Analytical Chemistry</i> , 2019 , 91, 8390-8397	7.8	14
130	Inhibition of HER2-Positive Breast Cancer Growth by Blocking the HER2 Signaling Pathway with HER2-Glycan-Imprinted Nanoparticles. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 10621-10625	16.4	82
129	One-Step SH2 Superbinder-Based Approach for Sensitive Analysis of Tyrosine Phosphoproteome. <i>Journal of Proteome Research</i> , 2019 , 18, 1870-1879	5.6	8
128	A new chromatographic approach to analyze methylproteome with enhanced lysine methylation identification performance. <i>Analytica Chimica Acta</i> , 2019 , 1068, 111-119	6.6	10
127	Controllably Prepared Aptamer-Molecularly Imprinted Polymer Hybrid for High-Specificity and High-Affinity Recognition of Target Proteins. <i>Analytical Chemistry</i> , 2019 , 91, 4831-4837	7.8	53
126	Dual Molecularly Imprinted Polymer-Based Plasmonic Immunosandwich Assay for the Specific and Sensitive Detection of Protein Biomarkers. <i>Analytical Chemistry</i> , 2019 , 91, 9993-10000	7.8	47

125	Inhibition of HER2-Positive Breast Cancer Growth by Blocking the HER2 Signaling Pathway with HER2-Glycan-Imprinted Nanoparticles. <i>Angewandte Chemie</i> , 2019 , 131, 10731-10735	3.6	11
124	Recent progress in the combination of molecularly imprinted polymer-based affinity extraction and mass spectrometry for targeted proteomic analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2019 , 110, 417-428	14.6	33
123	Sol-gel preparation of titanium (IV)-immobilized hierarchically porous organosilica hybrid monoliths. <i>Analytica Chimica Acta</i> , 2019 , 1046, 199-207	6.6	13
122	Precision Imprinting of Glycopeptides for Facile Preparation of Glycan-Specific Artificial Antibodies. <i>Analytical Chemistry</i> , 2018 , 90, 9845-9852	7.8	46
121	Probing cytoplasmic and nuclear microRNAs in single living cells plasmonic affinity sandwich assay. <i>Chemical Science</i> , 2018 , 9, 7241-7246	9.4	16
120	Glycan-Imprinted Magnetic Nanoparticle-Based SELEX for Efficient Screening of Glycoprotein-Binding Aptamers. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 40918-40926	9.5	38
119	Molecularly imprinted mesoporous silica nanoparticles for specific extraction and efficient identification of Amadori compounds. <i>Analytica Chimica Acta</i> , 2018 , 1019, 65-73	6.6	27
118	Pattern Recognition of Cells via Multiplexed Imaging with Monosaccharide-Imprinted Quantum Dots. <i>Analytical Chemistry</i> , 2017 , 89, 5646-5652	7.8	43
117	Targeted cancer imaging and photothermal therapy via monosaccharide-imprinted gold nanorods. <i>Chemical Communications</i> , 2017 , 53, 6716-6719	5.8	109
116	Preparation of molecularly imprinted polymers specific to glycoproteins, glycans and monosaccharides via boronate affinity controllable-oriented surface imprinting. <i>Nature Protocols</i> , 2017 , 12, 964-987	18.8	195
115	Molecularly Imprinted Plasmonic Substrates for Specific and Ultrasensitive Immunoassay of Trace Glycoproteins in Biological Samples. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 12082-12091	9.5	58
114	Fast probing of glucose and fructose in plant tissues via plasmonic affinity sandwich assay with molecularly-imprinted extraction microprobes. <i>Analytica Chimica Acta</i> , 2017 , 995, 34-42	6.6	16
113	Synthesis and Applications of Boronate Affinity Materials: From Class Selectivity to Biomimetic Specificity. <i>Accounts of Chemical Research</i> , 2017 , 50, 2185-2193	24.3	171
112	Coupling of metal-organic frameworks-containing monolithic capillary-based selective enrichment with matrix-assisted laser desorption ionization-time-of-flight mass spectrometry for efficient analysis of protein phosphorylation. <i>Journal of Chromatography A</i> , 2017 , 1498, 56-63	4.5	14
111	Molecularly Imprinted Polymer-Based Plasmonic Immunosandwich Assay for Fast and Ultrasensitive Determination of Trace Glycoproteins in Complex Samples. <i>Analytical Chemistry</i> , 2016 , 88, 12363-12370	7.8	64
110	Probing Low-Copy-Number Proteins in a Single Living Cell. <i>Angewandte Chemie</i> , 2016 , 128, 13409-13412	3.6	16
109	Probing Low-Copy-Number Proteins in a Single Living Cell. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 13215-13218	16.4	88
108	Targeting and Imaging of Cancer Cells via Monosaccharide-Imprinted Fluorescent Nanoparticles. <i>Scientific Reports</i> , 2016 , 6, 22757	4.9	106

107	Coupling of Phosphate-Imprinted Mesoporous Silica Nanoparticles-Based Selective Enrichment with Matrix-Assisted Laser Desorption Ionization-Time-of-Flight Mass Spectrometry for Highly Efficient Analysis of Protein Phosphorylation. <i>Analytical Chemistry</i> , 2016 , 88, 1447-54	7.8	78
106	Highly Specific Electrochemiluminescence Detection of Cancer Cells with a Closed Bipolar Electrode. <i>ChemElectroChem</i> , 2016 , 3, 429-435	4.3	28
105	Joint enhancement strategy applied in ECL biosensor based on closed bipolar electrodes for the detection of PSA. <i>Talanta</i> , 2016 , 154, 169-74	6.2	26
104	Boronate Affinity Fluorescent Nanoparticles for Förster Resonance Energy Transfer Inhibition Assay of cis-Diol Biomolecules. <i>Analytical Chemistry</i> , 2016 , 88, 5088-96	7.8	18
103	Hybrid Approach Combining Boronate Affinity Magnetic Nanoparticles and Capillary Electrophoresis for Efficient Selection of Glycoprotein-Binding Aptamers. <i>Analytical Chemistry</i> , 2016 , 88, 9805-9812	7.8	28
102	Multimodal Plasmonic Assay of Copper(II) Ion via Stimuli-Responsive State Transformation of Silver Molecular Nanoparticles. <i>Analytical Chemistry</i> , 2016 , 88, 8123-8	7.8	18
101	Temporal Sensing Platform Based on Bipolar Electrode for the Ultrasensitive Detection of Cancer Cells. <i>Analytical Chemistry</i> , 2016 , 88, 8795-801	7.8	52
100	Highly Efficient Solid-Phase Labeling of Saccharides within Boronic Acid Functionalized Mesoporous Silica Nanoparticles. <i>Angewandte Chemie</i> , 2015 , 127, 6271-6274	3.6	5
99	Pattern recognition of monosaccharides via a virtual lectin array constructed by boronate affinity-based pH-featured encoding. <i>Analytical Chemistry</i> , 2015 , 87, 4442-7	7.8	23
98	Surface-enhanced Raman scattering imaging of cancer cells and tissues via sialic acid-imprinted nanotags. <i>Chemical Communications</i> , 2015 , 51, 17696-9	5.8	108
97	Boronate affinity materials for separation and molecular recognition: structure, properties and applications. <i>Chemical Society Reviews</i> , 2015 , 44, 8097-123	58.5	337
96	Boronate Affinity Chromatography 2015 , 1-18		3
95	Boronate-Affinity Glycan-Oriented Surface Imprinting: A New Strategy to Mimic Lectins for the Recognition of an Intact Glycoprotein and Its Characteristic Fragments. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 10211-5	16.4	249
94	Highly Efficient Solid-Phase Labeling of Saccharides within Boronic Acid Functionalized Mesoporous Silica Nanoparticles. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 6173-6	16.4	36
93	Boronate-Affinity Glycan-Oriented Surface Imprinting: A New Strategy to Mimic Lectins for the Recognition of an Intact Glycoprotein and Its Characteristic Fragments. <i>Angewandte Chemie</i> , 2015 , 127, 10349-10353	3.6	19
92	Dual-template docking oriented molecular imprinting: a facile strategy for highly efficient imprinting within mesoporous materials. <i>Chemical Communications</i> , 2015 , 51, 10929-32	5.8	51
91	A high boronate avidity monolithic capillary for the selective enrichment of trace glycoproteins. <i>Journal of Chromatography A</i> , 2015 , 1384, 88-96	4.5	63
90	Preparation and characterization of fluorophenylboronic acid-functionalized affinity monolithic columns for the selective enrichment of cis-diol-containing biomolecules. <i>Methods in Molecular Biology</i> , 2015 , 1286, 159-69	1.4	4

89	Characterization of the binding strengths between boronic acids and cis-diol-containing biomolecules by affinity capillary electrophoresis. <i>Methods in Molecular Biology</i> , 2015 , 1286, 297-307	1.4	1
88	Nanoconfining affinity materials for pH-mediated protein capture/release. <i>Chemical Science</i> , 2014 , 5, 4065-4069	9.4	24
87	Insights into the effect of nanoconfinement on molecular interactions. <i>Nanoscale</i> , 2014 , 6, 9563-7	7.7	38
86	Affinity-tunable specific recognition of glycoproteins via boronate affinity-based controllable oriented surface imprinting. <i>Chemical Science</i> , 2014 , 5, 1135	9.4	189
85	A boronate affinity sandwich assay: an appealing alternative to immunoassays for the determination of glycoproteins. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 10386-9	16.4	199
84	Facile preparation of glycoprotein-imprinted 96-well microplates for enzyme-linked immunosorbent assay by boronate affinity-based oriented surface imprinting. <i>Analytical Chemistry</i> , 2014 , 86, 959-66	7.8	163
83	Boronic acid-mediated polymerase chain reaction for gene- and fragment-specific detection of 5-hydroxymethylcytosine. <i>Nucleic Acids Research</i> , 2014 , 42, e81	20.1	19
82	Pyridinylboronic acid-functionalized organic-silica hybrid monolithic capillary for the selective enrichment and separation of cis-diol-containing biomolecules at acidic pH. <i>Journal of Chromatography A</i> , 2014 , 1339, 103-9	4.5	47
81	Enzyme activity assay of glycoprotein enzymes based on a boronate affinity molecularly imprinted 96-well microplate. <i>Analytical Chemistry</i> , 2014 , 86, 12382-9	7.8	63
80	A Boronate Affinity Sandwich Assay: An Appealing Alternative to Immunoassays for the Determination of Glycoproteins. <i>Angewandte Chemie</i> , 2014 , 126, 10554-10557	3.6	11
79	Off-line hyphenation of boronate affinity monolith-based extraction with matrix-assisted laser desorption/ionization time-of-flight mass spectrometry for efficient analysis of glycoproteins/glycopeptides. <i>Analytica Chimica Acta</i> , 2014 , 834, 1-8	6.6	64
78	Separation and analysis of cis-diol-containing compounds by boronate affinity-assisted micellar electrokinetic chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 8579-86	4.4	10
77	Magnetic nanoparticles with dendrimer-assisted boronate avidity for the selective enrichment of trace glycoproteins. <i>Chemical Science</i> , 2013 , 4, 4298	9.4	154
76	Efficient selection of glycoprotein-binding DNA aptamers via boronate affinity monolithic capillary. <i>Analytical Chemistry</i> , 2013 , 85, 8277-83	7.8	51
75	Fine-tuning the specificity of boronate affinity monoliths toward glycoproteins through pH manipulation. <i>Analyst, The</i> , 2013 , 138, 290-8	5	44
74	Preparation and characterization of fluorophenylboronic acid-functionalized monolithic columns for high affinity capture of cis-diol containing compounds. <i>Journal of Chromatography A</i> , 2013 , 1305, 123-30	4.5	55
73	Probing the interactions between boronic acids and cis-diol-containing biomolecules by affinity capillary electrophoresis. <i>Analytical Chemistry</i> , 2013 , 85, 2361-9	7.8	117
72	Photolithographic boronate affinity molecular imprinting: a general and facile approach for glycoprotein imprinting. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 7451-4	16.4	201

71	Development of poly((3-acrylamidophenyl)boronic acid-co-N,N-methylenebisacrylamide) monolithic capillary for the selective capture of cis-diol biomolecules. <i>Analytical Methods</i> , 2013 , 5, 5444	3.2	20
70	Photolithographic Boronate Affinity Molecular Imprinting: A General and Facile Approach for Glycoprotein Imprinting. <i>Angewandte Chemie</i> , 2013 , 125, 7599-7602	3.6	24
69	Preparation of organic-silica hybrid boronate affinity monolithic column for the specific capture and separation of cis-diol containing compounds. <i>Journal of Chromatography A</i> , 2012 , 1256, 114-20	4.5	84
68	Spatio-temporally resolved detection on a microfluidic chip for monitoring the dynamic processes of molecular events. <i>Analyst, The</i> , 2012 , 137, 4016-22	5	7
67	Bilinear temperature gradient focusing in a hybrid PDMS/glass microfluidic chip integrated with planar heaters for generating temperature gradients. <i>Analytical Chemistry</i> , 2012 , 84, 2968-73	7.8	25
66	Recent advances in monolithic column-based boronate-affinity chromatography. <i>TrAC - Trends in Analytical Chemistry</i> , 2012 , 37, 148-161	14.6	136
65	Immuno-magnetic beads-based extraction-capillary zone electrophoresis-deep UV laser-induced fluorescence analysis of erythropoietin. <i>Journal of Chromatography A</i> , 2012 , 1246, 48-54	4.5	18
64	A new soft lithographic route for the facile fabrication of hydrophilic sandwich microchips. <i>Electrophoresis</i> , 2012 , 33, 2591-7	3.6	6
63	A benzoboroxole-functionalized monolithic column for the selective enrichment and separation of cis-diol containing biomolecules. <i>Chemical Communications</i> , 2012 , 48, 4115-7	5.8	125
62	Restricted access boronate affinity porous monolith as a protein A mimetic for the specific capture of immunoglobulin G. <i>Chemical Science</i> , 2012 , 3, 1467	9.4	111
61	Weak anion exchange chromatographic profiling of glycoprotein isoforms on a polymer monolithic capillary. <i>Journal of Chromatography A</i> , 2012 , 1228, 276-82	4.5	27
60	A Wulff-type boronate for boronate affinity capture of cis-diol compounds at medium acidic pH condition. <i>Chemical Communications</i> , 2011 , 47, 8169-71	5.8	101
59	At-line coupling of magnetic-nanoparticle-based extraction with gel isoelectric focusing for protein analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 399, 3423-9	4.4	16
58	A unique boronic acid functionalized monolithic capillary for specific capture, separation and immobilization of cis-diol biomolecules. <i>Chemical Communications</i> , 2011 , 47, 5067-9	5.8	157
57	A self-assembled molecular team of boronic acids at the gold surface for specific capture of cis-diol biomolecules at neutral pH. <i>Chemical Communications</i> , 2011 , 47, 2255-7	5.8	110
56	On-line coupling of in-tube boronate affinity solid phase microextraction with high performance liquid chromatography-electrospray ionization tandem mass spectrometry for the determination of cis-diol biomolecules. <i>Talanta</i> , 2010 , 82, 270-6	6.2	45
55	Coupling strong anion-exchange monolithic capillary with MALDI-TOF MS for sensitive detection of phosphopeptides in protein digest. <i>Analytical Chemistry</i> , 2010 , 82, 2907-15	7.8	87
54	Combination of large volume sample stacking and reversed pH junction in capillary electrophoresis for online preconcentration of glycoforms of recombinant human erythropoietin. <i>Journal of Separation Science</i> , 2009 , 32, 422-9	3.4	18

53	Ring-Opening Polymerization with Synergistic Co-monomers: Access to a Boronate-Functionalized Polymeric Monolith for the Specific Capture of cis-Diol-Containing Biomolecules under Neutral Conditions. <i>Angewandte Chemie</i> , 2009 , 121, 6832-6835	3.6	40
52	Ring-opening polymerization with synergistic co-monomers: access to a boronate-functionalized polymeric monolith for the specific capture of cis-diol-containing biomolecules under neutral conditions. <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 6704-7	16.4	181
51	Study on a hidden protein-DNA binding in salmon sperm DNA sample by dynamic kinetic capillary isoelectric focusing. <i>Analytica Chimica Acta</i> , 2009 , 650, 106-10	6.6	8
50	Selective enrichment of endogenous peptides by chemically modified porous nanoparticles for peptidome analysis. <i>Journal of Chromatography A</i> , 2009 , 1216, 1270-8	4.5	56
49	Synthesis and characterization of a new boronate affinity monolithic capillary for specific capture of cis-diol-containing compounds. <i>Journal of Chromatography A</i> , 2009 , 1216, 4768-74	4.5	128
48	Boronate functionalized magnetic nanoparticles and off-line hyphenation with capillary electrophoresis for specific extraction and analysis of biomolecules containing cis-diols. <i>Journal of Chromatography A</i> , 2009 , 1216, 7558-63	4.5	50
47	Synthesis of hydrophilic boronate affinity monolithic capillary for specific capture of glycoproteins by capillary liquid chromatography. <i>Journal of Chromatography A</i> , 2009 , 1216, 8421-5	4.5	104
46	Electrochemically deposited boronate affinity extracting phase for covalent solid phase microextraction of cis-diol biomolecules. <i>Talanta</i> , 2009 , 79, 746-51	6.2	35
45	Borate complexation-assisted field-enhanced sample injection for on-line preconcentration of cis-diol-containing compounds in capillary electrophoresis. <i>Talanta</i> , 2009 , 80, 544-50	6.2	16
44	"One-pot" process for fabrication of organic-silica hybrid monolithic capillary columns using organic monomer and alkoxy silane. <i>Analytical Chemistry</i> , 2009 , 81, 3529-36	7.8	123
43	Side-by-side comparison of disposable microchips with commercial capillary cartridges for application in capillary isoelectric focusing with whole column imaging detection. <i>Lab on A Chip</i> , 2008 , 8, 1738-41	7.2	18
42	Integration of dialysis membranes into a poly(dimethylsiloxane) microfluidic chip for isoelectric focusing of proteins using whole-channel imaging detection. <i>Analytical Chemistry</i> , 2008 , 80, 7401-7	7.8	22
41	Rapid and high-resolution glycoform profiling of recombinant human erythropoietin by capillary isoelectric focusing with whole column imaging detection. <i>Journal of Chromatography A</i> , 2008 , 1190, 372-6	4.5	42
40	Dynamic kinetic capillary isoelectric focusing: a powerful tool for studying protein-DNA interactions. <i>Analytical Chemistry</i> , 2007 , 79, 1097-100	7.8	24
39	Characterization of plant growth-promoting rhizobacteria using capillary isoelectric focusing with whole column imaging detection. <i>Journal of Chromatography A</i> , 2007 , 1140, 213-8	4.5	22
38	Online coupling of solid-phase microextraction and capillary electrophoresis. <i>Journal of Chromatographic Science</i> , 2006 , 44, 366-74	1.4	22
37	Microdialysis hollow fiber as a macromolecule trap for on-line coupling of solid phase microextraction and capillary electrophoresis. <i>Analyst, The</i> , 2006 , 131, 522-8	5	18
36	Capillary isoelectric focusing coupled with dynamic imaging detection: A one-dimensional separation for two-dimensional protein characterization. <i>Journal of Proteome Research</i> , 2006 , 5, 1246-51	5.6	25

35	Coupling of solid-phase microextraction and capillary isoelectric focusing with laser-induced fluorescence whole column imaging detection for protein analysis. <i>Analytical Chemistry</i> , 2005 , 77, 165-171	7.8	38
34	Whole-column imaging-detection techniques and their analytical applications. <i>TrAC - Trends in Analytical Chemistry</i> , 2005 , 24, 369-382	14.6	35
33	Applications of capillary isoelectric focusing with liquid-core waveguide laser-induced fluorescence whole-column imaging detection. <i>Analytical Biochemistry</i> , 2005 , 336, 94-101	3.1	37
32	Behaviors of the MS2 virus and related antibodies in capillary isoelectric focusing with whole-column imaging detection. <i>Electrophoresis</i> , 2005 , 26, 556-62	3.6	38
31	The transitional isoelectric focusing process. <i>Analytical and Bioanalytical Chemistry</i> , 2005 , 382, 783-8	4.4	5
30	Use of a native affinity ligand for the detection of G proteins by capillary isoelectric focusing with laser-induced fluorescence detection. <i>Electrophoresis</i> , 2004 , 25, 2319-25	3.6	26
29	Capillary isoelectric focusing with laser-induced fluorescence whole column imaging detection as a tool to monitor reactions of proteins. <i>Journal of Proteome Research</i> , 2004 , 3, 567-71	5.6	34
28	CE in a nonuniform capillary modulated by a cylindrical insert, and zone-narrowing effects during sample injection. <i>Analytical Chemistry</i> , 2003 , 75, 3656-9	7.8	12
27	Capillary isoelectric focusing of proteins with liquid core waveguide laser-induced fluorescence whole column imaging detection. <i>Analytical Chemistry</i> , 2003 , 75, 4887-94	7.8	60
26	Physically adsorbed chiral stationary phase of avidin on monolithic silica column for capillary electrochromatography and capillary liquid chromatography. <i>Electrophoresis</i> , 2002 , 23, 2973-81	3.6	86
25	Recent progress in adsorbed stationary phases for capillary electrochromatography. <i>Electrophoresis</i> , 2002 , 23, 3954-72	3.6	48
24	Study of competitive binding of enantiomers to protein by affinity capillary electrochromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2002 , 27, 651-60	3.5	28
23	Modeling of retention behavior in capillary electrochromatography from chromatographic and electrophoretic data. <i>Journal of Chromatography A</i> , 2002 , 959, 241-53	4.5	14
22	Evaluation of extended light path capillary and etched capillary for use in open tubular capillary electrochromatography. <i>Journal of Chromatography A</i> , 2002 , 961, 285-91	4.5	32
21	Separation of acidic and neutral compounds by strong anion-exchange capillary electrochromatography dynamically modified with sodium dodecylsulfate. <i>Chromatographia</i> , 2001 , 53, 425-430	2.1	7
20	Enantiomer separation by strong anion-exchange capillary electrochromatography with dynamically modified sulfated beta-cyclodextrin. <i>Electrophoresis</i> , 2001 , 22, 518-25	3.6	20
19	Separation of 4-dimethylamino-6-(4-methoxy-1-naphthyl)-1,3,5-triazine-2-hydrazine derivatives of carbonyl compounds by reversed-phase capillary electrochromatography. <i>Electrophoresis</i> , 2001 , 22, 1298-304	3.6	11
18	Quantitation and on-line concentration of enantiomers in open-tubular capillary electrochromatography. <i>Electrophoresis</i> , 2001 , 22, 3791-7	3.6	27

17	Chiral separation by open tubular capillary electrochromatography with adsorbed avidin as a stationary phase. <i>Journal of Separation Science</i> , 2001 , 24, 17-26	3-4	53
16	Multivariate optimization in micellar electrokinetic capillary chromatography. <i>Journal of Separation Science</i> , 2000 , 12, 356-365		3
15	Separation of acidic compounds by strong anion-exchange capillary electrochromatography. <i>Journal of Chromatography A</i> , 2000 , 887, 223-31	4-5	65
14	Separation of peptides by strong cation-exchange capillary electrochromatography. <i>Journal of Chromatography A</i> , 2000 , 869, 385-94	4-5	61
13	Study on open tubular capillary affinity liquid chromatography. <i>Journal of Chromatographic Science</i> , 2000 , 38, 517-20	1-4	3
12	Capillary electrochromatography using a strong cation-exchange column with a dynamically modified cationic surfactant. <i>Analytical Chemistry</i> , 2000 , 72, 616-21	7-8	40
11	Open tubular capillary electrochromatography with adsorbed stationary phase. <i>Analytica Chimica Acta</i> , 1999 , 378, 73-76	6-6	56
10	Capillary electrochromatography with a silica column with a dynamically modified cationic surfactant. <i>Journal of Chromatography A</i> , 1999 , 855, 137-45	4-5	26
9	Effects of organic modifiers on retention mechanism and selectivity in micellar electrokinetic capillary chromatography studied by linear solvation energy relationships. <i>Journal of Chromatography A</i> , 1999 , 863, 69-79	4-5	47
8	Theoretical study of the separation mechanism of ionizable compounds in capillary electrochromatography. <i>Science in China Series B: Chemistry</i> , 1999 , 42, 639-648		11
7	Study of physically adsorbed stationary phases for open tubular capillary electrochromatography. <i>Electrophoresis</i> , 1999 , 20, 2891-7	3-6	51
6	Effects of organic modifiers on solute retention and electrokinetic migrations in micellar electrokinetic capillary chromatography. <i>Electrophoresis</i> , 1999 , 20, 2898-908	3-6	33
5	Roles of Organic Modifiers in Micellar Electrokinetic Capillary Chromatography. <i>Journal of High Resolution Chromatography</i> , 1998 , 21, 234-240		10
4	Determination of lower aliphatic carbonyl compounds in stack gas as their 2,4-dinitrophenylhydrazones by micellar electrokinetic chromatography. <i>Chemosphere</i> , 1997 , 35, 2131-2136	8-4	9
3	Flow injection analysis methods for determination of diffusion coefficients. <i>Analytica Chimica Acta</i> , 1997 , 350, 359-363	6-6	20
2	High Mannose-Specific Aptamers for Broad-Spectrum Virus Inhibition and Cancer Targeting. <i>CCS Chemistry</i> , 1-13	7-2	0
1	Boronate Affinity Chromatography 1-33		