

Paolo Fava

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6435996/publications.pdf>

Version: 2024-02-01

83
papers

1,880
citations

279778

23
h-index

289230

40
g-index

85
all docs

85
docs citations

85
times ranked

2809
citing authors

#	ARTICLE	IF	CITATIONS
1	Cutaneous Lymphoma International Consortium Study of Outcome in Advanced Stages of Mycosis Fungoides and S�azary Syndrome: Effect of Specific Prognostic Markers on Survival and Development of a Prognostic Model. <i>Journal of Clinical Oncology</i> , 2015, 33, 3766-3773.	1.6	328
2	Targeting the ERK Signaling Pathway in Melanoma. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1483.	4.1	116
3	Time course, clinical pathways, and long-term hazards risk trends of disease progression in patients with classic mycosis fungoides. <i>Cancer</i> , 2012, 118, 5830-5839.	4.1	105
4	Global patterns of care in advanced stage mycosis fungoides/Sezary syndrome: a multicenter retrospective follow-up study from the Cutaneous Lymphoma International Consortium. <i>Annals of Oncology</i> , 2017, 28, 2517-2525.	1.2	98
5	Skin metastases of malignant melanoma: a clinical and prognostic survey. <i>Melanoma Research</i> , 2009, 19, 321-326.	1.2	61
6	Soluble CTLA-4 as a favorable predictive biomarker in metastatic melanoma patients treated with ipilimumab: an Italian melanoma intergroup study. <i>Cancer Immunology, Immunotherapy</i> , 2019, 68, 97-107.	4.2	61
7	Personalised medicine: Development and external validation of a prognostic model for metastatic melanoma patients treated with ipilimumab. <i>European Journal of Cancer</i> , 2015, 51, 2086-2094.	2.8	45
8	Blood Flow Cytometry in S�azary Syndrome. <i>American Journal of Clinical Pathology</i> , 2015, 143, 57-69.	0.7	45
9	Radiotherapy and immune checkpoints inhibitors for advanced melanoma. <i>Radiotherapy and Oncology</i> , 2016, 120, 1-12.	0.6	44
10	Wide local excision vs. Mohs T�bingen technique in the treatment of dermatofibrosarcoma protuberans: a two-centre retrospective study and literature review. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 2069-2076.	2.4	43
11	Isolation of extracellular vesicles improves the detection of mutant DNA from plasma of metastatic melanoma patients. <i>Scientific Reports</i> , 2020, 10, 15745.	3.3	41
12	Zosteriform Cutaneous Metastases. <i>Dermatologic Surgery</i> , 2009, 35, 1355-1363.	0.8	40
13	Melanoma of unknown primary site: a 33-year experience at the Turin Melanoma Centre. <i>Melanoma Research</i> , 2010, 20, 227-232.	1.2	39
14	Characterization and implications of thyroid dysfunction induced by immune checkpoint inhibitors in real-life clinical practice: a long-term prospective study from a referral institution. <i>Journal of Endocrinological Investigation</i> , 2018, 41, 549-556.	3.3	39
15	Treatment of early-stage mycosis fungoides: results from the PROspective Cutaneous Lymphoma International Prognostic Index (PROCLIP) study*. <i>British Journal of Dermatology</i> , 2021, 184, 722-730.	1.5	39
16	Ipilimumab (Anti-Ctla-4 Mab) in the treatment of metastatic melanoma: Effectiveness and toxicity management. <i>Human Vaccines and Immunotherapeutics</i> , 2016, 12, 1092-1101.	3.3	37
17	Complete regression of melanoma skin metastases after electrochemotherapy plus ipilimumab treatment: an unusual clinical presentation. <i>European Journal of Dermatology</i> , 2015, 25, 271-272.	0.6	36
18	Extracorporeal photopheresis for the treatment of erythrodermic cutaneous T-cell lymphoma: a single center clinical experience with long-term follow-up data and a brief overview of the literature. <i>International Journal of Dermatology</i> , 2013, 52, 1308-1318.	1.0	35

#	ARTICLE	IF	CITATIONS
19	Phenotypical Markers, Molecular Mutations, and Immune Microenvironment as Targets for New Treatments in Patients with Mycosis Fungoides and/or SÅ©zary Syndrome. <i>Journal of Investigative Dermatology</i> , 2021, 141, 484-495.	0.7	31
20	Heterogeneity of Circulating CD4+ Memory T-Cell Subsets in Erythrodermic Patients: CD27 Analysis Can Help to Distinguish Cutaneous T-Cell Lymphomas from Inflammatory Erythroderma. <i>Dermatology</i> , 2008, 216, 213-221.	2.1	27
21	Spiky follicular mycosis fungoides: a clinicopathologic study of 8 cases. <i>Journal of Cutaneous Pathology</i> , 2015, 42, 164-172.	1.3	27
22	Association of CTLA-4 Gene Variants with Response to Therapy and Long-term Survival in Metastatic Melanoma Patients Treated with Ipilimumab: An Italian Melanoma Intergroup Study. <i>Frontiers in Immunology</i> , 2017, 8, 386.	4.8	27
23	<scp>HP</scp>yV6, <scp>HP</scp>yV7 and <scp>TSP</scp>yV <scp>DNA</scp> sequences detection in skin disease patients and healthy subjects. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 624-627.	2.4	25
24	Gauzeâ€based negative pressure wound therapy: a valid method to manage pyoderma gangrenosum. <i>International Wound Journal</i> , 2014, 11, 164-168.	2.9	23
25	CTLA-4 gene variant -1661A>G may predict the onset of endocrine adverse events in metastatic melanoma patients treated with ipilimumab. <i>European Journal of Cancer</i> , 2018, 97, 59-61.	2.8	22
26	Prognostic and Predictive Biomarkers in Stage III Melanoma: Current Insights and Clinical Implications. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4561.	4.1	21
27	Langerhans, plasmacytoid dendritic and myeloid-derived suppressor cell levels in mycosis fungoides vary according to the stage of the disease. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 470, 575-582.	2.8	20
28	THERAPEUTIC HOTLINE: A rare vandetanib-induced photo-allergic drug eruption. <i>Dermatologic Therapy</i> , 2010, 23, 553-555.	1.7	19
29	Diseaseâ€progression in melanoma patients with negative sentinel lymph node: does falseâ€negative specimens entirely account for this phenomenon?. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012, 26, 242-248.	2.4	19
30	miRâ€155 expression in Primary Cutaneous Tâ€Cell Lymphomas (CTCL). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e27-e29.	2.4	19
31	Long-Term Evolution of an Untreated Primary Cutaneous Follicle Center Lymphoma of the Scalp. <i>American Journal of Dermatopathology</i> , 2010, 32, 91-94.	0.6	18
32	Phenotypical characterization of circulating cell subsets in pyoderma gangrenosum patients: the experience of the Italian immunoâ€pathology group. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 655-658.	2.4	18
33	Human Endogenous Retrovirus Expression in Primary Cutaneous T-Cell Lymphomas. <i>Dermatology</i> , 2016, 232, 38-43.	2.1	18
34	The Microenvironmentâ€™s Role in Mycosis Fungoides and SÅ©zary Syndrome: From Progression to Therapeutic Implications. <i>Cells</i> , 2021, 10, 2780.	4.1	17
35	Metastatic melanoma treatment with checkpoint inhibitors in the COVIDâ€19 era: experience from an Italian Skin Cancer Unit. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 1395-1396.	2.4	16
36	Data of Italian Cancer Centers from two regions with high incidence of SARS CoV-2 infection provide evidence for the successful management of patients with locally advanced and metastatic melanoma treated with immunotherapy in the era of COVID-19. <i>Seminars in Oncology</i> , 2020, 47, 302-304.	2.2	15

#	ARTICLE	IF	CITATIONS
37	High-dose immunoglobulines and extracorporeal photochemotherapy in the treatment of febrile ulceronecrotic Mucha-Habermann disease. <i>Dermatologic Therapy</i> , 2010, 23, 419-422.	1.7	13
38	Immune Check Point Inhibitors in Primary Cutaneous T-Cell Lymphomas: Biologic Rationale, Clinical Results and Future Perspectives. <i>Frontiers in Oncology</i> , 2021, 11, 733770.	2.8	13
39	Cutaneous Melanoma Metastases Arising on a Split-Skin Graft Donor Site. <i>Dermatologic Surgery</i> , 2009, 35, 1282-1285.	0.8	12
40	Standardization of regimens in Narrowband UVB and PUVA in early stage mycosis fungoides: position paper from the Italian Task Force for Cutaneous Lymphomas. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 683-691.	2.4	12
41	Mycosis fungoides: disease evolution of the "lion queen" revisited. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2012, 147, 523-31.	0.8	12
42	Melanoma Management during the COVID-19 Pandemic Emergency: A Literature Review and Single-Center Experience. <i>Cancers</i> , 2021, 13, 6071.	3.7	11
43	TCR β -Chain Gene Rearrangement by GeneScan: Incidence and Significance of Clonal Heterogeneity in S α zary Syndrome. <i>Journal of Investigative Dermatology</i> , 2010, 130, 2312-2319.	0.7	9
44	DNA from Human Polyomaviruses, MWPvV, HPyV6, HPyV7, HPyV9 and HPyV12 in Cutaneous T-cell Lymphomas. <i>Anticancer Research</i> , 2018, 38, 4111-4114.	1.1	9
45	Halo nevi related to treatment with imatinib in a dermatofibrosarcoma protuberans patient. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2010, 24, 244-245.	2.4	8
46	New Perspectives in the Pharmacological Treatment of Non-Melanoma Skin Cancer. <i>Current Drug Targets</i> , 2016, 17, 353-374.	2.1	8
47	Clinical Significance of Distant Metastasis-Free Survival (DMFS) in Melanoma: A Narrative Review from Adjuvant Clinical Trials. <i>Journal of Clinical Medicine</i> , 2021, 10, 5475.	2.4	8
48	Cutaneous B-cell lymphomas: Update on diagnosis, risk-stratification, and management. <i>Presse Medicale</i> , 2022, 51, 104109.	1.9	8
49	Differences in Clinicopathological Features and Distribution of Risk Factors in Italian Melanoma Patients. <i>Dermatology</i> , 2015, 230, 256-262.	2.1	6
50	Inflammatory Cutaneous Diseases in Renal Transplant Recipients. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1362.	4.1	6
51	Identification of Risk Factors for Multiple Non-Melanoma Skin Cancers in Italian Kidney Transplant Recipients. <i>Medicina (Lithuania)</i> , 2019, 55, 279.	2.0	6
52	Primary cutaneous B-cell lymphoma: narrative review of the literature. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2019, 154, 466-479.	0.8	6
53	Bexarotene as maintenance treatment after therapies other than skin-directed therapy in advanced-stage mycosis fungoides: a pilot study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, e367-e369.	2.4	5
54	Anti-BRAF/anti-MEK targeted therapies for metastatic melanoma patients during the COVID-19 outbreak: experience from an Italian skin cancer unit. <i>Future Oncology</i> , 2021, 17, 759-761.	2.4	5

#	ARTICLE	IF	CITATIONS
55	Retrospective Chart Review of Dabrafenib Plus Trametinib in Patients with Metastatic BRAF V600-Mutant Melanoma Treated in the Individual Patient Program (DESCRIBE Italy). <i>Targeted Oncology</i> , 2021, 16, 789-799.	3.6	5
56	Flow cytometric analyses of circulating regulatory T cells in patients with dermatitis herpetiformis and other immune mediated dermatoses. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2013, 148, 197-201.	0.8	5
57	Intestinal involvement in toxic epidermal necrolysis. A case report and review of literature. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 1843-1845.	2.4	4
58	Lack of detection of Cutavirus DNA using PCR real time in cutaneous T-cell lymphomas. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2021, 155, 772-774.	0.8	4
59	Characterization and Management of Cutaneous Side Effects Related to the Immunosuppressive Treatment in Solid Organ Recipients. <i>Current Drug Targets</i> , 2017, 18, 436-446.	2.1	4
60	Treatment of metastatic melanoma: a multidisciplinary approach. <i>Italian Journal of Dermatology and Venereology</i> , 2017, 152, 241-261.	0.2	4
61	Predictive Value of Baseline [18F]FDG PET/CT for Response to Systemic Therapy in Patients with Advanced Melanoma. <i>Journal of Clinical Medicine</i> , 2021, 10, 4994.	2.4	4
62	Bullous pemphigoid in a renal transplant recipient. <i>European Journal of Dermatology</i> , 2014, 24, 383-384.	0.6	3
63	A study of melanoma in Eastern European migrants in Italy. <i>European Journal of Dermatology</i> , 2017, 27, 139-143.	0.6	3
64	Arrhythmias in a patient with metastatic melanoma treated with targeted therapy and implantable cardioverter defibrillator. <i>British Journal of Dermatology</i> , 2017, 177, 584-587.	1.5	3
65	Real-life use of phototherapy in early-stage mycosis fungoides from the Cutaneous Lymphoma Commission of the Italian Lymphoma Foundation: results of a web-based survey. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2018, 153, 745-746.	0.8	3
66	Cutaneous side effects and types of dermatological reactions in metastatic melanoma patients treated by immunotherapies or targeted therapies: A retrospective single center study. <i>Dermatologic Therapy</i> , 2022, 35, e15492.	1.7	3
67	Time to next treatment and safety assessment in Cutaneous T-cell lymphomas: a retrospective analysis on patients treated with bexarotene and acitretin. <i>British Journal of Dermatology</i> , 0, , .	1.5	3
68	Cutaneous Metastases from Malignant Melanoma: Clinical Features and New Therapeutic Perspectives. , 2011, , .		2
69	HERV-E expression in peripheral mononuclear cells of patients with psoriasis. <i>Italian Journal of Dermatology and Venereology</i> , 2021, 156, .	0.2	2
70	Infections in SÅ©zary syndrome: A retrospective cohort study of 113 patients. <i>Journal of the American Academy of Dermatology</i> , 2021, , .	1.2	2
71	Evolution of different clinical patterns of cutaneous lesions in a suspected COVID-19 patient. <i>European Journal of Dermatology</i> , 2020, 30, 747-748.	0.6	2
72	CD38 Expression by Circulating and Skin-Infiltrating Lymphocytes from Sezary Syndrome Patients: A Flow Cytometry and Immunohistochemistry Study. <i>Disease Markers</i> , 2022, 2022, 1-7.	1.3	2

#	ARTICLE	IF	CITATIONS
73	Molecular genetic analyses of human endogenous retroviral elements belonging to the <sc>HERV</sc>â€P and <sc>HERV</sc>â€R family in primary cutaneous Tâ€cell lymphomas. Journal of the European Academy of Dermatology and Venereology, 2018, 32, e297-e298.	2.4	1
74	BRAFi/MEKi in patients with metastatic melanoma: predictive factors of complete response. Future Oncology, 2019, 15, 133-139.	2.4	1
75	Immunotherapy in transplanted patients: A special population that can no longer be ignored. Dermatologic Therapy, 2021, 34, e14975.	1.7	1
76	Melanoma Risk in Renal Transplanted Patients. Nephro-Urology Monthly, 2017, 9, .	0.1	1
77	A traveller's wart: tungiasis. Giornale Italiano Di Dermatologia E Venereologia, 2020, 155, 236-237.	0.8	1
78	Guttate psoriasis in a patient with mycosis fungoides in treatment with Brentuximab vedotin: An unreported association. Dermatologic Therapy, 2022, , e15309.	1.7	1
79	SÃ©zary Syndrome: Different Erythroderma Morphological Features with Proposal for a Clinical Score System. Cells, 2022, 11, 333.	4.1	1
80	HERV-E expression in peripheral mononuclear cells of patients with psoriasis. Italian Journal of Dermatology and Venereology, 2021, 156, 42-45.	0.2	1
81	Extensive â€œhalo naeviâ€-phenomenon and regression of melanin during nivolumab treatment in metastatic melanoma: A predictor of a better outcome?. Dermatologic Therapy, 2022, 35, e15559.	1.7	1
82	Atopic dermatitis in a phenylketonuric untreated patient. International Journal of Dermatology, 2015, 54, 568-570.	1.0	0
83	Dermatological approach to vemurafenib skin toxicity: a single centre experience. Giornale Italiano Di Dermatologia E Venereologia, 2016, 151, 25-31.	0.8	0