

Paolo Fava

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6435996/paolo-fava-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76
papers

1,237
citations

19
h-index

33
g-index

85
ext. papers

1,587
ext. citations

3.2
avg, IF

4.11
L-index

#	Paper	IF	Citations
76	Guttate psoriasis in a patient with Mycosis Fungoides in treatment with Brentuximab vedotin: an unreported association.. <i>Dermatologic Therapy</i> , 2022 , e15309	2.2	0
75	CUTANEOUS B-CELL LYMPHOMAS: UPDATE ON DIAGNOSIS, RISK-STRATIFICATION, AND MANAGEMENT.. <i>Presse Medicale</i> , 2022 , 104109	2.2	1
74	CD38 Expression by Circulating and Skin-Infiltrating Lymphocytes from Sezary Syndrome Patients: A Flow Cytometry and Immunohistochemistry Study.. <i>Disease Markers</i> , 2022 , 2022, 3424413	3.2	0
73	Cutaneous side effects and types of dermatological reactions in metastatic melanoma patients treated by immunotherapies or targeted therapies: a retrospective single center study.. <i>Dermatologic Therapy</i> , 2022 , e15492	2.2	0
72	Extensive "halo naevi" phenomenon and regression of melanin during nivolumab treatment in metastatic melanoma: A predictor of a better outcome?. <i>Dermatologic Therapy</i> , 2022 , e15559	2.2	0
71	Retrospective Chart Review of Dabrafenib Plus Trametinib in Patients with Metastatic BRAF V600-Mutant Melanoma Treated in the Individual Patient Program (DESCRIBE Italy). <i>Targeted Oncology</i> , 2021 , 16, 789-799	5	1
70	The Microenvironment's Role in Mycosis Fungoides and Sezary Syndrome: From Progression to Therapeutic Implications. <i>Cells</i> , 2021 , 10,	7.9	2
69	HERV-E expression in peripheral mononuclear cells of patients with psoriasis. <i>Italian Journal of Dermatology and Venereology</i> , 2021 , 156,	1.2	1
68	Prognostic and Predictive Biomarkers in Stage III Melanoma: Current Insights and Clinical Implications. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	6
67	Immunotherapy in transplanted patients: A special population that can no longer be ignored. <i>Dermatologic Therapy</i> , 2021 , 34, e14975	2.2	
66	Treatment of early-stage mycosis fungoides: results from the PROspective Cutaneous Lymphoma International Prognostic Index (PROCLIPI) study. <i>British Journal of Dermatology</i> , 2021 , 184, 722-730	4	14
65	Phenotypical Markers, Molecular Mutations, and Immune Microenvironment as Targets for New Treatments in Patients with Mycosis Fungoides and/or Sezary Syndrome. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 484-495	4.3	16
64	Immune Check Point Inhibitors in Primary Cutaneous T-Cell Lymphomas: Biologic Rationale, Clinical Results and Future Perspectives. <i>Frontiers in Oncology</i> , 2021 , 11, 733770	5.3	3
63	HERV-E expression in peripheral mononuclear cells of patients with psoriasis. <i>Italian Journal of Dermatology and Venereology</i> , 2021 , 156, 42-45	1.2	1
62	Metastatic melanoma treatment with checkpoint inhibitors in the COVID-19 era: experience from an Italian Skin Cancer Unit. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 1395-1396	4.6	11
61	Evolution of different clinical patterns of cutaneous lesions in a suspected COVID-19 patient. <i>European Journal of Dermatology</i> , 2020 , 30, 747-748	0.8	1
60	A traveller's wart: tungiasis. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2020 , 155, 236-237	0.8	0

59	Isolation of extracellular vesicles improves the detection of mutant DNA from plasma of metastatic melanoma patients. <i>Scientific Reports</i> , 2020 , 10, 15745	4.9	20
58	Data of Italian Cancer Centers from two regions with high incidence of SARS CoV-2 infection provide evidence for the successful management of patients with locally advanced and metastatic melanoma treated with immunotherapy in the era of COVID-19. <i>Seminars in Oncology</i> , 2020 , 47, 302-304	5.5	6
57	Lack of detection of Cutavirus DNA using PCR real time in cutaneous T-cell lymphomas. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2020 , 155, 772-774	0.8	2
56	Identification of Risk Factors for Multiple Non-Melanoma Skin Cancers in Italian Kidney Transplant Recipients. <i>Medicina (Lithuania)</i> , 2019 , 55,	3.1	2
55	Bexarotene as maintenance treatment after therapies other than skin-directed therapy in advanced-stage mycosis fungoides: a pilot study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, e367-e369	4.6	3
54	Targeting the ERK Signaling Pathway in Melanoma. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	66
53	Primary cutaneous B-cell lymphoma: narrative review of the literature. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2019 , 154, 466-479	0.8	3
52	BRAF/MEKi in patients with metastatic melanoma: predictive factors of complete response. <i>Future Oncology</i> , 2019 , 15, 133-139	3.6	
51	Soluble CTLA-4 as a favorable predictive biomarker in metastatic melanoma patients treated with ipilimumab: an Italian melanoma intergroup study. <i>Cancer Immunology, Immunotherapy</i> , 2019 , 68, 97-107	7.4	34
50	Molecular genetic analyses of human endogenous retroviral elements belonging to the HERV-P and HERV-R family in primary cutaneous T-cell lymphomas. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, e297-e298	4.6	0
49	Characterization and implications of thyroid dysfunction induced by immune checkpoint inhibitors in real-life clinical practice: a long-term prospective study from a referral institution. <i>Journal of Endocrinological Investigation</i> , 2018 , 41, 549-556	5.2	29
48	DNA from Human Polyomaviruses, MWPYV, HPyV6, HPyV7, HPyV9 and HPyV12 in Cutaneous T-cell Lymphomas. <i>Anticancer Research</i> , 2018 , 38, 4111-4114	2.3	8
47	CTLA-4 gene variant -1661A>G may predict the onset of endocrine adverse events in metastatic melanoma patients treated with ipilimumab. <i>European Journal of Cancer</i> , 2018 , 97, 59-61	7.5	14
46	Real-life use of phototherapy in early-stage mycosis fungoides from the Cutaneous Lymphoma Commission of the Italian Lymphoma Foundation: results of a web-based survey. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2018 , 153, 745-746	0.8	1
45	Standardization of regimens in Narrowband UVB and PUVA in early stage mycosis fungoides: position paper from the Italian Task Force for Cutaneous Lymphomas. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, 683-691	4.6	8
44	miR-155 expression in Primary Cutaneous T-Cell Lymphomas (CTCL). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, e27-e29	4.6	11
43	A study of melanoma in Eastern European migrants in Italy. <i>European Journal of Dermatology</i> , 2017 , 27, 139-143	0.8	1
42	Arrhythmias in a patient with metastatic melanoma treated with targeted therapy and implantable cardioverter defibrillator. <i>British Journal of Dermatology</i> , 2017 , 177, 584-587	4	2

41	Langerhans, plasmacytoid dendritic and myeloid-derived suppressor cell levels in mycosis fungoides vary according to the stage of the disease. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017 , 470, 575-582	5.1	16
40	Global patterns of care in advanced stage mycosis fungoides/Sezary syndrome: a multicenter retrospective follow-up study from the Cutaneous Lymphoma International Consortium. <i>Annals of Oncology</i> , 2017 , 28, 2517-2525	10.3	58
39	Association of CTLA-4 Gene Variants with Response to Therapy and Long-term Survival in Metastatic Melanoma Patients Treated with Ipilimumab: An Italian Melanoma Intergroup Study. <i>Frontiers in Immunology</i> , 2017 , 8, 386	8.4	19
38	Wide local excision vs. Mohs TBingen technique in the treatment of dermatofibrosarcoma protuberans: a two-centre retrospective study and literature review. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 2069-2076	4.6	31
37	Characterization and Management of Cutaneous Side Effects Related to the Immunosuppressive Treatment in Solid Organ Recipients. <i>Current Drug Targets</i> , 2017 , 18, 436-446	3	3
36	Melanoma Risk in Renal Transplanted Patients. <i>Nephro-Urology Monthly</i> , 2017 , 9,	0.4	1
35	Treatment of metastatic melanoma: a multidisciplinary approach. <i>Italian Journal of Dermatology and Venereology</i> , 2017 , 152, 241-261	1.2	3
34	HPyV6, HPyV7 and TSPyV DNA sequences detection in skin disease patients and healthy subjects. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 624-7	4.6	18
33	Phenotypical characterization of circulating cell subsets in pyoderma gangrenosum patients: the experience of the Italian immuno-pathology group. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 655-8	4.6	15
32	Radiotherapy and immune checkpoints inhibitors for advanced melanoma. <i>Radiotherapy and Oncology</i> , 2016 , 120, 1-12	5.3	36
31	Human Endogenous Retrovirus Expression in Primary Cutaneous T-Cell Lymphomas. <i>Dermatology</i> , 2016 , 232, 38-43	4.4	16
30	Ipilimumab (Anti-Ctla-4 Mab) in the treatment of metastatic melanoma: Effectiveness and toxicity management. <i>Human Vaccines and Immunotherapeutics</i> , 2016 , 12, 1092-101	4.4	17
29	New Perspectives in the Pharmacological Treatment of Non-Melanoma Skin Cancer. <i>Current Drug Targets</i> , 2016 , 17, 353-74	3	7
28	Inflammatory Cutaneous Diseases in Renal Transplant Recipients. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	3
27	Dermatological approach to vemurafenib skin toxicity: a single centre experience. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2016 , 151, 25-31	0.8	
26	Personalised medicine: Development and external validation of a prognostic model for metastatic melanoma patients treated with ipilimumab. <i>European Journal of Cancer</i> , 2015 , 51, 2086-94	7.5	36
25	Atopic dermatitis in a phenylketonuric untreated patient. <i>International Journal of Dermatology</i> , 2015 , 54, 568-70	1.7	
24	Spiky follicular mycosis fungoides: a clinicopathologic study of 8 cases. <i>Journal of Cutaneous Pathology</i> , 2015 , 42, 164-172	1.7	20

23	Cutaneous Lymphoma International Consortium Study of Outcome in Advanced Stages of Mycosis Fungoides and SŠary Syndrome: Effect of Specific Prognostic Markers on Survival and Development of a Prognostic Model. <i>Journal of Clinical Oncology</i> , 2015 , 33, 3766-73	2.2	237
22	Blood flow cytometry in SŠary syndrome: new insights on prognostic relevance and immunophenotypic changes during follow-up. <i>American Journal of Clinical Pathology</i> , 2015 , 143, 57-69	1.9	33
21	Complete regression of melanoma skin metastases after electrochemotherapy plus ipilimumab treatment: an unusual clinical presentation. <i>European Journal of Dermatology</i> , 2015 , 25, 271-2	0.8	28
20	Intestinal involvement in toxic epidermal necrolysis. A case report and review of literature. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 1843-5	4.6	3
19	Differences in clinicopathological features and distribution of risk factors in Italian melanoma patients. <i>Dermatology</i> , 2015 , 230, 256-62	4.4	6
18	Bullous pemphigoid in a renal transplant recipient. <i>European Journal of Dermatology</i> , 2014 , 24, 383-4	0.8	2
17	Gauze-based negative pressure wound therapy: a valid method to manage pyoderma gangrenosum. <i>International Wound Journal</i> , 2014 , 11, 164-8	2.6	21
16	Extracorporeal photopheresis for the treatment of erythrodermic cutaneous T-cell lymphoma: a single center clinical experience with long-term follow-up data and a brief overview of the literature. <i>International Journal of Dermatology</i> , 2013 , 52, 1308-18	1.7	27
15	Flow cytometric analyses of circulating regulatory T cells in patients with dermatitis herpetiformis and other immune mediated dermatoses. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2013 , 148, 197-201	0.8	5
14	Time course, clinical pathways, and long-term hazards risk trends of disease progression in patients with classic mycosis fungoides: a multicenter, retrospective follow-up study from the Italian Group of Cutaneous Lymphomas. <i>Cancer</i> , 2012 , 118, 5830-9	6.4	70
13	Disease progression in melanoma patients with negative sentinel lymph node: does false-negative specimens entirely account for this phenomenon?. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012 , 26, 242-8	4.6	16
12	Mycosis fungoides: disease evolution of the "lion queen" revisited. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2012 , 147, 523-31	0.8	9
11	Cutaneous Metastases from Malignant Melanoma: Clinical Features and New Therapeutic Perspectives 2011 ,		2
10	Halo nevi related to treatment with imatinib in a dermatofibrosarcoma protuberans patient. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2010 , 24, 244-5	4.6	4
9	TCRgamma-chain gene rearrangement by GeneScan: incidence and significance of clonal heterogeneity in SŠary syndrome. <i>Journal of Investigative Dermatology</i> , 2010 , 130, 2312-9	4.3	8
8	Long-term evolution of an untreated primary cutaneous follicle center lymphoma of the scalp. <i>American Journal of Dermatopathology</i> , 2010 , 32, 91-4	0.9	16
7	Melanoma of unknown primary site: a 33-year experience at the Turin Melanoma Centre. <i>Melanoma Research</i> , 2010 , 20, 227-232	3.3	33
6	High-dose immunoglobulines and extracorporeal photochemotherapy in the treatment of febrile ulceronecrotic Mucha-Habermann disease. <i>Dermatologic Therapy</i> , 2010 , 23, 419-22	2.2	9

5	Therapeutic hotline. A rare vandetanib-induced photo-allergic drug eruption. <i>Dermatologic Therapy</i> , 2010 , 23, 553-5	2.2	16
4	Cutaneous melanoma metastases arising on a split-skin graft donor site. <i>Dermatologic Surgery</i> , 2009 , 35, 1282-5	1.7	10
3	Zosteriform cutaneous metastases: a literature meta-analysis and a clinical report of three melanoma cases. <i>Dermatologic Surgery</i> , 2009 , 35, 1355-63	1.7	33
2	Skin metastases of malignant melanoma: a clinical and prognostic survey. <i>Melanoma Research</i> , 2009 , 19, 321-6	3.3	43
1	Heterogeneity of circulating CD4+ memory T-cell subsets in erythrodermic patients: CD27 analysis can help to distinguish cutaneous T-cell lymphomas from inflammatory erythroderma. <i>Dermatology</i> , 2008 , 216, 213-21	4.4	22