

# Paolo Ghensi

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6436146/paolo-ghensi-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

37  
papers

966  
citations

11  
h-index

31  
g-index

40  
ext. papers

1,387  
ext. citations

4.1  
avg, IF

4.19  
L-index

#	Paper	IF	Citations
37	Counter-Acting - Mixed Biofilm on Titanium Implants Using Microbial Biosurfactants. <i>Polymers</i> , <b>2021</b> , 13,	4.5	4
36	Rhamnolipid coating reduces microbial biofilm formation on titanium implants: an in vitro study. <i>BMC Oral Health</i> , <b>2021</b> , 21, 49	3.7	5
35	Customized-3D zirconia barriers for guided bone regeneration (GBR): clinical and histological findings from a proof-of-concept case series. <i>Journal of Dentistry</i> , <b>2021</b> , 114, 103780	4.8	1
34	Influence of crown-implant ratio on implant success rate of ultra-short dental implants: results of a 8- to 10-year retrospective study. <i>Clinical Oral Investigations</i> , <b>2020</b> , 24, 3213-3222	4.2	7
33	Strong oral plaque microbiome signatures for dental implant diseases identified by strain-resolution metagenomics. <i>Npj Biofilms and Microbiomes</i> , <b>2020</b> , 6, 47	8.2	23
32	Dental Implants With a Platform-Switched Morse Taper Connection and an Osteo Growth Induction Surface. <i>Journal of Craniofacial Surgery</i> , <b>2019</b> , 30, 1049-1054	1.2	4
31	Dental Implants with Anti-Biofilm Properties: A Pilot Study for Developing a New Sericin-Based Coating. <i>Materials</i> , <b>2019</b> , 12,	3.5	10
30	Evaluation of Crestal Bone Loss Around Straight and Tilted Implants in Patients Rehabilitated by Immediate-Loaded Full-Arch All-on-4 or All-on-6: A Prospective Study. <i>Journal of Oral Implantology</i> , <b>2019</b> , 45, 434-443	1.2	6
29	The Synergic Effect of Terpenoid and Steroidal Saponins Can Improve Bone Healing, by Promoting the Osteogenic Commitment of Adipose Mesenchymal Stem Cells: An In Vitro Study. <i>Applied Sciences (Switzerland)</i> , <b>2019</b> , 9, 3426	2.6	1
28	In Vitro Effect of Bromelain on the Regenerative Properties of Mesenchymal Stem Cells. <i>Journal of Craniofacial Surgery</i> , <b>2019</b> , 30, 1064-1067	1.2	1
27	Extensive Unexplored Human Microbiome Diversity Revealed by Over 150,000 Genomes from Metagenomes Spanning Age, Geography, and Lifestyle. <i>Cell</i> , <b>2019</b> , 176, 649-662.e20	56.2	588
26	Implant rehabilitation of the edentulous jaws: Does tilting of posterior implants at an angle greater than 45° affect bone resorption and implant success?: A retrospective study. <i>Clinical Implant Dentistry and Related Research</i> , <b>2018</b> , 20, 867-874	3.9	5
25	Fixed Conometric Retention with CAD/CAM Conic Coupling Abutments and Prefabricated Syncone Caps: A Case Series. <i>International Journal of Periodontics and Restorative Dentistry</i> , <b>2018</b> , 38, 277-280	2.1	5
24	The influence of implant-abutment connection to peri-implant bone loss: A systematic review and meta-analysis. <i>Clinical Implant Dentistry and Related Research</i> , <b>2018</b> , 20, 653-664	3.9	52
23	Double Duplicate Technique for CAD/CAM Full-Arch Immediate Loading: A Technical Description and Case Report. <i>International Journal of Periodontics and Restorative Dentistry</i> , <b>2018</b> , 38, 209-216	2.1	2
22	Marginal healing using Polyetheretherketone as healing abutments: an experimental study in dogs. <i>Clinical Oral Implants Research</i> , <b>2017</b> , 28, e46-e50	4.8	11
21	Osteo Growth Induction titanium surface treatment reduces ROS production of mesenchymal stem cells increasing their osteogenic commitment. <i>Materials Science and Engineering C</i> , <b>2017</b> , 74, 389-398	8.3	8

20	Effect of Oral Administration of Bromelain on Postoperative Discomfort After Third Molar Surgery. <i>Journal of Craniofacial Surgery</i> , <b>2017</b> , 28, e191-e197	1.2	17
19	The Biological Properties of OGI Surfaces Positively Act on Osteogenic and Angiogenic Commitment of Mesenchymal Stem Cells. <i>Materials</i> , <b>2017</b> , 10,	3.5	8
18	Management of the exposure of a dense PTFE (d-PTFE) membrane in guided bone regeneration (GBR): a case report. <i>ORAL and Implantology</i> , <b>2017</b> , 10, 335-342		24
17	Prevention of BRONJ Using PRGF in a Totally Edentulous Patient Restored With Postextraction Implants: A Case Report. <i>Journal of Oral Implantology</i> , <b>2016</b> , 42, 299-303	1.2	1
16	Primary and Secondary Stability of Implants in Postextraction and Healed Sites: A Randomized Controlled Clinical Trial. <i>International Journal of Oral and Maxillofacial Implants</i> , <b>2016</b> , 31, 1435-1443	2.8	16
15	The Alternating Osteotome Technique—a surgical approach for combined ridge expansion and sinus floor elevation. A multicentre prospective study with a three-year follow-up. <i>Biotechnology and Biotechnological Equipment</i> , <b>2016</b> , 30, 762-769	1.6	3
14	Dental Stem Cells and Growth Factors. <i>Pancreatic Islet Biology</i> , <b>2016</b> , 85-103	0.4	2
13	Peri-implant conditions around sintered porous-surfaced (SPS) implants. A 36-month prospective cohort study. <i>Clinical Oral Implants Research</i> , <b>2015</b> , 26, 212-9	4.8	12
12	Influence of crown-implant ratio on implant success rates and crestal bone levels: a 36-month follow-up prospective study. <i>Clinical Oral Implants Research</i> , <b>2014</b> , 25, 240-51	4.8	50
11	Vertical Guided Bone Regeneration using Titanium-reinforced d-PTFE Membrane and Prehydrated Corticocancellous Bone Graft. <i>Open Dentistry Journal</i> , <b>2014</b> , 8, 194-200	0.8	26
10	Cleaning and decompression of inferior alveolar canal to treat dysesthesia and paresthesia following endodontic treatment of a third molar. <i>Indian Journal of Dental Research</i> , <b>2014</b> , 25, 413-5	0.8	3
9	Evaluation of the esthetic results of 64 nonfunctional immediately loaded postextraction implants in the maxilla: correlation between interproximal alveolar crest and soft tissues at 3 years of follow-up. <i>Clinical Implant Dentistry and Related Research</i> , <b>2013</b> , 15, 130-42	3.9	23
8	Peri-implant bone response around a human hydroxyapatite-coated implant retrieved after a 10-year loading period: a case report. <i>International Journal of Oral and Maxillofacial Implants</i> , <b>2013</b> , 28, e190-4	2.8	3
7	Postextraction implant placement with immediate provisionalisation and finalisation, using a simplified technique: technical notes and a case report. <i>Open Dentistry Journal</i> , <b>2012</b> , 6, 164-9	0.8	2
6	Clinical evaluation of satisfaction in patients rehabilitated with an immediately loaded implant-supported prosthesis: a controlled prospective study. <i>International Journal of Oral and Maxillofacial Implants</i> , <b>2012</b> , 27, 911-9	2.8	9
5	Early bone formation around immediately loaded FBR-coated implants after 8, 10 and 12 weeks: a human histologic evaluation of three retrieved implants. <i>Minerva Stomatologica: A Journal on Dentistry and Maxillofacial Surgery</i> , <b>2011</b> , 60, 205-16	1	4
4	A comparative retrospective study of immediately loaded implants in postextraction sites versus healed sites: results after 6 to 7 years in the maxilla. <i>International Journal of Oral and Maxillofacial Implants</i> , <b>2011</b> , 26, 373-84	2.8	17
3	Long-term results of immediately loaded fast bone regeneration-coated implants placed in fresh extraction sites in the upper jaw. <i>Journal of Oral Implantology</i> , <b>2010</b> , 36, 251-61	1.2	11

- 2 One-stage surgical approach to rehabilitate severely injured anterior teeth in a young woman. *Journal of Craniofacial Surgery*, **2010**, 21, 1184-8 1.2
- 1 A case of rapidly progressive peri-implantitis around a short sintered porous-surfaced implant. *The Journal of the Indiana Dental Association*, **2009**, 88, 33-5 2