

Jorge Bauelos

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6436350/jorge-banuelos-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

124
papers

3,708
citations

38
h-index

56
g-index

147
ext. papers

4,099
ext. citations

4.7
avg, IF

5.36
L-index

#	Paper	IF	Citations
124	Phosphorogenic dipyrinato-iridium(III) complexes as photosensitizers for photodynamic therapy. <i>Dyes and Pigments</i> , 2022 , 197, 109886	4.6	
123	Alkynyl N-BODIPYs as Reactive Intermediates for the Development of Dyes for Biophotonics. <i>Chemistry Proceedings</i> , 2021 , 3, 15		
122	Insight into the Influence of the Chiral Molecular Symmetry on the Chiroptics of Fluorescent BINOL-Based Boron Chelates. <i>Chemistry Proceedings</i> , 2021 , 3, 76		1
121	A Concise Synthesis of a BODIPY-Labeled Tetrasaccharide Related to the Antitumor PI-88. <i>Molecules</i> , 2021 , 26,	4.8	2
120	A Concise Route to Water-Soluble 2,6-Disubstituted BODIPY-Carbohydrate Fluorophores by Direct Ferrier-Type C-Glycosylation. <i>Journal of Organic Chemistry</i> , 2021 , 86, 9181-9188	4.2	4
119	Mechanochemistry as a Sustainable Method for the Preparation of Fluorescent Ugi BODIPY Adducts. <i>European Journal of Organic Chemistry</i> , 2021 , 2021, 253-265	3.2	4
118	Taming the Photonic Behavior of Laser Dyes Through Specific and Dynamic Self-Assembly onto Cellulose Nanocrystals. <i>Advanced Photonics Research</i> , 2021 , 2, 2000107	1.9	1
117	Isopinocampheyl-based C-BODIPYs: a model strategy to construct cost-effective boron-chelate emitters of circularly polarized light. <i>Organic Chemistry Frontiers</i> , 2021 , 8, 4752-4757	5.2	1
116	BINOLated aminostyryl BODIPYs: a workable organic molecular platform for NIR circularly polarized luminescence. <i>Chemical Communications</i> , 2021 , 57, 5750-5753	5.8	8
115	Access to 2,6-Dipropargylated BODIPYs as "Clickable" Congeners of Pyrromethene-567 Dye: Photostability and Synthetic Versatility. <i>Organic Letters</i> , 2021 , 23, 6801-6806	6.2	5
114	From photosensitizers to light harvesters adapting the molecular structure in all-BODIPY assemblies. <i>Physical Chemistry Chemical Physics</i> , 2021 , 23, 11191-11195	3.6	1
113	Mitochondria selective trackers for long-term imaging based on readily accessible neutral BODIPYs. <i>Chemical Communications</i> , 2021 , 57, 5318-5321	5.8	2
112	BCl-Activated Synthesis of COO-BODIPY Laser Dyes: General Scope and High Yields under Mild Conditions. <i>Journal of Organic Chemistry</i> , 2020 , 85, 4594-4601	4.2	6
111	Ready Access to Molecular Rotors Based on Boron Dipyrromethene Dyes-Coumarin Dyads Featuring Broadband Absorption. <i>Molecules</i> , 2020 , 25,	4.8	1
110	Red/NIR Thermally Activated Delayed Fluorescence from Aza-BODIPYs. <i>Chemistry - A European Journal</i> , 2020 , 26, 16080-16088	4.8	4
109	Multichromophoric COO-BODIPYs: an advantageous design for the development of energy transfer and electron transfer systems. <i>Chemical Communications</i> , 2020 , 56, 13025-13028	5.8	2
108	A Palette of Efficient and Stable Far-Red and NIR Dye Lasers. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 6206	2.6	0

107	BODIPYs as Chemically Stable Fluorescent Tags for Synthetic Glycosylation Strategies towards Fluorescently Labeled Saccharides. <i>Chemistry - A European Journal</i> , 2020 , 26, 5388-5399	4.8	7
106	Synthetic Approach to Readily Accessible Benzofuran-Fused Borondipyrromethenes as Red-Emitting Laser Dyes. <i>Journal of Organic Chemistry</i> , 2019 , 84, 2523-2541	4.2	19
105	Modulating ICT emission: a new strategy to manipulate the CPL sign in chiral emitters. <i>Chemical Communications</i> , 2019 , 55, 1631-1634	5.8	40
104	BOPHYs BODIPYs: A comparison of their performance as effective multi-function organic dyes. <i>Dyes and Pigments</i> , 2019 , 170, 107662-107662	4.6	14
103	FormylBODIPYs by PCC-Promoted Selective Oxidation of β -MethylBODIPYs. Synthetic Versatility and Applications. <i>Organic Letters</i> , 2019 , 21, 4563-4566	6.2	9
102	A Malonyl-Based Scaffold for Conjugatable Multivalent Carbohydrate-BODIPY Presentations. <i>Molecules</i> , 2019 , 24,	4.8	5
101	A general modular approach for the solubility tagging of BODIPY dyes. <i>Dyes and Pigments</i> , 2019 , 170, 107545	4.6	5
100	Chiral Microneedles from an Achiral Bis(boron dipyrromethene): Spontaneous Mirror Symmetry Breaking Leading to a Promising Photoluminescent Organic Material. <i>Langmuir</i> , 2019 , 35, 5021-5028	4	5
99	Tailoring the Molecular Skeleton of Aza-BODIPYs to Design Photostable Red-Light-Emitting Laser Dyes. <i>ChemPhotoChem</i> , 2019 , 3, 63-63	3.3	
98	Tuning the Photonic Behavior of Symmetrical bis-BODIPY Architectures: The Key Role of the Spacer Moiety. <i>Frontiers in Chemistry</i> , 2019 , 7, 801	5	3
97	Towards Efficient and Photostable Red-Emitting Photonic Materials Based on Symmetric All-BODIPY-Triads, -Pentads, and -Hexads. <i>Chemistry - A European Journal</i> , 2019 , 25, 14959-14971	4.8	4
96	A BODIPY-Based Fluorescent Sensor for Amino Acids Bearing Thiol. <i>Proceedings (mdpi)</i> , 2019 , 41, 18	0.3	1
95	Exploring N-BODIPYs as Privileged Scaffolds to Build Off/On Fluorescent Sensors by PET. <i>Proceedings (mdpi)</i> , 2019 , 41, 54	0.3	2
94	-BODIPYs: Exploring a New Strategy to Transfer Chirality towards BODIPY Chiroptics. <i>Proceedings (mdpi)</i> , 2019 , 41,	0.3	2
93	Dye Encapsulation Into One-Dimensional Zeolitic Materials for Optical Applications 2019 , 229-248		1
92	Hydrogen production from a model bio-oil/bio-glycerol mixture through steam reforming using Zeolite L supported catalysts. <i>International Journal of Hydrogen Energy</i> , 2019 , 44, 1492-1504	6.7	25
91	Tailoring the Molecular Skeleton of Aza-BODIPYs to Design Photostable Red-Light-Emitting Laser Dyes. <i>ChemPhotoChem</i> , 2019 , 3, 75-85	3.3	7
90	Stereochemical and Steric Control of Photophysical and Chiroptical Properties in Bichromophoric Systems. <i>Chemistry - A European Journal</i> , 2018 , 24, 3802-3815	4.8	10

89	Synthesis, Photophysical Study, and Biological Application Analysis of Complex Borondipyrromethene Dyes. <i>ACS Omega</i> , 2018 , 3, 7783-7797	3.9	7
88	Linde Type L Zeolite: A Privileged Porous Support to Develop Photoactive and Catalytic Nanomaterials 2018 ,		1
87	Tailoring the Photophysical Signatures of BODIPY Dyes: Toward Fluorescence Standards across the Visible Spectral Region 2018 ,		5
86	Controlling Vilsmeier-Haack processes in meso-methylBODIPYs: A new way to modulate finely photophysical properties in boron dipyrromethenes. <i>Dyes and Pigments</i> , 2017 , 141, 286-298	4.6	8
85	N-BODIPYs Come into Play: Smart Dyes for Photonic Materials. <i>Chemistry - A European Journal</i> , 2017 , 23, 9383-9390	4.8	19
84	Rational molecular design enhancing the photonic performance of red-emitting perylene bisimide dyes. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 13210-13218	3.6	10
83	A versatile fluorescent molecular probe endowed with singlet oxygen generation under white-light photosensitization. <i>Dyes and Pigments</i> , 2017 , 142, 77-87	4.6	12
82	One-Pot Synthesis of Rotationally Restricted, Conjugatable, BODIPY Derivatives from Phthalides. <i>Journal of Organic Chemistry</i> , 2017 , 82, 1240-1247	4.2	20
81	Solvent-Sensitive Emitting Urea-Bridged bis-BODIPYs: Ready Access by a One-Pot Tandem Staudinger/Aza-Wittig Ureation. <i>Chemistry - A European Journal</i> , 2017 , 23, 17511-17520	4.8	5
80	Modulation of ICT probability in bi(polyarene)-based O-BODIPYs: towards the development of low-cost bright arene-BODIPY dyads. <i>Dalton Transactions</i> , 2017 , 46, 11830-11839	4.3	17
79	A versatile synthetic approach to design tailor-made push-pull chromophores with intriguing and tunable photophysical signatures. <i>Dyes and Pigments</i> , 2017 , 147, 246-259	4.6	6
78	Photoactive Nanomaterials Inspired by Nature: LTL Zeolite Doped with Laser Dyes as Artificial Light Harvesting Systems. <i>Materials</i> , 2017 , 10,	3.5	14
77	Synthesis, Properties, and Functionalization of Nonsymmetric 8-MethylthioBODIPYs. <i>European Journal of Organic Chemistry</i> , 2016 , 2016, 5009-5023	3.2	8
76	Push-pull flexibly-bridged bis(haloBODIPYs): solvent and spacer switchable red emission. <i>Dalton Transactions</i> , 2016 , 45, 11839-48	4.3	21
75	Unprecedented J-Aggregated Dyes in Pure Organic Solvents. <i>Advanced Functional Materials</i> , 2016 , 26, 2756-2769	15.6	41
74	Near-IR BODIPY Dyes ¶a Carte-Programmed Orthogonal Functionalization of Rationally Designed Building Blocks. <i>Chemistry - A European Journal</i> , 2016 , 22, 1048-61	4.8	41
73	FormylBODIPYs: Privileged Building Blocks for Multicomponent Reactions. The Case of the Passerini Reaction. <i>Journal of Organic Chemistry</i> , 2016 , 81, 2888-98	4.2	24
72	Bis(haloBODIPYs) with Labile Helicity: Valuable Simple Organic Molecules That Enable Circularly Polarized Luminescence. <i>Chemistry - A European Journal</i> , 2016 , 22, 8805-8	4.8	47

71	BODIPY Dye, the Most Versatile Fluorophore Ever?. <i>Chemical Record</i> , 2016 , 16, 335-48	6.6	162
70	Coumarin-BODIPY hybrids by heteroatom linkage: versatile, tunable and photostable dye lasers for UV irradiation. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 8239-47	3.6	47
69	Scope and Limitations of the Liebeskind-Srogl Cross-Coupling Reactions Involving the Biellmann BODIPY. <i>Journal of Organic Chemistry</i> , 2015 , 80, 5771-82	4.2	31
68	Excitation energy transfer in artificial antennas: from photoactive materials to molecular assemblies. <i>International Reviews in Physical Chemistry</i> , 2015 , 34, 515-556	7	18
67	Straightforward synthetic protocol for the introduction of stabilized C nucleophiles in the BODIPY core for advanced sensing and photonic applications. <i>Chemistry - A European Journal</i> , 2015 , 21, 1755-64	4.8	18
66	An asymmetric BODIPY triad with panchromatic absorption for high-performance red-edge laser emission. <i>Chemical Communications</i> , 2015 , 51, 11382-5	5.8	18
65	Emission properties of dye-doped cationic nanoparticles: size, surfactant and monomeric composition effects. <i>RSC Advances</i> , 2015 , 5, 4454-4462	3.7	3
64	First highly efficient and photostable E and C derivatives of 4,4-difluoro-4-bora-3a,4a-diaza-s-indacene (BODIPY) as dye lasers in the liquid phase, thin films, and solid-state rods. <i>Chemistry - A European Journal</i> , 2014 , 20, 2646-53	4.8	51
63	Ni and RhNi catalysts supported on Zeolites L for hydrogen and syngas production by biogas reforming processes. <i>Chemical Engineering Journal</i> , 2014 , 238, 178-188	14.7	58
62	Spiranic BODIPYs: a ground-breaking design to improve the energy transfer in molecular cassettes. <i>Chemical Communications</i> , 2014 , 50, 12765-7	5.8	27
61	A FRET analysis of dye diffusion in core/shell polymer nanoparticles. <i>RSC Advances</i> , 2014 , 4, 22115	3.7	6
60	Convenient Access to Carbohydrate-BODIPY Hybrids by Two Complementary Methods Involving One-Pot Assembly of Clickable BODIPY Dyes. <i>European Journal of Organic Chemistry</i> , 2014 , 2014, 5659-5663	3.2	20
59	Förster Resonance Energy Transfer and Laser Efficiency in Colloidal Suspensions of Dye-Doped Nanoparticles: Concentration Effects. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 13107-13117	3.8	21
58	Focusing on charge-surface interfacial effects to enhance the laser properties of dye-doped nanoparticles. <i>Laser Physics Letters</i> , 2014 , 11, 015901	1.5	3
57	Selective lateral lithiation of methyl BODIPYs: synthesis, photophysics, and electrochemistry of new meso derivatives. <i>Organic Letters</i> , 2014 , 16, 4364-7	6.2	31
56	Microwave Synthesis of LTL Zeolites with Tunable Size and Morphology: An Optimal Support for Metal-Catalyzed Hydrogen Production from Biogas Reforming Processes. <i>Particle and Particle Systems Characterization</i> , 2014 , 31, 110-120	3.1	10
55	Increased laser action in commercial dyes from fluorination regardless of their skeleton. <i>Laser Physics Letters</i> , 2014 , 11, 115818	1.5	6
54	Micellar charge induced emissive response of a bio-active 3-pyrazolyl-2-pyrazoline derivative: a spectroscopic and quantum chemical analysis. <i>RSC Advances</i> , 2014 , 4, 56361-56372	3.7	7

53	Carboxylates versus Fluorines: Boosting the Emission Properties of Commercial BODIPYs in Liquid and Solid Media. <i>Advanced Functional Materials</i> , 2013 , 23, 4195-4205	15.6	48
52	8-Functionalization of alkyl-substituted-3,8-dimethyl BODIPYs by Knoevenagel condensation. <i>Organic Letters</i> , 2013 , 15, 4454-7	6.2	39
51	Reaction of amines with 8-methylthioBODIPY: dramatic optical and laser response to amine substitution. <i>Chemistry - an Asian Journal</i> , 2013 , 8, 2691-700	4.5	30
50	Strong intramolecular charge transfer emission in benzobisoxazole cruciforms: solvatochromic dyes as polarity indicators. <i>Physical Chemistry Chemical Physics</i> , 2013 , 15, 18023-9	3.6	21
49	Unprecedented induced axial chirality in a molecular BODIPY dye: strongly bisignated electronic circular dichroism in the visible region. <i>Chemical Communications</i> , 2013 , 49, 11641-3	5.8	36
48	Photophysical and laser properties of cassettes based on a BODIPY and rhodamine pair. <i>Chemistry - an Asian Journal</i> , 2013 , 8, 3133-41	4.5	11
47	Blue-to-orange color-tunable laser emission from tailored boron-dipyrromethene dyes. <i>ChemPhysChem</i> , 2013 , 14, 4134-42	3.2	49
46	Nitro and amino BODIPYS: crucial substituents to modulate their photonic behavior. <i>RSC Advances</i> , 2013 , 3, 1547-1556	3.7	31
45	Ultraviolet/Visible Dual Absorption by Single BODIPY Dye Confined in LTL Zeolite Nanochannels. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 13331-13336	3.8	31
44	8-Alkoxy- and 8-aryloxy-BODIPYs: straightforward fluorescent tagging of alcohols and phenols. <i>Journal of Organic Chemistry</i> , 2013 , 78, 5867-77	4.2	51
43	Synthesis and functionalization of new polyhalogenated BODIPY dyes. Study of their photophysical properties and singlet oxygen generation. <i>Tetrahedron</i> , 2012 , 68, 1153-1162	2.4	101
42	Chlorinated BODIPYs: Surprisingly Efficient and Highly Photostable Laser Dyes. <i>European Journal of Organic Chemistry</i> , 2012 , 2012, 6335-6350	3.2	79
41	FRET-assisted laser emission in colloidal suspensions of dye-doped latex nanoparticles. <i>Nature Photonics</i> , 2012 , 6, 621-626	33.9	114
40	Synthesis and optical and redox properties of symmetric and asymmetric BODIPYs. <i>ChemPhysChem</i> , 2012 , 13, 3923-31	3.2	12
39	8-AminoBODIPYs: cyanines or hemicyanines? The effect of the coplanarity of the amino group on their optical properties. <i>Journal of Organic Chemistry</i> , 2012 , 77, 5434-8	4.2	72
38	Versatile Photoactive Materials Based on Zeolite L Doped with Laser Dyes. <i>ChemPlusChem</i> , 2012 , 77, 61-70	2.8	18
37	Singular laser behavior of hemicyanine dyes: unsurpassed efficiency and finely structured spectrum in the near-IR region. <i>Laser Physics Letters</i> , 2012 , 9, 426-433	1.5	17
36	Unprecedented laser action from energy transfer in multichromophoric BODIPY cassettes. <i>Chemical Communications</i> , 2011 , 47, 11513-5	5.8	41

35	Difluoro-boron-triaza-anthracene: a laser dye in the blue region. Theoretical simulation of alternative difluoro-boron-diaza-aromatic systems. <i>Physical Chemistry Chemical Physics</i> , 2011 , 13, 3437-45	3.6	39
34	Modulation of the photophysical properties of BODIPY dyes by substitution at their meso position.. <i>RSC Advances</i> , 2011 , 1, 677	3.7	53
33	Photophysical and Lasing Properties of Rhodamine 6G Confined in Polymeric Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 3926-3933	3.8	26
32	New 8-amino-BODIPY derivatives: surpassing laser dyes at blue-edge wavelengths. <i>Chemistry - A European Journal</i> , 2011 , 17, 7261-70	4.8	124
31	Click assembly of dye-functionalized octasilsesquioxanes for highly efficient and photostable photonic systems. <i>Chemistry - A European Journal</i> , 2011 , 17, 13258-68	4.8	24
30	Distribution and orientation study of dyes intercalated into single sepiolite fibers. A confocal fluorescence microscopy approach. <i>Journal of Materials Chemistry</i> , 2011 , 21, 269-276		23
29	8-PropargylaminoBODIPY: unprecedented blue-emitting pyrromethene dye. Synthesis, photophysics and laser properties. <i>Chemical Communications</i> , 2010 , 46, 5103-5	5.8	111
28	Red-edge-wavelength finely-tunable laser action from new BODIPY dyes. <i>Physical Chemistry Chemical Physics</i> , 2010 , 12, 7804-11	3.6	64
27	Controlling optical properties and function of BODIPY by using asymmetric substitution effects. <i>Chemistry - A European Journal</i> , 2010 , 16, 14094-105	4.8	33
26	New analogues of the BODIPY dye PM597: photophysical and lasing properties in liquid solutions and in solid polymeric matrices. <i>Journal of Physical Chemistry A</i> , 2009 , 113, 8118-24	2.8	50
25	Photophysical and laser emission studies of 8-polyphenylene-substituted BODIPY dyes in liquid solution and in solid polymeric matrices. <i>Photochemical and Photobiological Sciences</i> , 2008 , 7, 802-13	4.2	32
24	Photophysical study of new versatile multichromophoric diads and triads with BODIPY and polyphenylene groups. <i>Journal of Physical Chemistry A</i> , 2008 , 112, 10816-22	2.8	22
23	Photophysical characterization of new 3-amino and 3-acetamido BODIPY dyes with solvent sensitive properties. <i>Journal of Fluorescence</i> , 2008 , 18, 899-907	2.4	16
22	New laser dye based on the 3-styryl analog of the BODIPY dye PM567. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2008 , 198, 192-199	4.7	39
21	Synthesis, photophysical properties, and laser behavior of 3-amino and 3-acetamido BODIPY dyes. <i>Organic Letters</i> , 2007 , 9, 4183-6	6.2	53
20	Transparent Zeolite/Polymer Hybrid Materials with Adaptable Properties. <i>Advanced Functional Materials</i> , 2007 , 17, 2298-2306	15.6	55
19	Structural Changes in the BODIPY Dye PM567 Enhancing the Laser Action in Liquid and Solid Media. <i>Advanced Functional Materials</i> , 2007 , 17, 3088-3098	15.6	52
18	Photophysics and lasing correlation of pyrromethene 567 dye in crosslinked polymeric networks. <i>Journal of Luminescence</i> , 2007 , 126, 833-837	3.8	4

17	Bichromatic laser emission from dipyrromethene dyes incorporated into solid polymeric media. <i>Journal of Applied Physics</i> , 2007 , 101, 113110	2.5	4
16	Laser and Physical Properties of BODIPY Chromophores in New Fluorinated Polymeric Materials. <i>Journal of Physical Chemistry C</i> , 2007 , 111, 1508-1516	3.8	30
15	Concerning the color change of pyrromethene 650 dye in electron-donor solvents. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2006 , 184, 298-305	4.7	9
14	Application of fluorescence with polarized light to evaluate the orientation of dyes adsorbed in layered materials. <i>Journal of Fluorescence</i> , 2006 , 16, 233-40	2.4	26
13	Orientation of Adsorbed Dyes in the Interlayer Space of Clays. 1. Anisotropy of Rhodamine 6G in Laponite Films by Vis-Absorption with Polarized Light. <i>Chemistry of Materials</i> , 2005 , 17, 4134-4141	9.6	48
12	Structural, photophysical and lasing properties of pyrromethene dyes. <i>International Reviews in Physical Chemistry</i> , 2005 , 24, 339-374	7	122
11	Characterization of rhodamine 6G aggregates intercalated in solid thin films of laponite clay. 2 Fluorescence spectroscopy. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 7443-50	3.4	173
10	Theoretical study of the ground and excited electronic states of pyrromethene 546 laser dye and related compounds. <i>Chemical Physics</i> , 2004 , 296, 13-22	2.3	46
9	Photophysical properties of a new 8-phenyl analogue of the laser dye PM567 in different solvents: internal conversion mechanisms. <i>Chemical Physics Letters</i> , 2004 , 385, 29-35	2.5	67
8	8-Phenyl-Substituted Dipyrromethene/BF ₂ Complexes as Highly Efficient and Photostable Laser Dyes. <i>Journal of Physical Chemistry A</i> , 2004 , 108, 3315-3323	2.8	78
7	Characterization of supported solid thin films of Laponite clay. Intercalation of rhodamine 6G laser dye. <i>Langmuir</i> , 2004 , 20, 5709-17	4	59
6	Structural and spectroscopic characteristics of Pyrromethene 567 laser dye. A theoretical approach. <i>Physical Chemistry Chemical Physics</i> , 2004 , 6, 4247-4253	3.6	33
5	Characterization of Rhodamine 6G Aggregates Intercalated in Solid Thin Films of Laponite Clay. 1. Absorption Spectroscopy. <i>Journal of Physical Chemistry B</i> , 2004 , 108, 20030-20037	3.4	77
4	Photophysical Properties of the Pyrromethene 597 Dye: Solvent Effect. <i>Journal of Physical Chemistry A</i> , 2004 , 108, 5503-5508	2.8	80
3	Photophysical and lasing properties of new analogs of the boron-dipyrromethene laser dye pyrromethene 567 incorporated into or covalently bounded to solid matrices of poly(methyl methacrylate). <i>Photochemistry and Photobiology</i> , 2003 , 78, 30-6	3.6	33
2	Adsorption of Rhodamine 3B Dye on Saponite Colloidal Particles in Aqueous Suspensions. <i>Langmuir</i> , 2002 , 18, 2658-2664	4	47
1	Photophysical and Lasing Properties of New Analogs of the Boron Dipyrromethene Laser Dye PM567 in Liquid Solution. <i>Journal of Physical Chemistry A</i> , 2002 , 106, 7736-7742	2.8	110