

Neil Crickmore

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6438144/publications.pdf>

Version: 2024-02-01

88
papers

8,571
citations

117453

34
h-index

60497

81
g-index

89
all docs

89
docs citations

89
times ranked

4166
citing authors

#	ARTICLE	IF	CITATIONS
1	MAPK-mediated transcription factor GATAd contributes to Cry1Ac resistance in diamondback moth by reducing PxmALP expression. <i>PLoS Genetics</i> , 2022, 18, e1010037.	1.5	23
2	MAP4K4 controlled transcription factor POUM1 regulates PxABCG1 expression influencing Cry1Ac resistance in <i>Plutella xylostella</i> (L.). <i>Pesticide Biochemistry and Physiology</i> , 2022, 182, 105053.	1.6	11
3	A versatile contribution of both aminopeptidases N and ABC transporters to Bt Cry1Ac toxicity in the diamondback moth. <i>BMC Biology</i> , 2022, 20, 33.	1.7	26
4	BPPRC database: a web-based tool to access and analyse bacterial pesticidal proteins. <i>Database: the Journal of Biological Databases and Curation</i> , 2022, 2022, .	1.4	15
5	Probing the Mechanism of Action of Cry41Aa on HepG2 through the Establishment of a Resistant Subline. <i>Toxins</i> , 2022, 14, 319.	1.5	0
6	A structure-based nomenclature for <i>Bacillus thuringiensis</i> and other bacteria-derived pesticidal proteins. <i>Journal of Invertebrate Pathology</i> , 2021, 186, 107438.	1.5	177
7	MAPK-Activated Transcription Factor PxJun Suppresses <i>PxABC1</i> Expression and Confers Resistance to <i>Bacillus thuringiensis</i> Cry1Ac Toxin in <i>Plutella xylostella</i> (L.). <i>Applied and Environmental Microbiology</i> , 2021, 87, e0046621.	1.4	16
8	A cis-Acting Mutation in the PxABCG1 Promoter Is Associated with Cry1Ac Resistance in <i>Plutella xylostella</i> (L.). <i>International Journal of Molecular Sciences</i> , 2021, 22, 6106.	1.8	11
9	The regulation landscape of MAPK signaling cascade for thwarting <i>Bacillus thuringiensis</i> infection in an insect host. <i>PLoS Pathogens</i> , 2021, 17, e1009917.	2.1	37
10	MAPK-dependent hormonal signaling plasticity contributes to overcoming <i>Bacillus thuringiensis</i> toxin action in an insect host. <i>Nature Communications</i> , 2020, 11, 3003.	5.8	78
11	Identification of <i>Aedes aegypti</i> specificity motifs in the N-terminus of the <i>Bacillus thuringiensis</i> Cry2Aa pesticidal protein. <i>Journal of Invertebrate Pathology</i> , 2020, 174, 107423.	1.5	5
12	Glbralysins, Potential New β -Pore-Forming Toxin Family Members from the Schistosomiasis Vector Snail <i>Biomphalaria glabrata</i> . <i>Genes</i> , 2020, 11, 65.	1.0	7
13	Divergence in environmental adaptation between terrestrial clades of the <i>Bacillus cereus</i> group. <i>FEMS Microbiology Ecology</i> , 2020, 97, .	1.3	7
14	The role of membrane-bound metal ions in toxicity of a human cancer cell-active pore-forming toxin Cry41Aa from <i>Bacillus thuringiensis</i> . <i>Toxicon</i> , 2019, 167, 123-133.	0.8	6
15	Differential proteolytic activation of the <i>Bacillus thuringiensis</i> Cry41Aa parasporin modulates its anticancer effect. <i>Biochemical Journal</i> , 2019, 476, 3805-3816.	1.7	1
16	Temperature-dependent development of <i>Helicoverpa armigera</i> (Hübner) (Lepidoptera: Noctuidae) and its larval parasitoid, <i>Habrobracon hebetor</i> (Say) (Hymenoptera: Braconidae): implications for species interactions. <i>Bulletin of Entomological Research</i> , 2018, 108, 295-304.	0.5	18
17	Synthesis of novel heteroleptic delocalised cationic pyrazole gold complexes as potent HepG2 cytotoxic agents. <i>Dalton Transactions</i> , 2018, 47, 15338-15343.	1.6	2
18	Cry78Aa, a novel <i>Bacillus thuringiensis</i> insecticidal protein with activity against <i>Laodelphax striatellus</i> and <i>Nilaparvata lugens</i> . <i>Journal of Invertebrate Pathology</i> , 2018, 158, 1-5.	1.5	17

#	ARTICLE	IF	CITATIONS
19	Bacillus thuringiensis Toxin Classification. , 2017, , 41-52.		43
20	The human cancer cell active toxin Cry41Aa from <i>Bacillus thuringiensis</i> acts like its insecticidal counterparts. Biochemical Journal, 2017, 474, 1591-1602.	1.7	16
21	A natural hybrid of a Bacillus thuringiensis Cry2A toxin implicates Domain I in specificity determination. Journal of Invertebrate Pathology, 2017, 150, 35-40.	1.5	9
22	Comparison of <i>Phenacoccus solenopsis</i> specimens from different regions of Pakistan using COI molecular barcoding (Hemiptera: Pseudococcidae). Annales De La Societe Entomologique De France, 2017, 53, 374-378.	0.4	0
23	Specificity determinants for Cry insecticidal proteins: Insights from their mode of action. Journal of Invertebrate Pathology, 2017, 142, 5-10.	1.5	138
24	Structural classification of insecticidal proteins – Towards an in silico characterisation of novel toxins. Journal of Invertebrate Pathology, 2017, 142, 16-22.	1.5	34
25	In Vivo Crystallization of Three-Domain Cry Toxins. Toxins, 2017, 9, 80.	1.5	21
26	In vitro template-change PCR to create single crossover libraries: a case study with B. thuringiensis Cry2A toxins. Scientific Reports, 2016, 6, 23536.	1.6	5
27	Bacillus thuringiensis resistance in Plutella – too many trees?. Current Opinion in Insect Science, 2016, 15, 84-88.	2.2	30
28	Use of Redundant Exclusion PCR To Identify a Novel Bacillus thuringiensis Cry8 Toxin Gene from Pooled Genomic DNA. Applied and Environmental Microbiology, 2016, 82, 3808-3815.	1.4	2
29	Host stage preference and parasitism behaviour of <i>Aenasius bambawalei</i> an encyrtid parasitoid of <i>Phenacoccus solenopsis</i> . Biocontrol Science and Technology, 2016, 26, 1605-1616.	0.5	9
30	Novel genetic factors involved in resistance to <i>Bacillus thuringiensis</i> in <i>Plutella xylostella</i> . Insect Molecular Biology, 2015, 24, 589-600.	1.0	6
31	Optimizing pyramided transgenic Bt crops for sustainable pest management. Nature Biotechnology, 2015, 33, 161-168.	9.4	286
32	Genomic sequencing identifies novel Bacillus thuringiensis Vip1/Vip2 binary and Cry8 toxins that have high toxicity to Scarabaeoidea larvae. Applied Microbiology and Biotechnology, 2015, 99, 753-760.	1.7	31
33	Efficacy of insecticide mixtures against a resistant strain of house fly (Diptera: Muscidae) collected from a poultry farm. International Journal of Tropical Insect Science, 2015, 35, 48-53.	0.4	12
34	Are nematodes a missing link in the confounded ecology of the entomopathogen Bacillus thuringiensis?. Trends in Microbiology, 2015, 23, 341-346.	3.5	52
35	Is There Sufficient Evidence to Consider Bacillus thuringiensis a Multihost Pathogen? Response to Loguercio and Arg�lo-Filho. Trends in Microbiology, 2015, 23, 587.	3.5	62
36	Identification of a mosquitocidal toxin from Bacillus thuringiensis using mass spectrometry. World Journal of Microbiology and Biotechnology, 2014, 30, 3273-3277.	1.7	6

#	ARTICLE	IF	CITATIONS
37	Mining rare and ubiquitous toxin genes from a large collection of <i>Bacillus thuringiensis</i> strains. <i>Journal of Invertebrate Pathology</i> , 2014, 122, 6-9.	1.5	6
38	Cultivable Gut Bacteria of Scarabs (Coleoptera: Scarabaeidae) Inhibit <i>Bacillus thuringiensis</i> Multiplication. <i>Environmental Entomology</i> , 2014, 43, 612-616.	0.7	15
39	Diversity of <i>Bacillus thuringiensis</i> Crystal Toxins and Mechanism of Action. <i>Advances in Insect Physiology</i> , 2014, 47, 39-87.	1.1	237
40	Use of a pooled clone method to isolate a novel <i>Bacillus thuringiensis</i> Cry2A toxin with activity against <i>Ostrinia furnacalis</i> . <i>Journal of Invertebrate Pathology</i> , 2013, 114, 31-33.	1.5	12
41	Effects of glutathione-S-transferase polymorphisms on the risk of breast cancer: A population-based case-control study in Pakistan. <i>Environmental Toxicology and Pharmacology</i> , 2013, 35, 143-153.	2.0	31
42	The impact of strain diversity and mixed infections on the evolution of resistance to <i>Bacillus thuringiensis</i> . <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013, 280, 20131497.	1.2	11
43	Lack of Cry1Fa Binding to the Midgut Brush Border Membrane in a Resistant Colony of <i>Plutella xylostella</i> Moths with a Mutation in the <i>ABCC2</i> Locus. <i>Applied and Environmental Microbiology</i> , 2012, 78, 6759-6761.	1.4	17
44	Mining New Crystal Protein Genes from <i>Bacillus thuringiensis</i> on the Basis of Mixed Plasmid-Enriched Genome Sequencing and a Computational Pipeline. <i>Applied and Environmental Microbiology</i> , 2012, 78, 4795-4801.	1.4	76
45	<i>Bacillus thuringiensis</i> Applications in Agriculture. , 2012, , 19-39.		28
46	Characterization of a new highly mosquitocidal isolate of <i>Bacillus thuringiensis</i> – An alternative to Bti?. <i>Journal of Invertebrate Pathology</i> , 2012, 109, 217-222.	1.5	19
47	Parallel Evolution of <i>Bacillus thuringiensis</i> Toxin Resistance in Lepidoptera. <i>Genetics</i> , 2011, 189, 675-679.	1.2	239
48	<i>Bacillus thuringiensis</i> : an impotent pathogen?. <i>Trends in Microbiology</i> , 2010, 18, 189-194.	3.5	297
49	Gut Bacteria Are Not Required for the Insecticidal Activity of <i>Bacillus thuringiensis</i> toward the Tobacco Hornworm, <i>Manduca sexta</i> . <i>Applied and Environmental Microbiology</i> , 2009, 75, 5094-5099.	1.4	73
50	A midgut microbiota is not required for the pathogenicity of <i>Bacillus thuringiensis</i> to diamondback moth larvae. <i>Environmental Microbiology</i> , 2009, 11, 2556-2563.	1.8	82
51	Cross-resistance between a <i>Bacillus thuringiensis</i> Cry toxin and non-Bt insecticides in the diamondback moth. <i>Pest Management Science</i> , 2008, 64, 813-819.	1.7	39
52	Cloning and characterization of a novel Cry1A toxin from <i>Bacillus thuringiensis</i> with high toxicity to the Asian corn borer and other lepidopteran insects. <i>FEMS Microbiology Letters</i> , 2008, 280, 95-101.	0.7	72
53	Genetic, Biochemical, and Physiological Characterization of Spinosad Resistance in <i>Plutella xylostella</i> (Lepidoptera: Plutellidae). <i>Journal of Economic Entomology</i> , 2008, 101, 1658-1666.	0.8	91
54	Fitness Costs Limit the Development of Resistance to Indoxacarb and Deltamethrin in <i>Heliothis virescens</i> (Lepidoptera: Noctuidae). <i>Journal of Economic Entomology</i> , 2008, 101, 1927-1933.	0.8	80

#	ARTICLE	IF	CITATIONS
55	Genetic, Biochemical, and Physiological Characterization of Spinosad Resistance in <i>Plutella xylostella</i> (Lepidoptera: Plutellidae). <i>Journal of Economic Entomology</i> , 2008, 101, 1658-1666.	0.8	45
56	Genetic Characterization of Resistance to Deltamethrin in <i>Plutella xylostella</i> (Lepidoptera: Tj ETQq0 0 0 rgBT /Overlock, 10 Tf 50	0.8	22
57	Selection of a Field Population of Diamondback Moth (Lepidoptera: Plutellidae) with Acetamiprid Maintains, but Does Not Increase, Cross-Resistance to Pyrethroids. <i>Journal of Economic Entomology</i> , 2007, 100, 932-938.	0.8	33
58	Genetics and mechanism of resistance to deltamethrin in a field population of <i>Spodoptera litura</i> (Lepidoptera: Noctuidae). <i>Pest Management Science</i> , 2007, 63, 1002-1010.	1.7	97
59	Co-Expression of the Mosquitocidal Toxins Cyt1Aa and Cry11Aa from <i>Bacillus thuringiensis</i> Subsp. israelensis in <i>Asticcacaulis excentricus</i> . <i>Current Microbiology</i> , 2007, 54, 58-62.	1.0	5
60	Selection of a field population of diamondback moth (Lepidoptera: Plutellidae) with acetamiprid maintains, but does not increase, cross-resistance to pyrethroids. <i>Journal of Economic Entomology</i> , 2007, 100, 932-8.	0.8	12
61	Structure of recombinant Vesâ€...vâ€...2 at 2.0â€...Ã... resolution: structural analysis of an allergenic hyaluronidase from wasp venom. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2006, 62, 595-604.	2.5	61
62	Beyond the spore â€“ past and future developments of <i>Bacillus thuringiensis</i> as a biopesticide. <i>Journal of Applied Microbiology</i> , 2006, 101, 616-619.	1.4	96
63	Common, but Complex, Mode of Resistance of <i>Plutella xylostella</i> to <i>Bacillus thuringiensis</i> Toxins Cry1Ab and Cry1Ac. <i>Applied and Environmental Microbiology</i> , 2005, 71, 6863-6869.	1.4	52
64	Bt toxin not guilty by association. <i>Nature Biotechnology</i> , 2005, 23, 791-791.	9.4	3
65	Expression of the <i>Bacillus thuringiensis</i> Mosquitocidal Toxin Cry11Aa in the Aquatic Bacterium <i>Asticcacaulis excentricus</i> . <i>Current Microbiology</i> , 2005, 51, 430-433.	1.0	8
66	Using worms to better understand how <i>Bacillus thuringiensis</i> kills insects. <i>Trends in Microbiology</i> , 2005, 13, 347-350.	3.5	74
67	Identification of a Novel DNA Methyltransferase Activity from <i>Bacillus thuringiensis</i> . <i>Current Microbiology</i> , 2003, 47, 144-145.	1.0	0
68	Structure, Diversity, and Evolution of Protein Toxins from Spore-Forming Entomopathogenic Bacteria. <i>Annual Review of Genetics</i> , 2003, 37, 409-433.	3.2	338
69	N-terminal Activation Is an Essential Early Step in the Mechanism of Action of the <i>Bacillus thuringiensis</i> Cry1Ac Insecticidal Toxin. <i>Journal of Biological Chemistry</i> , 2002, 277, 23985-23987.	1.6	53
70	Cellular Localization and Characterization of the <i>Bacillus thuringiensis</i> Orf2 Crystallization Factor. <i>Current Microbiology</i> , 2001, 42, 388-392.	1.0	18
71	Expression and Crystallization of an N-Terminally Activated Form of the <i>Bacillus thuringiensis</i> Cry1Ca Toxin. <i>Current Microbiology</i> , 2001, 43, 371-373.	1.0	5
72	How <i>Bacillus thuringiensis</i> has evolved specific toxins to colonize the insect world. <i>Trends in Genetics</i> , 2001, 17, 193-199.	2.9	530

#	ARTICLE	IF	CITATIONS
73	Cross-Resistance and Stability of Resistance to <i>Bacillus thuringiensis</i> Toxin Cry1C in Diamondback Moth. <i>Applied and Environmental Microbiology</i> , 2001, 67, 3216-3219.	1.4	26
74	Susceptibility of a Field-Derived, <i>Bacillus thuringiensis</i> -Resistant Strain of Diamondback Moth to In Vitro-Activated Cry1Ac Toxin. <i>Applied and Environmental Microbiology</i> , 2001, 67, 4372-4373.	1.4	32
75	Cyt1Aa from <i>Bacillus thuringiensis</i> subsp. <i>israelensis</i> Is Toxic to the Diamondback Moth, <i>Plutella xylostella</i> , and Synergizes the Activity of Cry1Ac towards a Resistant Strain. <i>Applied and Environmental Microbiology</i> , 2001, 67, 5859-5861.	1.4	35
76	The diversity of <i>Bacillus thuringiensis</i> δ -endotoxins. , 2000, , 65-79.		13
77	<i>Bacillus thuringiensis</i> and Its Pesticidal Crystal Proteins. <i>Microbiology and Molecular Biology Reviews</i> , 1998, 62, 775-806.	2.9	2,505
78	Revision of the Nomenclature for the <i>Bacillus thuringiensis</i> Pesticidal Crystal Proteins. <i>Microbiology and Molecular Biology Reviews</i> , 1998, 62, 807-813.	2.9	894
79	Use of a simplified rapid size screen protocol for the detection of recombinant plasmids. <i>Technical Tips Online</i> , 1997, 2, 136-137.	0.2	2
80	Contribution of the individual components of the δ -endotoxin crystal to the mosquitocidal activity of <i>Bacillus thuringiensis</i> subsp. <i>israelensis</i> . <i>FEMS Microbiology Letters</i> , 1995, 131, 249-254.	0.7	132
81	Contribution of the individual components of the δ -endotoxin crystal to the mosquitocidal activity of <i>Bacillus thuringiensis</i> subsp. <i>israelensis</i> . <i>FEMS Microbiology Letters</i> , 1995, 131, 249-254.	0.7	128
82	Use of an operon fusion to induce expression and crystallisation of a <i>Bacillus thuringiensis</i> δ -endotoxin encoded by a cryptic gene. <i>Molecular Genetics and Genomics</i> , 1994, 242, 365-368.	2.4	29
83	The receptor for <i>Bacillus thuringiensis</i> CryIA(c) δ -endotoxin in the brush border membrane of the lepidopteran <i>Manduca sexta</i> is aminopeptidase N. <i>Molecular Microbiology</i> , 1994, 11, 429-436.	1.2	417
84	Effects on toxicity of eliminating a cleavage site in a predicted interhelical loop in <i>Bacillus thuringiensis</i> CryIVB δ -endotoxin. <i>FEMS Microbiology Letters</i> , 1993, 111, 255-261.	0.7	38
85	Comparison of <i>Bacillus thuringiensis</i> subsp. <i>israelensis</i> CryIVA and CryIVB cloned toxins reveals synergism in vivo. <i>FEMS Microbiology Letters</i> , 1992, 94, 63-68.	0.7	83
86	Involvement of a possible chaperonin in the efficient expression of a cloned CryIIA δ -endotoxin gene in <i>Bacillus thuringiensis</i> . <i>Molecular Microbiology</i> , 1992, 6, 1533-1537.	1.2	95
87	Cytotoxicity of a cloned <i>Bacillus thuringiensis</i> subsp. <i>israelensis</i> CryIVB toxin to an <i>Aedes aegypti</i> cell line. <i>FEMS Microbiology Letters</i> , 1991, 83, 273-276.	0.7	20
88	The <i>Escherichia coli</i> heat shock regulatory gene is immediately downstream of a cell division operon: The <i>fam</i> mutation is allelic with <i>rpoH</i> . <i>Molecular Genetics and Genomics</i> , 1986, 205, 535-539.	2.4	23