
## Wei Gong

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6438948/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Genetic Variation in GSTM1 Is Associated With Susceptibility to Noise-Induced Hearing Loss in a Chinese Population. Journal of Occupational and Environmental Medicine, 2012, 54, 1157-1162.	1.7	26
2	A Pilot Assessment of Occupational Health Hazards in the US Electronic Scrap Recycling Industry. Journal of Occupational and Environmental Hygiene, 2015, 12, 482-488.	1.0	19
3	Multiple metal exposures and their correlation with monoamine neurotransmitter metabolism in Chinese electroplating workers. Chemosphere, 2017, 182, 745-752.	8.2	16
4	Notch polymorphisms associated with sensitivity of noise induced hearing loss among Chinese textile factory workers. BMC Medical Genetics, 2018, 19, 168.	2.1	15
5	Estimation of Occupational Noise–Induced Hearing Loss Using Kurtosis-Adjusted Noise Exposure Levels. Ear and Hearing, 2022, 43, 1881-1892.	2.1	15
6	Dimethylacetamide-induced occupational toxic hepatitis with a short term recurrence: a rare case report. Journal of Thoracic Disease, 2016, 8, E408-E411.	1.4	13
7	Evaluating the effect of training along with fit testing on foam earplug users in four factories in China. International Journal of Audiology, 2019, 58, 269-277.	1.7	12
8	DNMT1 and DNMT3A haplotypes associated with noise-induced hearing loss in Chinese workers. Scientific Reports, 2018, 8, 12193.	3.3	11
9	Evaluating the Effectiveness of Earplugs in Preventing Noise-Induced Hearing Loss in an Auto Parts Factory in China. International Journal of Environmental Research and Public Health, 2021, 18, 7190.	2.6	9
10	Occupational exposures to new dry cleaning solvents: High-flashpoint hydrocarbons and butylal. Journal of Occupational and Environmental Hygiene, 2016, 13, 759-769.	1.0	8
11	Correlation between CAT polymorphism and susceptibility to DMAc-induced abnormal liver function: a case-control study of Chinese population. Biomarkers, 2018, 23, 147-153.	1.9	7
12	Evaluating the Effect of Training Along With Fit Testing on Premolded Earplug Users in a Chinese Petrochemical Plant. Ear and Hearing, 2020, 41, 838-846.	2.1	7
13	Association between Polymorphism of Exportin-5 and Susceptibility to Lead Poisoning in a Chinese Population. International Journal of Environmental Research and Public Health, 2017, 14, 36.	2.6	5
14	Verifying earplug attenuation and evaluating the effectiveness of oneâ€onâ€one training along with earplug fit testing at nine facilities in China. American Journal of Industrial Medicine, 2021, 64, 771-780.	2.1	5
15	Lead and noise exposures at eight Chinese registered electronics recycling facilities. International Journal of Hygiene and Environmental Health, 2020, 230, 113611.	4.3	2
16	Dimethylacetamide-induced Hepatic Injury in Vitro: Mechanism and Potential Preventive Strategy. Biomedical and Environmental Sciences, 2016, 29, 153-7.	0.2	2
17	Effects of hearing protection field attenuation estimation systems and associated training on the level of noise attenuation in workers exposed to noise. The Cochrane Library, 0, , .	2.8	1
18	Field attenuation characteristics of hearing protectors and differences in estimating their attenuation with different methods. Journal of the Acoustical Society of America, 2022, 151, 3979-3992.	1.1	1

#	Article	IF	CITATIONS
19	Hexavalent Chromium Exposure and Nasal Tissue Effects at a Commercial Aircraft Refinishing Facility. Journal of Occupational and Environmental Medicine, 2019, 61, e69-e73.	1.7	0