Wei Gong

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6438948/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Estimation of Occupational Noise–Induced Hearing Loss Using Kurtosis-Adjusted Noise Exposure Levels. Ear and Hearing, 2022, 43, 1881-1892.	2.1	15
2	Field attenuation characteristics of hearing protectors and differences in estimating their attenuation with different methods. Journal of the Acoustical Society of America, 2022, 151, 3979-3992.	1,1	1
3	Evaluating the Effectiveness of Earplugs in Preventing Noise-Induced Hearing Loss in an Auto Parts Factory in China. International Journal of Environmental Research and Public Health, 2021, 18, 7190.	2.6	9
4	Verifying earplug attenuation and evaluating the effectiveness of oneâ€onâ€one training along with earplug fit testing at nine facilities in China. American Journal of Industrial Medicine, 2021, 64, 771-780.	2.1	5
5	Evaluating the Effect of Training Along With Fit Testing on Premolded Earplug Users in a Chinese Petrochemical Plant. Ear and Hearing, 2020, 41, 838-846.	2.1	7
6	Lead and noise exposures at eight Chinese registered electronics recycling facilities. International Journal of Hygiene and Environmental Health, 2020, 230, 113611.	4.3	2
7	Evaluating the effect of training along with fit testing on foam earplug users in four factories in China. International Journal of Audiology, 2019, 58, 269-277.	1.7	12
8	Hexavalent Chromium Exposure and Nasal Tissue Effects at a Commercial Aircraft Refinishing Facility. Journal of Occupational and Environmental Medicine, 2019, 61, e69-e73.	1.7	0
9	Correlation between CAT polymorphism and susceptibility to DMAc-induced abnormal liver function: a case-control study of Chinese population. Biomarkers, 2018, 23, 147-153.	1.9	7
10	Notch polymorphisms associated with sensitivity of noise induced hearing loss among Chinese textile factory workers. BMC Medical Genetics, 2018, 19, 168.	2.1	15
11	DNMT1 and DNMT3A haplotypes associated with noise-induced hearing loss in Chinese workers. Scientific Reports, 2018, 8, 12193.	3.3	11
12	Multiple metal exposures and their correlation with monoamine neurotransmitter metabolism in Chinese electroplating workers. Chemosphere, 2017, 182, 745-752.	8.2	16
13	Association between Polymorphism of Exportin-5 and Susceptibility to Lead Poisoning in a Chinese Population. International Journal of Environmental Research and Public Health, 2017, 14, 36.	2.6	5
14	Dimethylacetamide-induced occupational toxic hepatitis with a short term recurrence: a rare case report. Journal of Thoracic Disease, 2016, 8, E408-E411.	1.4	13
15	Occupational exposures to new dry cleaning solvents: High-flashpoint hydrocarbons and butylal. Journal of Occupational and Environmental Hygiene, 2016, 13, 759-769.	1.0	8
16	Dimethylacetamide-induced Hepatic Injury in Vitro: Mechanism and Potential Preventive Strategy. Biomedical and Environmental Sciences, 2016, 29, 153-7.	0.2	2
17	A Pilot Assessment of Occupational Health Hazards in the US Electronic Scrap Recycling Industry. Journal of Occupational and Environmental Hygiene, 2015, 12, 482-488.	1.0	19
18	Genetic Variation in GSTM1 Is Associated With Susceptibility to Noise-Induced Hearing Loss in a Chinese Population. Journal of Occupational and Environmental Medicine, 2012, 54, 1157-1162.	1.7	26

#	Article	IF	CITATIONS
19	Effects of hearing protection field attenuation estimation systems and associated training on the level of noise attenuation in workers exposed to noise. The Cochrane Library, 0, , .	2.8	1