
Kathleen L Caldwell

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6440404/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	LAMP: A CDC Program to Ensure the Quality of Blood-Lead Laboratory Measurements. Journal of Public Health Management and Practice, 2019, 25, S23-S30.	1.4	10
2	Comparison of Nicotine and Toxicant Exposure in Users of Electronic Cigarettes and Combustible Cigarettes. JAMA Network Open, 2018, 1, e185937.	5.9	361
3	Iodine Status and Consumption of Key Iodine Sources in the U.S. Population with Special Attention to Reproductive Age Women. Nutrients, 2018, 10, 874.	4.1	31
4	Trace Metals Screening Process of Devices Used for the Collection, Analysis, and Storage of Biological Specimens. Atomic Spectroscopy, 2018, 39, 219-228.	1.2	6
5	Association of acute toxic encephalopathy with litchi consumption in an outbreak in Muzaffarpur, India, 2014: a case-control study. The Lancet Global Health, 2017, 5, e458-e466.	6.3	83
6	Biomonitoring method for the analysis of chromium and cobalt in human whole blood using inductively coupled plasma-kinetic energy discrimination-mass spectrometry (ICP-KED-MS). Analytical Methods, 2017, 9, 3464-3476.	2.7	10
7	Measurement Challenges at Low Blood Lead Levels. Pediatrics, 2017, 140, .	2.1	53
8	Analysis of whole human blood for Pb, Cd, Hg, Se, and Mn by ICP-DRC-MS for biomonitoring and acute exposures. Talanta, 2017, 162, 114-122.	5.5	77
9	Dietary Sources of Methylated Arsenic Species in Urine of the United States Population, NHANES 2003–2010. PLoS ONE, 2014, 9, e108098.	2.5	53
10	Total and methyl mercury in whole blood measured for the first time in the U.S. population: NHANES 2011–2012. Environmental Research, 2014, 134, 257-264.	7.5	76
11	Measurement of mercury species in human blood using triple spike isotope dilution with SPME-GC-ICP-DRC-MS. Analytical and Bioanalytical Chemistry, 2014, 406, 5039-5047.	3.7	26
12	Analytical Considerations in the Clinical Laboratory Assessment of Metals. Journal of Medical Toxicology, 2014, 10, 232-239.	1.5	9
13	Plasma and Urine Dimercaptopropanesulfonate Concentrations after Dermal Application of Transdermal DMPS (TD-DMPS). Journal of Medical Toxicology, 2013, 9, 9-15.	1.5	12
14	Iodine Status in Pregnant Women in the National Children's Study and in U.S. Women (15–44 Years), National Health and Nutrition Examination Survey 2005–2010. Thyroid, 2013, 23, 927-937.	4.5	148
15	Monitoring the Iodine Status of Pregnant Women in the United States. Thyroid, 2013, 23, 520-521.	4.5	20
16	Intakes of Dairy Products and Dietary Supplements Are Positively Associated with Iodine Status among U.S. Children1,2. Journal of Nutrition, 2013, 143, 1155-1160.	2.9	24
17	Blood mercury levels among fish consumers residing in areas with high environmental burden. Chemosphere, 2012, 86, 967-971.	8.2	14
18	A human urine standard reference material for accurate assessment of arsenic exposure. Analytical Methods, 2011, 3, 1107.	2.7	13

KATHLEEN L CALDWELL

#	Article	IF	CITATIONS
19	Total blood mercury concentrations in the U.S. population: 1999-2006. International Journal of Hygiene and Environmental Health, 2009, 212, 588-598.	4.3	83
20	Determination of seven arsenic compounds in urine by HPLC-ICP-DRC-MS: a CDC population biomonitoring method. Analytical and Bioanalytical Chemistry, 2009, 393, 939-947.	3.7	51
21	Levels of urinary total and speciated arsenic in the US population: National Health and Nutrition Examination Survey 2003–2004. Journal of Exposure Science and Environmental Epidemiology, 2009, 19, 59-68.	3.9	163
22	EQUIP: a worldwide program to ensure the quality of urinary iodine procedures. Accreditation and Quality Assurance, 2005, 10, 356-361.	0.8	47
23	Urinary lodine Concentration: United States National Health and Nutrition Examination Survey 2001–2002. Thyroid, 2005, 15, 692-699.	4.5	145
24	Use of Inductively Coupled Plasma Mass Spectrometry to Measure Urinary Iodine in NHANES 2000: Comparison with Previous Method. Clinical Chemistry, 2003, 49, 1019-1021.	3.2	84