

Alain Saraux

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6441368/publications.pdf>

Version: 2024-02-01

312
papers

14,114
citations

15466

65
h-index

30010

103
g-index

340
all docs

340
docs citations

340
times ranked

9651
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Joint involvement in Noonan syndrome. A retrospective paediatric descriptive study. <i>Joint Bone Spine</i> , 2022, 89, 105270. | 0.8 | 2 |
| 2 | A functional and bilateral ischiofemoral impingement with muscular hypertrophy in an 11-year-old dancer. <i>Joint Bone Spine</i> , 2022, 89, 105251. | 0.8 | 1 |
| 3 | Changes in etanercept and adalimumab biosimilar prescriptions for the initial treatment of rheumatoid arthritis in France: Data from the ART-SFR Registry. <i>Joint Bone Spine</i> , 2022, 89, 105310. | 0.8 | 2 |
| 4 | Primary Sjögren's syndrome: new beginning for evidence-based trials. <i>Lancet, The</i> , 2022, 399, 121-122. | 6.3 | 5 |
| 5 | 2022 French Society for Rheumatology (SFR) recommendations on the everyday management of patients with spondyloarthritis, including psoriatic arthritis. <i>Joint Bone Spine</i> , 2022, 89, 105344. | 0.8 | 44 |
| 6 | Actualisation 2022 des recommandations de la Société française de rhumatologie (SFR) pour la prise en charge en pratique courante des malades atteints de spondyloarthrite, incluant le rhumatisme psoriasique. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2022, 89, 210-222. | 0.0 | 3 |
| 7 | Stable efficacy and safety after switching from intravenous to subcutaneous tocilizumab in a cohort of 200 patients in real life conditions. <i>Joint Bone Spine</i> , 2022, 89, 105347. | 0.8 | 0 |
| 8 | Impact of multimorbidity on disease modifying antirheumatic drug therapy in early rheumatoid arthritis: Data from the ESPOIR cohort. <i>Joint Bone Spine</i> , 2022, 89, 105326. | 0.8 | 0 |
| 9 | Comparison of halo and compression signs assessed by a high frequency ultrasound probe for the diagnosis of Giant Cell Arteritis. <i>Journal of Ultrasound</i> , 2022, 25, 837-845. | 0.7 | 4 |
| 10 | A Risk Score to Detect Subclinical Rheumatoid Arthritis Associated Interstitial Lung Disease. <i>Arthritis and Rheumatology</i> , 2022, 74, 1755-1765. | 2.9 | 29 |
| 11 | Assessing the robustness of clinical trials by estimating Jadad's score using artificial intelligence approaches. <i>Computers in Biology and Medicine</i> , 2022, , 105851. | 3.9 | 0 |
| 12 | Hip Pain Associated with Acetabular Dysplasia in Patients with Suspected Axial Spondyloarthritis: DESIR Cohort Data. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, . | 0.8 | 0 |
| 13 | Real-World 1-Year Retention Rate of Subcutaneous Tocilizumab Treatment in Patients with Moderate to Severe Active Rheumatoid Arthritis: TANDEM Study. <i>Rheumatology and Therapy</i> , 2021, 8, 95-108. | 1.1 | 5 |
| 14 | Integrative Analysis Reveals a Molecular Stratification of Systemic Autoimmune Diseases. <i>Arthritis and Rheumatology</i> , 2021, 73, 1073-1085. | 2.9 | 81 |
| 15 | Can we use artificial intelligence for systematic literature review in rheumatology?. <i>Joint Bone Spine</i> , 2021, 88, 105109. | 0.8 | 6 |
| 16 | Disease-modifying drug retention rate according to patient age in patients with early rheumatoid arthritis: analysis of the ESPOIR cohort. <i>Rheumatology International</i> , 2021, 41, 879-885. | 1.5 | 5 |
| 17 | Inflammatory Markers are Quickly Improved by Tocilizumab in Early Polymyalgia Rheumatica and Might Predict Early Response to Interleukin-6 Blockade. <i>Rheumatology and Therapy</i> , 2021, 8, 751-760. | 1.1 | 6 |
| 18 | Current favourable 10-year outcome of patients with early rheumatoid arthritis: data from the ESPOIR cohort. <i>Rheumatology</i> , 2021, 60, 5073-5079. | 0.9 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | A new molecular classification to drive precision treatment strategies in primary Sjögren's syndrome. <i>Nature Communications</i> , 2021, 12, 3523. | 5.8 | 67 |
| 20 | Rheumatological features of Whipple disease. <i>Scientific Reports</i> , 2021, 11, 12278. | 1.6 | 14 |
| 21 | Impact of the COVID-19 pandemic on therapeutic management of rheumatoid arthritis in Brittany (France). <i>Joint Bone Spine</i> , 2021, 88, 105179. | 0.8 | 2 |
| 22 | Epidemiology of cutaneous involvement in Sjögren syndrome: Data from three French pSS populations (TEARS, ASSESS, diapSS). <i>Joint Bone Spine</i> , 2021, 88, 105162. | 0.8 | 12 |
| 23 | Features and Outcomes of Microcrystalline Arthritis Treated by Biologics: A Retrospective Study. <i>Rheumatology and Therapy</i> , 2021, 8, 1241-1253. | 1.1 | 4 |
| 24 | Reproducibility and diagnostic value of a new method using ratios to diagnose anterior atlanto-axial subluxation on plain radiographs. <i>Joint Bone Spine</i> , 2021, 88, 105229. | 0.8 | 2 |
| 25 | Integrative epigenomics in Sjögren's syndrome reveals novel pathways and a strong interaction between the HLA, autoantibodies and the interferon signature. <i>Scientific Reports</i> , 2021, 11, 23292. | 1.6 | 16 |
| 26 | Three-year clinical outcomes in patients with rheumatoid arthritis treated with certolizumab pegol: results from the observational ECLAIR study. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 781-789. | 0.4 | 0 |
| 27 | Associations of lumbar scoliosis with presentation of suspected early axial spondyloarthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2020, 50, 48-53. | 1.6 | 3 |
| 28 | Adherence to Treat-to-target Management in Rheumatoid Arthritis and Associated Factors: Data from the International RA BIODAM Cohort. <i>Journal of Rheumatology</i> , 2020, 47, 809-819. | 1.0 | 16 |
| 29 | Weight of salivary gland ultrasonography compared to other items of the 2016 ACR/EULAR classification criteria for Primary Sjögren's syndrome. <i>Journal of Internal Medicine</i> , 2020, 287, 180-188. | 2.7 | 66 |
| 30 | Spinal-pelvic orientation: potential effect on the diagnosis of spondyloarthritis. <i>Rheumatology</i> , 2020, 59, 84-89. | 0.9 | 4 |
| 31 | Can artificial intelligence replace manual search for systematic literature? Review on cutaneous manifestations in primary Sjögren's syndrome. <i>Rheumatology</i> , 2020, 59, 811-819. | 0.9 | 23 |
| 32 | Association of lumbosacral transitional vertebra and sacroiliitis in patients with inflammatory back pain suggesting axial spondyloarthritis. <i>Rheumatology</i> , 2020, 59, 1679-1683. | 0.9 | 5 |
| 33 | A simplified radiographic score effectively predicts radiographic progression of early arthritis in a large nationwide French cohort. <i>Rheumatology</i> , 2020, 59, 1566-1573. | 0.9 | 1 |
| 34 | Prevalence and clinical significance of extra-articular manifestations at diagnosis in the ESPOIR cohort with recent-onset arthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2020, 50, 409-413. | 1.6 | 9 |
| 35 | Early non-response to certolizumab pegol in rheumatoid arthritis predicts failure to achieve low disease activity at 1 year: data from a prospective observational study. <i>RMD Open</i> , 2020, 6, e000991. | 1.8 | 8 |
| 36 | Trajectory analysis combining pain and physical function in individuals with knee and hip osteoarthritis: results from the French KHOALA cohort. <i>Rheumatology</i> , 2020, 59, 3488-3498. | 0.9 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Is Tocilizumab as efficient as steroids early in polymyalgia rheumatica?. <i>Seminars in Arthritis and Rheumatism</i> , 2020, 50, 582. | 1.6 | 2 |
| 38 | Rituximab for rheumatoid arthritis-associated large granular lymphocytic leukemia, a retrospective case series. <i>Seminars in Arthritis and Rheumatism</i> , 2020, 50, 1109-1113. | 1.6 | 6 |
| 39 | Is treat-to-target really working in rheumatoid arthritis? a longitudinal analysis of a cohort of patients treated in daily practice (RA BIODAM). <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 453-459. | 0.5 | 43 |
| 40 | Outcomes and Findings of the International Rheumatoid Arthritis (RA) BIODAM Cohort for Validation of Soluble Biomarkers in RA. <i>Journal of Rheumatology</i> , 2020, 47, 796-808. | 1.0 | 3 |
| 41 | Patient global assessment and radiographic progression in early arthritis: 3â€¦year results from the ESPOIR cohort. <i>Arthritis Care and Research</i> , 2020, 73, 1300-1305. | 1.5 | 9 |
| 42 | What is axial spondyloarthritis? A latent class and transition analysis in the SPACE and DESIR cohorts. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 324-331. | 0.5 | 41 |
| 43 | Macroscopic diagnosis of joint metallosis. <i>Rheumatology</i> , 2020, 59, 2650-2650. | 0.9 | 0 |
| 44 | New criteria and new methodological tools for devising criteria sets of inflammatory rheumatic diseases. <i>Clinical and Experimental Rheumatology</i> , 2020, 38, 776-782. | 0.4 | 0 |
| 45 | Should we use ultrasonography in the clinic to detect pSS?. <i>Nature Reviews Rheumatology</i> , 2019, 15, 642-643. | 3.5 | 1 |
| 46 | Symptom-based stratification of patients with primary Sjögren's syndrome: multi-dimensional characterisation of international observational cohorts and reanalyses of randomised clinical trials. <i>Lancet Rheumatology</i> , The, 2019, 1, e85-e94. | 2.2 | 76 |
| 47 | Comparative effectiveness of rituximab, abatacept, and tocilizumab in adults with rheumatoid arthritis and inadequate response to TNF inhibitors: prospective cohort study. <i>BMJ: British Medical Journal</i> , 2019, 364, l67. | 2.4 | 76 |
| 48 | How Health Information Technologies and Artificial Intelligence May Help Rheumatologists in Routine Practice. <i>Rheumatology and Therapy</i> , 2019, 6, 135-138. | 1.1 | 4 |
| 49 | Localized Myofascial Inflammation Revealed by Magnetic Resonance Imaging in Recent-onset Polymyalgia Rheumatica and Effect of Tocilizumab Therapy. <i>Journal of Rheumatology</i> , 2019, 46, 1619-1626. | 1.0 | 17 |
| 50 | Peripheral-blood b-cell subset disturbances in inflammatory joint diseases induced by <i>Tropheryma whipplei</i> . <i>PLoS ONE</i> , 2019, 14, e0211536. | 1.1 | 5 |
| 51 | Assessment of major salivary gland size in primary Sjögren's syndrome: Comparison between clinical examination and ultrasonography. <i>Joint Bone Spine</i> , 2019, 86, 627-632. | 0.8 | 9 |
| 52 | Plea for standardization of disease activity scores. <i>Rheumatology</i> , 2019, 58, 1500-1501. | 0.9 | 4 |
| 53 | Pseudo-polyarthrite rhizomélique et arthrite é cellulés gantes en 2019. <i>Revue Du Rhumatisme Monographies</i> , 2019, 86, 199-206. | 0.0 | 3 |
| 54 | Potential Role for Urine Polymerase Chain Reaction in the Diagnosis of Whipple Disease. <i>Clinical Infectious Diseases</i> , 2019, 69, 904-905. | 2.9 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Use of Auto-Injector for Methotrexate Subcutaneous Self-Injections: High Satisfaction Level and Good Compliance in SELF-I Study, a Randomized, Open-Label, Parallel Group Study. <i>Rheumatology and Therapy</i> , 2019, 6, 47-60. | 1.1 | 13 |
| 56 | Update of French society for rheumatology recommendations for managing rheumatoid arthritis. <i>Joint Bone Spine</i> , 2019, 86, 135-150. | 0.8 | 90 |
| 57 | Recommendations for the assessment and optimization of adherence to disease-modifying drugs in chronic inflammatory rheumatic diseases: A process based on literature reviews and expert consensus. <i>Joint Bone Spine</i> , 2019, 86, 13-19. | 0.8 | 39 |
| 58 | Clinical predictors of time to return to competition following hamstring injuries. <i>Muscles, Ligaments and Tendons Journal</i> , 2019, 04, 386. | 0.1 | 16 |
| 59 | Phrasing of the patient global assessment in the rheumatoid arthritis ACR/EULAR remission criteria: an analysis of 967 patients from two databases of early and established rheumatoid arthritis patients. <i>Clinical Rheumatology</i> , 2018, 37, 1503-1510. | 1.0 | 13 |
| 60 | 2018 update of French Society for Rheumatology (SFR) recommendations about the everyday management of patients with spondyloarthritis. <i>Joint Bone Spine</i> , 2018, 85, 275-284. | 0.8 | 80 |
| 61 | Diabetes at the time of rheumatoid arthritis diagnosis is an independent predictor of pejorative outcomes: Data from the early arthritis ESPOIR cohort. <i>Joint Bone Spine</i> , 2018, 85, 773-775. | 0.8 | 4 |
| 62 | Assessing polymyalgia rheumatica activity when C-reactive protein is unavailable or uninterpretable. <i>Rheumatology</i> , 2018, 57, 666-670. | 0.9 | 25 |
| 63 | Erasmus syndrome associated with an immune thrombocytopenic purpura. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e261-e262. | 1.3 | 3 |
| 64 | Classification criteria versus physician's opinion for considering a patient with inflammatory back pain as suffering from spondyloarthritis. <i>Joint Bone Spine</i> , 2018, 85, 85-91. | 0.8 | 14 |
| 65 | Time-course of ultrasound abnormalities of major salivary glands in suspected Sjögren's syndrome. <i>Joint Bone Spine</i> , 2018, 85, 227-232. | 0.8 | 29 |
| 66 | What is the agreement between pathological features of parotid gland and labial salivary gland biopsies?. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, e37-e37. | 0.5 | 8 |
| 67 | Évolution des anomalies observées à l'échographie des glandes salivaires principales dans les cas de suspicion de syndrome de Gougerot-Sjögren. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2018, 85, 465-470. | 0.0 | 0 |
| 68 | Treatment of active rheumatoid arthritis: comparison of patients younger vs older than 75 years (CORPUS cohort). <i>Human Vaccines and Immunotherapeutics</i> , 2018, 14, 1-6. | 1.4 | 3 |
| 69 | Pathogenesis-based treatments in primary Sjogren's syndrome using artificial intelligence and advanced machine learning techniques: a systematic literature review. <i>Human Vaccines and Immunotherapeutics</i> , 2018, 14, 1-6. | 1.4 | 19 |
| 70 | Manifestations ostéo-articulaires secondaires à une piqûre, griffure, morsure ou à germes inhabituels ou émergents. <i>Revue Du Rhumatisme Monographies</i> , 2018, 85, 274-280. | 0.0 | 0 |
| 71 | Usefulness of polymerase chain reaction for diagnosing Whipple's disease in rheumatology. <i>PLoS ONE</i> , 2018, 13, e0200645. | 1.1 | 15 |
| 72 | Ultrasonography and magnetic resonance imaging changes in patients with polymyalgia rheumatica treated by tocilizumab. <i>Arthritis Research and Therapy</i> , 2018, 20, 11. | 1.6 | 32 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Multireader assessment as an alternative to reference assessment to improve the detection of radiographic progression in a large longitudinal cohort of rheumatoid arthritis (ESPOIR). RMD Open, 2017, 3, e000343. | 1.8 | 7 |
| 74 | Memory B Cells and Response to Abatacept in Rheumatoid Arthritis. Clinical Reviews in Allergy and Immunology, 2017, 53, 166-176. | 2.9 | 33 |
| 75 | Correction of abnormal B-cell subset distribution by interleukin-6 receptor blockade in polymyalgia rheumatica. Rheumatology, 2017, 56, 1401-1406. | 0.9 | 24 |
| 76 | Efficacy and safety of febuxostat in 73 gouty patients with stage 4/5 chronic kidney disease: A retrospective study of 10 centers. Joint Bone Spine, 2017, 84, 595-598. | 0.8 | 37 |
| 77 | La myosite ossifiante post-traumatique (circonscrite) et la reprise du sport. Revue Du Rhumatisme (Edition Francaise), 2017, 84, 336-340. | 0.0 | 0 |
| 78 | Salivary gland ultrasound abnormalities in primary Sjögren's syndrome: consensual US-SG core items definition and reliability. RMD Open, 2017, 3, e000364. | 1.8 | 87 |
| 79 | Risk factors of serious infections in patients with rheumatoid arthritis treated with tocilizumab in the French Registry REGATE. Rheumatology, 2017, 56, 1746-1754. | 0.9 | 49 |
| 80 | The yield of a positive MRI of the spine as imaging criterion in the ASAS classification criteria for axial spondyloarthritis: results from the SPACE and DESIR cohorts. Annals of the Rheumatic Diseases, 2017, 76, 1731-1736. | 0.5 | 42 |
| 81 | Adherence to Antitumor Necrosis Factor Use Recommendations in Spondyloarthritis: Measurement and Effect in the DESIR Cohort. Journal of Rheumatology, 2017, 44, 1436-1444. | 1.0 | 1 |
| 82 | Assessment of typical SpA lesions on MRI of the spine: do local readers and central readers agree in the DESIR-cohort at baseline?. Clinical Rheumatology, 2017, 36, 1551-1559. | 1.0 | 9 |
| 83 | Validation of FLARE-ERA, a Self-Administered Tool to Detect Recent or Current Rheumatoid Arthritis Flare. Arthritis and Rheumatology, 2017, 69, 309-319. | 2.9 | 34 |
| 84 | Severe Health-Related Quality of Life Impairment in Active Primary Sjögren's Syndrome and Patient-Reported Outcomes: Data From a Large Therapeutic Trial. Arthritis Care and Research, 2017, 69, 528-535. | 1.5 | 65 |
| 85 | AB0406...Stable efficacy and safety after switching from tocilizumab intravenous to subcutaneous in rheumatoid arthritis: results of a cohort of 200 patients. , 2017, , . | | 0 |
| 86 | SAT0189...Factors influencing the prescription of tocilizumab alone or in combination with dmards in rheumatoid arthritis patients in a real life setting. pooled analysis of 3 observational studies. , 2017, , . | | 0 |
| 87 | Comparison of 2002 AECG and 2016 ACR/EULAR classification criteria and added value of salivary gland ultrasonography in a patient cohort with suspected primary Sjögren's syndrome. Arthritis Research and Therapy, 2017, 19, 269. | 1.6 | 77 |
| 88 | Access criteria for anti-TNF agents in spondyloarthritis: influence on comparative 1-year cost-effectiveness estimates. Cost Effectiveness and Resource Allocation, 2017, 15, 20. | 0.6 | 3 |
| 89 | Glucocorticoid-sparing effect of first-year anti-TNF± treatment in rheumatoid arthritis (CORPUS) Tj ETQq1 1 0.784314 rgBT /Overlock 11 0.4 3 | | |
| 90 | From clinics to imaging: Signs of severity and sport unavailability due to muscle injury. Journal De Traumatologie Du Sport, 2016, 33, e1-e5. | 0.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | High-Grade Salivary-Gland Involvement, Assessed by Histology or Ultrasonography, Is Associated with a Poor Response to a Single Rituximab Course in Primary Sjögren's Syndrome: Data from the TEARS Randomized Trial. PLoS ONE, 2016, 11, e0162787. | 1.1 | 43 |
| 92 | Collection and management of selected comorbidities and their risk factors in chronic inflammatory rheumatic diseases in daily practice in France. Joint Bone Spine, 2016, 83, 501-509. | 0.8 | 39 |
| 93 | Predictive value of tender joints compared to synovitis for structural damage in rheumatoid arthritis. RMD Open, 2016, 2, e000205. | 1.8 | 15 |
| 94 | Efficacy of first-line tocilizumab therapy in early polymyalgia rheumatica: a prospective longitudinal study. Annals of the Rheumatic Diseases, 2016, 75, 1506-1510. | 0.5 | 124 |
| 95 | FRI0558...Rheumatoid Arthritis Prevalence in Europe, A Eular-Endorsed Survey: Table 1.. Annals of the Rheumatic Diseases, 2016, 75, 643.1-643. | 0.5 | 2 |
| 96 | Epidemiology of neurological manifestations in Sjögren's syndrome: data from the French ASSESS Cohort. RMD Open, 2016, 2, e000179. | 1.8 | 88 |
| 97 | Future treatments for Sjögren's syndrome. Presse Medicale, 2016, 45, e193-e200. | 0.8 | 4 |
| 98 | La lymphopénie dans la polyarthrite d'adulte: impact sur le diagnostic et les résultats à 3 ans (la Tj ETQq0000 rgBT/Overlock | | |
| 99 | Non-TNF-Targeted Biologic vs a Second Anti-TNF Drug to Treat Rheumatoid Arthritis in Patients With Insufficient Response to a First Anti-TNF Drug. JAMA - Journal of the American Medical Association, 2016, 316, 1172. | 3.8 | 160 |
| 100 | Treatment of primary Sjögren syndrome. Nature Reviews Rheumatology, 2016, 12, 456-471. | 3.5 | 137 |
| 101 | SAT0595...Spondyloarthritis Prevalence in Europe, A EULAR-Endorsed Survey: Table 1.. Annals of the Rheumatic Diseases, 2016, 75, 885.1-885. | 0.5 | 0 |
| 102 | B-cell and T-cell quantification in minor salivary glands in primary Sjögren's syndrome: development and validation of a pixel-based digital procedure. Arthritis Research and Therapy, 2016, 18, 21. | 1.6 | 20 |
| 103 | Defining disease activity states and clinically meaningful improvement in primary Sjögren's syndrome with EULAR primary Sjögren's syndrome disease activity (ESSDAI) and patient-reported indexes (ESSPRI). Annals of the Rheumatic Diseases, 2016, 75, 382-389. | 0.5 | 225 |
| 104 | Blood and salivary-gland BAFF-driven B-cell hyperactivity is associated to rituximab inefficacy in primary Sjögren's syndrome. Journal of Autoimmunity, 2016, 67, 102-110. | 3.0 | 68 |
| 105 | Value of 18F-FDG PET/CT for therapeutic assessment of patients with polymyalgia rheumatica receiving tocilizumab as first-line treatment. European Journal of Nuclear Medicine and Molecular Imaging, 2016, 43, 773-779. | 3.3 | 56 |
| 106 | Sicca symptoms are associated with similar fatigue, anxiety, depression, and quality-of-life impairments in patients with and without primary Sjögren's syndrome. Joint Bone Spine, 2016, 83, 681-685. | 0.8 | 58 |
| 107 | Do high numbers of salivary gland-infiltrating B cells predict better or worse outcomes after rituximab in patients with primary Sjögren's syndrome?. Annals of the Rheumatic Diseases, 2016, 75, e33-e33. | 0.5 | 19 |
| 108 | Myositis ossificans traumatica (circumscripta) and return to sport: A retrospective series of 19 cases. Joint Bone Spine, 2016, 83, 416-420. | 0.8 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Can ARFI elastometry of the salivary glands contribute to the diagnosis of Sjögren's syndrome?. <i>Joint Bone Spine</i> , 2016, 83, 301-306. | 0.8 | 33 |
| 110 | A prospective evaluation of dental and periodontal status in patients with suspected Sjögren's syndrome. <i>Joint Bone Spine</i> , 2016, 83, 235-236. | 0.8 | 33 |
| 111 | Patient-physician discordance in global assessment in early spondyloarthritis and its change over time: the DESIR cohort. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1661-1666. | 0.5 | 28 |
| 112 | SAT0379â€¦Is Fatigue Immune-Mediated in Primary Sjögren's Syndrome? Data from the Prospective Assess Cohort. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 796.2-796. | 0.5 | 0 |
| 113 | CXCL13 and CCL11 Serum Levels and Lymphoma and Disease Activity in Primary Sjögren's Syndrome. <i>Arthritis and Rheumatology</i> , 2015, 67, 3226-3233. | 2.9 | 74 |
| 114 | Anti-Î³ lymphocyte immunotherapy is associated with improvement of periodontal status in subjects with rheumatoid arthritis. <i>Journal of Clinical Periodontology</i> , 2015, 42, 817-823. | 2.3 | 52 |
| 115 | Which and How Many Patients Should Be Included in Randomised Controlled Trials to Demonstrate the Efficacy of Biologics in Primary Sjögren's Syndrome?. <i>PLoS ONE</i> , 2015, 10, e0133907. | 1.1 | 19 |
| 116 | EULAR Sjogren's syndrome disease activity index (ESSDAI): a user guide. <i>RMD Open</i> , 2015, 1, e000022-e000022. | 1.8 | 229 |
| 117 | Brief Report: Ultrasonographic Assessment of Salivary Gland Response to Rituximab in Primary Sjögren's Syndrome. <i>Arthritis and Rheumatology</i> , 2015, 67, 1623-1628. | 2.9 | 85 |
| 118 | Reliability of histopathological salivary gland biopsy assessment in Sjogren's syndrome: a multicentre cohort study. <i>Rheumatology</i> , 2015, 54, 1056-1064. | 0.9 | 47 |
| 119 | Development of the Sjögren's Syndrome Responder Index, a data-driven composite endpoint for assessing treatment efficacy. <i>Rheumatology</i> , 2015, 54, 1699-1708. | 0.9 | 49 |
| 120 | Lymphopenia in early arthritis: Impact on diagnosis and 3-year outcomes (ESPOIR cohort). <i>Joint Bone Spine</i> , 2015, 82, 417-422. | 0.8 | 5 |
| 121 | Clinical presentation of patients suffering from recent onset chronic inflammatory back pain suggestive of spondyloarthritis: The DESIR cohort. <i>Joint Bone Spine</i> , 2015, 82, 345-351. | 0.8 | 92 |
| 122 | AB0173â€¦Metabolomics in Primary Sjögren's Syndrome: Data from the Assess Cohort. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 948.2-948. | 0.5 | 0 |
| 123 | ANCA-associated vasculitis in patients with primary Sjögren's syndrome: Detailed analysis of 7 new cases and systematic literature review. <i>Autoimmunity Reviews</i> , 2015, 14, 742-750. | 2.5 | 52 |
| 124 | Normal sonoanatomy of the paediatric entheses including echostructure and vascularisation changes during growth. <i>European Radiology</i> , 2015, 25, 2143-2152. | 2.3 | 19 |
| 125 | Classification of axial SpA based on positive imaging (radiographs and/or MRI of the sacroiliac joints) by local rheumatologists or radiologists versus central trained readers in the DESIR cohort. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 2016-2021. | 0.5 | 65 |
| 126 | Présentation clinique des patients souffrant de rachialgie inflammatoire chronique récente caractéristique de spondyloarthrite: la cohorte Desir. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2015, 82, 378-385. | 0.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Impact of a nurse-led programme on comorbidity management and impact of a patient self-assessment of disease activity on the management of rheumatoid arthritis: results of a prospective, multicentre, randomised, controlled trial (COMEDRA). <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1725-1733. | 0.5 | 130 |
| 128 | Salivary gland ultrasound to diagnose Sjogren's syndrome: a claim to standardize the procedure. <i>Rheumatology</i> , 2015, 54, 199-200. | 0.9 | 26 |
| 129 | Validation of EULAR primary Sjogren's syndrome disease activity (ESSDAI) and patient indexes (ESSPRI). <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 859-866. | 0.5 | 193 |
| 130 | Is there specific neurological disorders of primary Sjogren's syndrome?. <i>Joint Bone Spine</i> , 2015, 82, 86-89. | 0.8 | 21 |
| 131 | The Differential Diagnosis of Dry Eyes, Dry Mouth, and Parotidomegaly: A Comprehensive Review. <i>Clinical Reviews in Allergy and Immunology</i> , 2015, 49, 278-287. | 2.9 | 49 |
| 132 | Platelet-rich plasma (PRP) treatment of sports-related severe acute hamstring injuries. <i>Muscles, Ligaments and Tendons Journal</i> , 2015, 5, 284-8. | 0.1 | 20 |
| 133 | Eosinophilia predicts poor clinical outcomes in recent-onset arthritis: results from the ESPOIR cohort. <i>RMD Open</i> , 2015, 1, e000070. | 1.8 | 14 |
| 134 | Which patients with rheumatoid arthritis, spondyloarthritis, or juvenile idiopathic arthritis receive TNF- α antagonists in France? The CORPUS cohort study. <i>Clinical and Experimental Rheumatology</i> , 2015, 33, 602-10. | 0.4 | 3 |
| 135 | Fears and Beliefs in Rheumatoid Arthritis and Spondyloarthritis: A Qualitative Study. <i>PLoS ONE</i> , 2014, 9, e114350. | 1.1 | 39 |
| 136 | Reporting of patient-perceived impact of rheumatoid arthritis and axial spondyloarthritis over 10 years: a systematic literature review. <i>Rheumatology</i> , 2014, 53, 1274-1281. | 0.9 | 22 |
| 137 | Agreement Between Clinical Practice and Trained Central Reading in Reading of Sacroiliac Joints on Plain Pelvic Radiographs: Results From the DESIR Cohort. <i>Arthritis and Rheumatology</i> , 2014, 66, 2403-2411. | 2.9 | 130 |
| 138 | Effects of Hydroxychloroquine on Symptomatic Improvement in Primary Sjogren Syndrome. <i>JAMA - Journal of the American Medical Association</i> , 2014, 312, 249. | 3.8 | 241 |
| 139 | Salivary gland ultrasonography improves the diagnostic performance of the 2012 American College of Rheumatology classification criteria for Sjogren's syndrome. <i>Rheumatology</i> , 2014, 53, 1604-1607. | 0.9 | 101 |
| 140 | Diagnostic accuracy of blood B-cell subset profiling and autoimmunity markers in Sjogren's syndrome. <i>Arthritis Research and Therapy</i> , 2014, 16, R15. | 1.6 | 33 |
| 141 | Should non-steroidal anti-inflammatory drugs be used continuously in ankylosing spondylitis?. <i>Joint Bone Spine</i> , 2014, 81, 308-312. | 0.8 | 9 |
| 142 | Recommendations of the French Society for Rheumatology for managing rheumatoid arthritis. <i>Joint Bone Spine</i> , 2014, 81, 287-297. | 0.8 | 115 |
| 143 | Recommandations de la Soci t  fran aise de rhumatologie pour la prise en charge de la polyarthrite rhumato de. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2014, 81, 303-312. | 0.0 | 10 |
| 144 | Treatment of Primary Sjogren Syndrome With Rituximab. <i>Annals of Internal Medicine</i> , 2014, 161, 377. | 2.0 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Treatment of Primary Sjögren Syndrome With Rituximab. <i>Annals of Internal Medicine</i> , 2014, 160, 233-242. | 2.0 | 325 |
| 146 | OPO218...Elevated Serum BAFF is Associated with an Increased Risk of Developing A New Systemic Complication: Data from the Prospective ASSESS Cohort. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 145.1-145. | 0.5 | 0 |
| 147 | Clinical predictors of time to return to competition following hamstring injuries. <i>Muscles, Ligaments and Tendons Journal</i> , 2014, 4, 386-90. | 0.1 | 7 |
| 148 | Rationale for treating primary Sjögren's syndrome patients with an anti-CD6 monoclonal antibody (Itozumab). <i>Immunologic Research</i> , 2013, 56, 341-347. | 1.3 | 20 |
| 149 | Diagnostic value of labial minor salivary gland biopsy for Sjögren's syndrome: A systematic review. <i>Autoimmunity Reviews</i> , 2013, 12, 416-420. | 2.5 | 146 |
| 150 | L'Évaluation en routine de l'Indice de pression systolique est-elle utile dans la polyarthrite rhumatoïde?. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2013, 80, 186-187. | 0.0 | 0 |
| 151 | Reproducibility of radiographic hip measurements in adults. <i>Joint Bone Spine</i> , 2013, 80, 52-56. | 0.8 | 35 |
| 152 | Prediction of Radiographic Damage in Early Arthritis by Sonographic Erosions and Power Doppler Signal: A Longitudinal Observational Study. <i>Arthritis Care and Research</i> , 2013, 65, 896-902. | 1.5 | 68 |
| 153 | Contribution of salivary gland ultrasonography to the diagnosis of Sjögren's syndrome: Toward new diagnostic criteria?. <i>Arthritis and Rheumatism</i> , 2013, 65, 216-225. | 6.7 | 188 |
| 154 | Concordance clinique et Échographique dans la polyarthrite rhumatoïde. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2013, 80, 569-576. | 0.0 | 2 |
| 155 | Baseline Laboratory Test Abnormalities are Common in Early Arthritis but Rarely Contraindicate Methotrexate: Study of Three Cohorts (ESPOIR, VErA, and Brittany). <i>Seminars in Arthritis and Rheumatism</i> , 2013, 42, 474-481. | 1.6 | 13 |
| 156 | Evolution of early arthritis to spondyloarthritis after a 10-year follow-up. <i>Joint Bone Spine</i> , 2013, 80, 345-347. | 0.8 | 2 |
| 157 | Ultrasound Assessment of the Entheses in Primary Sjögren Syndrome. <i>Ultrasound in Medicine and Biology</i> , 2013, 39, 2485-2487. | 0.7 | 18 |
| 158 | Concordance between clinical and ultrasound findings in rheumatoid arthritis. <i>Joint Bone Spine</i> , 2013, 80, 597-603. | 0.8 | 24 |
| 159 | European League Against Rheumatism Sjögren's Syndrome Disease Activity Index and European League Against Rheumatism Sjögren's Syndrome Patient-Reported Index: A Complete Picture of Primary Sjögren's Syndrome Patients. <i>Arthritis Care and Research</i> , 2013, 65, 1358-1364. | 1.5 | 71 |
| 160 | The future of B cell-targeted therapies in Sjögren's syndrome. <i>Immunotherapy</i> , 2013, 5, 639-646. | 1.0 | 18 |
| 161 | Soccer World Cup 2010: Evaluation of portable ultrasonography for diagnosing musculoskeletal injuries. <i>Journal De Traumatologie Du Sport</i> , 2013, 30, 240-243. | 0.1 | 2 |
| 162 | Factors Influencing Concordance Between Clinical and Ultrasound Findings in Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2013, 40, 244-252. | 1.0 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Relationship Between Hip Dysplasia, Pain, and Osteoarthritis in a Cohort of Patients with Hip Symptoms. <i>Journal of Rheumatology</i> , 2013, 40, 1583-1589. | 1.0 | 27 |
| 164 | Role of Fms-like Tyrosine Kinase 3 Ligand as a Potential Biologic Marker of Lymphoma in Primary Sjögren's Syndrome. <i>Arthritis and Rheumatism</i> , 2013, 65, 3218-3227. | 6.7 | 46 |
| 165 | Does the site of magnetic resonance imaging abnormalities match the site of recent-onset inflammatory back pain? The DESIR cohort. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 979-985. | 0.5 | 33 |
| 166 | Potential Classification Criteria for Rheumatoid Arthritis After Two Years: Results From a French Multicenter Cohort. <i>Arthritis Care and Research</i> , 2013, 65, 1227-1234. | 1.5 | 16 |
| 167 | First-Year Radiographic Progression as a Predictor of Further Progression in Early Arthritis: Results of a Large National French Cohort. <i>Arthritis Care and Research</i> , 2013, 65, 1907-1915. | 1.5 | 33 |
| 168 | Five-year Favorable Outcome of Patients with Early Rheumatoid Arthritis in the 2000s: Data from the ESPOIR Cohort. <i>Journal of Rheumatology</i> , 2013, 40, 1650-1657. | 1.0 | 38 |
| 169 | Serum Levels of Beta2-Microglobulin and Free Light Chains of Immunoglobulins Are Associated with Systemic Disease Activity in Primary Sjögren's Syndrome. Data at Enrollment in the Prospective ASSESS Cohort. <i>PLoS ONE</i> , 2013, 8, e59868. | 1.1 | 147 |
| 170 | Contribution of the Polymyalgia Rheumatica Activity Score to Glucocorticoid Dosage Adjustment in Everyday Practice. <i>Journal of Rheumatology</i> , 2012, 39, 310-313. | 1.0 | 24 |
| 171 | A tool to identify recent or present rheumatoid arthritis flare from both patient and physician perspectives: The "FLARE" instrument. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 1110-1116. | 0.5 | 83 |
| 172 | B-Lymphocytes Govern the Pathogenesis of Sjogren's Syndrome. <i>Current Pharmaceutical Biotechnology</i> , 2012, 13, 2071-2077. | 0.9 | 25 |
| 173 | B cells in Sjögren's syndrome: From pathophysiology to diagnosis and treatment. <i>Journal of Autoimmunity</i> , 2012, 39, 161-167. | 3.0 | 145 |
| 174 | GOSPEL: Prospective survey of gout in France. Part I: Design and patient characteristics (n=1003). <i>Joint Bone Spine</i> , 2012, 79, 464-470. | 0.8 | 52 |
| 175 | The KHOALA cohort of knee and hip osteoarthritis in France. <i>Joint Bone Spine</i> , 2012, 79, 597-603. | 0.8 | 48 |
| 176 | Serum IL-6 and IL-21 are associated with markers of B cell activation and structural progression in early rheumatoid arthritis: results from the ESPOIR cohort. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 1243-1248. | 0.5 | 74 |
| 177 | Síndrome de Sjögren primario. <i>EMC - Aparato Locomotor</i> , 2012, 45, 1-15. | 0.1 | 0 |
| 178 | Reproductibilit  de la mesure des principaux angles de coxom trie chez l'adulte. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2012, 79, 535-540. | 0.0 | 0 |
| 179 | Place de l' chographie articulaire d' di e   la rhumatologie p diatrique. <i>Revue Du Rhumatisme Monographies</i> , 2012, 79, 52-56. | 0.0 | 0 |
| 180 | Computed tomography scanning facilitates the diagnosis of sacroiliitis in patients with suspected spondylarthritis: Results of a prospective multicenter French cohort study. <i>Arthritis and Rheumatism</i> , 2012, 64, 1412-1419. | 6.7 | 66 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Musculoskeletal Ultrasonography in Healthy Subjects and Ultrasound Criteria for Early Arthritis (The ESPOIR Cohort). <i>Journal of Rheumatology</i> , 2011, 38, 613-620. | 1.0 | 55 |
| 182 | The arthritic wrist. II - The degenerative wrist: Indications for different surgical treatments. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2011, 97, S37-S41. | 0.9 | 45 |
| 183 | EULAR Sjögren's Syndrome Patient Reported Index (ESSPRI): development of a consensus patient index for primary Sjögren's syndrome. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 968-972. | 0.5 | 383 |
| 184 | Autoantibodies to Endothelial Cell Surface ATP Synthase, the Endogenous Receptor for Hsp60, Might Play a Pathogenic Role in Vasculitides. <i>PLoS ONE</i> , 2011, 6, e14654. | 1.1 | 39 |
| 185 | Valeur discriminante des items des critères ACR/EULAR 2010 : analyse systématique de la littérature. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2011, 78, S3-S10. | 0.0 | 2 |
| 186 | Prevalence of symptomatic hip and knee osteoarthritis: a two-phase population-based survey1. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 1314-1322. | 0.6 | 167 |
| 187 | Comparison of Clinical and Ultrasonographic Evaluations for Peripheral Synovitis in Juvenile Idiopathic Arthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2011, 41, 272-278. | 1.6 | 74 |
| 188 | Cardiovascular risk induced by low-dose corticosteroids in rheumatoid arthritis: A systematic literature review. <i>Joint Bone Spine</i> , 2011, 78, 23-30. | 0.8 | 85 |
| 189 | Bilateral thenar hammer syndrome. <i>Joint Bone Spine</i> , 2011, 78, 212-214. | 0.8 | 3 |
| 190 | The DESIR cohort: A 10-year follow-up of early inflammatory back pain in France: Study design and baseline characteristics of the 708 recruited patients. <i>Joint Bone Spine</i> , 2011, 78, 598-603. | 0.8 | 204 |
| 191 | Syndrome du marteau thénarien bilatéral. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2011, 78, 184-186. | 0.0 | 0 |
| 192 | Ultrasonography for detecting enthesitis in juvenile idiopathic arthritis. <i>Arthritis Care and Research</i> , 2011, 63, 849-855. | 1.5 | 83 |
| 193 | Is routine viral screening useful in patients with recent-onset polyarthritis of a duration of at least 6 weeks? Results from a nationwide longitudinal prospective cohort study. <i>Arthritis Care and Research</i> , 2011, 63, 1565-1570. | 1.5 | 36 |
| 194 | Direct Cost-Modeling of Rheumatoid Arthritis According to Disease Activity Categories in France. <i>Journal of Rheumatology</i> , 2011, 38, 439-445. | 1.0 | 22 |
| 195 | Diagnostic Accuracy of ACR/EULAR 2010 Criteria for Rheumatoid Arthritis in a 2-Year Cohort. <i>Journal of Rheumatology</i> , 2011, 38, 1250-1257. | 1.0 | 35 |
| 196 | Etiopathogenic Role of B Cells in Primary Sjögren's Syndrome. , 2011, , 67-82. | | 0 |
| 197 | Effects of rituximab therapy on quality of life in patients with primary Sjögren's syndrome. <i>Clinical and Experimental Rheumatology</i> , 2011, 29, 6-12. | 0.4 | 33 |
| 198 | B cell-targeted therapies in Sjögren's syndrome. <i>Autoimmunity Reviews</i> , 2010, 9, 224-228. | 2.5 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | The environment, geo-epidemiology, and autoimmune disease: Rheumatoid arthritis. <i>Autoimmunity Reviews</i> , 2010, 9, A288-A292. | 2.5 | 178 |
| 200 | The point on the ongoing B-cell depleting trials currently in progress over the world in primary Sjögren's syndrome. <i>Autoimmunity Reviews</i> , 2010, 9, 609-614. | 2.5 | 31 |
| 201 | Use of glucocorticoids in rheumatoid arthritis – Practical modalities of glucocorticoid therapy: Recommendations for clinical practice based on data from the literature and expert opinion. <i>Joint Bone Spine</i> , 2010, 77, 451-457. | 0.8 | 29 |
| 202 | Indications of glucocorticoids in early arthritis and rheumatoid arthritis: Recommendations for clinical practice based on data from the literature and expert opinion. <i>Joint Bone Spine</i> , 2010, 77, 597-603. | 0.8 | 30 |
| 203 | Infections induced by low-dose corticosteroids in rheumatoid arthritis: A systematic literature review. <i>Joint Bone Spine</i> , 2010, 77, 246-251. | 0.8 | 51 |
| 204 | Whipple's disease diagnosed during biological treatment for joint disease. <i>Joint Bone Spine</i> , 2010, 77, 335-339. | 0.8 | 38 |
| 205 | Gene expression profile in the salivary glands of primary Sjögren's syndrome patients before and after treatment with rituximab. <i>Arthritis and Rheumatism</i> , 2010, 62, 2262-2271. | 6.7 | 49 |
| 206 | Utilité de l'examen cytologique dans le diagnostic des lésions osseuses. <i>Revue Du Rhumatisme (Edition) Tijdschrift Over</i> | 0.0 | 0 |
| 207 | Value of Ultrasonography for Detecting Ligament Damage in Athletes With Chronic Ankle Instability Compared to Computed Arthrography. <i>Foot and Ankle Specialist</i> , 2010, 3, 331-334. | 0.5 | 31 |
| 208 | Relative Clinical Influence of Clinical, Laboratory, and Radiological Investigations in Early Arthritis on the Diagnosis of Rheumatoid Arthritis. Data from the French Early Arthritis Cohort ESPOIR. <i>Journal of Rheumatology</i> , 2010, 37, 2486-2492. | 1.0 | 23 |
| 209 | Hormonal replacement therapy may reduce the risk for RA in women with early arthritis who carry HLA-DRB1 *01 and/or *04 alleles by protecting against the production of anti-CCP: results from the ESPOIR cohort. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1683-1686. | 0.5 | 29 |
| 210 | Emerging biotherapies for Sjögren's syndrome. <i>Expert Opinion on Emerging Drugs</i> , 2010, 15, 269-282. | 1.0 | 14 |
| 211 | Reproducibility of Joint Swelling Assessments in Long-lasting Rheumatoid Arthritis: Influence on Disease Activity Score-28 Values (SEA-Repro Study Part I). <i>Journal of Rheumatology</i> , 2010, 37, 932-937. | 1.0 | 65 |
| 212 | Reproducibility of Joint Swelling Assessment by Sonography in Patients with Long-lasting Rheumatoid Arthritis (SEA-Repro Study Part II). <i>Journal of Rheumatology</i> , 2010, 37, 938-945. | 1.0 | 40 |
| 213 | Evaluation of several ultrasonography scoring systems for synovitis and comparison to clinical examination: results from a prospective multicentre study of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 828-833. | 0.5 | 142 |
| 214 | The environment, geo-epidemiology, and autoimmune disease: Rheumatoid arthritis. <i>Journal of Autoimmunity</i> , 2010, 35, 10-14. | 3.0 | 306 |
| 215 | Memory B-cell aggregates in skin biopsy are diagnostic for primary Sjögren's syndrome. <i>Journal of Autoimmunity</i> , 2010, 35, 241-247. | 3.0 | 27 |
| 216 | Aberrant expression of CD6 on B-cell subsets from patients with Sjögren's syndrome. <i>Journal of Autoimmunity</i> , 2010, 35, 336-341. | 3.0 | 41 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Ectopic Germinal Centers Are Rare in Sjögren's Syndrome Salivary Glands and Do Not Exclude Autoreactive B Cells. <i>Journal of Immunology</i> , 2009, 182, 3540-3547. | 0.4 | 146 |
| 218 | Is the blood B-cell subset profile diagnostic for Sjögren syndrome?. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 1447-1452. | 0.5 | 80 |
| 219 | IL-6 Modulates CD5 Expression in B Cells from Patients with Lupus by Regulating DNA Methylation. <i>Journal of Immunology</i> , 2009, 182, 5623-5632. | 0.4 | 156 |
| 220 | Validity of the polymyalgia rheumatica activity score in primary care practice. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 541-545. | 0.5 | 32 |
| 221 | Changes Over Time in the Diagnosis of Rheumatoid Arthritis in a 10-year Cohort. <i>Journal of Rheumatology</i> , 2009, 36, 2428-2434. | 1.0 | 11 |
| 222 | Critical analysis of rituximab-induced serological changes in connective tissue diseases. <i>Autoimmunity Reviews</i> , 2009, 8, 515-519. | 2.5 | 32 |
| 223 | Monoclonal anti-CD20 antibodies: Mechanisms of action and monitoring of biological effects. <i>Joint Bone Spine</i> , 2009, 76, 458-463. | 0.8 | 28 |
| 224 | Transmembrane BAFF from rheumatoid synoviocytes requires interleukin-6 to induce the expression of recombination-activating gene in B lymphocytes. <i>Arthritis and Rheumatism</i> , 2009, 60, 1261-1271. | 6.7 | 26 |
| 225 | Dramatic efficacy of infliximab in cauda equina syndrome complicating ankylosing spondylitis. <i>Arthritis and Rheumatism</i> , 2009, 60, 1657-1660. | 6.7 | 31 |
| 226 | Mécanismes de l'action des anticorps monoclonaux anti-CD20 et surveillance biologique de leurs effets. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2009, 76, 826-832. | 0.0 | 2 |
| 227 | Is Screening for Hepatitis B and Hepatitis C Useful in Patients with Recent-Onset Polyarthritis? The ESPOIR Cohort Study. <i>Journal of Rheumatology</i> , 2009, 36, 1407-1413. | 1.0 | 24 |
| 228 | Treatment of muscle trauma in sportspeople (from injury on the field to resumption of the sport). <i>Annals of Physical and Rehabilitation Medicine</i> , 2009, 52, 246-255. | 1.1 | 21 |
| 229 | Artrosis de la mano y la muñeca. <i>EMC - Aparato Locomotor</i> , 2009, 42, 1-10. | 0.1 | 0 |
| 230 | B-Cell Depletion and Repopulation in Autoimmune Diseases. <i>Clinical Reviews in Allergy and Immunology</i> , 2008, 34, 50-55. | 2.9 | 43 |
| 231 | Performance of the polymyalgia rheumatica activity score for diagnosing disease flares. <i>Arthritis and Rheumatism</i> , 2008, 59, 263-269. | 6.7 | 42 |
| 232 | Ability of oblique foot radiographs to detect erosions in early arthritis: Results in the ESPOIR cohort. <i>Arthritis and Rheumatism</i> , 2008, 59, 1729-1734. | 6.7 | 27 |
| 233 | Réponse à la lettre d'Olivier Mir sur l'article original intitulé «Investigations dans les métastases osseuses lorsque la tumeur primaire est inconnue». <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2008, 75, 108. | 0.0 | 0 |
| 234 | Cardiovascular disease in patients with spondyloarthropathies. <i>Joint Bone Spine</i> , 2008, 75, 18-21. | 0.8 | 35 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Reply to the letter by Olivier Mir on the original article entitled: "Investigations for bone metastasis from an unknown primary". Joint Bone Spine, 2008, 75, 100-101. | 0.8 | 0 |
| 236 | Epidemiology, imaging, and treatment of giant cell arteritis. Joint Bone Spine, 2008, 75, 267-272. | 0.8 | 30 |
| 237 | Does the BAFF dysregulation play a major role in the pathogenesis of systemic lupus erythematosus?. Journal of Autoimmunity, 2008, 30, 63-67. | 3.0 | 33 |
| 238 | Anti-TNF α Immunotherapy Is Associated With Increased Gingival Inflammation Without Clinical Attachment Loss in Subjects With Rheumatoid Arthritis. Journal of Periodontology, 2008, 79, 1645-1651. | 1.7 | 117 |
| 239 | Screening for hip and knee osteoarthritis in the general population: predictive value of a questionnaire and prevalence estimates. Annals of the Rheumatic Diseases, 2008, 67, 1406-1411. | 0.5 | 92 |
| 240 | Diagnosis of Anterior Cruciate Ligament Rupture in an Emergency Department. Journal of Trauma, 2008, 65, 1078-1082. | 2.3 | 33 |
| 241 | Usefulness of Ultrasonographic Detection of Talocrural Effusion in Ankle Sprains. Journal of Ultrasound in Medicine, 2007, 26, 831-836. | 0.8 | 32 |
| 242 | Dorsalgias. EMC - Aparato Locomotor, 2007, 40, 1-12. | 0.1 | 0 |
| 243 | Aberrant expression of BAFF by B lymphocytes infiltrating the salivary glands of patients with primary Sjögren's syndrome. Arthritis and Rheumatism, 2007, 56, 1134-1144. | 6.7 | 186 |
| 244 | Improvement of Sjögren's syndrome after two infusions of rituximab (anti-CD20). Arthritis and Rheumatism, 2007, 57, 310-317. | 6.7 | 280 |
| 245 | BAFF-modulated repopulation of B lymphocytes in the blood and salivary glands of RITUXIMAB-TREATED patients with Sjögren's syndrome. Arthritis and Rheumatism, 2007, 56, 1464-1477. | 6.7 | 193 |
| 246 | Usefulness of the disease activity scores for polymyalgia rheumatica for predicting glucocorticoid dose changes: A study of 243 scenarios. Arthritis and Rheumatism, 2007, 57, 481-486. | 6.7 | 32 |
| 247 | Intérêt des différents moyens diagnostiques pour la recherche du cancer primitif devant une métastase osseuse. Revue Du Rhumatisme (Edition Francaise), 2007, 74, 92-97. | 0.0 | 1 |
| 248 | Principales pathologies rhumatologiques observées selon les sports. Revue Du Rhumatisme (Edition) Tj ETQq0 0 0 rgBT /Qverlock 10 | 0.0 | 9 |
| 249 | Pathologie musculaire et sport. Revue Du Rhumatisme (Edition Francaise), 2007, 74, 553-562. | 0.0 | 9 |
| 250 | Épidémiologie des maladies rhumatismales en France. Revue Du Rhumatisme (Edition Francaise), 2007, 74, 9-11. | 0.0 | 3 |
| 251 | Polarization of B effector cells in Sjögren's syndrome. Autoimmunity Reviews, 2007, 6, 427-431. | 2.5 | 41 |
| 252 | Investigations for bone metastasis from an unknown primary. Joint Bone Spine, 2007, 74, 85-89. | 0.8 | 54 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Rituximab in rheumatic diseases. <i>Joint Bone Spine</i> , 2007, 74, 4-6. | 0.8 | 15 |
| 254 | Clinical and laboratory follow-up for treating and monitoring patients with ankylosing spondylitis: Development of recommendations for clinical practice based on published evidence and expert opinion. <i>Joint Bone Spine</i> , 2007, 74, 330-337. | 0.8 | 18 |
| 255 | Pharmacotherapy (excluding biotherapies) for ankylosing spondylitis: Development of recommendations for clinical practice based on published evidence and expert opinion. <i>Joint Bone Spine</i> , 2007, 74, 346-352. | 0.8 | 16 |
| 256 | The ESPOIR cohort: A ten-year follow-up of early arthritis in France. <i>Joint Bone Spine</i> , 2007, 74, 440-445. | 0.8 | 161 |
| 257 | Recommendations of the French Society for Rheumatology regarding TNF \pm antagonist therapy in patients with ankylosing spondylitis or psoriatic arthritis: 2007 update. <i>Joint Bone Spine</i> , 2007, 74, 638-646. | 0.8 | 98 |
| 258 | A Conspicuous Role For B Cells In Sjögren's Syndrome. <i>Clinical Reviews in Allergy and Immunology</i> , 2007, 32, 231-237. | 2.9 | 19 |
| 259 | Ultrasound assessment of salivary glands in patients with primary Sjögren's syndrome treated with rituximab: Quantitative and Doppler waveform analysis. <i>Biologics: Targets and Therapy</i> , 2007, 1, 311-9. | 3.0 | 42 |
| 260 | Rheumatoid arthritis and spondyloarthropathies: geographical variations in prevalence in France. <i>Journal of Rheumatology</i> , 2007, 34, 117-22. | 1.0 | 54 |
| 261 | Epidemiology of Sjögren's syndrome: where are we now?. <i>Clinical and Experimental Rheumatology</i> , 2007, 25, 1-4. | 0.4 | 59 |
| 262 | B-cell: a logical target for treatment of rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2007, 25, 318-28. | 0.4 | 9 |
| 263 | Outcome of early monoarthritis: a followup study. <i>Journal of Rheumatology</i> , 2007, 34, 2351-7. | 1.0 | 16 |
| 264 | Inflamaci3n articular. <i>EMC - Aparato Locomotor</i> , 2006, 39, 1-21. | 0.1 | 0 |
| 265 | Incidence and nature of karate injuries. <i>Joint Bone Spine</i> , 2006, 73, 182-188. | 0.8 | 37 |
| 266 | TNF \pm antagonist therapy in ankylosing spondylitis and psoriatic arthritis: recommendations of the French Society for Rheumatology. <i>Joint Bone Spine</i> , 2006, 73, 547-553. | 0.8 | 31 |
| 267 | B lymphocytes on the front line of autoimmunity. <i>Autoimmunity Reviews</i> , 2006, 5, 215-221. | 2.5 | 42 |
| 268 | BAFF-induced changes in B cell antigen receptor-containing lipid rafts in Sjögren's syndrome. <i>Arthritis and Rheumatism</i> , 2006, 54, 115-126. | 6.7 | 67 |
| 269 | Identification of transitional type II B cells in the salivary glands of patients with Sjögren's syndrome. <i>Arthritis and Rheumatism</i> , 2006, 54, 2280-2288. | 6.7 | 107 |
| 270 | Association of λ -actinin-binding anti-double-stranded DNA antibodies with lupus nephritis. <i>Arthritis and Rheumatism</i> , 2006, 54, 2523-2532. | 6.7 | 65 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Characterization and Functional Consequences of Underexpression of Clusterin in Rheumatoid Arthritis. <i>Journal of Immunology</i> , 2006, 177, 6471-6479. | 0.4 | 66 |
| 272 | Clinical practice decision tree for the choice of the first disease modifying antirheumatic drug for very early rheumatoid arthritis: a 2004 proposal of the French Society of Rheumatology. <i>Annals of the Rheumatic Diseases</i> , 2006, 65, 45-50. | 0.5 | 42 |
| 273 | Laboratory and imaging studies used by French rheumatologists to evaluate patients with early arthritis. <i>Journal of Rheumatology</i> , 2006, 33, 897-902. | 1.0 | 5 |
| 274 | Performance of hand radiographs in predicting the diagnosis in patients with early arthritis. <i>Journal of Rheumatology</i> , 2006, 33, 1511-5. | 1.0 | 20 |
| 275 | B Lymphocytes Are Required for Development and Treatment of Autoimmune Diseases. <i>Annals of the New York Academy of Sciences</i> , 2005, 1050, 19-33. | 1.8 | 35 |
| 276 | BAFF Overexpression Is Associated with Autoantibody Production in Autoimmune Diseases. <i>Annals of the New York Academy of Sciences</i> , 2005, 1050, 34-39. | 1.8 | 305 |
| 277 | The Anti-Alpha-Actinin Test Completes Anti-DNA Determination in Systemic Lupus Erythematosus. <i>Annals of the New York Academy of Sciences</i> , 2005, 1050, 170-175. | 1.8 | 28 |
| 278 | Viruses contribute to the development of Sjogren's syndrome. <i>Clinical and Experimental Immunology</i> , 2005, 141, 19-20. | 1.1 | 19 |
| 279 | Characterization of the human CD5 endogenous retrovirus-E in B lymphocytes. <i>Genes and Immunity</i> , 2005, 6, 663-671. | 2.2 | 45 |
| 280 | Is periodontal disease mediated by salivary baff in sjögren's syndrome?. <i>Arthritis and Rheumatism</i> , 2005, 52, 2411-2414. | 6.7 | 75 |
| 281 | Induction of endothelial cell apoptosis by the binding of anti-endothelial cell antibodies to Hsp60 in vasculitis-associated systemic autoimmune diseases. <i>Arthritis and Rheumatism</i> , 2005, 52, 4028-4038. | 6.7 | 67 |
| 282 | Prevalence of spondyloarthropathies in France: 2001. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 1431-1435. | 0.5 | 214 |
| 283 | Prevalence of rheumatoid arthritis in France: 2001. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 1427-1430. | 0.5 | 185 |
| 284 | Expression of RAGs in Peripheral B Cells outside Germinal Centers Is Associated with the Expression of CD5. <i>Journal of Immunology</i> , 2005, 174, 5553-5561. | 0.4 | 45 |
| 285 | Characteristics of patients with rheumatoid arthritis in France: a study of 1109 patients managed by hospital based rheumatologists. <i>Annals of the Rheumatic Diseases</i> , 2004, 63, 1235-1240. | 0.5 | 36 |
| 286 | Management of primary hyperthyroidism: toward minimal access surgery. <i>Joint Bone Spine</i> , 2004, 71, 111-116. | 0.8 | 9 |
| 287 | Costs of workups for the diagnosis of early arthritis: Results of a nationwide survey. <i>Arthritis and Rheumatism</i> , 2004, 51, 507-512. | 6.7 | 8 |
| 288 | Ability of foot radiographs to predict rheumatoid arthritis in patients with early arthritis. <i>Journal of Rheumatology</i> , 2004, 31, 66-70. | 1.0 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 289 | Costs of rheumatoid arthritis in France: a multicenter study of 1109 patients managed by hospital-based rheumatologists. <i>Journal of Rheumatology</i> , 2004, 31, 1297-304. | 1.0 | 44 |
| 290 | Prevalences of rheumatoid arthritis in Roman Catholic nuns and the general female population in Brittany, France: a pilot study. <i>Clinical and Experimental Rheumatology</i> , 2004, 22, 759-62. | 0.4 | 3 |
| 291 | Musculoskeletal manifestations in cystic fibrosis. <i>Joint Bone Spine</i> , 2003, 70, 327-335. | 0.8 | 84 |
| 292 | Detection of cases of inflammatory rheumatic disorders: performance of a telephone questionnaire designed for use by patient interviewers. <i>Annals of the Rheumatic Diseases</i> , 2003, 62, 957-963. | 0.5 | 58 |
| 293 | Value of antibodies to citrulline-containing peptides for diagnosing early rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2003, 30, 2535-9. | 1.0 | 53 |
| 294 | Laboratory and imaging studies used by French rheumatologists to determine the cause of recent onset polyarthritis without extra-articular manifestations. <i>Annals of the Rheumatic Diseases</i> , 2002, 61, 626-629. | 0.5 | 11 |
| 295 | Polymerase chain reaction testing for <i>Tropheryma whippelii</i> in unexplained isolated cases of arthritis. <i>Arthritis and Rheumatism</i> , 2002, 46, 1130-1132. | 6.7 | 27 |
| 296 | Confidence in the diagnosis of early spondylarthropathy: a prospective follow-up of 270 early arthritis patients. <i>Clinical and Experimental Rheumatology</i> , 2002, 20, 319-26. | 0.4 | 5 |
| 297 | Ability of the American College of Rheumatology 1987 criteria to predict rheumatoid arthritis in patients with early arthritis and classification of these patients two years later. <i>Arthritis and Rheumatism</i> , 2001, 44, 2485-2491. | 6.7 | 146 |
| 298 | The nosology-taxonomy of recent-onset arthritis: The experience of early-arthritis clinics. <i>Seminars in Arthritis and Rheumatism</i> , 2001, 30, 354-365. | 1.6 | 29 |
| 299 | Factors predicting radical treatment after in-hospital conservative management of disk-related sciatica. <i>Joint Bone Spine</i> , 2001, 68, 50-58. | 0.8 | 21 |
| 300 | Management of nontuberculous infectious discitis. Treatments used in 110 patients admitted to 12 teaching hospitals in France. <i>Joint Bone Spine</i> , 2001, 68, 504-509. | 0.8 | 133 |
| 301 | Lessons from an international survey of paper cases of 10 real patients from an early arthritis clinic. CRI (Club Rhumatismes et Inflammation) Group. <i>Journal of Rheumatology</i> , 2001, 28, 975-81. | 1.0 | 17 |
| 302 | Ability of hand radiographs to predict a further diagnosis of rheumatoid arthritis in patients with early arthritis. <i>Journal of Rheumatology</i> , 2001, 28, 2603-7. | 1.0 | 22 |
| 303 | Contralateral Spondylolysis and Fracture of the Lumbar Pedicle in an Elite Female Gymnast. <i>Spine</i> , 2000, 25, 2541-2543. | 1.0 | 50 |
| 304 | Effusion between the aponeuroses. <i>Journal of Ultrasound in Medicine</i> , 1999, 18, 860-861. | 0.8 | 8 |
| 305 | Risk factors for radiographic articular destruction of hands and wrists in rheumatoid arthritis. <i>Journal of Rheumatology</i> , 1999, 26, 2534-8. | 1.0 | 13 |
| 306 | Prevalence of rheumatoid arthritis and spondyloarthropathy in Brittany, France. <i>Soci t  de Rhumatologie de l'Ouest. Journal of Rheumatology</i> , 1999, 26, 2622-7. | 1.0 | 114 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | HIV infection as a risk factor for septic arthritis. British Journal of Rheumatology, 1997, 36, 333-337. | 2.5 | 77 |
| 308 | Antiendothelial Cell Antibodies: Useful Markers of Systemic Sclerosis. American Journal of Medicine, 1997, 102, 178-185. | 0.6 | 119 |
| 309 | RAYNAUD'S PHENOMENON IN RHEUMATOID ARTHRITIS. Rheumatology, 1996, 35, 752-754. | 0.9 | 32 |
| 310 | Anti-endothelial cell antibodies in patients with various forms of vasculitis. Clinical and Experimental Rheumatology, 1996, 14, 163-9. | 0.4 | 18 |
| 311 | Acute arthritis and human immunodeficiency virus infection in Rwanda. Journal of Rheumatology, 1993, 20, 2123-7. | 1.0 | 22 |
| 312 | Towards a universal definition of disease activity score thresholds: The AS135 score (Preprint). JMIR Medical Informatics, 0, , . | 1.3 | 0 |