## **Hexing Wang**

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6442454/hexing-wang-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

26 16 952 30 g-index h-index citations papers 1,288 8.7 4.03 31 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
26	Exposure to perfluoroalkyl substances was associated with estrogen homeostasis in pregnant women. <i>Science of the Total Environment</i> , <b>2022</b> , 805, 150360	10.2	О
25	Antimicrobial Use in COVID-19 Patients in the First Phase of the SARS-CoV-2 Pandemic: A Scoping Review. <i>Antibiotics</i> , <b>2021</b> , 10,	4.9	10
24	Serum Bisphenol A, glucose homeostasis, and gestational diabetes mellitus in Chinese pregnant women: a prospective study. <i>Environmental Science and Pollution Research</i> , <b>2021</b> , 28, 12546-12554	5.1	8
23	Serum perfluoroalkyl substances in relation to lipid metabolism in Chinese pregnant women. <i>Chemosphere</i> , <b>2021</b> , 273, 128566	8.4	3
22	Urinary antibiotic level of school children in Shanghai, East China, 2017-2020. <i>Environmental Pollution</i> , <b>2021</b> , 291, 118167	9.3	О
21	Association of triclosan and triclocarban in urine with obesity risk in Chinese school children. <i>Environment International</i> , <b>2021</b> , 157, 106846	12.9	6
20	Predictors, sources, and health risk of exposure to neonicotinoids in Chinese school children: A biomonitoring-based study. <i>Environment International</i> , <b>2020</b> , 143, 105918	12.9	18
19	Enriched taxa were found among the gut microbiota of centenarians in East China. <i>PLoS ONE</i> , <b>2019</b> , 14, e0222763	3.7	12
18	Factors associated with exposure of pregnant women to perfluoroalkyl acids in North China and health risk assessment. <i>Science of the Total Environment</i> , <b>2019</b> , 655, 356-362	10.2	11
17	PFOS, PFOA, estrogen homeostasis, and birth size in Chinese infants. <i>Chemosphere</i> , <b>2019</b> , 221, 349-355	8.4	26
16	Perfluoroalkyl substances, glucose homeostasis, and gestational diabetes mellitus in Chinese pregnant women: A repeat measurement-based prospective study. <i>Environment International</i> , <b>2018</b> , 114, 12-20	12.9	37
15	Predictors of urinary antibiotics in children of Shanghai and health risk assessment. <i>Environment International</i> , <b>2018</b> , 121, 507-514	12.9	24
14	Exposure of Adults to Antibiotics in a Shanghai Suburban Area and Health Risk Assessment: A Biomonitoring-Based Study. <i>Environmental Science &amp; Environmental Science &amp; Enviro</i>	10.3	32
13	Changes in gut microbiota and plasma inflammatory factors across the stages of colorectal tumorigenesis: a case-control study. <i>BMC Microbiology</i> , <b>2018</b> , 18, 92	4.5	28
12	Urinary Antibiotics of Pregnant Women in Eastern China and Cumulative Health Risk Assessment. <i>Environmental Science &amp; Environmental Science &amp; Environ</i>	10.3	53
11	Antibiotic residues in meat, milk and aquatic products in Shanghai and human exposure assessment. <i>Food Control</i> , <b>2017</b> , 80, 217-225	6.2	106
10	Effects of oral florfenicol and azithromycin on gut microbiota and adipogenesis in mice. <i>PLoS ONE</i> , <b>2017</b> , 12, e0181690	3.7	28

## LIST OF PUBLICATIONS

9	Antibiotics detected in urines and adipogenesis in school children. <i>Environment International</i> , <b>2016</b> , 89-90, 204-11	12.9	84
8	Antibiotics in Drinking Water in Shanghai and Their Contribution to Antibiotic Exposure of School Children. <i>Environmental Science &amp; Environmental Sci</i>	10.3	147
7	Antibiotic body burden of Chinese school children: a multisite biomonitoring-based study. <i>Environmental Science &amp; Environmental Science &amp; Environment</i>	10.3	83
6	Influence of body mass index status on urinary creatinine and specific gravity for epidemiological study of children. <i>European Journal of Pediatrics</i> , <b>2015</b> , 174, 1481-9	4.1	16
5	Influence of Bisphenol A on Thyroid Volume and Structure Independent of Iodine in School Children. <i>PLoS ONE</i> , <b>2015</b> , 10, e0141248	3.7	25
4	Urinary excretion of phthalate metabolites in school children of China: implication for cumulative risk assessment of phthalate exposure. <i>Environmental Science &amp; amp; Technology</i> , <b>2015</b> , 49, 1120-9	10.3	73
3	Exposure to bisphenol A among school children in eastern China: a multicenter cross-sectional study. <i>Journal of Exposure Science and Environmental Epidemiology</i> , <b>2014</b> , 24, 657-64	6.7	24
2	Urinary phthalate metabolites are associated with body mass index and waist circumference in Chinese school children. <i>PLoS ONE</i> , <b>2013</b> , 8, e56800	3.7	82
1	Environmental and food contamination with plasticisers in China. <i>Lancet, The</i> , <b>2011</b> , 378, e4	40	13