

Vikki Wylde

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6444012/publications.pdf>

Version: 2024-02-01

97
papers

5,368
citations

126907

33
h-index

85541

71
g-index

98
all docs

98
docs citations

98
times ranked

4651
citing authors

#	ARTICLE	IF	CITATIONS
1	What proportion of patients report long-term pain after total hip or knee replacement for osteoarthritis? A systematic review of prospective studies in unselected patients. <i>BMJ Open</i> , 2012, 2, e000435.	1.9	996
2	Persistent pain after joint replacement: Prevalence, sensory qualities, and postoperative determinants. <i>Pain</i> , 2011, 152, 566-572.	4.2	512
3	Quantitative sensory testing in painful osteoarthritis: a systematic review and meta-analysis. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 1075-1085.	1.3	316
4	Total knee replacement: Is it really an effective procedure for all?. <i>Knee</i> , 2007, 14, 417-423.	1.6	257
5	Acute postoperative pain at rest after hip and knee arthroplasty: Severity, sensory qualities and impact on sleep. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2011, 97, 139-144.	2.0	162
6	Return to sport after joint replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2008, 90-B, 920-923.	3.4	157
7	Chronic pain after total knee arthroplasty. <i>EFORT Open Reviews</i> , 2018, 3, 461-470.	4.1	157
8	Patient-Reported Outcomes After Total Hip and Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2009, 24, 210-216.	3.1	148
9	Test-retest reliability of Quantitative Sensory Testing in knee osteoarthritis and healthy participants. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 655-658.	1.3	129
10	Prevalence and functional impact of patient-perceived leg length discrepancy after hip replacement. <i>International Orthopaedics</i> , 2009, 33, 905-909.	1.9	123
11	Preoperative widespread pain sensitization and chronic pain after hip and knee replacement. <i>Pain</i> , 2015, 156, 47-54.	4.2	116
12	Patient-reported outcomes after fixed- versus mobile-bearing total knee replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2008, 90-B, 1172-1179.	3.4	107
13	Somatosensory abnormalities in knee OA. <i>Rheumatology</i> , 2012, 51, 535-543.	1.9	104
14	Debridement, antibiotics and implant retention for periprosthetic joint infections: A systematic review and meta-analysis of treatment outcomes. <i>Journal of Infection</i> , 2018, 77, 479-488.	3.3	97
15	The association between pre-operative pain sensitisation and chronic pain after knee replacement: an exploratory study. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 1253-1256.	1.3	96
16	Trajectories of Pain and Function after Primary Hip and Knee Arthroplasty: The ADAPT Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0149306.	2.5	93
17	The Role of Preoperative Self-Efficacy in Predicting Outcome after Total Knee Replacement. <i>Musculoskeletal Care</i> , 2012, 10, 110-118.	1.4	85
18	Systematic review of management of chronic pain after surgery. <i>British Journal of Surgery</i> , 2017, 104, 1293-1306.	0.3	74

#	ARTICLE	IF	CITATIONS
19	The Oxford hip score: the patient's perspective. <i>Health and Quality of Life Outcomes</i> , 2005, 3, 66.	2.4	73
20	Physiotherapy Provision Following Discharge after Total Hip and Total Knee Replacement: A Survey of Current Practice at High-Volume NHS Hospitals in England and Wales. <i>Musculoskeletal Care</i> , 2013, 11, 31-38.	1.4	70
21	One-stage or two-stage revision surgery for prosthetic hip joint infection – the INFORM trial: a study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 90.	1.6	66
22	Post-operative patient-related risk factors for chronic pain after total knee replacement: a systematic review. <i>BMJ Open</i> , 2017, 7, e018105.	1.9	65
23	Clinical descriptors for the recognition of central sensitization pain in patients with knee osteoarthritis. <i>Disability and Rehabilitation</i> , 2018, 40, 2836-2845.	1.8	63
24	“It's there and I'm stuck with it” Patients' experiences of chronic pain following total knee replacement surgery. <i>Arthritis Care and Research</i> , 2011, 63, 286-292.	3.4	61
25	Assessment of chronic post-surgical pain after knee replacement: Development of a core outcome set. <i>European Journal of Pain</i> , 2015, 19, 611-620.	2.8	57
26	The failure of survivorship. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 569-570.	3.4	54
27	Maintaining independence in older people. <i>Reviews in Clinical Gerontology</i> , 2010, 20, 128-153.	0.5	52
28	Rest Pain and Movement-Evoked Pain as Unique Constructs in Hip and Knee Replacements. <i>Arthritis Care and Research</i> , 2016, 68, 237-245.	3.4	48
29	Central sensitization as a determinant of patients' benefit from total hip and knee replacement. <i>European Journal of Pain</i> , 2017, 21, 357-365.	2.8	48
30	Assessment of Chronic Postsurgical Pain After Knee Replacement: A Systematic Review. <i>Arthritis Care and Research</i> , 2013, 65, 1795-1803.	3.4	46
31	Preoperative psychosocial risk factors for poor outcomes at 1 and 5 years after total knee replacement. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 530-536.	3.3	39
32	Personal impact of disability in osteoarthritis: patient, professional and public values. <i>Musculoskeletal Care</i> , 2006, 4, 152-166.	1.4	35
33	Restriction in participation in leisure activities after joint replacement: an exploratory study. <i>Age and Ageing</i> , 2012, 41, 246-249.	1.6	35
34	Interventions for the prediction and management of chronic postsurgical pain after total knee replacement: systematic review of randomised controlled trials. <i>BMJ Open</i> , 2015, 5, e007387-e007387.	1.9	34
35	Assessment of physical function following total hip arthroplasty: Inertial sensor based gait analysis is supplementary to patient-reported outcome measures. <i>Clinical Biomechanics</i> , 2016, 32, 171-179.	1.2	34
36	Effect of local anaesthetic infiltration on chronic postsurgical pain after total hip and knee replacement. <i>Pain</i> , 2015, 156, 1161-1170.	4.2	33

#	ARTICLE	IF	CITATIONS
37	Persistent pain after knee replacement: do factors associated with pain vary with degree of patient dissatisfaction?. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 2061-2068.	1.3	30
38	The effect of local anaesthetic wound infiltration on chronic pain after lower limb joint replacement: A protocol for a double-blind randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 53.	1.9	28
39	Outcomes following hip and knee replacement in diabetic versus nondiabetic patients and well versus poorly controlled diabetic patients: a prospective cohort study. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 89, 399-405.	3.3	26
40	Does measuring the range of motion of the hip and knee add to the assessment of disability in people undergoing joint replacement?. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2014, 100, 187-190.	2.0	25
41	Identifying individuals with chronic pain after knee replacement: a population-cohort, cluster-analysis of Oxford knee scores in 128,145 patients from the English National Health Service. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 354.	1.9	25
42	Effectiveness and reporting standards of psychological interventions for improving short-term and long-term pain outcomes after total knee replacement: a systematic review. <i>BMJ Open</i> , 2019, 9, e029742.	1.9	25
43	Pain and Function Recovery Trajectories following Revision Hip Arthroplasty: Short-Term Changes and Comparison with Primary Hip Arthroplasty in the ADAPT Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0164839.	2.5	20
44	Comparison of group-based outpatient physiotherapy with usual care after total knee replacement: a feasibility study for a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2017, 31, 487-499.	2.2	20
45	Clinical- and cost-effectiveness of the STAR care pathway compared to usual care for patients with chronic pain after total knee replacement: study protocol for a UK randomised controlled trial. <i>Trials</i> , 2018, 19, 132.	1.6	20
46	Variability in long-term pain and function trajectories after total knee replacement: A cohort study. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019, 105, 1345-1350.	2.0	20
47	The association of leg length and offset reconstruction after total hip arthroplasty with clinical outcomes. <i>Clinical Biomechanics</i> , 2019, 68, 89-95.	1.2	20
48	Assessment of Outcomes after hip Arthroplasty. <i>HIP International</i> , 2009, 19, 1-7.	1.7	19
49	The assessment of persistent pain after joint replacement. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 102-105.	1.3	19
50	Local anaesthetic wound infiltration in addition to standard anaesthetic regimen in total hip and knee replacement: long-term cost-effectiveness analyses alongside the APeX randomised controlled trials. <i>BMC Medicine</i> , 2015, 13, 151.	5.5	19
51	Effects of presurgical interventions on chronic pain after total knee replacement: a systematic review and meta-analysis of randomised controlled trials. <i>BMJ Open</i> , 2020, 10, e033248.	1.9	19
52	Effectiveness of postdischarge interventions for reducing the severity of chronic pain after total knee replacement: systematic review of randomised controlled trials. <i>BMJ Open</i> , 2018, 8, e020368.	1.9	18
53	Improving patients' experience and outcome of total joint replacement: the RESTORE programme. <i>Programme Grants for Applied Research</i> , 2016, 4, 1-508.	1.0	18
54	The Assessment of Musculoskeletal Pain in the Clinical Setting. <i>Rheumatic Disease Clinics of North America</i> , 2008, 34, 311-330.	1.9	16

#	ARTICLE	IF	CITATIONS
55	Long-Term Patient-Reported Outcomes after Total Hip Replacement: Comparison to the General Population. <i>HIP International</i> , 2012, 22, 160-165.	1.7	16
56	The STAR care pathway for patients with pain at 3 months after total knee replacement: a multicentre, pragmatic, randomised, controlled trial. <i>Lancet Rheumatology</i> , The, 2022, 4, e188-e197.	3.9	16
57	Assessing function in patients undergoing joint replacement: a study protocol for a cohort study. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 220.	1.9	15
58	A unified multi-level model approach to assessing patient responsiveness including; return to normal, minimally important differences and minimal clinically important improvement for patient reported outcome measures. <i>BMJ Open</i> , 2017, 7, e014041.	1.9	15
59	Kneeling ability after total knee replacement. <i>EFORT Open Reviews</i> , 2019, 4, 460-467.	4.1	15
60	Effect of Group-Based Outpatient Physical Therapy on Function After Total Knee Replacement: Results From a Multicenter Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2020, 72, 768-777.	3.4	15
61	Development of a complex intervention for people with chronic pain after knee replacement: the STAR care pathway. <i>Trials</i> , 2018, 19, 61.	1.6	14
62	Influence of Fixation Methods on Prosthetic Joint Infection Following Primary Total Knee Replacement: Meta-Analysis of Observational Cohort and Randomised Intervention Studies. <i>Journal of Clinical Medicine</i> , 2019, 8, 828.	2.4	14
63	Are perioperative interventions effective in preventing chronic pain after primary total knee replacement? A systematic review. <i>BMJ Open</i> , 2019, 9, e028093.	1.9	14
64	Does overstuffing of the patellofemoral joint in total knee arthroplasty have a significant effect on postoperative outcomes?. <i>Knee</i> , 2018, 25, 874-881.	1.6	13
65	The effectiveness of non-pharmacological sleep interventions for people with chronic pain: a systematic review and meta-analysis. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, 440.	1.9	13
66	The effect of numbness on outcome from total knee replacement. <i>Annals of the Royal College of Surgeons of England</i> , 2017, 99, 385-389.	0.6	12
67	Pathways Through Care for Long-Term Pain After Knee Replacement: A Qualitative Study With Healthcare Professionals. <i>Musculoskeletal Care</i> , 2015, 13, 127-138.	1.4	11
68	Post-Operative Radiographic Factors and Patient-Reported Outcome after Total Hip Replacement. <i>HIP International</i> , 2012, 22, 153-159.	1.7	10
69	Effectiveness and cost-effectiveness of a group-based pain self-management intervention for patients undergoing total hip replacement: feasibility study for a randomized controlled trial. <i>Trials</i> , 2014, 15, 176.	1.6	10
70	Association of social support with patient-reported outcomes after joint replacement: a systematic review and meta-analysis. <i>Lancet Rheumatology</i> , The, 2019, 1, e174-e186.	3.9	10
71	An exploratory study of the long-term impact of difficulty kneeling after total knee replacement. <i>Disability and Rehabilitation</i> , 2019, 41, 820-825.	1.8	10
72	5 Year Outcomes and Survivorship of the Triathlon Total Knee Replacement: a Cohort Study. <i>Acta Orthopaedica Belgica</i> , 2017, 83, 259-267.	0.4	10

#	ARTICLE	IF	CITATIONS
73	The Colour of Pain: Can Patients Use Colour to Describe Osteoarthritis Pain?. <i>Musculoskeletal Care</i> , 2014, 12, 34-46.	1.4	9
74	Pre-operative pressure pain thresholds do not meaningfully explain satisfaction or improvement in pain after knee replacement: a cohort study. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 49-58.	1.3	9
75	Early Clinical Experience with a Metaphyseal Loading Implant: Why have a Stem?. <i>HIP International</i> , 2006, 16, 3-8.	1.7	8
76	Effectiveness and cost-effectiveness of outpatient physiotherapy after knee replacement for osteoarthritis: study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 289.	1.6	8
77	Optimising recruitment into trials using an internal pilot. <i>Trials</i> , 2019, 20, 207.	1.6	8
78	Comparison of patient reported outcomes after Triathlon [®] and Kinemax Plus prostheses. <i>Annals of the Royal College of Surgeons of England</i> , 2014, 96, 61-66.	0.6	7
79	Screening to Identify Postoperative Pain and Cross-sectional Associations Between Factors Identified in This Process With Pain and Function, Three Months After Total Knee Replacement. <i>Arthritis Care and Research</i> , 2022, 74, 790-798.	3.4	7
80	Risk factors associated with poor pain outcomes following primary knee replacement surgery: Analysis of data from the clinical practice research datalink, hospital episode statistics and patient reported outcomes as part of the STAR research programme. <i>PLoS ONE</i> , 2021, 16, e0261850.	2.5	7
81	The EQ-5D-3L administered by text message compared to the paper version for hard-to-reach populations in a rural South African trauma setting: a measurement equivalence study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2021, 141, 947-957.	2.4	6
82	Post-operative determinants of chronic pain after primary knee replacement surgery: Analysis of data on 258,386 patients from the National Joint Registry for England, Wales, Northern Ireland and the Isle of Man (NJR). <i>Osteoarthritis and Cartilage Open</i> , 2021, 3, 100139.	2.0	6
83	Impact of pain sensitisation on the quality of life of patients with knee osteoarthritis. <i>RMD Open</i> , 2022, 8, e001938.	3.8	6
84	Primary care consultations and pain medicine prescriptions: a comparison between patients with and without chronic pain after total knee replacement. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, .	1.9	6
85	Value, transparency, and inclusion: A values-based study of patient involvement in musculoskeletal research. <i>PLoS ONE</i> , 2021, 16, e0260617.	2.5	5
86	Perceived occurrence of an adverse event affects patient-reported outcomes after total hip replacement. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 118.	1.9	4
87	Selecting, assessing and interpreting measures of function for patients with severe hip pathology: The need for caution. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2016, 102, 741-746.	2.0	2
88	A 15 to 17-year follow-up of the Kinemax total knee replacement. <i>Knee</i> , 2018, 25, 1292-1298.	1.6	2
89	Cost-effectiveness of Group-based Outpatient Physical Therapy After Total Knee Replacement: Results From the Economic Evaluation Alongside the ARENA Multicenter Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2022, 74, 1970-1977.	3.4	2
90	Experiences of recovery and a new care pathway for people with pain after total knee replacement: qualitative research embedded in the STAR trial. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, 451.	1.9	2

#	ARTICLE	IF	CITATIONS
91	Evaluation of the Personal Impact Health Assessment Questionnaire (PI HAQ) to capture the impact of disability in osteoarthritis. <i>Musculoskeletal Care</i> , 2010, 8, 87-98.	1.4	1
92	Radiofrequency denervation of the lumbar facet joints: guidelines for the RADICAL randomised controlled trial. <i>British Journal of Pain</i> , 2021, 15, 204946372094105.	1.5	1
93	Douleurs postop�ratoires de repos apr�s proth�se de hanche ou de genou: intensit�, particularit�s sensorielles et retentissement sur le sommeil. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2011, 97, 136-137.	0.0	0
94	CORR Insights�: Abnormal Quantitative Sensory Testing is Associated With Persistent Pain One Year After TKA. <i>Clinical Orthopaedics and Related Research</i> , 2015, 473, 255-257.	1.5	0
95	THU0445�...ASSOCIATION BETWEEN PATIENT�S EXPECTATION AND SATISFACTION FOLLOWING TOTAL KNEE REPLACEMENT FOR OSTEOARTHRITIS. , 2019, , .		0
96	Ten-Year Results of the Triathlon Knee Replacement: A Cohort Study. <i>Cureus</i> , 2021, 13, e15211.	0.5	0
97	Variations individuelles de la douleur et de la fonction � long terme apr�s arthroplastie totale de genou: �tude de cohorte. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2019, 105, 872.	0.0	0