

# Vikki Wylde

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6444012/publications.pdf>

Version: 2024-02-01

97  
papers

5,368  
citations

145106

33  
h-index

97045

71  
g-index

98  
all docs

98  
docs citations

98  
times ranked

4844  
citing authors

#	ARTICLE	IF	CITATIONS
1	Screening to Identify Postoperative Pain and Cross-Sectional Associations Between Factors Identified in This Process With Pain and Function, Three Months After Total Knee Replacement. <i>Arthritis Care and Research</i> , 2022, 74, 790-798.	1.5	7
2	The STAR care pathway for patients with pain at 3 months after total knee replacement: a multicentre, pragmatic, randomised, controlled trial. <i>Lancet Rheumatology</i> , The, 2022, 4, e188-e197.	2.2	16
3	Impact of pain sensitisation on the quality of life of patients with knee osteoarthritis. <i>RMD Open</i> , 2022, 8, e001938.	1.8	6
4	Effectiveness of Group-Based Outpatient Physical Therapy After Total Knee Replacement: Results From the Economic Evaluation Alongside the ARENA Multicenter Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2022, 74, 1970-1977.	1.5	2
5	The effectiveness of non-pharmacological sleep interventions for people with chronic pain: a systematic review and meta-analysis. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, 440.	0.8	13
6	Experiences of recovery and a new care pathway for people with pain after total knee replacement: qualitative research embedded in the STAR trial. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, 451.	0.8	2
7	Primary care consultations and pain medicine prescriptions: a comparison between patients with and without chronic pain after total knee replacement. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, .	0.8	6
8	Radiofrequency denervation of the lumbar facet joints: guidelines for the RADICAL randomised controlled trial. <i>British Journal of Pain</i> , 2021, 15, 204946372094105.	0.7	1
9	The EQ-5D-3L administered by text message compared to the paper version for hard-to-reach populations in a rural South African trauma setting: a measurement equivalence study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2021, 141, 947-957.	1.3	6
10	Post-operative determinants of chronic pain after primary knee replacement surgery: Analysis of data on 258,386 patients from the National Joint Registry for England, Wales, Northern Ireland and the Isle of Man (NJR). <i>Osteoarthritis and Cartilage Open</i> , 2021, 3, 100139.	0.9	6
11	Ten-Year Results of the Triathlon Knee Replacement: A Cohort Study. <i>Cureus</i> , 2021, 13, e15211.	0.2	0
12	Value, transparency, and inclusion: A values-based study of patient involvement in musculoskeletal research. <i>PLoS ONE</i> , 2021, 16, e0260617.	1.1	5
13	Risk factors associated with poor pain outcomes following primary knee replacement surgery: Analysis of data from the clinical practice research datalink, hospital episode statistics and patient reported outcomes as part of the STAR research programme. <i>PLoS ONE</i> , 2021, 16, e0261850.	1.1	7
14	Effect of Group-Based Outpatient Physical Therapy on Function After Total Knee Replacement: Results From a Multicenter Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2020, 72, 768-777.	1.5	15
15	Perceived occurrence of an adverse event affects patient-reported outcomes after total hip replacement. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 118.	0.8	4
16	Effects of presurgical interventions on chronic pain after total knee replacement: a systematic review and meta-analysis of randomised controlled trials. <i>BMJ Open</i> , 2020, 10, e033248.	0.8	19
17	Kneeling ability after total knee replacement. <i>EFORT Open Reviews</i> , 2019, 4, 460-467.	1.8	15
18	Variability in long-term pain and function trajectories after total knee replacement: A cohort study. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019, 105, 1345-1350.	0.9	20

#	ARTICLE	IF	CITATIONS
19	Association of social support with patient-reported outcomes after joint replacement: a systematic review and meta-analysis. <i>Lancet Rheumatology</i> , The, 2019, 1, e174-e186.	2.2	10
20	Influence of Fixation Methods on Prosthetic Joint Infection Following Primary Total Knee Replacement: Meta-Analysis of Observational Cohort and Randomised Intervention Studies. <i>Journal of Clinical Medicine</i> , 2019, 8, 828.	1.0	14
21	The association of leg length and offset reconstruction after total hip arthroplasty with clinical outcomes. <i>Clinical Biomechanics</i> , 2019, 68, 89-95.	0.5	20
22	Optimising recruitment into trials using an internal pilot. <i>Trials</i> , 2019, 20, 207.	0.7	8
23	THU0445â€¦ASSOCIATION BETWEEN PATIENTâ€™S EXPECTATION AND SATISFACTION FOLLOWING TOTAL KNEE REPLACEMENT FOR OSTEOARTHRITIS. , 2019, , .		0
24	Are perioperative interventions effective in preventing chronic pain after primary total knee replacement? A systematic review. <i>BMJ Open</i> , 2019, 9, e028093.	0.8	14
25	Effectiveness and reporting standards of psychological interventions for improving short-term and long-term pain outcomes after total knee replacement: a systematic review. <i>BMJ Open</i> , 2019, 9, e029742.	0.8	25
26	Pre-operative pressure pain thresholds do not meaningfully explain satisfaction or improvement in pain after knee replacement: a cohort study. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 49-58.	0.6	9
27	An exploratory study of the long-term impact of difficulty kneeling after total knee replacement. <i>Disability and Rehabilitation</i> , 2019, 41, 820-825.	0.9	10
28	Variations individuelles de la douleur et de la fonction Ã long terme aprÃs arthroplastie totale de genouÃ: Ã©tude de cohorte. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2019, 105, 872.	0.0	0
29	Effectiveness of postdischarge interventions for reducing the severity of chronic pain after total knee replacement: systematic review of randomised controlled trials. <i>BMJ Open</i> , 2018, 8, e020368.	0.8	18
30	Clinical- and cost-effectiveness of the STAR care pathway compared to usual care for patients with chronic pain after total knee replacement: study protocol for a UK randomised controlled trial. <i>Trials</i> , 2018, 19, 132.	0.7	20
31	Clinical descriptors for the recognition of central sensitization pain in patients with knee osteoarthritis. <i>Disability and Rehabilitation</i> , 2018, 40, 2836-2845.	0.9	63
32	A 15 to 17-year follow-up of the Kinemax total knee replacement. <i>Knee</i> , 2018, 25, 1292-1298.	0.8	2
33	Identifying individuals with chronic pain after knee replacement: a population-cohort, cluster-analysis of Oxford knee scores in 128,145 patients from the English National Health Service. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 354.	0.8	25
34	Chronic pain after total knee arthroplasty. <i>EFORT Open Reviews</i> , 2018, 3, 461-470.	1.8	157
35	Debridement, antibiotics and implant retention for periprosthetic joint infections: A systematic review and meta-analysis of treatment outcomes. <i>Journal of Infection</i> , 2018, 77, 479-488.	1.7	97
36	Outcomes following hip and knee replacement in diabetic versus nondiabetic patients and well versus poorly controlled diabetic patients: a prospective cohort study. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 89, 399-405.	1.2	26

#	ARTICLE	IF	CITATIONS
37	Does overstuffing of the patellofemoral joint in total knee arthroplasty have a significant effect on postoperative outcomes?. <i>Knee</i> , 2018, 25, 874-881.	0.8	13
38	Development of a complex intervention for people with chronic pain after knee replacement: the STAR care pathway. <i>Trials</i> , 2018, 19, 61.	0.7	14
39	Comparison of group-based outpatient physiotherapy with usual care after total knee replacement: a feasibility study for a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2017, 31, 487-499.	1.0	20
40	Preoperative psychosocial risk factors for poor outcomes at 1 and 5 years after total knee replacement. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 530-536.	1.2	39
41	A unified multi-level model approach to assessing patient responsiveness including; return to normal, minimally important differences and minimal clinically important improvement for patient reported outcome measures. <i>BMJ Open</i> , 2017, 7, e014041.	0.8	15
42	Systematic review of management of chronic pain after surgery. <i>British Journal of Surgery</i> , 2017, 104, 1293-1306.	0.1	74
43	Post-operative patient-related risk factors for chronic pain after total knee replacement: a systematic review. <i>BMJ Open</i> , 2017, 7, e018105.	0.8	65
44	Central sensitization as a determinant of patients' benefit from total hip and knee replacement. <i>European Journal of Pain</i> , 2017, 21, 357-365.	1.4	48
45	The effect of numbness on outcome from total knee replacement. <i>Annals of the Royal College of Surgeons of England</i> , 2017, 99, 385-389.	0.3	12
46	5 Year Outcomes and Survivorship of the Triathlon Total Knee Replacement: a Cohort Study. <i>Acta Orthopaedica Belgica</i> , 2017, 83, 259-267.	0.1	10
47	Pain and Function Recovery Trajectories following Revision Hip Arthroplasty: Short-Term Changes and Comparison with Primary Hip Arthroplasty in the ADAPT Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0164839.	1.1	20
48	Selecting, assessing and interpreting measures of function for patients with severe hip pathology: The need for caution. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2016, 102, 741-746.	0.9	2
49	Rest Pain and Movement-Evoked Pain as Unique Constructs in Hip and Knee Replacements. <i>Arthritis Care and Research</i> , 2016, 68, 237-245.	1.5	48
50	Persistent pain after knee replacement: do factors associated with pain vary with degree of patient dissatisfaction?. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 2061-2068.	0.6	30
51	Effectiveness and cost-effectiveness of outpatient physiotherapy after knee replacement for osteoarthritis: study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 289.	0.7	8
52	Assessment of physical function following total hip arthroplasty: Inertial sensor based gait analysis is supplementary to patient-reported outcome measures. <i>Clinical Biomechanics</i> , 2016, 32, 171-179.	0.5	34
53	One-stage or two-stage revision surgery for prosthetic hip joint infection – the INFORM trial: a study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 90.	0.7	66
54	Trajectories of Pain and Function after Primary Hip and Knee Arthroplasty: The ADAPT Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0149306.	1.1	93

#	ARTICLE	IF	CITATIONS
55	Improving patients'™ experience and outcome of total joint replacement: the RESTORE programme. Programme Grants for Applied Research, 2016, 4, 1-508.	0.4	18
56	Assessment of chronic post-surgical pain after knee replacement: Development of a core outcome set. European Journal of Pain, 2015, 19, 611-620.	1.4	57
57	Pathways Through Care for Long-Term Pain After Knee Replacement: A Qualitative Study With Healthcare Professionals. Musculoskeletal Care, 2015, 13, 127-138.	0.6	11
58	CORR Insights®: Abnormal Quantitative Sensory Testing is Associated With Persistent Pain One Year After TKA. Clinical Orthopaedics and Related Research, 2015, 473, 255-257.	0.7	0
59	Preoperative widespread pain sensitization and chronic pain after hip and knee replacement. Pain, 2015, 156, 47-54.	2.0	116
60	Local anaesthetic wound infiltration in addition to standard anaesthetic regimen in total hip and knee replacement: long-term cost-effectiveness analyses alongside the APEX randomised controlled trials. BMC Medicine, 2015, 13, 151.	2.3	19
61	Interventions for the prediction and management of chronic postsurgical pain after total knee replacement: systematic review of randomised controlled trials. BMJ Open, 2015, 5, e007387-e007387.	0.8	34
62	Effect of local anaesthetic infiltration on chronic postsurgical pain after total hip and knee replacement. Pain, 2015, 156, 1161-1170.	2.0	33
63	Comparison of patient reported outcomes after Triathlon <sup>®</sup> and Kinemax Plus prostheses. Annals of the Royal College of Surgeons of England, 2014, 96, 61-66.	0.3	7
64	The Colour of Pain: Can Patients Use Colour to Describe Osteoarthritis Pain?. Musculoskeletal Care, 2014, 12, 34-46.	0.6	9
65	Does measuring the range of motion of the hip and knee add to the assessment of disability in people undergoing joint replacement?. Orthopaedics and Traumatology: Surgery and Research, 2014, 100, 187-190.	0.9	25
66	Effectiveness and cost-effectiveness of a group-based pain self-management intervention for patients undergoing total hip replacement: feasibility study for a randomized controlled trial. Trials, 2014, 15, 176.	0.7	10
67	Physiotherapy Provision Following Discharge after Total Hip and Total Knee Replacement: A Survey of Current Practice at High-Volume NHS Hospitals in England and Wales. Musculoskeletal Care, 2013, 11, 31-38.	0.6	70
68	Assessment of Chronic Postsurgical Pain After Knee Replacement: A Systematic Review. Arthritis Care and Research, 2013, 65, 1795-1803.	1.5	46
69	The association between pre-operative pain sensitisation and chronic pain after knee replacement: an exploratory study. Osteoarthritis and Cartilage, 2013, 21, 1253-1256.	0.6	96
70	Long-Term Patient-Reported Outcomes after Total Hip Replacement: Comparison to the General Population. HIP International, 2012, 22, 160-165.	0.9	16
71	Restriction in participation in leisure activities after joint replacement: an exploratory study. Age and Ageing, 2012, 41, 246-249.	0.7	35
72	Post-Operative Radiographic Factors and Patient-Reported Outcome after Total Hip Replacement. HIP International, 2012, 22, 153-159.	0.9	10

#	ARTICLE	IF	CITATIONS
73	Somatosensory abnormalities in knee OA. <i>Rheumatology</i> , 2012, 51, 535-543.	0.9	104
74	What proportion of patients report long-term pain after total hip or knee replacement for osteoarthritis? A systematic review of prospective studies in unselected patients. <i>BMJ Open</i> , 2012, 2, e000435.	0.8	996
75	Assessing function in patients undergoing joint replacement: a study protocol for a cohort study. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 220.	0.8	15
76	Quantitative sensory testing in painful osteoarthritis: a systematic review and meta-analysis. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 1075-1085.	0.6	316
77	The Role of Preoperative Self-Efficacy in Predicting Outcome after Total Knee Replacement. <i>Musculoskeletal Care</i> , 2012, 10, 110-118.	0.6	85
78	The assessment of persistent pain after joint replacement. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 102-105.	0.6	19
79	Douleurs postopératoires de repos après prothèse de hanche ou de genou: intensité, particularités sensorielles et retentissement sur le sommeil. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2011, 97, 136-137.	0.0	0
80	Acute postoperative pain at rest after hip and knee arthroplasty: Severity, sensory qualities and impact on sleep. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2011, 97, 139-144.	0.9	162
81	Test-retest reliability of Quantitative Sensory Testing in knee osteoarthritis and healthy participants. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 655-658.	0.6	129
82	Persistent pain after joint replacement: Prevalence, sensory qualities, and postoperative determinants. <i>Pain</i> , 2011, 152, 566-572.	2.0	512
83	The effect of local anaesthetic wound infiltration on chronic pain after lower limb joint replacement: A protocol for a double-blind randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 53.	0.8	28
84	It's there and I'm stuck with it: Patients' experiences of chronic pain following total knee replacement surgery. <i>Arthritis Care and Research</i> , 2011, 63, 286-292.	1.5	61
85	The failure of survivorship. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 569-570.	3.4	54
86	Evaluation of the Personal Impact Health Assessment Questionnaire (PI HAQ) to capture the impact of disability in osteoarthritis. <i>Musculoskeletal Care</i> , 2010, 8, 87-98.	0.6	1
87	Maintaining independence in older people. <i>Reviews in Clinical Gerontology</i> , 2010, 20, 128-153.	0.5	52
88	Patient-Reported Outcomes After Total Hip and Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2009, 24, 210-216.	1.5	148
89	Prevalence and functional impact of patient-perceived leg length discrepancy after hip replacement. <i>International Orthopaedics</i> , 2009, 33, 905-909.	0.9	123
90	Assessment of Outcomes after hip Arthroplasty. <i>HIP International</i> , 2009, 19, 1-7.	0.9	19

#	ARTICLE	IF	CITATIONS
91	The Assessment of Musculoskeletal Pain in the Clinical Setting. Rheumatic Disease Clinics of North America, 2008, 34, 311-330.	0.8	16
92	Patient-reported outcomes after fixed- <i>versus</i> mobile-bearing total knee replacement. Journal of Bone and Joint Surgery: British Volume, 2008, 90-B, 1172-1179.	3.4	107
93	Return to sport after joint replacement. Journal of Bone and Joint Surgery: British Volume, 2008, 90-B, 920-923.	3.4	157
94	Total knee replacement: Is it really an effective procedure for all?. Knee, 2007, 14, 417-423.	0.8	257
95	Early Clinical Experience with a Metaphyseal Loading Implant: Why have a Stem?. HIP International, 2006, 16, 3-8.	0.9	8
96	Personal impact of disability in osteoarthritis: patient, professional and public values. Musculoskeletal Care, 2006, 4, 152-166.	0.6	35
97	The Oxford hip score: the patient's perspective. Health and Quality of Life Outcomes, 2005, 3, 66.	1.0	73