Julie Bruce

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6445211/publications.pdf

Version: 2024-02-01

61857 56606 7,650 143 43 83 citations h-index g-index papers 152 152 152 7762 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Systematic review of the definition and measurement of anastomotic leak after gastrointestinal surgery. British Journal of Surgery, 2002, 88, 1157-1168.	0.1	566
2	Preoperative Anxiety and Catastrophizing. Clinical Journal of Pain, 2012, 28, 819-841.	0.8	500
3	A Review of Chronic Pain After Inguinal Herniorrhaphy. Clinical Journal of Pain, 2003, 19, 48-54.	0.8	485
4	Chronic pain and quality of life following open inguinal hernia repair. British Journal of Surgery, 2002, 88, 1122-1126.	0.1	380
5	Long-term follow-up of breast cancer survivors with post-mastectomy pain syndrome. British Journal of Cancer, 2005, 92, 225-230.	2.9	290
6	Healing by primary closure versus open healing after surgery for pilonidal sinus: systematic review and meta-analysis. BMJ: British Medical Journal, 2008, 336, 868-871.	2.4	277
7	The measurement and monitoring of surgical adverse events. Health Technology Assessment, 2001, 5, 1-194.	1.3	270
8	Antimicrobial resistance of Acinetobacter spp. in Europe. Clinical Microbiology and Infection, 2004, 10, 684-704.	2.8	265
9	Psychological, surgical, and sociodemographic predictors of pain outcomes after breast cancer surgery: A population-based cohort study. Pain, 2014, 155, 232-243.	2.0	211
10	Healing by primary versus secondary intention after surgical treatment for pilonidal sinus. The Cochrane Library, 2010, , CD006213.	1.5	189
11	The prevalence of chronic chest and leg pain following cardiac surgery: a historical cohort study. Pain, 2003, 104, 265-273.	2.0	187
12	Surgical wound infection as a performance indicator: agreement of common definitions of wound infection in 4773 patients. BMJ: British Medical Journal, 2004, 329, 720.	2.4	165
13	Chronic pain after total knee arthroplasty. EFORT Open Reviews, 2018, 3, 461-470.	1.8	157
14	Risk stratification for the development of chronic postsurgical pain. Pain Reports, 2017, 2, e627.	1.4	137
15	Effect of Negative Pressure Wound Therapy vs Standard Wound Management on 12-Month Disability Among Adults With Severe Open Fracture of the Lower Limb. JAMA - Journal of the American Medical Association, 2018, 319, 2280.	3.8	137
16	Psychological preparation and postoperative outcomes for adults undergoing surgery under general anaesthesia. The Cochrane Library, 2016, 2016, CD008646.	1.5	136
17	Chronic Pain After Surgery. Clinical Journal of Pain, 2013, 29, 2-8.	0.8	126
18	The quality of measurement of surgical wound infection as the basis for monitoring: a systematic review. Journal of Hospital Infection, 2001, 49, 99-108.	1.4	110

#	Article	IF	CITATIONS
19	Chronic preoperative pain and psychological robustness predict acute postoperative pain outcomes after surgery for breast cancer. British Journal of Cancer, 2012, 107, 937-946.	2.9	96
20	Medical versus surgical management for gastro-oesophageal reflux disease (GORD) in adults. , 2010, , CD003243.		94
21	Chronic Post Surgical Pain. Reviews in Pain, 2011, 5, 23-29.	0.2	92
22	Effect of Incisional Negative Pressure Wound Therapy vs Standard Wound Dressing on Deep Surgical Site Infection After Surgery for Lower Limb Fractures Associated With Major Trauma. JAMA - Journal of the American Medical Association, 2020, 323, 519.	3.8	92
23	Antimicrobial drug use and infection control practices associated with the prevalence of methicillin-resistant Staphylococcus aureus in European hospitals. Clinical Microbiology and Infection, 2007, 13, 269-276.	2.8	84
24	Psychological risk factors for chronic postâ€surgical pain after inguinal hernia repair surgery: A prospective cohort study. European Journal of Pain, 2012, 16, 600-610.	1.4	80
25	Clinical Prediction Model and Tool for Assessing Risk of Persistent Pain After Breast Cancer Surgery. Journal of Clinical Oncology, 2017, 35, 1660-1667.	0.8	80
26	Assessment of pulse transit time to indicate cardiovascular changes during obstetric spinal anaesthesia â€. British Journal of Anaesthesia, 2006, 96, 100-105.	1.5	79
27	Genetic diversity of carbapenem-resistant isolates of Acinetobacter baumannii in Europe. Clinical Microbiology and Infection, 2008, 14, 161-167.	2.8	77
28	Identification of risk factors by systematic review and development of risk-adjusted models for surgical site infection Health Technology Assessment, 2011, 15, 1-156, iii-iv.	1.3	75
29	Healing by primary versus secondary intention after surgical treatment for pilonidal sinus. , 2007, , CD006213.		74
30	Systematic review of management of chronic pain after surgery. British Journal of Surgery, 2017, 104, 1293-1306.	0.1	74
31	Screening and Intervention to Prevent Falls and Fractures in Older People. New England Journal of Medicine, 2020, 383, 1848-1859.	13.9	74
32	Procedure-Specific Surgical Site Infection Rates and Postdischarge Surveillance in Scotland. Infection Control and Hospital Epidemiology, 2006, 27, 1318-1323.	1.0	72
33	The incidence and healthcare costs of persistent postoperative pain following lumbar spine surgery in the UK: a cohort study using the Clinical Practice Research Datalink (CPRD) and Hospital Episode Statistics (HES). BMJ Open, 2017, 7, e017585.	0.8	71
34	Systematic review of the quality of surgical mortality monitoring. British Journal of Surgery, 2003, 90, 527-532.	0.1	61
35	Report of the Consensus Conference on Antibiotic Resistance; Prevention and Control (ARPAC). Clinical Microbiology and Infection, 2005, 11, 938-954.	2.8	57
36	Assessment of chronic postâ€surgical pain after knee replacement: Development of a core outcome set. European Journal of Pain, 2015, 19, 611-620.	1.4	57

#	Article	IF	Citations
37	Quality of Life and Chronic Pain Four Years After Gastrointestinal Surgery. Diseases of the Colon and Rectum, 2006, 49, 1362-1370.	0.7	53
38	Surgical versus conservative interventions for displaced intra-articular calcaneal fractures. The Cochrane Library, 2013, , CD008628.	1.5	52
39	Negative pressure wound therapy for open traumatic wounds. The Cochrane Library, 2018, 2018, CD012522.	1.5	52
40	Colorectal Cancers in Children without any Predisposing Factors. A Report of Eight Cases and Review of the Literature. European Journal of Pediatric Surgery, 2003, 13, 66-68.	0.7	51
41	Quantitative Assessment of Chronic Postsurgical Pain Using the McGill Pain Questionnaire. Clinical Journal of Pain, 2004, 20, 70-75.	0.8	49
42	Infection control knowledge, attitude, and practice among Nepalese health care workers. American Journal of Infection Control, 2008, 36, 595-597.	1.1	47
43	Long-term follow-up of exercise interventions aimed at preventing falls in older people living in the community: a systematic review and meta-analysis. Physiotherapy, 2019, 105, 187-199.	0.2	47
44	Assessment of Chronic Postsurgical Pain After Knee Replacement: A Systematic Review. Arthritis Care and Research, 2013, 65, 1795-1803.	1.5	46
45	Antibiotic stewardship and consumption: findings from a pan-European hospital study. Journal of Antimicrobial Chemotherapy, 2009, 64, 853-860.	1.3	44
46	Negative-pressure wound therapy versus standard dressings for adults with an open lower limb fracture: the WOLLF RCT. Health Technology Assessment, 2018, 22, 1-162.	1.3	42
47	Early Ankle Movement Versus Immobilization in the Postoperative Management of Ankle Fracture in Adults: A Systematic Review and Meta-analysis. Journal of Orthopaedic and Sports Physical Therapy, 2014, 44, 690-C7.	1.7	41
48	Postoperative Tamoxifen for ductal carcinoma in situ: Cochrane systematic review and meta-analysis. Breast, 2014, 23, 546-551.	0.9	41
49	Postoperative tamoxifen for ductal carcinoma in situ. The Cochrane Library, 2012, 10, CD007847.	1.5	34
50	Patient experience of long-term recovery after open fracture of the lower limb: a qualitative study using interviews in a community setting. BMJ Open, 2019, 9, e031261.	0.8	34
51	Status of infection control policies and organisation in European hospitals, 2001: the ARPAC study. Clinical Microbiology and Infection, 2006, 12, 729-737.	2.8	33
52	Accessing the Internet for Patient Information About Orthopedics. JAMA - Journal of the American Medical Association, 1998, 280, 1309-1309.	3.8	32
53	Influence of oral tramadol on the dynamic ventilatory response to carbon dioxide in healthy volunteers. British Journal of Anaesthesia, 2001, 87, 860-865.	1.5	30
54	Questionnaire Surveys. Anaesthesia, 2002, 57, 1049-1051.	1.8	29

#	Article	IF	Citations
55	The role of microbiology and pharmacy departments in the stewardship of antibiotic prescribing in European hospitals. Journal of Hospital Infection, 2007, 65, 73-81.	1.4	29
56	Using Bayesian adaptive designs to improve phase III trials: a respiratory care example. BMC Medical Research Methodology, 2019, 19, 99.	1.4	27
57	Use of Complementary and Alternative Medicine by Patients Admitted to a Surgical Unit in Scotland. Annals of the Royal College of Surgeons of England, 2008, 90, 571-576.	0.3	26
58	Use of complementary and alternative medicine in pediatric otolaryngology patients attending a tertiary hospital in the UK. International Journal of Pediatric Otorhinolaryngology, 2007, 71, 1725-1730.	0.4	25
59	Ventilatory responses after major surgery and high dependency care. British Journal of Anaesthesia, 2012, 108, 864-871.	1.5	24
60	A cluster randomised controlled trial of advice, exercise or multifactorial assessment to prevent falls and fractures in community-dwelling older adults: protocol for the prevention of falls injury trial (PreFIT). BMJ Open, 2016, 6, e009362.	0.8	24
61	Exercise for rheumatoid arthritis of the hand. The Cochrane Library, 2018, 2018, CD003832.	1.5	24
62	Systematic review of economic evaluations of exercise and physiotherapy for patients treated for breast cancer. Breast Cancer Research and Treatment, 2019, 176, 37-52.	1.1	24
63	A United Kingdom survey of surgical technique and handling practice of inguinal canal structures during hernia surgery. Surgery, 2006, 139, 523-526.	1.0	23
64	Protocol for a randomised controlled trial of standard wound management versus negative pressure wound therapy in the treatment of adult patients with an open fracture of the lower limb: UK Wound management of Open Lower Limb Fractures (UK WOLFF). BMJ Open, 2015, 5, e009087.	0.8	23
65	Cost-effectiveness of negative-pressure wound therapy in adults with severe open fractures of the lower limb: evidence from the WOLLF randomized controlled trial. Bone and Joint Journal, 2019, 101-B, 1392-1401.	1.9	23
66	Randomised controlled trial of exercise to prevent shoulder problems in women undergoing breast cancer treatment: study protocol for the prevention of shoulder problems trial (UK PROSPER). BMJ Open, 2018, 8, e019078.	0.8	22
67	Development of an exercise intervention for the prevention of musculoskeletal shoulder problems after breast cancer treatment: the prevention of shoulder problems trial (UK PROSPER). BMC Health Services Research, 2018, 18, 463.	0.9	22
68	What enables older people to continue with their falls prevention exercises? A qualitative systematic review. BMJ Open, 2019, 9, e026074.	0.8	22
69	Comparison of alternative falls data collection methods in the Prevention of Falls Injury Trial (PreFIT). Journal of Clinical Epidemiology, 2019, 106, 32-40.	2.4	21
70	Clinical- and cost-effectiveness of the STAR care pathway compared to usual care for patients with chronic pain after total knee replacement: study protocol for a UK randomised controlled trial. Trials, 2018, 19, 132.	0.7	20
71	Evidence for heritability of pain in patients with traumatic neuropathy. Pain, 2004, 108, 200-201.	2.0	19
72	Predictors of attendance to group exercise: a cohort study of older adults in long-term care facilities. BMC Geriatrics, 2015, 15, 37.	1.1	19

#	Article	IF	CITATIONS
73	Reviewing the literature: adopting a systematic approach. Journal of Family Planning and Reproductive Health Care, 2004, 30, 13-16.	0.9	18
74	Use of complementary and alternative medicine by patients attending a head and neck oncology clinic. Journal of Laryngology and Otology, 2008, 122, 1360-1364.	0.4	18
75	Automated conversational agents for post-intervention follow-up: a systematic review. BJS Open, 2021, 5, .	0.7	18
76	Exercise versus usual care after non-reconstructive breast cancer surgery (UK PROSPER): multicentre randomised controlled trial and economic evaluation. BMJ, The, 2021, 375, e066542.	3.0	18
77	Rehabilitation Exercise and psycholoGical support After covid-19 InfectioN' (REGAIN): a structured summary of a study protocol for a randomised controlled trial. Trials, 2021, 22, 8.	0.7	17
78	The design and development of a complex multifactorial falls assessment intervention for falls prevention: The Prevention of Falls Injury Trial (PreFIT). BMC Geriatrics, 2017, 17, 116.	1.1	16
79	Better Outcomes for Older people with Spinal Trouble (BOOST) Trial: a randomised controlled trial of a combined physical and psychological intervention for older adults with neurogenic claudication, a protocol. BMJ Open, 2018, 8, e022205.	0.8	16
80	Chronic pain with neuropathic characteristics after surgery for major trauma to the lower limb: prevalence, predictors, and association with pain severity, disability, and quality of life in the UK WHiST trial. Bone and Joint Journal, 2021, 103-B, 1047-1054.	1.9	16
81	The STAR care pathway for patients with pain at 3 months after total knee replacement: a multicentre, pragmatic, randomised, controlled trial. Lancet Rheumatology, The, 2022, 4, e188-e197.	2.2	16
82	Measurement properties of the Disability Rating Index in patients undergoing hip replacement. Rheumatology, 2015, 54, 64-71.	0.9	15
83	Development of a complex intervention for people with chronic pain after knee replacement: the STAR care pathway. Trials, 2018, 19, 61.	0.7	14
84	Information and behavioural instruction along the health $\hat{a} \in \mathbf{c}$ are pathway: the perspective of people undergoing hernia repair surgery and the role of formal and informal information sources. Health Expectations, 2009, 12, 149-159.	1.1	13
85	Reoperation following lumbar spinal surgery: costs and outcomes in a UK population cohort study using the Clinical Practice Research Datalink (CPRD) and Hospital Episode Statistics (HES). European Spine Journal, 2019, 28, 863-871.	1.0	13
86	Evidence-Based Infection Control Planning Based on National Healthcare-Associated Infection Prevalence Data. Infection Control and Hospital Epidemiology, 2009, 30, 187-189.	1.0	12
87	Standard wound management versus negative-pressure wound therapy in the treatment of adult patients having surgical incisions for major trauma to the lower limb—a two-arm parallel group superiority randomised controlled trial: protocol for Wound Healing in Surgery for Trauma (WHIST). BMI Open. 2018. 8. e022115.	0.8	12
88	Musculoskeletal pain and loneliness, social support and social engagement among older adults: Analysis of the Oxford Pain, Activity and Lifestyle cohort. Musculoskeletal Care, 2020, 19, 269-277.	0.6	12
89	Fall prevention interventions in primary care to reduce fractures and falls in people aged 70 years and over: the PreFIT three-arm cluster RCT. Health Technology Assessment, 2021, 25, 1-114.	1.3	12
90	The importance of different frailty domains in a population based sample in England. BMC Geriatrics, 2020, 20, 16.	1.1	12

#	Article	IF	CITATIONS
91	Dedicated psychiatric care within general practice: health outcome and service providers' views. Journal of Advanced Nursing, 1999, 29, 1060-1067.	1.5	11
92	Antimicrobial susceptibility testing in European hospitals: report from the ARPAC study. Clinical Microbiology and Infection, 2006, 12, 1185-1192.	2.8	11
93	Letter: Evidenceâ€Based Wound Care in the UK: A Response to David Leaper's Editorial in <i>International Wound Journal</i> /i> April 2009 6 (2). International Wound Journal, 2009, 6, 306-309.	1.3	11
94	Negative-pressure wound therapy compared with standard dressings following surgical treatment of major trauma to the lower limb: the WHiST RCT. Health Technology Assessment, 2020, 24, 1-86.	1.3	10
95	Exercise to prevent shoulder problems after breast cancer surgery: the PROSPER RCT. Health Technology Assessment, 2022, 26, 1-124.	1.3	9
96	Rehabilitation following surgery: Clinical and psychological predictors of activity limitations Rehabilitation Psychology, 2013, 58, 350-360.	0.7	8
97	Cohort profile: Oxford Pain, Activity and Lifestyle (OPAL) Study, a prospective cohort study of older adults in England. BMJ Open, 2020, 10, e037516.	0.8	8
98	Role of physiotherapy in supporting recovery from breast cancer treatment: a qualitative study embedded within the UK PROSPER trial. BMJ Open, 2021, 11, e040116.	0.8	8
99	Commentary: Controversies in NICE guidance on surgical site infection. BMJ: British Medical Journal, 2008, 337, a2120-a2120.	2.4	8
100	Development and delivery of an exercise programme for falls prevention: the Prevention of Falls Injury Trial (PreFIT). Physiotherapy, 2018, 104, 72-79.	0.2	7
101	Screening to Identify Postoperative Pain and <scp>Crossâ€Sectional < /scp> Associations Between Factors Identified in This Process With Pain and Function, Three Months After Total Knee Replacement. Arthritis Care and Research, 2022, 74, 790-798.</scp>	1.5	7
102	Risk Factors for Mobility Decline in Community-Dwelling Older Adults: A Systematic Literature Review. Journal of Aging and Physical Activity, 2021, 29, 1053-1066.	0.5	7
103	A review of the effectiveness of Smokebusters: community-based smoking prevention for young people. Health Education Research, 1999, 14, 109-120.	1.0	6
104	Life after falls prevention exercise – experiences of older people taking part in a clinical trial: a phenomenological study. BMC Geriatrics, 2021, 21, 91.	1,1	6
105	Review: family and parenting interventions reduce subsequent arrests and length of time in institutions in youths with conduct disorder and delinquency. Evidence-based Nursing, 2002, 5, 12-12.	0.1	5
106	SurgiCal Obesity Treatment Study (SCOTS): protocol for a national prospective cohort study of patients undergoing bariatric surgery in Scotland. BMJ Open, 2015, 5, e008106-e008106.	0.8	5
107	The safety profile of Bald's eyesalve for the treatment of bacterial infections. Scientific Reports, 2020, 10, 17513.	1.6	5
108	Persistent postoperative pain and healthcare costs associated with instrumented and non-instrumented spinal surgery: a case-control study. Journal of Orthopaedic Surgery and Research, 2020, 15, 127.	0.9	5

#	Article	IF	Citations
109	The infleunce of a high temperature, high humidity indoor environment on pig performance under farm conditions. Veterinary Record, 1972, 90, 531-537.	0.2	5
110	Supervised pulmonary hypertension exercise rehabilitation (SPHERe): study protocol for a multi-centre randomised controlled trial. BMC Pulmonary Medicine, 2020, 20, 143.	0.8	4
111	Workload implications of community psychiatric nurse employment by a general practice: a pilot study. British Journal of General Practice, 1998, 48, 1419-20.	0.7	4
112	Wound photography for evaluation of surgical site infection and wound healing after lower limb trauma. Bone and Joint Journal, 2021, 103-B, 1802-1808.	1.9	4
113	Protocol for a randomised controlled feasibility trial of exercise rehabilitation for people with postural tachycardia syndrome: the PULSE study. Pilot and Feasibility Studies, 2020, 6, 157.	0.5	3
114	Protocol update for a randomised controlled feasibility trial of exercise rehabilitation for people with postural tachycardia syndrome: the PULSE study. Pilot and Feasibility Studies, 2022, 8, 101.	0.5	3
115	Review: parental tobacco smoke increases the risk of asthma and respiratory symptoms in school age children. Evidence-based Nursing, 1998, 1, 86-86.	0.1	2
116	Intensity and features of acute postoperative pain after mastectomy and breast-conserving surgery. Breast Cancer Research, 2010, 12, .	2.2	2
117	Light Retrograde Massage for the Treatment of Post-Stroke Upper Limb Oedema: Clinical Consensus Using the Delphi Technique. British Journal of Occupational Therapy, 2012, 75, 549-554.	0.5	2
118	Experiences of women undergoing breast cancer surgery and physiotherapists participating in the UK PROSPER trial. Physiotherapy, 2020, 107, e50-e51.	0.2	2
119	Current physical therapy care of patients undergoing breast reconstruction for breast cancer: a survey of practice in the United Kingdom and Brazil. Brazilian Journal of Physical Therapy, 2021, 25, 175-185.	1.1	2
120	SurgiCal Obesity Treatment Study (SCOTS): a prospective, observational cohort study on health and socioeconomic burden in treatment-seeking individuals with severe obesity in Scotland, UK. BMJ Open, 2021, 11, e046441.	0.8	2
121	Experiences of recovery and a new care pathway for people with pain after total knee replacement: qualitative research embedded in the STAR trial. BMC Musculoskeletal Disorders, 2022, 23, 451.	0.8	2
122	Systematic reviews of health promotion initiatives ―the Smokebusters experience. Health Education, 1999, 99, 76-83.	0.4	1
123	Children's adverse reactions to subsequent peanut exposure were often more serious than symptoms experienced in initial reactions. Evidence-based Nursing, 2001, 4, 91-91.	0.1	1
124	Review: family and parenting interventions reduce subsequent arrests and length of time in institutions in youths with conduct disorder and delinquency. Evidence-Based Mental Health, 2002, 5, 123-123.	2.2	1
125	Corrigendum to "The prevalence of chronic chest and leg pain following cardiac surgery: a historical cohort study―[Pain 104 (2004) 265–273]. Pain, 2004, 112, 413.	2.0	1
126	Laparoscopic fundoplication for gastro-oesophageal reflux disease (GORD) in adults. The Cochrane Library, 2010, , .	1.5	1

#	Article	IF	Citations
127	Post-surgical pain, physical activity and satisfaction with the decision to undergo hernia surgery: a prospective qualitative investigation. Health Psychology Research, 2013, 1, 18.	0.6	1
128	Surgical interventions for failed primary knee replacement. The Cochrane Library, 2020, , .	1.5	1
129	Post-surgical pain. , 2010, , 235-248.		1
130	Evidence-based health care in Nepal: The importance of systematic reviews. Journal of College of Medical Sciences-Nepal, 2011, 1, 114-118.	0.2	1
131	The Validity of Reported Tobacco Use. Tropical Doctor, 2000, 30, 129-130.	0.2	0
132	Individualised behavioural counselling for smoking mothers decreased children's exposure to smoke. Evidence-based Nursing, 2001, 4, 10-10.	0.1	0
133	Review: stage based interventions did not influence smoking behaviour. Evidence-based Nursing, 2004, 7, 13-13.	0.1	0
134	Response to letter by Devor. Pain, 2004, 108, 202.	2.0	0
135	Surgical death rates are not a reliable measure of hospital quality. Evidence-Based Healthcare and Public Health, 2005, 9, 20-22.	0.2	0
136	Gastro Esophageal Reflux Disease. Apollo Medicine, 2010, 7, 315-317.	0.0	0
137	438 PREVALENCE AND FEATURES OF NEUROPATHIC PAIN IN PATIENTS WITH NEWLY DIAGNOSED PRIMARY BREAST CANCER. European Journal of Pain Supplements, 2010, 4, 124-124.	0.0	0
138	Post-surgical pain, physical activity and satisfaction with the decision to undergo hernia surgery: a prospective qualitative investigation. Health Psychology Research, 2013, 1, 18.	0.6	0
139	Assessment of chronic pain after total knee replacement: development of a core outcome set. Osteoarthritis and Cartilage, 2014, 22, S400-S401.	0.6	0
140	Long-term follow-up of exercise interventions for preventing falls in older people living in the community: a systematic review and meta-analysis. Physiotherapy, 2019, 105, e132-e133.	0.2	0
141	PRevention of shoulder ProblEms TRial (PROSPER): exercise to prevent shoulder problems in patients undergoing breast cancer treatment. Physiotherapy, 2020, 107, e56-e57.	0.2	0
142	What enables older people to continue with their falls prevention exercises? A qualitative systematic review. Physiotherapy, 2020, 107, e38.	0.2	0
143	Preventing chronic pain after surgery. , 2008, , 558-569.		0