

Julie Bruce

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6445211/julie-bruce-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132
papers

5,729
citations

39
h-index

74
g-index

152
ext. papers

6,728
ext. citations

4.8
avg, IF

5.74
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 132 | Systematic review of the definition and measurement of anastomotic leak after gastrointestinal surgery. <i>British Journal of Surgery</i> , 2001 , 88, 1157-68 | 5.3 | 480 |
| 131 | A review of chronic pain after inguinal herniorrhaphy. <i>Clinical Journal of Pain</i> , 2003 , 19, 48-54 | 3.5 | 421 |
| 130 | Preoperative anxiety and catastrophizing: a systematic review and meta-analysis of the association with chronic postsurgical pain. <i>Clinical Journal of Pain</i> , 2012 , 28, 819-41 | 3.5 | 360 |
| 129 | Chronic pain and quality of life following open inguinal hernia repair. <i>British Journal of Surgery</i> , 2001 , 88, 1122-6 | 5.3 | 322 |
| 128 | Long-term follow-up of breast cancer survivors with post-mastectomy pain syndrome. <i>British Journal of Cancer</i> , 2005 , 92, 225-30 | 8.7 | 239 |
| 127 | Healing by primary closure versus open healing after surgery for pilonidal sinus: systematic review and meta-analysis. <i>BMJ, The</i> , 2008 , 336, 868-71 | 5.9 | 227 |
| 126 | The measurement and monitoring of surgical adverse events. <i>Health Technology Assessment</i> , 2001 , 5, 1-194 | 4.4 | 220 |
| 125 | Antimicrobial resistance of <i>Acinetobacter</i> spp. in Europe. <i>Clinical Microbiology and Infection</i> , 2004 , 10, 684-704 | 9.5 | 219 |
| 124 | Psychological, surgical, and sociodemographic predictors of pain outcomes after breast cancer surgery: a population-based cohort study. <i>Pain</i> , 2014 , 155, 232-243 | 8 | 165 |
| 123 | The prevalence of chronic chest and leg pain following cardiac surgery: a historical cohort study. <i>Pain</i> , 2003 , 104, 265-73 | 8 | 160 |
| 122 | Surgical wound infection as a performance indicator: agreement of common definitions of wound infection in 4773 patients. <i>BMJ, The</i> , 2004 , 329, 720 | 5.9 | 132 |
| 121 | Healing by primary versus secondary intention after surgical treatment for pilonidal sinus. <i>The Cochrane Library</i> , 2010 , CD006213 | 5.2 | 119 |
| 120 | The quality of measurement of surgical wound infection as the basis for monitoring: a systematic review. <i>Journal of Hospital Infection</i> , 2001 , 49, 99-108 | 6.9 | 99 |
| 119 | Chronic pain after surgery: time for standardization? A framework to establish core risk factor and outcome domains for epidemiological studies. <i>Clinical Journal of Pain</i> , 2013 , 29, 2-8 | 3.5 | 96 |
| 118 | Effect of Negative Pressure Wound Therapy vs Standard Wound Management on 12-Month Disability Among Adults With Severe Open Fracture of the Lower Limb: The WOLFF Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 2280-2288 | 27.4 | 82 |
| 117 | Psychological preparation and postoperative outcomes for adults undergoing surgery under general anaesthesia. <i>The Cochrane Library</i> , 2016 , CD008646 | 5.2 | 78 |
| 116 | Surgical interventions for failed primary knee replacement. <i>The Cochrane Library</i> , 2020 , | 5.2 | 78 |

| | | | |
|-----|--|-----|----|
| 115 | Chronic preoperative pain and psychological robustness predict acute postoperative pain outcomes after surgery for breast cancer. <i>British Journal of Cancer</i> , 2012 , 107, 937-46 | 8.7 | 71 |
| 114 | Medical versus surgical management for gastro-oesophageal reflux disease (GORD) in adults. <i>Cochrane Database of Systematic Reviews</i> , 2010 , CD003243 | | 71 |
| 113 | Genetic diversity of carbapenem-resistant isolates of <i>Acinetobacter baumannii</i> in Europe. <i>Clinical Microbiology and Infection</i> , 2008 , 14, 161-7 | 9.5 | 71 |
| 112 | Assessment of pulse transit time to indicate cardiovascular changes during obstetric spinal anaesthesia. <i>British Journal of Anaesthesia</i> , 2006 , 96, 100-5 | 5.4 | 69 |
| 111 | Antimicrobial drug use and infection control practices associated with the prevalence of methicillin-resistant <i>Staphylococcus aureus</i> in European hospitals. <i>Clinical Microbiology and Infection</i> , 2007 , 13, 269-76 | 9.5 | 68 |
| 110 | Psychological risk factors for chronic post-surgical pain after inguinal hernia repair surgery: a prospective cohort study. <i>European Journal of Pain</i> , 2012 , 16, 600-10 | 3.7 | 64 |
| 109 | Chronic pain after total knee arthroplasty. <i>EFORT Open Reviews</i> , 2018 , 3, 461-470 | 5.5 | 64 |
| 108 | Procedure-specific surgical site infection rates and postdischarge surveillance in Scotland. <i>Infection Control and Hospital Epidemiology</i> , 2006 , 27, 1318-23 | 2 | 62 |
| 107 | Risk stratification for the development of chronic postsurgical pain. <i>Pain Reports</i> , 2017 , 2, e627 | 3.5 | 61 |
| 106 | Chronic Post Surgical Pain. <i>Reviews in Pain</i> , 2011 , 5, 23-9 | | 60 |
| 105 | Healing by primary versus secondary intention after surgical treatment for pilonidal sinus. <i>Cochrane Database of Systematic Reviews</i> , 2007 , CD006213 | | 60 |
| 104 | Identification of risk factors by systematic review and development of risk-adjusted models for surgical site infection. <i>Health Technology Assessment</i> , 2011 , 15, 1-156, iii-iv | 4.4 | 59 |
| 103 | Clinical Prediction Model and Tool for Assessing Risk of Persistent Pain After Breast Cancer Surgery. <i>Journal of Clinical Oncology</i> , 2017 , 35, 1660-1667 | 2.2 | 54 |
| 102 | Systematic review of the quality of surgical mortality monitoring. <i>British Journal of Surgery</i> , 2003 , 90, 527-32 | 5.3 | 53 |
| 101 | Systematic review of management of chronic pain after surgery. <i>British Journal of Surgery</i> , 2017 , 104, 1293-1306 | 5.3 | 49 |
| 100 | Report of the Consensus Conference on Antibiotic Resistance; Prevention and Control (ARPAC). <i>Clinical Microbiology and Infection</i> , 2005 , 11, 938-54 | 9.5 | 47 |
| 99 | Antibiotic stewardship and consumption: findings from a pan-European hospital study. <i>Journal of Antimicrobial Chemotherapy</i> , 2009 , 64, 853-60 | 5.1 | 42 |
| 98 | Quality of life and chronic pain four years after gastrointestinal surgery. <i>Diseases of the Colon and Rectum</i> , 2006 , 49, 1362-70 | 3.1 | 42 |

| | | | |
|----|--|------|----|
| 97 | Colorectal cancers in children without any predisposing factors. A report of eight cases and review of the literature. <i>European Journal of Pediatric Surgery</i> , 2003 , 13, 66-8 | 1.9 | 42 |
| 96 | Effect of Incisional Negative Pressure Wound Therapy vs Standard Wound Dressing on Deep Surgical Site Infection After Surgery for Lower Limb Fractures Associated With Major Trauma: The WHIST Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 519-526 | 27.4 | 41 |
| 95 | Quantitative assessment of chronic postsurgical pain using the McGill Pain Questionnaire. <i>Clinical Journal of Pain</i> , 2004 , 20, 70-5 | 3.5 | 41 |
| 94 | Assessment of chronic post-surgical pain after knee replacement: development of a core outcome set. <i>European Journal of Pain</i> , 2015 , 19, 611-20 | 3.7 | 39 |
| 93 | The incidence and healthcare costs of persistent postoperative pain following lumbar spine surgery in the UK: a cohort study using the Clinical Practice Research Datalink (CPRD) and Hospital Episode Statistics (HES). <i>BMJ Open</i> , 2017 , 7, e017585 | 3 | 38 |
| 92 | Assessment of chronic postsurgical pain after knee replacement: a systematic review. <i>Arthritis Care and Research</i> , 2013 , 65, 1795-1803 | 4.7 | 37 |
| 91 | Surgical versus conservative interventions for displaced intra-articular calcaneal fractures. <i>The Cochrane Library</i> , 2013 , CD008628 | 5.2 | 36 |
| 90 | Postoperative Tamoxifen for ductal carcinoma in situ: Cochrane systematic review and meta-analysis. <i>Breast</i> , 2014 , 23, 546-51 | 3.6 | 34 |
| 89 | Infection control knowledge, attitude, and practice among Nepalese health care workers. <i>American Journal of Infection Control</i> , 2008 , 36, 595-7 | 3.8 | 34 |
| 88 | Negative-pressure wound therapy versus standard dressings for adults with an open lower limb fracture: the WOLLF RCT. <i>Health Technology Assessment</i> , 2018 , 22, 1-162 | 4.4 | 32 |
| 87 | Long-term follow-up of exercise interventions aimed at preventing falls in older people living in the community: a systematic review and meta-analysis. <i>Physiotherapy</i> , 2019 , 105, 187-199 | 3 | 31 |
| 86 | Accessing the Internet for patient information about orthopedics. <i>JAMA - Journal of the American Medical Association</i> , 1998 , 280, 1309 | 27.4 | 29 |
| 85 | The role of microbiology and pharmacy departments in the stewardship of antibiotic prescribing in European hospitals. <i>Journal of Hospital Infection</i> , 2007 , 65 Suppl 2, 73-81 | 6.9 | 28 |
| 84 | Status of infection control policies and organisation in European hospitals, 2001: the ARPAC study. <i>Clinical Microbiology and Infection</i> , 2006 , 12, 729-37 | 9.5 | 28 |
| 83 | Screening and Intervention to Prevent Falls and Fractures in Older People. <i>New England Journal of Medicine</i> , 2020 , 383, 1848-1859 | 59.2 | 27 |
| 82 | Early ankle movement versus immobilization in the postoperative management of ankle fracture in adults: a systematic review and meta-analysis. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2014 , 44, 690-701, C1-7 | 4.2 | 25 |
| 81 | Influence of oral tramadol on the dynamic ventilatory response to carbon dioxide in healthy volunteers. <i>British Journal of Anaesthesia</i> , 2001 , 87, 860-5 | 5.4 | 24 |
| 80 | Negative pressure wound therapy for open traumatic wounds. <i>The Cochrane Library</i> , 2018 , 7, CD012522 | 5.2 | 24 |

| | | | |
|----|---|-----|----|
| 79 | Use of complementary and alternative medicine in pediatric otolaryngology patients attending a tertiary hospital in the UK. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2007 , 71, 1725-30 | 1.7 | 23 |
| 78 | Postoperative tamoxifen for ductal carcinoma in situ. <i>The Cochrane Library</i> , 2012 , 10, CD007847 | 5.2 | 22 |
| 77 | A cluster randomised controlled trial of advice, exercise or multifactorial assessment to prevent falls and fractures in community-dwelling older adults: protocol for the prevention of falls injury trial (PreFIT). <i>BMJ Open</i> , 2016 , 6, e009362 | 3 | 21 |
| 76 | Use of complementary and alternative medicine by patients admitted to a surgical unit in Scotland. <i>Annals of the Royal College of Surgeons of England</i> , 2008 , 90, 571-6 | 1.4 | 19 |
| 75 | A United Kingdom survey of surgical technique and handling practice of inguinal canal structures during hernia surgery. <i>Surgery</i> , 2006 , 139, 523-6 | 3.6 | 19 |
| 74 | Patient experience of long-term recovery after open fracture of the lower limb: a qualitative study using interviews in a community setting. <i>BMJ Open</i> , 2019 , 9, e031261 | 3 | 19 |
| 73 | Evidence for heritability of pain in patients with traumatic neuropathy. <i>Pain</i> , 2004 , 108, 200-1; author reply 202 | 8 | 17 |
| 72 | Ventilatory responses after major surgery and high dependency care. <i>British Journal of Anaesthesia</i> , 2012 , 108, 864-71 | 5.4 | 16 |
| 71 | What enables older people to continue with their falls prevention exercises? A qualitative systematic review. <i>BMJ Open</i> , 2019 , 9, e026074 | 3 | 16 |
| 70 | Using Bayesian adaptive designs to improve phase III trials: a respiratory care example. <i>BMC Medical Research Methodology</i> , 2019 , 19, 99 | 4.7 | 15 |
| 69 | Systematic review of economic evaluations of exercise and physiotherapy for patients treated for breast cancer. <i>Breast Cancer Research and Treatment</i> , 2019 , 176, 37-52 | 4.4 | 15 |
| 68 | Protocol for a randomised controlled trial of standard wound management versus negative pressure wound therapy in the treatment of adult patients with an open fracture of the lower limb: UK Wound management of Lower Limb Fractures (UK WOLLF). <i>BMJ Open</i> , 2015 , 5, e009087 | 3 | 15 |
| 67 | Clinical- and cost-effectiveness of the STAR care pathway compared to usual care for patients with chronic pain after total knee replacement: study protocol for a UK randomised controlled trial. <i>Trials</i> , 2018 , 19, 132 | 2.8 | 14 |
| 66 | Randomised controlled trial of exercise to prevent shoulder problems in women undergoing breast cancer treatment: study protocol for the prevention of shoulder problems trial (UK PROSPER). <i>BMJ Open</i> , 2018 , 8, e019078 | 3 | 14 |
| 65 | Exercise for rheumatoid arthritis of the hand. <i>The Cochrane Library</i> , 2018 , 7, CD003832 | 5.2 | 14 |
| 64 | Use of complementary and alternative medicine by patients attending a head and neck oncology clinic. <i>Journal of Laryngology and Otology</i> , 2008 , 122, 1360-4 | 1.8 | 14 |
| 63 | Psychological preparation and postoperative outcomes for adults undergoing surgery under general anaesthesia 2010 , | | 13 |
| 62 | Comparison of alternative Falls data collection methods in the Prevention of Falls Injury Trial (PreFIT). <i>Journal of Clinical Epidemiology</i> , 2019 , 106, 32-40 | 5.7 | 12 |

| | | | |
|----|---|-----|----|
| 61 | Cost-effectiveness of negative-pressure wound therapy in adults with severe open fractures of the lower limb: evidence from the WOLLF randomized controlled trial. <i>Bone and Joint Journal</i> , 2019 , 101-B, 1392-1401 | 5.6 | 12 |
| 60 | Measurement properties of the Disability Rating Index in patients undergoing hip replacement. <i>Rheumatology</i> , 2015 , 54, 64-71 | 3.9 | 11 |
| 59 | Predictors of attendance to group exercise: a cohort study of older adults in long-term care facilities. <i>BMC Geriatrics</i> , 2015 , 15, 37 | 4.1 | 11 |
| 58 | Development of an exercise intervention for the prevention of musculoskeletal shoulder problems after breast cancer treatment: the prevention of shoulder problems trial (UK PROSPER). <i>BMC Health Services Research</i> , 2018 , 18, 463 | 2.9 | 11 |
| 57 | Standard wound management versus negative-pressure wound therapy in the treatment of adult patients having surgical incisions for major trauma to the lower limb-a two-arm parallel group superiority randomised controlled trial: protocol for Wound Healing in Surgery for Trauma (WHIST). <i>BMJ Open</i> , 2018 , 8, e022115 | 3 | 11 |
| 56 | Reviewing the literature: adopting a systematic approach. <i>Journal of Family Planning and Reproductive Health Care</i> , 2004 , 30, 13-6 | | 11 |
| 55 | Letter: evidence-based wound care in the UK: a response to David Leaper's editorial in International Wound Journal April 2009 6 (2). <i>International Wound Journal</i> , 2009 , 6, 306-9; author reply 309-10 | 2.6 | 10 |
| 54 | Information and behavioural instruction along the health-care pathway: the perspective of people undergoing hernia repair surgery and the role of formal and informal information sources. <i>Health Expectations</i> , 2009 , 12, 149-59 | 3.7 | 10 |
| 53 | Evidence-based infection control planning based on national healthcare-associated infection prevalence data. <i>Infection Control and Hospital Epidemiology</i> , 2009 , 30, 187-9 | 2 | 10 |
| 52 | Dedicated psychiatric care within general practice: health outcome and service providers' views. <i>Journal of Advanced Nursing</i> , 1999 , 29, 1060-7 | 3.1 | 10 |
| 51 | The design and development of a complex multifactorial falls assessment intervention for falls prevention: The Prevention of Falls Injury Trial (PreFIT). <i>BMC Geriatrics</i> , 2017 , 17, 116 | 4.1 | 9 |
| 50 | Antimicrobial susceptibility testing in European hospitals: report from the ARPAC study. <i>Clinical Microbiology and Infection</i> , 2006 , 12, 1185-92 | 9.5 | 9 |
| 49 | Better Outcomes for Older people with Spinal Trouble (BOOST) Trial: a randomised controlled trial of a combined physical and psychological intervention for older adults with neurogenic claudication, a protocol. <i>BMJ Open</i> , 2018 , 8, e022205 | 3 | 9 |
| 48 | Development of a complex intervention for people with chronic pain after knee replacement: the STAR care pathway. <i>Trials</i> , 2018 , 19, 61 | 2.8 | 7 |
| 47 | Rehabilitation following surgery: clinical and psychological predictors of activity limitations. <i>Rehabilitation Psychology</i> , 2013 , 58, 350-60 | 2.7 | 7 |
| 46 | Rehabilitation Exercise and psycholoGical support After covid-19 InfectioNS(REGAIN): a structured summary of a study protocol for a randomised controlled trial. <i>Trials</i> , 2021 , 22, 8 | 2.8 | 7 |
| 45 | Commentary: Controversies in NICE guidance on surgical site infection. <i>BMJ, The</i> , 2008 , 337, a2120 | 5.9 | 6 |
| 44 | Development and delivery of an exercise programme for falls prevention: the Prevention of Falls Injury Trial (PreFIT). <i>Physiotherapy</i> , 2018 , 104, 72-79 | 3 | 5 |

| | | | |
|----|---|-----|---|
| 43 | The importance of different frailty domains in a population based sample in England. <i>BMC Geriatrics</i> , 2020 , 20, 16 | 4.1 | 5 |
| 42 | Negative-pressure wound therapy compared with standard dressings following surgical treatment of major trauma to the lower limb: the WHiST RCT. <i>Health Technology Assessment</i> , 2020 , 24, 1-86 | 4.4 | 5 |
| 41 | Chronic pain with neuropathic characteristics after surgery for major trauma to the lower limb: prevalence, predictors, and association with pain severity, disability, and quality of life in the UK WHiST trial. <i>Bone and Joint Journal</i> , 2021 , 103-B, 1047-1054 | 5.6 | 5 |
| 40 | Reoperation following lumbar spinal surgery: costs and outcomes in a UK population cohort study using the Clinical Practice Research Datalink (CPRD) and Hospital Episode Statistics (HES). <i>European Spine Journal</i> , 2019 , 28, 863-871 | 2.7 | 4 |
| 39 | SurgiCal Obesity Treatment Study (SCOTS): protocol for a national prospective cohort study of patients undergoing bariatric surgery in Scotland. <i>BMJ Open</i> , 2015 , 5, e008106 | 3 | 4 |
| 38 | A review of the effectiveness of Smokebusters: community-based smoking prevention for young people. <i>Health Education Research</i> , 1999 , 14, 109-20 | 1.8 | 4 |
| 37 | Workload implications of community psychiatric nurse employment by a general practice: a pilot study. <i>British Journal of General Practice</i> , 1998 , 48, 1419-20 | 1.6 | 4 |
| 36 | Life after falls prevention exercise - experiences of older people taking part in a clinical trial: a phenomenological study. <i>BMC Geriatrics</i> , 2021 , 21, 91 | 4.1 | 4 |
| 35 | Persistent postoperative pain and healthcare costs associated with instrumented and non-instrumented spinal surgery: a case-control study. <i>Journal of Orthopaedic Surgery and Research</i> , 2020 , 15, 127 | 2.8 | 3 |
| 34 | Review: family and parenting interventions reduce subsequent arrests and length of time in institutions in youths with conduct disorder and delinquency. <i>Evidence-based Nursing</i> , 2002 , 5, 12 | 0.3 | 3 |
| 33 | The influence of a high temperature, high humidity indoor environment on pig performance under farm conditions. <i>Veterinary Record</i> , 1972 , 90, 531-7 | 0.9 | 3 |
| 32 | Role of physiotherapy in supporting recovery from breast cancer treatment: a qualitative study embedded within the UK PROSPER trial. <i>BMJ Open</i> , 2021 , 11, e040116 | 3 | 3 |
| 31 | Musculoskeletal pain and loneliness, social support and social engagement among older adults: Analysis of the Oxford Pain, Activity and Lifestyle cohort. <i>Musculoskeletal Care</i> , 2021 , 19, 269-277 | 1.6 | 2 |
| 30 | Light Retrograde Massage for the Treatment of Post-Stroke Upper Limb Oedema: Clinical Consensus Using the Delphi Technique. <i>British Journal of Occupational Therapy</i> , 2012 , 75, 549-554 | 1 | 2 |
| 29 | Postoperative tamoxifen for ductal carcinoma in situ 2009 , | | 2 |
| 28 | Review: parental tobacco smoke increases the risk of asthma and respiratory symptoms in school age children. <i>Evidence-based Nursing</i> , 1998 , 1, 86-86 | 0.3 | 2 |
| 27 | Exercise versus usual care after non-reconstructive breast cancer surgery (UK PROSPER): multicentre randomised controlled trial and economic evaluation. <i>BMJ, The</i> , 2021 , 375, e066542 | 5.9 | 2 |
| 26 | The safety profile of BaldS eyesalve for the treatment of bacterial infections. <i>Scientific Reports</i> , 2020 , 10, 17513 | 4.9 | 2 |

| | | | |
|----|--|------|---|
| 25 | Cohort profile: Oxford Pain, Activity and Lifestyle (OPAL) Study, a prospective cohort study of older adults in England. <i>BMJ Open</i> , 2020 , 10, e037516 | 3 | 2 |
| 24 | Supervised pulmonary hypertension exercise rehabilitation (SPHERE): study protocol for a multi-centre randomised controlled trial. <i>BMC Pulmonary Medicine</i> , 2020 , 20, 143 | 3.5 | 1 |
| 23 | Intensity and features of acute postoperative pain after mastectomy and breast-conserving surgery. <i>Breast Cancer Research</i> , 2010 , 12, | 8.3 | 1 |
| 22 | Surgical versus conservative interventions for displaced intra-articular calcaneal fractures 2010 , | | 1 |
| 21 | Laparoscopic fundoplication for gastro-oesophageal reflux disease (GORD) in adults. <i>The Cochrane Library</i> , 2010 , | 5.2 | 1 |
| 20 | Review: family and parenting interventions reduce subsequent arrests and length of time in institutions in youths with conduct disorder and delinquency. <i>Evidence-Based Mental Health</i> , 2002 , 5, 123 | 11.1 | 1 |
| 19 | The STAR care pathway for patients with pain at 3 months after total knee replacement: a multicentre, pragmatic, randomised, controlled trial.. <i>Lancet Rheumatology</i> , 2022 , 4, e188-e197 | 14.2 | 1 |
| 18 | Protocol for a randomised controlled feasibility trial of exercise rehabilitation for people with postural tachycardia syndrome: the PULSE study. <i>Pilot and Feasibility Studies</i> , 2020 , 6, 157 | 1.9 | 1 |
| 17 | Screening to identify postoperative pain and cross-sectional associations between factors identified in this process with pain and function, three months after total knee replacement. <i>Arthritis Care and Research</i> , 2020 , | 4.7 | 1 |
| 16 | Fall prevention interventions in primary care to reduce fractures and falls in people aged 70 years and over: the PreFIT three-arm cluster RCT. <i>Health Technology Assessment</i> , 2021 , 25, 1-114 | 4.4 | 1 |
| 15 | Risk Factors for Mobility Decline in Community-Dwelling Older Adults: A Systematic Literature Review. <i>Journal of Aging and Physical Activity</i> , 2021 , 29, 1053-1066 | 1.6 | 1 |
| 14 | Wound photography for evaluation of surgical site infection and wound healing after lower limb trauma. <i>Bone and Joint Journal</i> , 2021 , 103-B, 1802-1808 | 5.6 | 0 |
| 13 | Current physical therapy care of patients undergoing breast reconstruction for breast cancer: a survey of practice in the United Kingdom and Brazil. <i>Brazilian Journal of Physical Therapy</i> , 2021 , 25, 175-185 | 3.7 | 0 |
| 12 | Exercise to prevent shoulder problems after breast cancer surgery: the PROSPER RCT.. <i>Health Technology Assessment</i> , 2022 , 26, 1-124 | 4.4 | 0 |
| 11 | Protocol update for a randomised controlled feasibility trial of exercise rehabilitation for people with postural tachycardia syndrome: the PULSE study.. <i>Pilot and Feasibility Studies</i> , 2022 , 8, 101 | 1.9 | 0 |
| 10 | Post-surgical pain, physical activity and satisfaction with the decision to undergo hernia surgery: a prospective qualitative investigation. <i>Health Psychology Research</i> , 2013 , 1, 18 | | |
| 9 | Post-Surgical Pain, Physical Activity and Satisfaction with the Decision to Undergo Hernia Surgery: A Prospective Qualitative Investigation. <i>Health Psychology Research</i> , 2013 , 1, e18 | | |
| 8 | 438 PREVALENCE AND FEATURES OF NEUROPATHIC PAIN IN PATIENTS WITH NEWLY DIAGNOSED PRIMARY BREAST CANCER. <i>European Journal of Pain Supplements</i> , 2010 , 4, 124-124 | | |

| | | |
|---|--|-----|
| 7 | Surgical death rates are not a reliable measure of hospital quality. <i>Evidence-Based Healthcare and Public Health</i> , 2005 , 9, 20-22 | |
| 6 | Review: stage based interventions did not influence smoking behaviour. <i>Evidence-based Nursing</i> , 2004 , 7, 13 | 0.3 |
| 5 | Response to letter by Devor. <i>Pain</i> , 2004 , 108, 202 | 8 |
| 4 | Systematic reviews of health promotion initiatives - the Smokebusters experience. <i>Health Education</i> , 1999 , 99, 76-83 | 1 |
| 3 | Preventing chronic pain after surgery 2008 , 558-569 | |
| 2 | SurgiCal Obesity Treatment Study (SCOTS): a prospective, observational cohort study on health and socioeconomic burden in treatment-seeking individuals with severe obesity in Scotland, UK. <i>BMJ Open</i> , 2021 , 11, e046441 | 3 |
| 1 | Experiences of recovery and a new care pathway for people with pain after total knee replacement: qualitative research embedded in the STAR trial.. <i>BMC Musculoskeletal Disorders</i> , 2022 , 23, 451 | 2.8 |