

# Jian-Kang Zhu

## List of PR Articles by Year in descending order

Source: [//exaly.com/author-pdf/64466/publications.pdf](https://exaly.com/author-pdf/64466/publications.pdf)

Version: 2025-02-01

476

PR articles

100,969

PR citations

64

154

PR h-index

115

309

g-index

538

documents

127420

doc citations

62

174

h-index

55554

citing authors

#	ARTICLE	IF	PR CITATIONS
1	Simple method for transformation and gene editing in medicinal plants. <i>Journal of Integrative Plant Biology</i> , 2024, 66, 17-19.	9.0	50
2	An engineered Cas12i nuclease that is an efficient genome editing tool in animals and plants. <i>Innovation(China)</i> , 2024, 5, 100564.	7.7	21
3	Accurate estimation of biological age and its application in disease prediction using a multimodal image Transformer system. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2024, 121, .	7.6	17
4	Breeding exceptionally fragrant soybeans for soy milk with strong aroma. <i>Journal of Integrative Plant Biology</i> , 2024, 66, 642-644.	9.0	11
5	Targeted CRISPR base editing for generation of novel herbicide-resistance gene alleles in rice. <i>Journal of Integrative Plant Biology</i> , 2024, 66, 1048-1051.	9.0	8
6	Global dynamics and cytokinin participation of salt gland development trajectory in recretohalophyte <i>Limonium bicolor</i> . <i>Plant Physiology</i> , 2024, 195, 2094-2110.	5.5	17
7	Knockout of <i>miR396</i> genes increases seed size and yield in soybean. <i>Journal of Integrative Plant Biology</i> , 2024, 66, 1148-1157.	9.0	17
8	Transgenerational increases in DNA methylation in <i>Arabidopsis</i> plants defective in active DNA demethylation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2024, 121, .	7.6	10
9	SANT proteins modulate gene expression by coordinating histone H3KAc and H3K9me3 levels and regulate plant heat tolerance. <i>Plant Physiology</i> , 2024, 196, 902-915.	5.5	5
10	<i>INDEL</i> locus gene silencing in plants using genome editing. <i>New Phytologist</i> , 2024, 243, 2501-2511.	8.1	11
11	Simultaneous mutations in <i>ITPK4</i> and <i>MRP5</i> genes result in a low phytic acid level without compromising salt tolerance in <i>Arabidopsis</i> . <i>Journal of Integrative Plant Biology</i> , 2024, 66, 2109-2125.	9.0	5
12	Stabilization of dimeric PYR/PYL/RCAR family members relieves abscisic acid-induced inhibition of seed germination. <i>Nature Communications</i> , 2024, 15, .	13.9	17
13	The cell biology of primary cell walls during salt stress. <i>Plant Cell</i> , 2023, 35, 201-217.	7.6	148
14	SYNTAXIN OF PLANTS81 regulates root meristem activity and stem cell niche maintenance via ROS signaling. <i>Plant Physiology</i> , 2023, 191, 1365-1382.	5.5	24
15	FERONIA coordinates plant growth and salt tolerance via the phosphorylation of phyB. <i>Nature Plants</i> , 2023, 9, 645-660.	11.9	85
16	Acetylproteomics analyses reveal critical features of lysine- $\mu$ -acetylation in <i>Arabidopsis</i> and a role of 14-3-3 protein acetylation in alkaline response. <i>Stress Biology</i> , 2022, 2, .	5.0	16
17	The tomato OST1-VOZ1 module regulates drought-mediated flowering. <i>Plant Cell</i> , 2022, 34, 2001-2018.	7.6	106
18	SUMO E3 ligase SIZ1 negatively regulates arsenite resistance via depressing GSH biosynthesis in <i>Arabidopsis</i> . <i>Stress Biology</i> , 2022, 2, .	5.0	5

#	ARTICLE	IF	PR CITATIONS
19	A novel mitochondrial protein is required for cell wall integrity, auxin accumulation and root elongation in <i>Arabidopsis</i> under salt stress. <i>Stress Biology</i> , 2022, 2, .	5.0	8
20	DNA methylation-free <i>Arabidopsis</i> reveals crucial roles of DNA methylation in regulating gene expression and development. <i>Nature Communications</i> , 2022, 13, .	13.9	183
21	MAG2 and MAL Regulate Vesicle Trafficking and Auxin Homeostasis With Functional Redundancy. <i>Frontiers in Plant Science</i> , 2022, 13, .	4.1	0
22	The future of gene-edited crops in China. <i>National Science Review</i> , 2022, 9, .	9.8	14
23	Improvement of base editors and prime editors advances precision genome engineering in plants. <i>Plant Physiology</i> , 2022, 188, 1795-1810.	5.5	44
24	Efficient C-to-G editing in rice using an optimized base editor. <i>Plant Biotechnology Journal</i> , 2022, 20, 1238-1240.	8.8	49
25	Stalk cell polar ion transport provide for bladder-based salinity tolerance in <i>Chenopodium quinoa</i> . <i>New Phytologist</i> , 2022, 235, 1822-1835.	8.1	21
26	Lipid metabolism dysfunction induced by age-dependent DNA methylation accelerates aging. <i>Signal Transduction and Targeted Therapy</i> , 2022, 7, .	43.9	95
27	Plant latent defense response to microbial non-pathogenic factors antagonizes compatibility. <i>National Science Review</i> , 2022, 9, .	9.8	6
28	Genome-Wide Analysis of CqCrRLK1L and CqRALF Gene Families in <i>Chenopodium quinoa</i> and Their Roles in Salt Stress Response. <i>Frontiers in Plant Science</i> , 2022, 13, .	4.1	13
29	NUCLEAR PORE ANCHOR and EARLY IN SHORT DAYS 4 negatively regulate abscisic acid signaling by inhibiting Snf1-related protein kinase2 activity and stability in <i>Arabidopsis</i> . <i>Journal of Integrative Plant Biology</i> , 2022, 64, 2060-2074.	9.0	19
30	Insights into the molecular mechanisms of CRISPR/Cas9-mediated gene targeting at multiple loci in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2022, 190, 2203-2216.	5.5	15
31	The H3K9me2-binding protein AGDP3 limits DNA methylation and transcriptional gene silencing in <i>Arabidopsis</i> . <i>Journal of Integrative Plant Biology</i> , 2022, 64, 2385-2395.	9.0	12
32	Active DNA demethylation in plants: 20 years of discovery and beyond. <i>Journal of Integrative Plant Biology</i> , 2022, 64, 2217-2239.	9.0	39
33	Natural variations in <i>SISOS1</i> contribute to the loss of salt tolerance during tomato domestication. <i>Plant Biotechnology Journal</i> , 2021, 19, 20-22.	8.8	81
34	The LRXs-RALFs-FER module controls plant growth and salt stress responses by modulating multiple plant hormones. <i>National Science Review</i> , 2021, 8, .	9.8	114
35	Precise genome modification in tomato using an improved prime editing system. <i>Plant Biotechnology Journal</i> , 2021, 19, 415-417.	8.8	141
36	Roles of DEMETER in regulating DNA methylation in vegetative tissues and pathogen resistance. <i>Journal of Integrative Plant Biology</i> , 2021, 63, 691-706.	9.0	42

#	ARTICLE	IF	PR CITATIONS
37	A novel protein complex that regulates active DNA demethylation in <i>Arabidopsis</i> . <i>Journal of Integrative Plant Biology</i> , 2021, 63, 772-786.	9.0	25
38	Genome editing for plant research and crop improvement. <i>Journal of Integrative Plant Biology</i> , 2021, 63, 3-33.	9.0	109
39	Gene Targeting Facilitated by Engineered Sequence-Specific Nucleases: Potential Applications for Crop Improvement. <i>Plant and Cell Physiology</i> , 2021, 62, 752-765.	3.5	14
40	Dicer-like proteins influence <i>Arabidopsis</i> root microbiota independent of RNA-directed DNA methylation. <i>Microbiome</i> , 2021, 9, .	11.5	27
41	Mediator tail module subunits MED16 and MED25 differentially regulate abscisic acid signaling in <i>Arabidopsis</i> . <i>Journal of Integrative Plant Biology</i> , 2021, 63, 802-815.	9.0	38
42	General Control Non-derepressible 1 (AtGCN1) Is Important for Flowering Time, Plant Growth, Seed Development, and the Transcription/Translation of Specific Genes in <i>Arabidopsis</i> . <i>Frontiers in Plant Science</i> , 2021, 12, .	4.1	7
43	Genome-wide distribution and functions of the AAE complex in epigenetic regulation in <i>Arabidopsis</i> . <i>Journal of Integrative Plant Biology</i> , 2021, 63, 707-722.	9.0	25
44	Initiation and amplification of SnRK2 activation in abscisic acid signaling. <i>Nature Communications</i> , 2021, 12, .	13.9	216
45	Novel <i>Wx</i> alleles generated by base editing for improvement of rice grain quality. <i>Journal of Integrative Plant Biology</i> , 2021, 63, 1632-1638.	9.0	37
46	A domesticated <i>Harbinger</i> transposase forms a complex with HDA6 and promotes histone H3 deacetylation at genes but not TEs in <i>Arabidopsis</i> . <i>Journal of Integrative Plant Biology</i> , 2021, 63, 1462-1474.	9.0	27
47	A histone H3K4me1-specific binding protein is required for siRNA accumulation and DNA methylation at a subset of loci targeted by RNA-directed DNA methylation. <i>Nature Communications</i> , 2021, 12, .	13.9	47
48	AtSEC22 Regulates Cell Morphogenesis via Affecting Cytoskeleton Organization and Stabilities. <i>Frontiers in Plant Science</i> , 2021, 12, .	4.1	14
49	Creation of aromatic maize by CRISPR/Cas. <i>Journal of Integrative Plant Biology</i> , 2021, 63, 1664-1670.	9.0	69
50	The <i>Arabidopsis</i> spliceosomal protein SmEb modulates ABA responses by maintaining proper alternative splicing of HAB1. <i>Stress Biology</i> , 2021, 1, .	5.0	12
51	Intragenic heterochromatin-mediated alternative polyadenylation modulates miRNA and pollen development in rice. <i>New Phytologist</i> , 2021, 232, 835-852.	8.1	23
52	MSI4/FVE is required for accumulation of 24 siRNAs and DNA methylation at a subset of target regions of RNA-directed DNA methylation. <i>Plant Journal</i> , 2021, 108, 347-357.	6.2	9
53	Genetic analysis implicates a molecular chaperone complex in regulating epigenetic silencing of methylated genomic regions. <i>Journal of Integrative Plant Biology</i> , 2021, 63, 1451-1461.	9.0	13
54	Pathway conversion enables a double-lock mechanism to maintain DNA methylation and genome stability. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.6	47

#	ARTICLE	IF	PR CITATIONS
55	SWO1 modulates cell wall integrity under salt stress by interacting with importin $\beta$ in Arabidopsis. <i>Stress Biology</i> , 2021, 1, .	5.0	19
56	Expanding the target range of base editing in plants without loss of efficiency by blocking RNA $\epsilon$ silencing. <i>Plant Biotechnology Journal</i> , 2021, , .	8.8	7
57	Abiotic stress responses in plants. <i>Nature Reviews Genetics</i> , 2021, 23, 104-119.	47.6	1,754
58	Comparative physiological and transcriptomic analysis reveals salinity tolerance mechanisms in <i>Sorghum bicolor</i> (L.) Moench. <i>Planta</i> , 2021, 254, .	3.3	14
59	Non-CG DNA methylation-deficiency mutations enhance mutagenesis rates during salt adaptation in cultured Arabidopsis cells. <i>Stress Biology</i> , 2021, 1, .	5.0	15
60	Mechanism of phosphate sensing and signaling revealed by rice SPX1-PHR2 complex structure. <i>Nature Communications</i> , 2021, 12, .	13.9	86
61	Phosphorylation of SWEET sucrose transporters regulates plant root:shoot ratio under drought. <i>Nature Plants</i> , 2021, 8, 68-77.	11.9	236
62	Mutations in <i>MIR396e</i> and <i>MIR396f</i> increase grain size and modulate shoot architecture in rice. <i>Plant Biotechnology Journal</i> , 2020, 18, 491-501.	8.8	107
63	Simplified adenine base editors improve adenine base editing efficiency in rice. <i>Plant Biotechnology Journal</i> , 2020, 18, 770-778.	8.8	96
64	Gene targeting in <i>Arabidopsis</i> via an all $\epsilon$ one strategy that uses a translational enhancer to aid Cas9 expression. <i>Plant Biotechnology Journal</i> , 2020, 18, 892-894.	8.8	32
65	Abscisic acid dynamics, signaling, and functions in plants. <i>Journal of Integrative Plant Biology</i> , 2020, 62, 25-54.	9.0	1,421
66	STCH4/REIL2 Confers Cold Stress Tolerance in Arabidopsis by Promoting rRNA Processing and CBF Protein Translation. <i>Cell Reports</i> , 2020, 30, 229-242.e5.	6.4	76
67	Disruption of <i>MIR396e</i> and <i>MIR396f</i> improves rice yield under nitrogen-deficient conditions. <i>National Science Review</i> , 2020, 7, 102-112.	9.8	105
68	Two Chloroplast Proteins Negatively Regulate Plant Drought Resistance Through Separate Pathways. <i>Plant Physiology</i> , 2020, 182, 1007-1021.	5.5	50
69	Epigenetic regulation in plant abiotic stress responses. <i>Journal of Integrative Plant Biology</i> , 2020, 62, 563-580.	9.0	462
70	The plasma $\epsilon$ membrane polyamine transporter PUT3 is regulated by the Na <sup>+</sup> /H <sup>+</sup> antiporter SOS1 and protein kinase SOS2. <i>New Phytologist</i> , 2020, 226, 785-797.	8.1	52
71	BONZAI Proteins Control Global Osmotic Stress Responses in Plants. <i>Current Biology</i> , 2020, 30, 4815-4825.e4.	3.6	74
72	DNA demethylases are required for myo-inositol-mediated mutualism between plants and beneficial rhizobacteria. <i>Nature Plants</i> , 2020, 6, 983-995.	11.9	84

#	ARTICLE	IF	PR CITATIONS
73	Thriving under Stress: How Plants Balance Growth and the Stress Response. <i>Developmental Cell</i> , 2020, 55, 529-543.	7.8	716
74	Coupling of H3K27me3 recognition with transcriptional repression through the BAH-PHD-CPL2 complex in <i>Arabidopsis</i> . <i>Nature Communications</i> , 2020, 11, .	13.9	57
75	Chemical Manipulation of Abscisic Acid Signaling: A New Approach to Abiotic and Biotic Stress Management in Agriculture. <i>Advanced Science</i> , 2020, 7, .	12.7	139
76	Precision genome engineering in rice using prime editing system. <i>Plant Biotechnology Journal</i> , 2020, 18, 2167-2169.	8.8	150
77	The CCR4-NOT complex component NOT1 regulates RNA-directed DNA methylation and transcriptional silencing by facilitating Pol IV-dependent siRNA production. <i>Plant Journal</i> , 2020, 103, 1503-1515.	6.2	12
78	Mechanisms of Plant Responses and Adaptation to Soil Salinity. <i>Innovation(China)</i> , 2020, 1, 100017.	7.7	662
79	Reciprocal regulation between nicotinamide adenine dinucleotide metabolism and abscisic acid and stress response pathways in <i>Arabidopsis</i> . <i>PLoS Genetics</i> , 2020, 16, e1008892.	3.3	39
80	Epigenetic memory marks determine epiallele stability at loci targeted by de novo DNA methylation. <i>Nature Plants</i> , 2020, 6, 661-674.	11.9	74
81	Loss of salt tolerance during tomato domestication conferred by variation in a Na <sup>+</sup> /K <sup>+</sup> transporter. <i>EMBO Journal</i> , 2020, 39, .	7.4	197
82	Plant abiotic stress response and nutrient use efficiency. <i>Science China Life Sciences</i> , 2020, 63, 635-674.	6.8	1,128
83	CDK8 is associated with RAP2.6 and SnRK2.6 and positively modulates abscisic acid signaling and drought response in <i>Arabidopsis</i> . <i>New Phytologist</i> , 2020, 228, 1573-1590.	8.1	84
84	Mapping proteome-wide targets of protein kinases in plant stress responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 3270-3280.	7.6	152
85	A RAF-SnRK2 kinase cascade mediates early osmotic stress signaling in higher plants. <i>Nature Communications</i> , 2020, 11, .	13.9	240
86	DNA methylation markers in the diagnosis and prognosis of common leukemias. <i>Signal Transduction and Targeted Therapy</i> , 2020, 5, .	43.9	36
87	TPST is involved in fructose regulation of primary root growth in <i>Arabidopsis thaliana</i> . <i>Plant Molecular Biology</i> , 2020, 103, 511-525.	3.2	17
88	Large-scale identification of expression quantitative trait loci in <i>Arabidopsis</i> reveals novel candidate regulators of immune responses and other processes. <i>Journal of Integrative Plant Biology</i> , 2020, 62, 1469-1484.	9.0	7
89	Rhizobacterium-derived diacetyl modulates plant immunity in a phosphate-dependent manner. <i>EMBO Journal</i> , 2020, 39, .	7.4	90
90	Expanding the base editing scope in rice by using Cas9 variants. <i>Plant Biotechnology Journal</i> , 2019, 17, 499-504.	8.8	198

#	ARTICLE	IF	PR CITATIONS
91	Nucleocytoplasmic Trafficking of the Arabidopsis WD40 Repeat Protein XIW1 Regulates ABI5 Stability and Abscisic Acid Responses. <i>Molecular Plant</i> , 2019, 12, 1598-1611.	19.0	80
92	Histone acetylation recruits the SWR1 complex to regulate active DNA demethylation in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 16641-16650.	7.6	109
93	The grain yield modulator miR156 regulates seed dormancy through the gibberellin pathway in rice. <i>Nature Communications</i> , 2019, 10, .	13.9	168
94	A model for the aberrant DNA methylomes in aging cells and cancer cells. <i>Biochemical Society Transactions</i> , 2019, 47, 997-1003.	4.1	7
95	A Role for PICKLE in the Regulation of Cold and Salt Stress Tolerance in Arabidopsis. <i>Frontiers in Plant Science</i> , 2019, 10, .	4.1	84
96	Gene editing in plants: progress and challenges. <i>National Science Review</i> , 2019, 6, 421-437.	9.8	297
97	EXPORTIN 1A prevents transgene silencing in <i>Arabidopsis</i> by modulating nucleo-cytoplasmic partitioning of HDA6. <i>Journal of Integrative Plant Biology</i> , 2019, 61, 1243-1254.	9.0	12
98	The genome of broomcorn millet. <i>Nature Communications</i> , 2019, 10, .	13.9	205
99	Cystic pancreatic neuroendocrine tumors: A distinctive subgroup with indolent biological behavior? A systematic review and meta-analysis. <i>Pancreatology</i> , 2019, 19, 738-750.	0.7	16
100	Bipartite anchoring of SCREAM enforces stomatal initiation by coupling MAP kinases to SPEECHLESS. <i>Nature Plants</i> , 2019, 5, 742-754.	11.9	75
101	<i>DEMETER</i> plays a role in DNA demethylation and disease response in somatic tissues of Arabidopsis. <i>Epigenetics</i> , 2019, 14, 1074-1087.	3.1	44
102	Peroxisomal $\beta$ -oxidation regulates histone acetylation and DNA methylation in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 10576-10585.	7.6	43
103	Arabinose biosynthesis is critical for salt stress tolerance in Arabidopsis. <i>New Phytologist</i> , 2019, 224, 274-290.	8.1	101
104	Genome Engineering in Rice Using Cas9 Variants that Recognize NG PAM Sequences. <i>Molecular Plant</i> , 2019, 12, 1003-1014.	19.0	136
105	A group of SUVH methyl-DNA binding proteins regulate expression of the DNA demethylase ROS1 in <i>Arabidopsis</i> . <i>Journal of Integrative Plant Biology</i> , 2019, 61, 110-119.	9.0	61
106	Critical function of DNA methyltransferase 1 in tomato development and regulation of the DNA methylome and transcriptome. <i>Journal of Integrative Plant Biology</i> , 2019, 61, 1224-1242.	9.0	69
107	Global increase in DNA methylation during orange fruit development and ripening. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 1430-1436.	7.6	278
108	Precise A-T to G-C Base Editing in the Rice Genome. <i>Molecular Plant</i> , 2018, 11, 627-630.	19.0	224

#	ARTICLE	IF	PR CITATIONS
109	Reactive oxygen species signaling and stomatal movement in plant responses to drought stress and pathogen attack. <i>Journal of Integrative Plant Biology</i> , 2018, 60, 805-826.	9.0	592
110	EAR1 Negatively Regulates ABA Signaling by Enhancing 2C Protein Phosphatase Activity. <i>Plant Cell</i> , 2018, 30, 815-834.	7.6	143
111	A naturally occurring epiallele associates with leaf senescence and local climate adaptation in <i>Arabidopsis</i> accessions. <i>Nature Communications</i> , 2018, 9, .	13.9	99
112	Interaction network of core ABA signaling components in maize. <i>Plant Molecular Biology</i> , 2018, 96, 245-263.	3.2	66
113	A virus-targeted plant receptor-like kinase promotes cell-to-cell spread of RNAi. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 1388-1393.	7.6	248
114	Knockdown of Rice MicroRNA166 Confers Drought Resistance by Causing Leaf Rolling and Altering Stem Xylem Development. <i>Plant Physiology</i> , 2018, 176, 2082-2094.	5.5	258
115	Reciprocal Regulation of the TOR Kinase and ABA Receptor Balances Plant Growth and Stress Response. <i>Molecular Cell</i> , 2018, 69, 100-112.e6.	13.4	529
116	Spliceosomal protein U1A is involved in alternative splicing and salt stress tolerance in <i>Arabidopsis thaliana</i> . <i>Nucleic Acids Research</i> , 2018, 46, 1777-1792.	15.7	73
117	EL1-like Casein Kinases Suppress ABA Signaling and Responses by Phosphorylating and Destabilizing the ABA Receptors PYR/PYLs in <i>Arabidopsis</i> . <i>Molecular Plant</i> , 2018, 11, 706-719.	19.0	105
118	Upstream kinases of plant Sn<sc>RK</sc>s are involved in salt stress tolerance. <i>Plant Journal</i> , 2018, 93, 107-118.	6.2	78
119	UTR-Dependent Control of Gene Expression in Plants. <i>Trends in Plant Science</i> , 2018, 23, 248-259.	12.1	198
120	Generation of new glutinous rice by CRISPR/Cas9-targeted mutagenesis of the <i>Waxy</i> gene in elite rice varieties. <i>Journal of Integrative Plant Biology</i> , 2018, 60, 369-375.	9.0	245
121	Experimental reconstruction of double-stranded break repair-mediated plastid <sc>DNA</sc> insertion into the tobacco nucleus. <i>Plant Journal</i> , 2018, 93, 227-234.	6.2	11
122	A Highly Efficient Cell Division-Specific CRISPR/Cas9 System Generates Homozygous Mutants for Multiple Genes in <i>Arabidopsis</i> . <i>International Journal of Molecular Sciences</i> , 2018, 19, 3925.	4.5	57
123	Leucine-rich repeat extensin proteins regulate plant salt tolerance in <i>Arabidopsis</i>. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 13123-13128.	7.6	349
124	Downregulation of RdDM during strawberry fruit ripening. <i>Genome Biology</i> , 2018, 19, .	8.2	212
125	DNA demethylase ROS1 negatively regulates the imprinting of <i>DOGL4</i> and seed dormancy in <i>Arabidopsis thaliana</i>. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, .	7.6	69
126	Understanding the Molecular Basis of Salt Sequestration in Epidermal Bladder Cells of <i>Chenopodium quinoa</i> . <i>Current Biology</i> , 2018, 28, 3075-3085.e7.	3.6	130

#	ARTICLE	IF	PR CITATIONS
127	Manipulating plant RNA-silencing pathways to improve the gene editing efficiency of CRISPR/Cas9 systems. <i>Genome Biology</i> , 2018, 19, .	8.2	48
128	Retrospective and perspective of plant epigenetics in China. <i>Journal of Genetics and Genomics</i> , 2018, 45, 621-638.	5.0	60
129	Four putative SWI2/SNF2 chromatin remodelers have dual roles in regulating DNA methylation in Arabidopsis. <i>Cell Discovery</i> , 2018, 4, .	9.6	38
130	Arabidopsis AGDP1 links H3K9me2 to DNA methylation in heterochromatin. <i>Nature Communications</i> , 2018, 9, .	13.9	83
131	Multiplex gene editing in rice with simplified CRISPR-Cpf1 and CRISPR-Cas9 systems. <i>Journal of Integrative Plant Biology</i> , 2018, 60, 626-631.	9.0	101
132	CRISPR/Cas9-mediated gene targeting in Arabidopsis using sequential transformation. <i>Nature Communications</i> , 2018, 9, .	13.9	227
133	Dynamics and function of DNA methylation in plants. <i>Nature Reviews Molecular Cell Biology</i> , 2018, 19, 489-506.	78.9	1,628
134	Mutations in a subfamily of abscisic acid receptor genes promote rice growth and productivity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 6058-6063.	7.6	384
135	Epigenetic switch from repressive to permissive chromatin in response to cold stress. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, .	7.6	214
136	MYC-type transcription factors, MYC67 and MYC70, interact with ICE1 and negatively regulate cold tolerance in Arabidopsis. <i>Scientific Reports</i> , 2018, 8, .	3.5	47
137	Universal Plant Phosphoproteomics Workflow and Its Application to Tomato Signaling in Response to Cold Stress*. <i>Molecular and Cellular Proteomics</i> , 2018, 17, 2068-2080.	3.0	73
138	High-Throughput Phosphorylation Screening and Validation through Ti(IV)-Nanopolymer Functionalized Reverse Phase Phosphoprotein Array. <i>Analytical Chemistry</i> , 2018, 90, 10263-10270.	6.5	6
139	The Flowering Repressor SVP Confers Drought Resistance in Arabidopsis by Regulating Abscisic Acid Catabolism. <i>Molecular Plant</i> , 2018, 11, 1184-1197.	19.0	107
140	Arabidopsis Duodecuple Mutant of PYL ABA Receptors Reveals PYL Repression of ABA-Independent SnRK2 Activity. <i>Cell Reports</i> , 2018, 23, 3340-3351.e5.	6.4	223
141	Transposable elements (<sc>TE</sc>s) contribute to stress-related long intergenic noncoding <sc>RNA</sc>s in plants. <i>Plant Journal</i> , 2017, 90, 133-146.	6.2	144
142	Phosphoproteins in extracellular vesicles as candidate markers for breast cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 3175-3180.	7.6	420
143	A Novel Chemical Inhibitor of ABA Signaling Targets All ABA Receptors. <i>Plant Physiology</i> , 2017, 173, 2356-2369.	5.5	67
144	New discoveries generate new questions about RNA-directed DNA methylation in Arabidopsis. <i>National Science Review</i> , 2017, 4, 10-15.	9.8	6

#	ARTICLE	IF	PR CITATIONS
145	SALT OVERLY SENSITIVE 2 (SOS2) and Interacting Partners SOS3 and ABSCISIC ACID-INSENSITIVE 2 (ABI2) Promote Red-Light-Dependent Germination and Seedling Deetiolation in <i>Arabidopsis</i> . International Journal of Plant Sciences, 2017, 178, 485-493.	1.4	17
146	Critical roles of DNA demethylation in the activation of ripening-induced genes and inhibition of ripening-repressed genes in tomato fruit. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, .	7.6	478
147	Short tandem target mimic rice lines uncover functions of miRNAs in regulating important agronomic traits. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 5277-5282.	7.6	166
148	Genome-wide Targeted Mutagenesis in Rice Using the CRISPR/Cas9 System. Molecular Plant, 2017, 10, 1242-1245.	19.0	304
149	The developmental regulator PKL is required to maintain correct DNA methylation patterns at RNA-directed DNA methylation loci. Genome Biology, 2017, 18, .	8.2	57
150	Efficient Generation of diRNAs Requires Components in the Posttranscriptional Gene Silencing Pathway. Scientific Reports, 2017, 7, .	3.5	37
151	Estimating the Efficiency of Phosphopeptide Identification by Tandem Mass Spectrometry. Journal of the American Society for Mass Spectrometry, 2017, 28, 1127-1135.	2.6	9
152	Multiplex Gene Editing in Rice Using the CRISPR-Cpf1 System. Molecular Plant, 2017, 10, 1011-1013.	19.0	298
153	Gene Targeting by Homology-Directed Repair in Rice Using a Geminivirus-Based CRISPR/Cas9 System. Molecular Plant, 2017, 10, 1007-1010.	19.0	241
154	Precise Editing of a Target Base in the Rice Genome Using a Modified CRISPR/Cas9 System. Molecular Plant, 2017, 10, 523-525.	19.0	393
155	Combining chemical and genetic approaches to increase drought resistance in plants. Nature Communications, 2017, 8, .	13.9	150
156	Structure determination and activity manipulation of the turfgrass ABA receptor FePYR1. Scientific Reports, 2017, 7, .	3.5	18
157	Circulating tumour DNA methylation markers for diagnosis and prognosis of hepatocellular carcinoma. Nature Materials, 2017, 16, 1155-1161.	35.2	814
158	MAP Kinase Cascades Regulate the Cold Response by Modulating ICE1 Protein Stability. Developmental Cell, 2017, 43, 618-629.e5.	7.8	473
159	A protein complex regulates RNA processing of intronic heterochromatin-containing genes in <i>Arabidopsis</i> . Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, .	7.6	89
160	Genome Editing—Principles and Applications for Functional Genomics Research and Crop Improvement. Critical Reviews in Plant Sciences, 2017, 36, 291-309.	5.4	155
161	A high-quality genome assembly of quinoa provides insights into the molecular basis of salt bladder-based salinity tolerance and the exceptional nutritional value. Cell Research, 2017, 27, 1327-1340.	12.5	222
162	DNA methylation markers for diagnosis and prognosis of common cancers. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 7414-7419.	7.6	445

#	ARTICLE	IF	PR CITATIONS
163	Control of Plant Water Use by ABA Induction of Senescence and Dormancy: An Overlooked Lesson from Evolution. <i>Plant and Cell Physiology</i> , 2017, 58, 1319-1327.	3.5	77
164	The inhibition of protein translation mediated by AtGCN1 is essential for cold tolerance in <i>Arabidopsis thaliana</i> . <i>Plant, Cell and Environment</i> , 2017, 40, 56-68.	6.5	130
165	SAC3B, a central component of the mRNA export complex TREX-2, is required for prevention of epigenetic gene silencing in <i>Arabidopsis</i> . <i>Nucleic Acids Research</i> , 2017, 45, 181-197.	15.7	25
166	Roles of Nuclear Pores and Nucleo-cytoplasmic Trafficking in Plant Stress Responses. <i>Frontiers in Plant Science</i> , 2017, 08, .	4.1	48
167	Nitric Oxide and Hydrogen Peroxide Mediate Wounding-Induced Freezing Tolerance through Modifications in Photosystem and Antioxidant System in Wheat. <i>Frontiers in Plant Science</i> , 2017, 8, .	4.1	39
168	Accession-Dependent CBF Gene Deletion by CRISPR/Cas System in <i>Arabidopsis</i> . <i>Frontiers in Plant Science</i> , 2017, 8, .	4.1	23
169	The SnRK2 kinases modulate miRNA accumulation in <i>Arabidopsis</i> . <i>PLoS Genetics</i> , 2017, 13, e1006753.	3.3	104
170	An <i>Arabidopsis</i> Nucleoporin NUP85 modulates plant responses to ABA and salt stress. <i>PLoS Genetics</i> , 2017, 13, e1007124.	3.3	83
171	The miR165/166 Mediated Regulatory Module Plays Critical Roles in ABA Homeostasis and Response in <i>Arabidopsis thaliana</i> . <i>PLoS Genetics</i> , 2016, 12, e1006416.	3.3	122
172	Requirement for flap endonuclease 1 ( <i>FEN1</i> ) to maintain genomic stability and transcriptional gene silencing in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2016, 87, 629-640.	6.2	24
173	Methylation interactions in <i>Arabidopsis</i> hybrids require RNA-directed DNA methylation and are influenced by genetic variation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, .	7.6	87
174	<i>RDM4</i> modulates cold stress resistance in <i>Arabidopsis</i> partially through the <i>CBF</i> -mediated pathway. <i>New Phytologist</i> , 2016, 209, 1527-1539.	8.1	63
175	The second subunit of DNA-polymerase delta is required for genomic stability and epigenetic regulation. <i>Plant Physiology</i> , 2016, , pp.01976.2015.	5.5	15
176	Development of germ-line-specific CRISPR-Cas9 systems to improve the production of heritable gene modifications in <i>Arabidopsis</i> . <i>Plant Biotechnology Journal</i> , 2016, 14, 519-532.	8.8	221
177	Demethylation of ERECTA receptor genes by IBM1 histone demethylase affects stomatal development. <i>Development (Cambridge)</i> , 2016, 143, 4452-4461.	3.1	31
178	Abiotic Stress Signaling and Responses in Plants. <i>Cell</i> , 2016, 167, 313-324.	34.1	4,976
179	Two Chloroplast Proteins Suppress Drought Resistance by Affecting ROS Production in Guard Cells. <i>Plant Physiology</i> , 2016, 172, 2491-2503.	5.5	53
180	The ABA receptor PYL9 together with PYL8 plays an important role in regulating lateral root growth. <i>Scientific Reports</i> , 2016, 6, .	3.5	160

#	ARTICLE	IF	PR CITATIONS
181	The DNA demethylase ROS1 targets genomic regions with distinct chromatin modifications. <i>Nature Plants</i> , 2016, 2, .	11.9	181
182	The chromatin remodeler DDM1 promotes hybrid vigor by regulating salicylic acid metabolism. <i>Cell Discovery</i> , 2016, 2, .	9.6	70
183	Mutational Evidence for the Critical Role of CBF Transcription Factors in Cold Acclimation in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2016, 171, 2744-2759.	5.5	593
184	De novo assembly and analysis of the transcriptome of <i>Ocimum americanum</i> var. <i>pilosum</i> under cold stress. <i>BMC Genomics</i> , 2016, 17, .	3.3	31
185	Endoplasmic reticulum-associated N-glycan degradation of cold-upregulated glycoproteins in response to chilling stress in <i>Arabidopsis</i> . <i>New Phytologist</i> , 2016, 212, 282-296.	8.1	77
186	ABA receptor PYL9 promotes drought resistance and leaf senescence. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 1949-1954.	7.6	651
187	LincRNA-ROR promotes invasion, metastasis and tumor growth in pancreatic cancer through activating ZEB1 pathway. <i>Cancer Letters</i> , 2016, 374, 261-271.	8.8	125
188	Epigenetic Modifications and Plant Hormone Action. <i>Molecular Plant</i> , 2016, 9, 57-70.	19.0	180
189	CRISPR-mediated targeted mutagenesis produces a large variety of heritable mutations in rice. <i>Plant Biotechnology Journal</i> , 2016, 14, 186-194.	8.8	68
190	A pair of transposon-derived proteins function in a histone acetyltransferase complex for active DNA demethylation. <i>Cell Research</i> , 2016, 27, 226-240.	12.5	100
191	Heritability of targeted gene modifications induced by plant-optimized CRISPR systems. <i>Cellular and Molecular Life Sciences</i> , 2016, 74, 1075-1093.	5.6	47
192	Type One Protein Phosphatase 1 and Its Regulatory Protein Inhibitor 2 Negatively Regulate ABA Signaling. <i>PLoS Genetics</i> , 2016, 12, e1005835.	3.3	79
193	Chloroplast RNA-Binding Protein RBD1 Promotes Chilling Tolerance through 23S rRNA Processing in <i>Arabidopsis</i> . <i>PLoS Genetics</i> , 2016, 12, e1006027.	3.3	60
194	Two domain-disrupted <i>hda6</i> alleles have opposite epigenetic effects on transgenes and some endogenous targets. <i>Scientific Reports</i> , 2015, 5, .	3.5	10
195	Nitric oxide suppresses the inhibitory effect of abscisic acid on seed germination by S-nitrosylation of SnRK2 proteins. <i>Plant Signaling and Behavior</i> , 2015, 10, e1031939.	3.4	98
196	Methyl-CpG-Binding Domain Protein MBD7 Is Required for Active DNA Demethylation in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2015, 167, 905-914.	5.5	58
197	Nitric oxide negatively regulates abscisic acid signaling in guard cells by S-nitrosylation of OST1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 613-618.	7.6	356
198	The Methyl-CpG-Binding Protein MBD7 Facilitates Active DNA Demethylation to Limit DNA Hyper-Methylation and Transcriptional Gene Silencing. <i>Molecular Cell</i> , 2015, 57, 971-983.	13.4	137

#	ARTICLE	IF	PR CITATIONS
199	<scp>HOS</scp>1 regulates Argonaute1 by promoting transcription of the micro<scp>RNA</scp> gene <i><scp>MIR</scp>168b</i> in Arabidopsis. Plant Journal, 2015, 81, 861-870.	6.2	28
200	Regulatory link between DNA methylation and active demethylation in <i>Arabidopsis</i>. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 3553-3557.	7.6	256
201	A detailed procedure for CRISPR/Cas9-mediated gene editing in Arabidopsis thaliana. Science Bulletin, 2015, 60, 1332-1347.	9.6	42
202	An AP Endonuclease Functions in Active DNA Demethylation and Gene Imprinting in Arabidopsis. PLoS Genetics, 2015, 11, e1004905.	3.3	63
203	The resurrection genome of <i>Boea hygrometrica</i> : A blueprint for survival of dehydration. Proceedings of the National Academy of Sciences of the United States of America. 2015. 112. 5833-5837.	7.6	152
204	A DNA ligase required for active DNA demethylation and genomic imprinting in Arabidopsis. Cell Research, 2015, 25, 757-760.	12.5	34
205	The BASL Polarity Protein Controls a MAPK Signaling Feedback Loop in Asymmetric Cell Division. Developmental Cell, 2015, 33, 136-149.	7.8	177
206	An Arabidopsis PWI and RRM motif-containing protein is critical for pre-mRNA splicing and ABA responses. Nature Communications, 2015, 6, . Specific but interdependent functions for	13.9	121
207	<i><scp>A</scp>rabidopsis</i> <scp>AGO</scp>	7.4	106
208	Dicer-independent RNA-directed DNA methylation in Arabidopsis. Cell Research, 2015, 26, 66-82.	12.5	104
209	A multiplex CRISPR/Cas9 platform for fast and efficient editing of multiple genes in Arabidopsis. Plant Cell Reports, 2015, 35, 1519-1533.	3.8	225
210	MET18 Connects the Cytosolic Iron-Sulfur Cluster Assembly Pathway to Active DNA Demethylation in Arabidopsis. PLoS Genetics, 2015, 11, e1005559.	3.3	51
211	H2O2 Inhibits ABA-Signaling Protein Phosphatase HAB1. PLoS ONE, 2014, 9, e113643.	2.4	30
212	Transcription of Nuclear Organellar DNA in a Model Plant System. Genome Biology and Evolution, 2014, 6, 1327-1334.	2.4	23
213	SUVR2 is involved in transcriptional gene silencing by associating with SNF2-related chromatin-remodeling proteins in Arabidopsis. Cell Research, 2014, 24, 1445-1465.	12.5	45
214	Identification of Extracellular Signal-regulated Kinase 1 (ERK1) Direct Substrates using Stable Isotope Labeled Kinase Assay-Linked Phosphoproteomics. Molecular and Cellular Proteomics, 2014, 13, 3199-3210.	3.0	42
215	The Arabidopsis Vacuolar Sorting Receptor1 Is Required for Osmotic Stress-Induced Abscisic Acid Biosynthesis Å. Plant Physiology, 2014, 167, 137-152.	5.5	51
216	Constitutive production of nitric oxide leads to enhanced drought stress resistance and extensive transcriptional reprogramming in Arabidopsis. Journal of Experimental Botany, 2014, 65, 4119-4131.	5.1	133

#	ARTICLE	IF	PR CITATIONS
217	Non-coding RNAs as potent tools for crop improvement. National Science Review, 2014, 1, 186-189.	9.8	8
218	The ABA Receptor PYL8 Promotes Lateral Root Growth by Enhancing MYB77-Dependent Transcription of Auxin-Responsive Genes. Science Signaling, 2014, 7, .	5.5	333
219	RNA Splicing Factors and RNA-Directed DNA Methylation. Biology, 2014, 3, 243-254.	2.9	21
220	<i>Arabidopsis</i> EDM2 promotes <i>IBM1</i> distal polyadenylation and regulates genome DNA methylation patterns. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 527-532.	7.6	115
221	Sulfate availability affects <i>ABA</i> levels and germination response to <i>ABA</i> and salt stress in <i>Arabidopsis thaliana</i> . Plant Journal, 2014, 77, 604-615.	6.2	173
222	Multigeneration analysis reveals the inheritance, specificity, and patterns of CRISPR/Cas-induced gene modifications in <i>Arabidopsis</i> . Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 4632-4637.	7.6	712
223	The CRISPR/Cas9 system produces specific and homozygous targeted gene editing in rice in one generation. Plant Biotechnology Journal, 2014, 12, 797-807.	8.8	811
224	The <i>Arabidopsis</i> STRESS RESPONSE SUPPRESSOR DEAD-box RNA helicases are nucleolar and chromocenter localized proteins that undergo stress-mediated relocalization and are involved in epigenetic gene silencing. Plant Journal, 2014, 79, 28-43.	6.2	76
225	Regulation of Active DNA Demethylation by an $\hat{\pm}$ -Crystallin Domain Protein in <i>Arabidopsis</i> . Molecular Cell, 2014, 55, 361-371.	13.4	54
226	CYCLIN-DEPENDENT KINASE8 Differentially Regulates Plant Immunity to Fungal Pathogens through Kinase-Dependent and -Independent Functions in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2014, 26, 4149-4170.	7.6	108
227	Protocol: a beginner's guide to the analysis of RNA-directed DNA methylation in plants. Plant Methods, 2014, 10, 18.	4.1	37
228	The Role of the Epigenome in Gene Expression Control and the Epimark Changes in Response to the Environment. Critical Reviews in Plant Sciences, 2014, 33, 64-87.	5.4	34
229	Overproduction of stomatal lineage cells in <i>Arabidopsis</i> mutants defective in active DNA demethylation. Nature Communications, 2014, 5, .	13.9	99
230	An Rrp6-like Protein Positively Regulates Noncoding RNA Levels and DNA Methylation in <i>Arabidopsis</i> . Molecular Cell, 2014, 54, 418-430.	13.4	56
231	Measuring Spatial and Temporal $Ca^{2+}$ Signals in <i>Arabidopsis</i> Plants. Journal of Visualized Experiments, 2014, , .	0.3	2
232	Structural mechanisms of RNA recognition: sequence-specific and non-specific RNA-binding proteins and the Cas9-RNA-DNA complex. Cellular and Molecular Life Sciences, 2014, 72, 1045-1058.	5.6	13
233	Efficient genome editing in plants using a CRISPR/Cas system. Cell Research, 2013, 23, 1229-1232.	12.5	1,048
234	Application of the CRISPR-Cas System for Efficient Genome Engineering in Plants. Molecular Plant, 2013, 6, 2008-2011.	19.0	567

#	ARTICLE	IF	PR CITATIONS
235	Aequorin-Based Luminescence Imaging Reveals Stimulus- and Tissue-Specific Ca <sup>2+</sup> Dynamics in Arabidopsis Plants. <i>Molecular Plant</i> , 2013, 6, 444-455.	19.0	78
236	Characterization and DNA-Binding Specificities of Ralstonia TAL-Like Effectors. <i>Molecular Plant</i> , 2013, 6, 1318-1330.	19.0	57
237	The splicing machinery promotes RNA-directed DNA methylation and transcriptional silencing in Arabidopsis. <i>EMBO Journal</i> , 2013, 32, 1128-1140.	7.4	56
238	Linking genes of unknown function with abiotic stress responses by high-throughput phenotype screening. <i>Physiologia Plantarum</i> , 2013, 148, 322-333.	3.6	149
239	Interactions between soybean ABA receptors and type 2C protein phosphatases. <i>Plant Molecular Biology</i> , 2013, 83, 651-664.	3.2	97
240	DTF1 is a core component of RNA-directed DNA methylation and may assist in the recruitment of Pol IV. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 8290-8295.	7.6	187
241	A Pre-mRNA-Splicing Factor Is Required for RNA-Directed DNA Methylation in Arabidopsis. <i>PLoS Genetics</i> , 2013, 9, e1003779.	3.3	73
242	The PRP6-like splicing factor STA1 is involved in RNA-directed DNA methylation by facilitating the production of Pol V-dependent scaffold RNAs. <i>Nucleic Acids Research</i> , 2013, 41, 8489-8502.	15.7	45
243	STA1, an Arabidopsis pre-mRNA processing factor 6 homolog, is a new player involved in miRNA biogenesis. <i>Nucleic Acids Research</i> , 2013, 41, 1984-1997.	15.7	111
244	Folate Polyglutamylation Is Involved in Chromatin Silencing by Maintaining Global DNA Methylation and Histone H3K9 Dimethylation in Arabidopsis. <i>Plant Cell</i> , 2013, 25, 2545-2559.	7.6	67
245	Structural basis for RNA recognition by a dimeric PPR-protein complex. <i>Nature Structural and Molecular Biology</i> , 2013, 20, 1377-1382.	8.7	97
246	Quantitative phosphoproteomics identifies SnRK2 protein kinase substrates and reveals the effectors of abscisic acid action. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 11205-11210.	7.6	460
247	RNA-binding protein regulates plant DNA methylation by controlling mRNA processing at the intronic heterochromatin-containing gene <i>IBM1</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 15467-15472.	7.6	104
248	Quantitative Measurement of Phosphoproteome Response to Osmotic Stress in Arabidopsis Based on Library-Assisted eXtracted Ion Chromatogram (LAXIC). <i>Molecular and Cellular Proteomics</i> , 2013, 12, 2354-2369.	3.0	68
249	The unique mode of action of a divergent member of the ABA-receptor protein family in ABA and stress signaling. <i>Cell Research</i> , 2013, 23, 1380-1395.	12.5	146
250	Chemical probes in plant epigenetics studies. <i>Plant Signaling and Behavior</i> , 2013, 8, e25364.	3.4	19
251	An ABA-mimicking ligand that reduces water loss and promotes drought resistance in plants. <i>Cell Research</i> , 2013, 23, 1043-1054.	12.5	194
252	Structure of a PLS-class Pentatricopeptide Repeat Protein Provides Insights into Mechanism of RNA Recognition. <i>Journal of Biological Chemistry</i> , 2013, 288, 31540-31548.	2.2	58

#	ARTICLE	IF	PR CITATIONS
253	Mechanisms of Small RNA Generation from Cis-NATs in Response to Environmental and Developmental Cues. <i>Molecular Plant</i> , 2013, 6, 704-715.	19.0	55
254	Rapid phosphatidic acid accumulation in response to low temperature stress in Arabidopsis is generated through diacylglycerol kinase. <i>Frontiers in Plant Science</i> , 2013, 4, .	4.1	906
255	Transcriptomic and Physiological Variations of Three Arabidopsis Ecotypes in Response to Salt Stress. <i>PLoS ONE</i> , 2013, 8, e69036.	2.4	48
256	Arabidopsis Serine Decarboxylase Mutants Implicate the Roles of Ethanolamine in Plant Growth and Development. <i>International Journal of Molecular Sciences</i> , 2012, 13, 3176-3188.	4.5	47
257	Sulfamethazine Suppresses Epigenetic Silencing in <i>Arabidopsis</i> by Impairing Folate Synthesis. <i>Plant Cell</i> , 2012, 24, 1230-1241.	7.6	88
258	Seeing the forest for the trees: a wide perspective on RNA-directed DNA methylation: Figure 1.. <i>Genes and Development</i> , 2012, 26, 1769-1773.	4.7	16
259	Catalytic mechanism and kinase interactions of ABA-signaling PP2C phosphatases. <i>Plant Signaling and Behavior</i> , 2012, 7, 581-588.	3.4	19
260	<i>Arabidopsis</i> proline-rich protein important for development and abiotic stress tolerance is involved in microRNA biogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 18198-18203.	7.6	136
261	SNP calling using genotype model selection on high-throughput sequencing data. <i>Bioinformatics</i> , 2012, 28, 643-650.	4.8	22
262	Genome-wide analysis of plant nat-siRNAs reveals insights into their distribution, biogenesis and function. <i>Genome Biology</i> , 2012, 13, .	8.2	132
263	Asg1 is a stress-inducible gene which increases stomatal resistance in salt stressed potato. <i>Journal of Plant Physiology</i> , 2012, 169, 1849-1857.	4.2	25
264	A DNA 3â€² Phosphatase Functions in Active DNA Demethylation in Arabidopsis. <i>Molecular Cell</i> , 2012, 45, 357-370.	13.4	89
265	Role of miRNAs and siRNAs in biotic and abiotic stress responses of plants. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2012, 1819, 137-148.	2.4	979
266	Recognition of methylated DNA by TAL effectors. <i>Cell Research</i> , 2012, 22, 1502-1504.	12.5	117
267	High throughput sequencing reveals novel and abiotic stress-regulated microRNAs in the inflorescences of rice. <i>BMC Plant Biology</i> , 2012, 12, .	4.4	166
268	Osmotic stress signaling via protein kinases. <i>Cellular and Molecular Life Sciences</i> , 2012, 69, 3165-3173.	5.6	91
269	ROP11 GTPase Negatively Regulates ABA Signaling by Protecting ABI1 Phosphatase Activity from Inhibition by the ABA Receptor RCAR1/PYL9 in <i>Arabidopsis</i> . <i>Journal of Integrative Plant Biology</i> , 2012, 54, 180-188.	9.0	66
270	Insights into salt tolerance from the genome of <i>Thellungiella salsuginea</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 12219-12224.	7.6	294

#	ARTICLE	IF	PR CITATIONS
271	Antisilencing role of the RNA-directed DNA methylation pathway and a histone acetyltransferase in <i>Arabidopsis</i> . Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 11425-11430.	7.6	92
272	Rapid and highly efficient construction of TALE-based transcriptional regulators and nucleases for genome modification. Plant Molecular Biology, 2012, 78, 407-416.	3.2	105
273	An atypical component of RNA-directed DNA methylation machinery has both DNA methylation-dependent and -independent roles in locus-specific transcriptional gene silencing. Cell Research, 2011, 21, 1691-1700.	12.5	35
274	Regulation and function of DNA methylation in plants and animals. Cell Research, 2011, 21, 442-465.	12.5	492
275	The Structure of <i>Arabidopsis thaliana</i> OST1 Provides Insights into the Kinase Regulation Mechanism in Response to Osmotic Stress. Journal of Molecular Biology, 2011, 414, 135-144.	4.2	43
276	Involvement of miR169 in the nitrogen-starvation responses in <i>Arabidopsis</i> . New Phytologist, 2011, 190, 906-915.	8.1	351
277	RNA-directed DNA methylation. Current Opinion in Plant Biology, 2011, 14, 142-147.	7.2	250
278	Identification and comparative analysis of drought-associated microRNAs in two cowpea genotypes. BMC Plant Biology, 2011, 11, .	4.4	208
279	De novo-engineered transcription activator-like effector (TALE) hybrid nuclease with novel DNA binding specificity creates double-strand breaks. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 2623-2628.	7.6	411
280	Activation of the plasma membrane Na/H antiporter Salt-Overly-Sensitive 1 (SOS1) by phosphorylation of an auto-inhibitory C-terminal domain. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 2611-2616.	7.6	399
281	<i>Arabidopsis</i> decuple mutant reveals the importance of SnRK2 kinases in osmotic stress responses in vivo. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 1717-1722.	7.6	332
282	Structural basis for basal activity and autoactivation of abscisic acid (ABA) signaling SnRK2 kinases. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 21259-21264.	7.6	182
283	The Plant Cuticle Is Required for Osmotic Stress Regulation of Abscisic Acid Biosynthesis and Osmotic Stress Tolerance in <i>Arabidopsis</i> . Plant Cell, 2011, 23, 1971-1984.	7.6	161
284	A 5-methylcytosine DNA glycosylase/lyase demethylates the retrotransposon <i>Tos17</i> and promotes its transposition in rice. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 15498-15503.	7.6	81
285	Targeted transcriptional repression using a chimeric TALE-SRD5 repressor protein. Plant Molecular Biology, 2011, 78, 311-321.	3.2	150
286	An essential role for the Id1/PI3K/Akt/NFκB/survivin signalling pathway in promoting the proliferation of endothelial progenitor cells in vitro. Molecular and Cellular Biochemistry, 2011, 363, 135-145.	3.3	100
287	Non-coding small RNAs responsive to abiotic stress in wheat ( <i>Triticum aestivum</i> L.). Functional and Integrative Genomics, 2010, 10, 187-190.	3.0	78
288	An SGS3-like protein functions in RNA-directed DNA methylation and transcriptional gene silencing in <i>Arabidopsis</i> . Plant Journal, 2010, 62, 92-99.	6.2	55

#	ARTICLE	IF	PR CITATIONS
289	A cellulose synthase-like protein is required for osmotic stress tolerance in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2010, , no-no.	6.2	120
290	ABO3, a WRKY transcription factor, mediates plant responses to abscisic acid and drought tolerance in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2010, 63, 417-429.	6.2	469
291	Identification and mechanism of ABA receptor antagonism. <i>Nature Structural and Molecular Biology</i> , 2010, 17, 1102-1108.	8.7	152
292	RAS1, a quantitative trait locus for salt tolerance and ABA sensitivity in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 5669-5674.	7.6	107
293	DNA Replication Factor C1 Mediates Genomic Stability and Transcriptional Gene Silencing in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2010, 22, 2336-2352.	7.6	78
294	Genome Structures and Halophyte-Specific Gene Expression of the Extremophile <i>Thellungiella parvula</i> in Comparison with <i>Thellungiella salsuginea</i> ( <i>Thellungiella halophila</i> ) and <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2010, 154, 1040-1052.	5.5	99
295	Radically Rethinking Agriculture for the 21st Century. <i>Science</i> , 2010, 327, 833-834.	36.4	705
296	ABA receptors: the START of a new paradigm in phytohormone signalling. <i>Journal of Experimental Botany</i> , 2010, 61, 3199-3210.	5.1	273
297	Phenotypic Analysis of <i>Arabidopsis</i> Mutants: Germination Rate under Salt/Hormone-Induced Stress. <i>Cold Spring Harbor Protocols</i> , 2010, 2010, pdb.prot4969-pdb.prot4969.	0.3	6
298	Phenotypic Analysis of <i>Arabidopsis</i> Mutants: Electrolyte Leakage after Freezing Stress. <i>Cold Spring Harbor Protocols</i> , 2010, 2010, pdb.prot4970.	0.3	45
299	A viral suppressor protein inhibits host RNA silencing by hooking up with Argonautes: Figure 1.. <i>Genes and Development</i> , 2010, 24, 853-856.	4.7	40
300	Criteria for Annotation of Plant MicroRNAs. <i>Plant Cell</i> , 2009, 20, 3186-3190.	7.6	1,211
301	Protein-Protein Interactions of Tandem Affinity Purified Protein Kinases from Rice. <i>PLoS ONE</i> , 2009, 4, e6685.	2.4	38
302	<i>Arabidopsis</i> mutant deficient in 3 abscisic acid-activated protein kinases reveals critical roles in growth, reproduction, and stress. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 8380-8385.	7.6	896
303	A conserved transcriptional regulator is required for RNA-directed DNA methylation and plant development. <i>Genes and Development</i> , 2009, 23, 2717-2722.	4.7	96
304	An Autophosphorylation Site of the Protein Kinase SOS2 Is Important for Salt Tolerance in <i>Arabidopsis</i> . <i>Molecular Plant</i> , 2009, 2, 183-190.	19.0	61
305	A Rice Kinase-Protein Interaction Map. <i>Plant Physiology</i> , 2009, 149, 1478-1492.	5.5	121
306	Disruption of <i>Arabidopsis</i> CHY1 Reveals an Important Role of Metabolic Status in Plant Cold Stress Signaling. <i>Molecular Plant</i> , 2009, 2, 59-72.	19.0	92

#	ARTICLE	IF	PR CITATIONS
307	NRPD4, a protein related to the RPB4 subunit of RNA polymerase II, is a component of RNA polymerases IV and V and is required for RNA-directed DNA methylation. <i>Genes and Development</i> , 2009, 23, 318-330.	4.7	136
308	Epigenetic regulation of stress responses in plants. <i>Current Opinion in Plant Biology</i> , 2009, 12, 133-139.	7.2	1,069
309	Bioinformatics analysis suggests base modifications of tRNAs and miRNAs in <i>Arabidopsis thaliana</i> . <i>BMC Genomics</i> , 2009, 10, 155.	3.3	45
310	SIK1/SOS2 networks: decoding sodium signals via calcium-responsive protein kinase pathways. <i>Pflügers Archiv European Journal of Physiology</i> , 2009, 458, 613-619.	2.5	58
311	RNA-directed DNA methylation and demethylation in plants. <i>Science in China Series C: Life Sciences</i> , 2009, 52, 331-343.	1.5	97
312	A gate-latch-lock mechanism for hormone signalling by abscisic acid receptors. <i>Nature</i> , 2009, 462, 602-608.	38.7	701
313	Active DNA Demethylation Mediated by DNA Glycosylases. <i>Annual Review of Genetics</i> , 2009, 43, 143-166.	7.2	718
314	An Effector of RNA-Directed DNA Methylation in <i>Arabidopsis</i> Is an ARGONAUTE 4- and RNA-Binding Protein. <i>Cell</i> , 2009, 137, 498-508.	34.1	237
315	Subunit Compositions of the RNA-Silencing Enzymes Pol IV and Pol V Reveal Their Origins as Specialized Forms of RNA Polymerase II. <i>Molecular Cell</i> , 2009, 33, 192-203.	13.4	247
316	Phenotypic Analysis of <i>Arabidopsis</i> Mutants: Root Elongation under Salt/Hormone-Induced Stress. <i>Cold Spring Harbor Protocols</i> , 2009, 2009, pdb.prot4968.	0.3	4
317	Overexpression of SOS (Salt Overly Sensitive) Genes Increases Salt Tolerance in Transgenic <i>Arabidopsis</i> . <i>Molecular Plant</i> , 2009, 2, 22-31.	19.0	441
318	Reactive oxygen species mediate Na <sup>+</sup> -induced SOS1 mRNA stability in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2008, 53, 554-565.	6.2	236
319	Small RNAs and the regulation of cis-natural antisense transcripts in <i>Arabidopsis</i> . <i>BMC Molecular Biology</i> , 2008, 9, .	4.1	120
320	Abscisic Acid-mediated Epigenetic Processes in Plant Development and Stress Responses. <i>Journal of Integrative Plant Biology</i> , 2008, 50, 1187-1195.	9.0	296
321	Functional gene mining for salt-tolerance genes with the power of <i>Arabidopsis</i> . <i>Plant Journal</i> , 2008, 56, 653-664.	6.2	81
322	Novel and nodulation-regulated microRNAs in soybean roots. <i>BMC Genomics</i> , 2008, 9, 160.	3.3	300
323	Identification of novel and candidate miRNAs in rice by high throughput sequencing. <i>BMC Plant Biology</i> , 2008, 8, 25.	4.4	452
324	Identification of cold-inducible microRNAs in plants by transcriptome analysis. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2008, 1779, 780-788.	2.4	281

#	ARTICLE	IF	PR CITATIONS
325	Involvement of <i>Arabidopsis</i> HOS15 in histone deacetylation and cold tolerance. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 4945-4950.	7.6	323
326	The <i>Arabidopsis</i> NFYA5 Transcription Factor Is Regulated Transcriptionally and Posttranscriptionally to Promote Drought Resistance. Plant Cell, 2008, 20, 2238-2251.	7.6	900
327	Genome-wide identification and analysis of small RNAs originated from natural antisense transcripts in <i>Oryza sativa</i> . Genome Research, 2008, 19, 70-78.	4.6	110
328	<i>SCREAM/ICE1</i> and <i>SCREAM2</i> Specify Three Cell-State Transitional Steps Leading to <i>Arabidopsis</i> Stomatal Differentiation. Plant Cell, 2008, 20, 1775-1785.	7.6	544
329	Activated Expression of an <i>Arabidopsis</i> HD-START Protein Confers Drought Tolerance with Improved Root System and Reduced Stomatal Density. Plant Cell, 2008, 20, 1134-1151.	7.6	359
330	Dolichol Biosynthesis and Its Effects on the Unfolded Protein Response and Abiotic Stress Resistance in <i>Arabidopsis</i> . Plant Cell, 2008, 20, 1879-1898.	7.6	113
331	Annotating Genes of Known and Unknown Function by Large-Scale Coexpression Analysis. Plant Physiology, 2008, 147, 41-57.	5.5	166
332	Cold Transiently Activates Calcium-Permeable Channels in <i>Arabidopsis</i> Mesophyll Cells. Plant Physiology, 2007, 143, 487-494.	5.5	104
333	Identification of Two Protein Kinases Required for Abscisic Acid Regulation of Seed Germination, Root Growth, and Gene Expression in <i>Arabidopsis</i> . Plant Cell, 2007, 19, 485-494.	7.6	711
334	Conservation of the Salt Overly Sensitive Pathway in Rice. Plant Physiology, 2007, 143, 1001-1012.	5.5	573
335	An Enhancer Mutant of <i>Arabidopsis</i> salt overly sensitive 3 Mediates both Ion Homeostasis and the Oxidative Stress Response. Molecular and Cellular Biology, 2007, 27, 5214-5224.	2.5	135
336	<i>Arabidopsis</i> Protein Kinase PKS5 Inhibits the Plasma Membrane H <sup>+</sup> -ATPase by Preventing Interaction with 14-3-3 Protein. Plant Cell, 2007, 19, 1617-1634.	7.6	442
337	SOS2 Promotes Salt Tolerance in Part by Interacting with the Vacuolar H <sup>+</sup> -ATPase and Upregulating Its Transport Activity. Molecular and Cellular Biology, 2007, 27, 7781-7790.	2.5	265
338	Small RNAs as big players in plant abiotic stress responses and nutrient deprivation. Trends in Plant Science, 2007, 12, 301-309.	12.1	917
339	Cold stress regulation of gene expression in plants. Trends in Plant Science, 2007, 12, 444-451.	12.1	1,840
340	The Structure of the C-Terminal Domain of the Protein Kinase AtSOS2 Bound to the Calcium Sensor AtSOS3. Molecular Cell, 2007, 26, 427-435.	18.4	135
341	Cloning and characterization of microRNAs from wheat ( <i>Triticum aestivum</i> L.). Genome Biology, 2007, 8, R96.	12.8	351
342	Interaction of SOS2 with Nucleoside Diphosphate Kinase 2 and Catalases Reveals a Point of Connection between Salt Stress and H <sub>2</sub> O <sub>2</sub> Signaling in <i>Arabidopsis thaliana</i> . Molecular and Cellular Biology, 2007, 27, 7771-7780.	2.5	232

#	ARTICLE	IF	PR CITATIONS
343	Distinctive Core Histone Post-Translational Modification Patterns in <i>Arabidopsis thaliana</i> . PLoS ONE, 2007, 2, e1210.	2.4	226
344	Role of <i>Arabidopsis</i> AGO6 in siRNA accumulation, DNA methylation and transcriptional gene silencing. EMBO Journal, 2007, 26, 1691-1701.	7.4	270
345	The protein kinase TOUSLED is required for maintenance of transcriptional gene silencing in <i>Arabidopsis</i> . EMBO Reports, 2007, 8, 77-83.	5.2	52
346	Membrane-trafficking RabA4c involved in the effect of glycine betaine on recovery from chilling stress in <i>Arabidopsis</i> . Physiologia Plantarum, 2007, 130, 511-518.	3.6	73
347	Micro RNAs and Short-interfering RNAs in Plants. Journal of Integrative Plant Biology, 2007, 49, 817-826.	9.0	84
348	Interplay between cold-responsive gene regulation, metabolism and RNA processing during plant cold acclimation. Current Opinion in Plant Biology, 2007, 10, 290-295.	7.2	432
349	New developments in abscisic acid perception and metabolism. Current Opinion in Plant Biology, 2007, 10, 447-452.	7.2	109
350	Altered ABA, proline and hydrogen peroxide in an <i>Arabidopsis</i> glutamate:glyoxylate aminotransferase mutant. Plant Molecular Biology, 2007, 64, 205-217.	3.2	136
351	Title is missing!. Genome Biology, 2006, 7, R57.	12.8	66
352	A pathogen-inducible endogenous siRNA in plant immunity. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 18002-18007.	7.6	478
353	A R2R3 Type MYB Transcription Factor Is Involved in the Cold Regulation of CBF Genes and in Acquired Freezing Tolerance. Journal of Biological Chemistry, 2006, 281, 37636-37645.	2.2	881
354	Gain- and loss-of-function mutations in <i>Zat10</i> enhance the tolerance of plants to abiotic stress. FEBS Letters, 2006, 580, 6537-6542.	2.7	479
355	Nomenclature for HKT transporters, key determinants of plant salinity tolerance. Trends in Plant Science, 2006, 11, 372-374.	12.1	372
356	Gene regulation during cold acclimation in plants. Physiologia Plantarum, 2006, 126, 52-61.	3.6	298
357	Methods and concepts in quantifying resistance to drought, salt and freezing, abiotic stresses that affect plant water status. Plant Journal, 2006, 45, 523-539.	6.2	1,507
358	Protein-protein interactions of tandem affinity purification-tagged protein kinases in rice. Plant Journal, 2006, 46, 1-13.	6.2	166
359	Mutation of <i>SAD2</i> , an importin $\beta$ -domain protein in <i>Arabidopsis</i> , alters abscisic acid sensitivity. Plant Journal, 2006, 47, 776-787.	6.2	92
360	Posttranscriptional Induction of Two Cu/Zn Superoxide Dismutase Genes in <i>Arabidopsis</i> Is Mediated by Downregulation of miR398 and Important for Oxidative Stress Tolerance. Plant Cell, 2006, 18, 2051-2065.	7.6	1,217

#	ARTICLE	IF	PR CITATIONS
361	A Putative Arabidopsis Nucleoporin, AtNUP160, Is Critical for RNA Export and Required for Plant Tolerance to Cold Stress. <i>Molecular and Cellular Biology</i> , 2006, 26, 9533-9543.	2.5	188
362	Salt Stress Affects Cortical Microtubule Organization and Helical Growth in Arabidopsis. <i>Plant and Cell Physiology</i> , 2006, 47, 1158-1168.	3.5	128
363	Mutations in ABO1/ELO2, a Subunit of Holo-Elongator, Increase Abscisic Acid Sensitivity and Drought Tolerance in Arabidopsis thaliana. <i>Molecular and Cellular Biology</i> , 2006, 26, 6902-6912.	2.5	144
364	Role of the Arabidopsis DNA glycosylase/lyase ROS1 in active DNA demethylation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 11796-11801.	7.6	298
365	The negative regulator of plant cold responses, HOS1, is a RING E3 ligase that mediates the ubiquitination and degradation of ICE1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 8281-8286.	7.6	647
366	The plasma membrane Na <sup>+</sup> /H <sup>+</sup> antiporter SOS1 interacts with RCD1 and functions in oxidative stress tolerance in Arabidopsis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 18816-18821.	7.6	247
367	STABILIZED1, a Stress-Upregulated Nuclear Protein, Is Required for Pre-mRNA Splicing, mRNA Turnover, and Stress Tolerance in Arabidopsis. <i>Plant Cell</i> , 2006, 18, 1736-1749.	7.6	206
368	Osmogenetics: Aristotle to Arabidopsis. <i>Plant Cell</i> , 2006, 18, 1542-1557.	7.6	82
369	Understanding and Improving Salt Tolerance in Plants. <i>Crop Science</i> , 2005, 45, 437-448.	1.8	1,145
370	Analysis of gene expression profiles in Arabidopsis salt overly sensitive mutants sos2-1 and sos3 -1. <i>Plant, Cell and Environment</i> , 2005, 28, 1267-1275.	6.5	40
371	Disruption of the cellulose synthase gene, AtCesA8/IRX1, enhances drought and osmotic stress tolerance in Arabidopsis. <i>Plant Journal</i> , 2005, 43, 273-283.	6.2	249
372	ROR1/RPA2A, a Putative Replication Protein A2, Functions in Epigenetic Gene Silencing and in Regulation of Meristem Development in Arabidopsis. <i>Plant Cell</i> , 2005, 18, 85-103.	7.6	61
373	The Arabidopsis Cold-Responsive Transcriptome and Its Regulation by ICE1. <i>Plant Cell</i> , 2005, 17, 3155-3175.	7.6	755
374	A DEAD Box RNA Helicase Is Essential for mRNA Export and Important for Development and Stress Responses in Arabidopsis. <i>Plant Cell</i> , 2005, 17, 256-267.	7.6	348
375	Role of an Arabidopsis AP2/EREBP-Type Transcriptional Repressor in Abscisic Acid and Drought Stress Responses. <i>Plant Cell</i> , 2005, 17, 2384-2396.	7.6	512
376	Cloning and Characterization of MicroRNAs from Rice. <i>Plant Cell</i> , 2005, 17, 1397-1411.	7.6	486
377	HOS10 encodes an R2R3-type MYB transcription factor essential for cold acclimation in plants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 9966-9971.	7.6	176
378	Identification and characterization of endogenous small interfering RNAs from rice. <i>Nucleic Acids Research</i> , 2005, 33, 4443-4454.	15.7	95

#	ARTICLE	IF	PR CITATIONS
379	The Structure of the Arabidopsis thaliana SOS3: Molecular Mechanism of Sensing Calcium for Salt Stress Response. <i>Journal of Molecular Biology</i> , 2005, 345, 1253-1264.	4.2	176
380	Endogenous siRNAs Derived from a Pair of Natural cis-Antisense Transcripts Regulate Salt Tolerance in Arabidopsis. <i>Cell</i> , 2005, 123, 1279-1291.	34.1	1,050
381	Preventing transcriptional gene silencing by active DNA demethylation. <i>FEBS Letters</i> , 2005, 579, 5889-5898.	2.7	63
382	Molecular genetic perspectives on cross-talk and specificity in abiotic stress signalling in plants. <i>Journal of Experimental Botany</i> , 2004, 55, 225-236.	5.1	990
383	The Protein Kinase SOS2 Activates the Arabidopsis H <sup>+</sup> /Ca <sup>2+</sup> Antiporter CAX1 to Integrate Calcium Transport and Salt Tolerance. <i>Journal of Biological Chemistry</i> , 2004, 279, 2922-2926.	2.2	247
384	A probable Na <sup>+</sup> (K <sup>+</sup> )/H <sup>+</sup> exchanger on the chloroplast envelope functions in pH homeostasis and chloroplast development in Arabidopsis thaliana. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 10211-10216.	7.6	114
385	AtHKT1 Facilitates Na <sup>+</sup> Homeostasis and K <sup>+</sup> Nutrition in Planta. <i>Plant Physiology</i> , 2004, 136, 2500-2511.	5.5	328
386	Salt Cress. A Halophyte and Cryophyte Arabidopsis Relative Model System and Its Applicability to Molecular Genetic Analyses of Growth and Development of Extremophiles. <i>Plant Physiology</i> , 2004, 135, 1718-1737.	5.5	454
387	A single amino acid substitution in the Arabidopsis FIERY1/HOS2 protein confers cold signaling specificity and lithium tolerance. <i>Plant Journal</i> , 2004, 40, 536-545.	6.2	62
388	SOS3 (salt overly sensitive 3) from Arabidopsis thaliana: expression, purification, crystallization and preliminary X-ray analysis. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2004, 60, 1272-1274.	3.1	8
389	The SOS3 Family of Calcium Sensors and SOS2 Family of Protein Kinases in Arabidopsis. <i>Plant Physiology</i> , 2004, 134, 919-926.	5.5	207
390	An Arabidopsis homeodomain transcription factor gene, HOS9, mediates cold tolerance through a CBF-independent pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 9873-9878.	7.6	256
391	Comparative Genomics in Salt Tolerance between Arabidopsis and Arabidopsis-Related Halophyte Salt Cress Using Arabidopsis Microarray. <i>Plant Physiology</i> , 2004, 135, 1697-1709.	5.5	565
392	From Laboratory to Field. Using Information from Arabidopsis to Engineer Salt, Cold, and Drought Tolerance in Crops. <i>Plant Physiology</i> , 2004, 135, 615-621.	5.5	444
393	Transgenic Evaluation of Activated Mutant Alleles of SOS2 Reveals a Critical Requirement for Its Kinase Activity and C-Terminal Regulatory Domain for Salt Tolerance in Arabidopsis thaliana. <i>Plant Cell</i> , 2004, 16, 435-449.	7.6	173
394	Novel and Stress-Regulated MicroRNAs and Other Small RNAs from Arabidopsis[W]. <i>Plant Cell</i> , 2004, 16, 2001-2019.	7.6	1,893
395	Regulation of Vacuolar Na <sup>+</sup> /H <sup>+</sup> Exchange in Arabidopsis thaliana by the Salt-Overly-Sensitive (SOS) Pathway. <i>Journal of Biological Chemistry</i> , 2004, 279, 207-215.	2.2	365
396	Expressed sequence tags from Thellungiella halophila, a new model to study plant salt-tolerance. <i>Plant Science</i> , 2004, 166, 609-616.	4.0	110

#	ARTICLE	IF	PR CITATIONS
397	Regulation of ion homeostasis under salt stress. <i>Current Opinion in Plant Biology</i> , 2003, 6, 441-445.	7.2	1,884
398	The Arabidopsis CDPK-SnRK Superfamily of Protein Kinases. <i>Plant Physiology</i> , 2003, 132, 666-680.	5.5	980
399	Regulation of Abscisic Acid Biosynthesis. <i>Plant Physiology</i> , 2003, 133, 29-36.	5.5	773
400	ICE1: a regulator of cold-induced transcriptome and freezing tolerance in Arabidopsis. <i>Genes and Development</i> , 2003, 17, 1043-1054.	4.7	1,540
401	Na <sup>+</sup> /H <sup>+</sup> Exchange Activity in the Plasma Membrane of Arabidopsis. <i>Plant Physiology</i> , 2003, 132, 1041-1052.	5.5	191
402	The Arabidopsis SOS5 Locus Encodes a Putative Cell Surface Adhesion Protein and Is Required for Normal Cell Expansion. <i>Plant Cell</i> , 2003, 15, 19-32.	7.6	425
403	A novel domain in the protein kinase SOS2 mediates interaction with the protein phosphatase 2C ABI2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 11771-11776.	7.6	397
404	The Arabidopsis salt overly sensitive 4 Mutants Uncover a Critical Role for Vitamin B6 in Plant Salt Tolerance. <i>Plant Cell</i> , 2002, 14, 575-588.	7.6	204
405	Constitutive Activation and Transgenic Evaluation of the Function of an Arabidopsis PKS Protein Kinase. <i>Journal of Biological Chemistry</i> , 2002, 277, 42088-42096.	2.2	67
406	Reconstitution in yeast of the Arabidopsis SOS signaling pathway for Na <sup>+</sup> homeostasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 9061-9066.	7.6	540
407	Expression, Activation, and Biochemical Properties of a Novel Arabidopsis Protein Kinase. <i>Plant Physiology</i> , 2002, 129, 225-234.	5.5	39
408	Regulation of Osmotic Stress-responsive Gene Expression by the LOS6/ABA1 Locus in Arabidopsis. <i>Journal of Biological Chemistry</i> , 2002, 277, 8588-8596.	2.2	410
409	Molecular genetic analysis of cold-regulated gene transcription. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2002, 357, 877-886.	3.8	113
410	RNA helicase-like protein as an early regulator of transcription factors for plant chilling and freezing tolerance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 11507-11512.	7.6	286
411	Regulation of SOS1, a plasma membrane Na <sup>+</sup> /H <sup>+</sup> exchanger in Arabidopsis thaliana, by SOS2 and SOS3. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 8436-8441.	7.6	1,191
412	Biochemical and Functional Characterization of PKS11, a Novel Arabidopsis Protein Kinase. <i>Journal of Biological Chemistry</i> , 2002, 277, 28340-28350.	2.2	63
413	Salt Tolerance. <i>The Arabidopsis Book</i> , 2002, 1, e0048.	1.0	74
414	An Arabidopsis mutation in translation elongation factor 2 causes superinduction of CBF/DREB1 transcription factor genes but blocks the induction of their downstream targets under low temperatures. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 7786-7791.	7.6	153

#	ARTICLE	IF	PR CITATIONS
415	The Putative Plasma Membrane Na <sup>+</sup> /H <sup>+</sup> Antiporter SOS1 Controls Long-Distance Na <sup>+</sup> Transport in Plants. <i>Plant Cell</i> , 2002, 14, 465-477.	7.6	1,237
416	A Mitochondrial Complex I Defect Impairs Cold-Regulated Nuclear Gene Expression. <i>Plant Cell</i> , 2002, 14, 1235-1251.	7.6	251
417	C-terminal domain phosphatase-like family members (AtCPLs) differentially regulate <i>Arabidopsis thaliana</i> abiotic stress signaling, growth, and development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 10893-10898.	7.6	155
418	Biochemical Characterization of the <i>Arabidopsis</i> Protein Kinase SOS2 That Functions in Salt Tolerance. <i>Plant Physiology</i> , 2002, 130, 256-264.	5.5	121
419	OSM1/SYP61: A Syntaxin Protein in <i>Arabidopsis</i> Controls Abscisic Acid-Mediated and Non-Abscisic Acid-Mediated Responses to Abiotic Stress. <i>Plant Cell</i> , 2002, 14, 3009-3028.	7.6	217
420	SOS4, A Pyridoxal Kinase Gene, Is Required for Root Hair Development in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2002, 129, 585-593.	5.5	108
421	ROS1, a Repressor of Transcriptional Gene Silencing in <i>Arabidopsis</i> , Encodes a DNA Glycosylase/Lyase. <i>Cell</i> , 2002, 111, 803-814.	34.1	726
422	Cell Signaling during Cold, Drought, and Salt Stress. <i>Plant Cell</i> , 2002, 14, S165-S183.	7.6	2,033
423	A Calcium Sensor and Its Interacting Protein Kinase Are Global Regulators of Abscisic Acid Signaling in <i>Arabidopsis</i> . <i>Developmental Cell</i> , 2002, 3, 233-244.	7.8	293
424	Repression of stress-responsive genes by FIERY2, a novel transcriptional regulator in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 10899-10904.	7.6	143
425	SALT AND DROUGHT STRESS SIGNAL TRANSDUCTION IN PLANTS. <i>Annual Review of Plant Biology</i> , 2002, 53, 247-273.	24.7	5,421
426	Title is missing!. <i>Plant Molecular Biology</i> , 2002, 50, 543-550.	3.2	224
427	LOS2, a genetic locus required for cold-responsive gene transcription encodes a bi-functional enolase. <i>EMBO Journal</i> , 2002, 21, 2692-2702.	7.4	321
428	Overexpression of a plasma membrane Na <sup>+</sup> /H <sup>+</sup> antiporter gene improves salt tolerance in <i>Arabidopsis thaliana</i> . <i>Nature Biotechnology</i> , 2002, 21, 81-85.	32.2	907
429	Molecular Characterization of Functional Domains in the Protein Kinase SOS2 That Is Required for Plant Salt Tolerance. <i>Plant Cell</i> , 2001, 13, 1383-1400.	7.6	430
430	Modulation of Abscisic Acid Signal Transduction and Biosynthesis by an Sm-like Protein in <i>Arabidopsis</i> . <i>Developmental Cell</i> , 2001, 1, 771-781.	7.8	319
431	Plant salt tolerance. <i>Trends in Plant Science</i> , 2001, 6, 66-71.	12.1	3,223
432	The <i>Arabidopsis</i> LOS5/ABA3 Locus Encodes a Molybdenum Cofactor Sulfurase and Modulates Cold Stress- and Osmotic Stress-Responsive Gene Expression. <i>Plant Cell</i> , 2001, 13, 2063.	7.6	11

#	ARTICLE	IF	PR CITATIONS
433	A genomics approach towards salt stress tolerance. <i>Plant Physiology and Biochemistry</i> , 2001, 39, 295-311.	5.5	177
434	Abiotic stress signal transduction in plants: Molecular and genetic perspectives. <i>Physiologia Plantarum</i> , 2001, 112, 152-166.	3.6	230
435	Cell signaling under salt, water and cold stresses. <i>Current Opinion in Plant Biology</i> , 2001, 4, 401-406.	7.2	536
436	AtHKT1 is a salt tolerance determinant that controls Na <sup>+</sup> entry into plant roots. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 14150-14155.	7.6	473
437	The Arabidopsis HOS1 gene negatively regulates cold signal transduction and encodes a RING finger protein that displays cold-regulated nucleo-cytoplasmic partitioning. <i>Genes and Development</i> , 2001, 15, 912-924.	4.7	409
438	Learning from the Arabidopsis Experience. The Next Gene Search Paradigm. <i>Plant Physiology</i> , 2001, 127, 1354-1360.	5.5	184
439	The Arabidopsis <i>LOS5/ABA3</i> Locus Encodes a Molybdenum Cofactor Sulfurase and Modulates Cold Stress <sup>€</sup> and Osmotic Stress <sup>€</sup> Responsive Gene Expression. <i>Plant Cell</i> , 2001, 13, 2063-2083.	7.6	502
440	Molecular Characterization of Functional Domains in the Protein Kinase SOS2 That Is Required for Plant Salt Tolerance. <i>Plant Cell</i> , 2001, 13, 1383.	7.6	28
441	FIERY1 encoding an inositol polyphosphate 1-phosphatase is a negative regulator of abscisic acid and stress signaling in Arabidopsis. <i>Genes and Development</i> , 2001, 15, 1971-1984.	4.7	354
442	PLANTCELLULAR ANDMOLECULARRESPONSES TOHIGHSALINITY. <i>Annual Review of Plant Biology</i> , 2000, 51, 463-499.	0.0	4,059
443	SOS3 Function in Plant Salt Tolerance Requires N-Myristoylation and Calcium Binding. <i>Plant Cell</i> , 2000, 12, 1667.	7.6	14
444	SOS3 Function in Plant Salt Tolerance Requires N-Myristoylation and Calcium Binding. <i>Plant Cell</i> , 2000, 12, 1667-1677.	7.6	489
445	The Arabidopsis thaliana salt tolerance gene SOS1 encodes a putative Na <sup>+</sup> /H <sup>+</sup> antiporter. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 6896-6901.	7.6	1,617
446	Genetic Analysis of Plant Salt Tolerance Using Arabidopsis: Fig. 1.. <i>Plant Physiology</i> , 2000, 124, 941-948.	5.5	675
447	The Arabidopsis SOS2 protein kinase physically interacts with and is activated by the calcium-binding protein SOS3. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 3735-3740.	7.6	321
448	The Arabidopsis thaliana SOS2 gene encodes a protein kinase that is required for salt tolerance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 3730-3734.	7.6	346
449	Interaction of Osmotic Stress, Temperature, and Abscisic Acid in the Regulation of Gene Expression in Arabidopsis. <i>Plant Physiology</i> , 1999, 119, 205-212.	5.5	174
450	Cold-regulated gene expression and freezing tolerance in an Arabidopsis thaliana mutant. <i>Plant Journal</i> , 1999, 17, 301-308.	6.2	95

#	ARTICLE	IF	PR CITATIONS
451	HOS5-a negative regulator of osmotic stress-induced gene expression in Arabidopsis thaliana. Plant Journal, 1999, 19, 569-578.	6.2	75
452	Title is missing!. Plant Molecular Biology Reporter, 1999, 17, 159-170.	1.2	20
453	Different roles for calcium and calmodulin in phytochromeâ€•and UVâ€•regulated expression of chalcone synthase. Plant Journal, 1998, 13, 763-772.	6.2	57
454	Genetic Analysis of Salt Tolerance in Arabidopsis: Evidence for a Critical Role of Potassium Nutrition. Plant Cell, 1998, 10, 1181-1191.	7.6	634
455	HOS1, a Genetic Locus Involved in Cold-Responsive Gene Expression in Arabidopsis. Plant Cell, 1998, 10, 1151-1161.	7.6	282
456	HOS1, a Genetic Locus Involved in Cold-Responsive Gene Expression in Arabidopsis. Plant Cell, 1998, 10, 1151.	7.6	20
457	Genetic Analysis of Salt Tolerance in Arabidopsis: Evidence for a Critical Role of Potassium Nutrition. Plant Cell, 1998, 10, 1181.	7.6	53
458	Reduced Na <sup>+</sup> Uptake in the NaCl-Hypersensitive sos1 Mutant of Arabidopsis thaliana. Plant Physiology, 1997, 113, 795-799.	5.5	73
459	Genetic Analysis of Osmotic and Cold Stress Signal Transduction in Arabidopsis: Interactions and Convergence of Abscisic Acid-Dependent and Abscisic Acid-Independent Pathways. Plant Cell, 1997, 9, 1935.	7.6	86
460	Proline Accumulation and Salt-Stress-Induced Gene Expression in a Salt-Hypersensitive Mutant of Arabidopsis. Plant Physiology, 1997, 114, 591-596.	5.5	328
461	An Arabidopsis mutant that requires increased calcium for potassium nutrition and salt tolerance. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 14960-14964.	7.6	268
462	Molecular Aspects of Osmotic Stress in Plants. Critical Reviews in Plant Sciences, 1997, 16, 253-277.	5.4	374
463	A role for arabinogalactan-proteins in root epidermal cell expansion. Planta, 1997, 203, 289-294.	3.3	130
464	Molecular Aspects of Osmotic Stress in Plants. Critical Reviews in Plant Sciences, 1997, 16, 253-278.	5.4	60
465	Antifungal activity of tobacco osmotin has specificity and involves plasma membrane permeabilization. Plant Science, 1996, 118, 11-23.	4.0	250
466	Multiple transcripts of a calcium-binding protein gene from Atriplex nummularia are differentially regulated by developmental and environmental stimuli. Physiologia Plantarum, 1996, 97, 499-506.	3.6	9
467	SOS1, a Genetic Locus Essential for Salt Tolerance and Potassium Acquisition. Plant Cell, 1996, 8, 617.	7.6	257
468	A higher plant extracellular vitronectin-like adhesion protein is related to the translational elongation factor-1 alpha.. Plant Cell, 1994, 6, 393-404.	7.6	93

#	ARTICLE	IF	PR CITATIONS
469	Loss of arabinogalactan-proteins from the plasma membrane of NaCl-adapted tobacco cells. <i>Planta</i> , 1993, 190, .	3.3	51
470	Plasma-membrane H <sup>+</sup> -ATPase gene expression is regulated by NaCl in cells of the halophyte <i>Atriplex nummularia</i> L. <i>Planta</i> , 1993, 190, .	3.3	69
471	Enrichment of vitronectin- and fibronectin-like proteins in NaCl-adapted plant cells and evidence for their involvement in plasma membrane-cell wall adhesion. <i>Plant Journal</i> , 1993, 3, 637-646.	6.2	106
472	Isoprenylation of the plant molecular chaperone ANJ1 facilitates membrane association and function at high temperature.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 8557-8561.	7.6	79
473	Expression of an <i>Atriplex nummularia</i> Gene Encoding a Protein Homologous to the Bacterial Molecular Chaperone DnaJ. <i>Plant Cell</i> , 1993, 5, 341.	7.6	15
474	An <i>Atriplex nummularia</i> cDNA with Sequence Relatedness to the Algal Caltractin Gene. <i>Plant Physiology</i> , 1992, 99, 1734-1735.	5.5	30
475	Fluorometric determination of carbohydrate with 2-aminothiophenol. <i>Analytical Biochemistry</i> , 1991, 195, 101-104.	2.4	9
476	A virus-encoded protein suppresses methylation of the viral genome through its interaction with AGO4 in the Cajal body. <i>ELife</i> , 0, 9, .	1.6	54