

Maura Marcucci

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6448049/maura-marcucci-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

102
papers

3,728
citations

29
h-index

59
g-index

107
ext. papers

4,488
ext. citations

4.9
avg, IF

4.83
L-index

#	Paper	IF	Citations
102	Rationale and design of the PeriOperative ISchemic Evaluation-3 (POISE-3): a randomized controlled trial evaluating tranexamic acid and a strategy to minimize hypotension in noncardiac surgery.. <i>Trials</i> , 2022 , 23, 101	2.8	1
101	Effect of a Perioperative Hypotension-Avoidance Strategy Versus a Hypertension-Avoidance Strategy on the Risk of Acute Kidney Injury: A Clinical Research Protocol for a Substudy of the POISE-3 Randomized Clinical Trial.. <i>Canadian Journal of Kidney Health and Disease</i> , 2022 , 9, 20543581211069225	2.3	
100	Benefits and harms of direct oral anticoagulation and low molecular weight heparin for thromboprophylaxis in patients undergoing non-cardiac surgery: systematic review and network meta-analysis of randomised trials.. <i>BMJ, The</i> , 2022 , 376, e066785	5.9	1
99	Risk of Recurrence after Stopping Anticoagulants in Women with Combined Oral Contraceptive-Associated Venous Thromboembolism: A Systematic Review and Meta-Analysis. <i>Blood</i> , 2021 , 138, 776-776	2.2	
98	Post Discharge after Surgery Virtual Care with Remote Automated Monitoring Technology (PVC-RAM): protocol for a randomized controlled trial. <i>CMAJ Open</i> , 2021 , 9, E142-E148	2.5	1
97	Post-discharge after surgery Virtual Care with Remote Automated Monitoring-1 (PVC-RAM-1) technology versus standard care: randomised controlled trial. <i>BMJ, The</i> , 2021 , 374, n2209	5.9	2
96	Functional recovery following hospitalisation of patients diagnosed with COVID-19: a protocol for a longitudinal cohort study.. <i>BMJ Open</i> , 2021 , 11, e053021	3	0
95	Obtaining and managing data sets for individual participant data meta-analysis: scoping review and practical guide. <i>BMC Medical Research Methodology</i> , 2020 , 20, 113	4.7	12
94	The number needed to treat for net effect (NNTnet) as a metric for measuring combined benefits and harms. <i>Journal of Clinical Epidemiology</i> , 2020 , 125, 100-107	5.7	10
93	How personalized are benefit and harm results of randomized trials? A systematic review. <i>Journal of Clinical Epidemiology</i> , 2020 , 126, 17-25	5.7	2
92	Accelerated surgery versus standard care in hip fracture (HIP ATTACK): an international, randomised, controlled trial. <i>Lancet, The</i> , 2020 , 395, 698-708	40	98
91	The Khorana score for prediction of venous thromboembolism in cancer patients: An individual patient data meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 1940-1951	15.4	24
90	Radiation Necrosis Following Stereotactic Radiosurgery for Trigeminal Neuralgia. <i>Canadian Journal of Neurological Sciences</i> , 2020 , 47, 425-427	1	1
89	Accuracy of Physicians in Differentiating Type 1 and Type 2 Myocardial Infarction Based on Clinical Information. <i>CJC Open</i> , 2020 , 2, 577-584	2	4
88	Tranexamic acid and rosuvastatin in patients at risk of cardiovascular events after noncardiac surgery: a pilot of the POISE-3 randomized controlled trial. <i>Pilot and Feasibility Studies</i> , 2020 , 6, 104	1.9	3
87	Evaluating prophylactic heparin in ambulatory patients with solid tumours: a systematic review and individual participant data meta-analysis. <i>Lancet Haematology,the</i> , 2020 , 7, e746-e755	14.6	8
86	Interventions to prevent, delay or reverse frailty in older people: a journey towards clinical guidelines. <i>BMC Medicine</i> , 2019 , 17, 193	11.4	31

85	Adapted physical activity to promote active and healthy ageing: the PoliFIT pilot randomized waiting list-controlled trial. <i>Aging Clinical and Experimental Research</i> , 2019 , 31, 511-518	4.8	6
84	Simulation-Based Education for Physicians to Increase Oral Anticoagulants in Hospitalized Elderly Patients with Atrial Fibrillation. <i>American Journal of Medicine</i> , 2019 , 132, e634-e647	2.4	5
83	How Prefrail Older People Living Alone Perceive Information and Communications Technology and What They Would Ask a Robot for: Qualitative Study. <i>Journal of Medical Internet Research</i> , 2019 , 21, e13228	7.6	5
82	Intraoperative hypotension is not associated with postoperative cognitive dysfunction in elderly patients undergoing general anesthesia for surgery: results of a randomized controlled pilot trial. <i>Journal of Clinical Anesthesia</i> , 2019 , 52, 111-118	1.9	29
81	Validation of the BAP-65 score for prediction of in-hospital death or use of mechanical ventilation in patients presenting to the emergency department with an acute exacerbation of COPD: a retrospective multi-center study from the Italian Society of Emergency Medicine (SIMEU). <i>European Journal of Internal Medicine</i> , 2019 , 61, 62-68	3.9	3
80	Understanding frailty: a qualitative study of European healthcare policy-makers' approaches to frailty screening and management. <i>BMJ Open</i> , 2018 , 8, e018653	3	35
79	COPD exacerbations in the emergency department: Epidemiology and related costs. A retrospective cohort multicentre study from the Italian Society of Emergency Medicine (SIMEU). <i>European Journal of Internal Medicine</i> , 2018 , 51, 74-79	3.9	8
78	Effectiveness of interventions to prevent pre-frailty and frailty progression in older adults: a systematic review. <i>JBIC Database of Systematic Reviews and Implementation Reports</i> , 2018 , 16, 140-232	1.6	197
77	Postoperative Remote Automated Monitoring: Need for and State of the Science. <i>Canadian Journal of Cardiology</i> , 2018 , 34, 850-862	3.8	21
76	Perceptions and experiences of frailty interventions: quantitative and qualitative results from a survey of partners within the European Innovation Partnership on Active and Healthy Ageing (EIP-AHA). <i>Ageing and Society</i> , 2018 , 38, 1843-1867	1.7	10
75	A realist review to understand the efficacy and outcomes of interventions designed to minimise, reverse or prevent the progression of frailty. <i>Health Psychology Review</i> , 2018 , 12, 382-404	7.1	25
74	Understanding frailty: meanings and beliefs about screening and prevention across key stakeholder groups in Europe [CORRIGENDUM]. <i>Ageing and Society</i> , 2018 , 38, 1306-1306	1.7	0
73	Understanding frailty: meanings and beliefs about screening and prevention across key stakeholder groups in Europe. <i>Ageing and Society</i> , 2018 , 38, 1223-1252	1.7	23
72	Oral anticoagulant use in octogenarian European patients with atrial fibrillation: A subanalysis of PREFER in AF. <i>International Journal of Cardiology</i> , 2017 , 232, 98-104	3.2	13
71	Predicting risk and outcomes for frail older adults: an umbrella review of frailty screening tools. <i>JBIC Database of Systematic Reviews and Implementation Reports</i> , 2017 , 15, 1154-1208	1.6	105
70	Quality of reporting in abstracts of RCTs published in emergency medicine journals: a protocol for a systematic survey of the literature. <i>BMJ Open</i> , 2017 , 7, e014981	3	6
69	Antipsychotic prescription and mortality in hospitalized older persons. <i>Psychogeriatrics</i> , 2017 , 17, 397-405	5.8	6
68	N-of-1 Randomized Trials of Ultra-Micronized Palmitoylethanolamide in Older Patients with Chronic Pain. <i>Drugs and Aging</i> , 2017 , 34, 941-952	4.7	10

67	Symptomatic atrial fibrillation and risk of cardiovascular events: data from the Euro Heart Survey. <i>Europace</i> , 2017 , 19, 1922-1929	3.9	20
66	Building Bridges for Innovation in Ageing: Synergies between Action Groups of the EIP on AHA. <i>Journal of Nutrition, Health and Aging</i> , 2017 , 21, 92-104	5.2	36
65	Alzheimer's Disease Diagnosis: Discrepancy between Clinical, Neuroimaging, and Cerebrospinal Fluid Biomarkers Criteria in an Italian Cohort of Geriatric Outpatients: A Retrospective Cross-sectional Study. <i>Frontiers in Medicine</i> , 2017 , 4, 203	4.9	3
64	Defining Aging Phenotypes and Related Outcomes: Clues to Recognize Frailty in Hospitalized Older Patients. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017 , 72, 395-402	6.4	35
63	Emergency physician accuracy in interpreting electrocardiograms with potential ST-segment elevation myocardial infarction: Is it enough?. <i>Acute Cardiac Care</i> , 2016 , 18, 7-10		8
62	Efficacy of ultra-micronized palmitoylethanolamide (um-PEA) in geriatric patients with chronic pain: study protocol for a series of N-of-1 randomized trials. <i>Trials</i> , 2016 , 17, 369	2.8	4
61	Prevalence and Risk Factors Associated with Use of QT-Prolonging Drugs in Hospitalized Older People. <i>Drugs and Aging</i> , 2016 , 33, 53-61	4.7	21
60	A decisional model to individualize warfarin recommendations: Expected impact on treatment and outcome rates in a real-world population with atrial fibrillation. <i>International Journal of Cardiology</i> , 2016 , 203, 785-90	3.2	1
59	Mild cognitive decline. A position statement of the Cognitive Decline Group of the European Innovation Partnership for Active and Healthy Ageing (EIPAH). <i>Maturitas</i> , 2016 , 83, 83-93	5	27
58	FOCUS: Frailty Management Optimisation through EIPAH Commitments and Utilisation of Stakeholders Input in an innovative European Project in elderly care*. <i>Family Medicine and Primary Care Review</i> , 2016 , 3, 373-376	0.6	13
57	Bayesian approach to the assessment of the population-specific risk of inhibitors in hemophilia A patients: a case study. <i>Journal of Blood Medicine</i> , 2016 , 7, 239-253	2.3	4
56	Changes in clinical outcomes for community-dwelling older people exposed to incident chronic polypharmacy: a comparison between 2001 and 2009. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 204-11	2.6	30
55	Use of heparins in patients with cancer: individual participant data meta-analysis of randomised trials study protocol. <i>BMJ Open</i> , 2016 , 6, e010569	3	14
54	Predictors of clinical events occurring during hospital stay among elderly patients admitted to medical wards in Italy. <i>European Journal of Internal Medicine</i> , 2016 , 32, 38-42	3.9	5
53	Padua prediction score or clinical judgment for decision making on antithrombotic prophylaxis: a quasi-randomized controlled trial. <i>Journal of Thrombosis and Thrombolysis</i> , 2016 , 42, 336-9	5.1	12
52	Risk of recurrence after a first unprovoked venous thromboembolism: external validation of the Vienna Prediction Model with pooled individual patient data. <i>Journal of Thrombosis and Haemostasis</i> , 2015 , 13, 775-81	15.4	45
51	The stigma of low opioid prescription in the hospitalized multimorbid elderly in Italy. <i>Internal and Emergency Medicine</i> , 2015 , 10, 305-13	3.7	7
50	Brain and kidney, victims of atrial microembolism in elderly hospitalized patients? Data from the REPOSI study. <i>European Journal of Internal Medicine</i> , 2015 , 26, 243-9	3.9	10

49	Adherence to antibiotic treatment guidelines and outcomes in the hospitalized elderly with different types of pneumonia. <i>European Journal of Internal Medicine</i> , 2015 , 26, 330-7	3.9	18
48	Type and intensity of FVIII exposure on inhibitor development in PUPs with haemophilia A. A patient-level meta-analysis. <i>Thrombosis and Haemostasis</i> , 2015 , 113, 958-67	7	43
47	Evaluation of safety and effectiveness of factor VIII treatment in haemophilia A patients with low titre inhibitors or a personal history of inhibitor. Patient Data Meta-analysis of rAFH-PFM Post-Authorization Safety Studies. <i>Thrombosis and Haemostasis</i> , 2015 , 114, 56-64	7	3
46	Gender difference in drug use in hospitalized elderly patients. <i>European Journal of Internal Medicine</i> , 2015 , 26, 483-90	3.9	18
45	Gout, allopurinol intake and clinical outcomes in the hospitalized multimorbid elderly. <i>European Journal of Internal Medicine</i> , 2014 , 25, 847-52	3.9	1
44	Prevalence of potentially inappropriate medications and risk of adverse clinical outcome in a cohort of hospitalized elderly patients: results from the REPOSI Study. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2014 , 39, 511-5	2.2	50
43	Immune tolerance induction for treating inhibitors in people with congenital haemophilia A or B. <i>The Cochrane Library</i> , 2014 , CD010561	5.2	4
42	Inappropriate prescription of allopurinol and febuxostat and risk of adverse events in the elderly: results from the REPOSI registry. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 1495-503	2.8	23
41	Gender-differences in disease distribution and outcome in hospitalized elderly: data from the REPOSI study. <i>European Journal of Internal Medicine</i> , 2014 , 25, 617-23	3.9	62
40	Patient data meta-analysis of Post-Authorization Safety Surveillance (PASS) studies of haemophilia A patients treated with rAHF-PFM. <i>Haemophilia</i> , 2014 , 20, 777-83	3.3	13
39	Stroke and bleeding risk co-distribution in real-world patients with atrial fibrillation: the Euro Heart Survey. <i>American Journal of Medicine</i> , 2014 , 127, 979-986.e2	2.4	26
38	Lung ultrasound in the diagnosis of stroke-associated pneumonia. <i>Internal and Emergency Medicine</i> , 2014 , 9, 173-8	3.7	13
37	Prognostic value of estimated glomerular filtration rate in hospitalized elderly patients. <i>Internal and Emergency Medicine</i> , 2014 , 9, 735-47	3.7	15
36	A tutorial on sensitivity analyses in clinical trials: the what, why, when and how. <i>BMC Medical Research Methodology</i> , 2013 , 13, 92	4.7	335
35	Management of patients with unprovoked venous thromboembolism: an evidence-based and practical approach. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2013 , 15, 224-39	2.1	9
34	Association of anticholinergic burden with cognitive and functional status in a cohort of hospitalized elderly: comparison of the anticholinergic cognitive burden scale and anticholinergic risk scale: results from the REPOSI study. <i>Drugs and Aging</i> , 2013 , 30, 103-12	4.7	120
33	Prophylaxis of venous thromboembolism in elderly patients with multimorbidity. <i>Internal and Emergency Medicine</i> , 2013 , 8, 509-20	3.7	17
32	Inhibitor development in previously treated hemophilia A patients: a systematic review, meta-analysis, and meta-regression. <i>Journal of Thrombosis and Haemostasis</i> , 2013 , 11, 1655-62	15.4	47

31	Joint use of cardio-embolic and bleeding risk scores in elderly patients with atrial fibrillation. <i>European Journal of Internal Medicine</i> , 2013 , 24, 800-6	3.9	11
30	Patient-level compared with study-level meta-analyses demonstrate consistency of D-dimer as predictor of venous thromboembolic recurrences. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, 415-25	5.7	7
29	Risk factors for hospital readmission of elderly patients. <i>European Journal of Internal Medicine</i> , 2013 , 24, 45-51	3.9	58
28	A generalised model for individualising a treatment recommendation based on group-level evidence from randomised clinical trials. <i>BMJ Open</i> , 2013 , 3,	3	7
27	Comparison of disease clusters in two elderly populations hospitalized in 2008 and 2010. <i>Gerontology</i> , 2013 , 59, 307-15	5.5	11
26	Adverse clinical events and mortality during hospitalization and 3 months after discharge in cognitively impaired elderly patients. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013 , 68, 419-25	6.4	22
25	Drug-drug interactions in a cohort of hospitalized elderly patients. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 1054-60	2.6	41
24	Perioperative management of antiplatelet therapy in patients with a coronary stent who need noncardiac surgery: a systematic review of clinical practice guidelines. <i>Chest</i> , 2013 , 144, 1848-1856	5.3	51
23	An Observational Retrospective Study Provide Information on Hospitalization and Severe Outcomes of the 2009 A(H1N1) Infection in Italy. <i>Journal of Clinical Medicine Research</i> , 2013 , 5, 286-93	2.9	2
22	Predicting disease recurrence in patients with previous unprovoked venous thromboembolism: a proposed prediction score (DASH). <i>Journal of Thrombosis and Haemostasis</i> , 2012 , 10, 1019-25	15.4	276
21	Polypathological patients and prognostic scores. <i>European Journal of Internal Medicine</i> , 2012 , 23, e36-7	3.9	1
20	Prevalence and characteristics of antidepressant drug prescriptions in older Italian patients. <i>International Psychogeriatrics</i> , 2012 , 24, 606-13	3.4	10
19	Prevalence and appropriateness of drug prescriptions for peptic ulcer and gastro-esophageal reflux disease in a cohort of hospitalized elderly. <i>European Journal of Internal Medicine</i> , 2011 , 22, 205-10	3.9	70
18	More about optimal choices in cardioembolism prevention. <i>European Journal of Internal Medicine</i> , 2011 , 22, e19	3.9	
17	Association between clusters of diseases and polypharmacy in hospitalized elderly patients: results from the REPOSI study. <i>European Journal of Internal Medicine</i> , 2011 , 22, 597-602	3.9	83
16	Concentrate-related inhibitor risk: is a difference always real?. <i>Journal of Thrombosis and Haemostasis</i> , 2011 , 9, 2176-9	15.4	25
15	Polypharmacy, length of hospital stay, and in-hospital mortality among elderly patients in internal medicine wards. The REPOSI study. <i>European Journal of Clinical Pharmacology</i> , 2011 , 67, 507-19	2.8	208
14	In-hospital death according to dementia diagnosis in acutely ill elderly patients: the REPOSI study. <i>International Journal of Geriatric Psychiatry</i> , 2011 , 26, 930-6	3.9	26

13	Risk of recurrence after venous thromboembolism in men and women: patient level meta-analysis. <i>BMJ, The</i> , 2011 , 342, d813	5.9	165
12	Predicting Disease Recurrence in Patients with Previous Unprovoked Venous Thromboembolism: The DASH Prediction Score. <i>Blood</i> , 2011 , 118, 544-544	2.2	2
11	Bone mineral density in haemophilia patients. A meta-analysis. <i>Thrombosis and Haemostasis</i> , 2010 , 103, 596-603	7	63
10	Patient preference for needleless factor VIII reconstitution device: the Italian experience. <i>International Journal of General Medicine</i> , 2010 , 3, 203-8	2.3	7
9	Risk of recurrence after a first episode of symptomatic venous thromboembolism provoked by a transient risk factor: a systematic review. <i>Archives of Internal Medicine</i> , 2010 , 170, 1710-6		228
8	Factors affecting adherence to guidelines for antithrombotic therapy in elderly patients with atrial fibrillation admitted to internal medicine wards. <i>European Journal of Internal Medicine</i> , 2010 , 21, 516-23	3.9	44
7	Patient-level meta-analysis: effect of measurement timing, threshold, and patient age on ability of D-dimer testing to assess recurrence risk after unprovoked venous thromboembolism. <i>Annals of Internal Medicine</i> , 2010 , 153, 523-31	8	120
6	Influenza vaccination and vitamin K antagonist treatment: a placebo-controlled, randomized, double-blind crossover study. <i>Archives of Internal Medicine</i> , 2010 , 170, 609-16		13
5	Rate of inhibitor development in previously untreated hemophilia A patients treated with plasma-derived or recombinant factor VIII concentrates: a systematic review. <i>Journal of Thrombosis and Haemostasis</i> , 2010 , 8, 1256-65	15.4	206
4	Does the clinical presentation and extent of venous thrombosis predict likelihood and type of recurrence? A patient-level meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2010 , 8, 2436-42	15.4	142
3	Clinical trials and haemophilia: does the Bayesian approach make the ideal and desirable good friends?. <i>Haemophilia</i> , 2009 , 15, 900-3	3.3	12
2	Rate of Inhibitor Development in Hemophilia A Patients Treated with Plasma Derived or Recombinant Factor VIII Concentrates. A Systematic Review of the Literature.. <i>Blood</i> , 2009 , 114, 3154-3154		154
1	Venous Thromboembolism Recurrence after a First Episode of Provoked Venous Thrombosis Due to a Transient Risk Factor. A Systematic Review of the Literature. <i>Blood</i> , 2008 , 112, 3029-3029	2.2	