Maura Marcucci

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6448049/publications.pdf

Version: 2024-02-01

105 papers 5,187 citations

34 h-index 91712 69 g-index

107 all docs

107
docs citations

107 times ranked

7660 citing authors

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | A tutorial on sensitivity analyses in clinical trials: the what, why, when and how. BMC Medical Research Methodology, 2013, 13, 92. | 1.4 | 538 |
| 2 | Predicting disease recurrence in patients with previous unprovoked venous thromboembolism: a proposed prediction score (DASH). Journal of Thrombosis and Haemostasis, 2012, 10, 1019-1025. | 1.9 | 353 |
| 3 | Effectiveness of interventions to prevent pre-frailty and frailty progression in older adults: a systematic review. JBI Database of Systematic Reviews and Implementation Reports, 2018, 16, 140-232. | 1.7 | 329 |
| 4 | Risk of Recurrence After a First Episode of Symptomatic Venous Thromboembolism Provoked by a Transient Risk Factor. Archives of Internal Medicine, 2010, 170, 1710-6. | 4.3 | 300 |
| 5 | Polypharmacy, length of hospital stay, and in-hospital mortality among elderly patients in internal medicine wards. The REPOSI study. European Journal of Clinical Pharmacology, 2011, 67, 507-519. | 0.8 | 255 |
| 6 | Rate of inhibitor development in previously untreated hemophilia A patients treated with plasmaâ€derived or recombinant factor VIII concentrates: a systematic review. Journal of Thrombosis and Haemostasis, 2010, 8, 1256-1265. | 1.9 | 242 |
| 7 | Risk of recurrence after venous thromboembolism in men and women: patient level meta-analysis. BMJ: British Medical Journal, 2011, 342, d813-d813. | 2.4 | 218 |
| 8 | Accelerated surgery versus standard care in hip fracture (HIP ATTACK): an international, randomised, controlled trial. Lancet, The, 2020, 395, 698-708. | 6.3 | 199 |
| 9 | Does the clinical presentation and extent of venous thrombosis predict likelihood and type of recurrence? A patientâ€level metaâ€analysis. Journal of Thrombosis and Haemostasis, 2010, 8, 2436-2442. | 1.9 | 181 |
| 10 | Predicting risk and outcomes for frail older adults: an umbrella review of frailty screening tools. JBI Database of Systematic Reviews and Implementation Reports, 2017, 15, 1154-1208. | 1.7 | 163 |
| 11 | Patient-Level Meta-analysis: Effect of Measurement Timing, Threshold, and Patient Age on Ability of <scp>d </scp> -Dimer Testing to Assess Recurrence Risk After Unprovoked Venous Thromboembolism. Annals of Internal Medicine, 2010, 153, 523. | 2.0 | 149 |
| 12 | Association of Anticholinergic Burden with Cognitive and Functional Status in a Cohort of Hospitalized Elderly: Comparison of the Anticholinergic Cognitive Burden Scale and Anticholinergic Risk Scale. Drugs and Aging, 2013, 30, 103-112. | 1.3 | 140 |
| 13 | Association between clusters of diseases and polypharmacy in hospitalized elderly patients: Results from the REPOSI study. European Journal of Internal Medicine, 2011, 22, 597-602. | 1.0 | 104 |
| 14 | Prevalence and appropriateness of drug prescriptions for peptic ulcer and gastro-esophageal reflux disease in a cohort of hospitalized elderly. European Journal of Internal Medicine, 2011, 22, 205-210. | 1.0 | 88 |
| 15 | Bone mineral density in haemophilia patients. Thrombosis and Haemostasis, 2010, 103, 596-603. | 1.8 | 84 |
| 16 | Gender-differences in disease distribution and outcome in hospitalized elderly: Data from the REPOSI study. European Journal of Internal Medicine, 2014, 25, 617-623. | 1.0 | 75 |
| 17 | Risk factors for hospital readmission of elderly patients. European Journal of Internal Medicine, 2013, 24, 45-51. | 1.0 | 72 |
| 18 | Interventions to prevent, delay or reverse frailty in older people: a journey towards clinical guidelines. BMC Medicine, 2019, 17, 193. | 2.3 | 65 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Perioperative Management of Antiplatelet Therapy in Patients With a Coronary Stent Who Need Noncardiac Surgery. Chest, 2013, 144, 1848-1856. | 0.4 | 60 |
| 20 | The Khorana score for prediction of venous thromboembolism in cancer patients: An individual patient data metaâ€analysis. Journal of Thrombosis and Haemostasis, 2020, 18, 1940-1951. | 1.9 | 60 |
| 21 | Inhibitor development in previously treated hemophilia A patients: a systematic review, metaâ€analysis, and metaâ€regression. Journal of Thrombosis and Haemostasis, 2013, 11, 1655-1662. | 1.9 | 59 |
| 22 | Prevalence of potentially inappropriate medications and risk of adverse clinical outcome in a cohort of hospitalized elderly patients: results from the REPOSI Study. Journal of Clinical Pharmacy and Therapeutics, 2014, 39, 511-515. | 0.7 | 59 |
| 23 | Risk of recurrence after a first unprovoked venous thromboembolism: external validation of the Vienna Prediction Model with pooled individual patient data. Journal of Thrombosis and Haemostasis, 2015, 13, 775-781. | 1.9 | 57 |
| 24 | Understanding frailty: a qualitative study of European healthcare policy-makers' approaches to frailty screening and management. BMJ Open, 2018, 8, e018653. | 0.8 | 57 |
| 25 | Drug–drug interactions in a cohort of hospitalized elderly patients. Pharmacoepidemiology and Drug Safety, 2013, 22, 1054-1060. | 0.9 | 53 |
| 26 | Factors affecting adherence to guidelines for antithrombotic therapy in elderly patients with atrial fibrillation admitted to internal medicine wards. European Journal of Internal Medicine, 2010, 21, 516-523. | 1.0 | 51 |
| 27 | Type and intensity of FVIII exposure on inhibitor development in PUPs with haemophilia A. Thrombosis and Haemostasis, 2015, 113, 958-967. | 1.8 | 49 |
| 28 | Building bridges for innovation in ageing: Synergies between action groups of the EIP on AHA. Journal of Nutrition, Health and Aging, 2017, 21, 92-104. | 1.5 | 47 |
| 29 | Intraoperative hypotension is not associated with postoperative cognitive dysfunction in elderly patients undergoing general anesthesia for surgery: results of a randomized controlled pilot trial. Journal of Clinical Anesthesia, 2019, 52, 111-118. | 0.7 | 45 |
| 30 | Changes in clinical outcomes for community-dwelling older people exposed to incident chronic polypharmacy: a comparison between 2001 and 2009. Pharmacoepidemiology and Drug Safety, 2016, 25, 204-211. | 0.9 | 43 |
| 31 | Postoperative Remote Automated Monitoring: Need for and State of the Science. Canadian Journal of Cardiology, 2018, 34, 850-862. | 0.8 | 43 |
| 32 | Defining Aging Phenotypes and Related Outcomes: Clues to Recognize Frailty in Hospitalized Older Patients. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 72, glw188. | 1.7 | 41 |
| 33 | Mild cognitive decline. A position statement of the Cognitive Decline Group of the European Innovation Partnership for Active and Healthy Ageing (EIPAHA). Maturitas, 2016, 83, 83-93. | 1.0 | 39 |
| 34 | Obtaining and managing data sets for individual participant data meta-analysis: scoping review and practical guide. BMC Medical Research Methodology, 2020, 20, 113. | 1.4 | 37 |
| 35 | Understanding frailty: meanings and beliefs about screening and prevention across key stakeholder groups in Europe. Ageing and Society, 2018, 38, 1223-1252. | 1.2 | 36 |
| 36 | Inâ€hospital death according to dementia diagnosis in acutely ill elderly patients: the REPOSI study. International Journal of Geriatric Psychiatry, 2011, 26, 930-936. | 1.3 | 32 |

3

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Stroke and Bleeding Risk Co-distribution in Real-world Patients with Atrial Fibrillation: TheÂEuro Heart Survey. American Journal of Medicine, 2014, 127, 979-986.e2. | 0.6 | 32 |
| 38 | A realist review to understand the efficacy and outcomes of interventions designed to minimise, reverse or prevent the progression of frailty. Health Psychology Review, 2018, 12, 382-404. | 4.4 | 32 |
| 39 | Concentrate-related inhibitor risk: is a difference always real?. Journal of Thrombosis and Haemostasis, 2011, 9, 2176-2179. | 1.9 | 27 |
| 40 | Adverse Clinical Events and Mortality During Hospitalization and 3 Months After Discharge in Cognitively Impaired Elderly Patients. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2013, 68, 419-425. | 1.7 | 27 |
| 41 | Symptomatic atrial fibrillation and risk of cardiovascular events: data from the Euro Heart Survey. Europace, 2017, 19, 1922-1929. | 0.7 | 27 |
| 42 | Inappropriate prescription of allopurinol and febuxostat and risk of adverse events in the elderly: results from the REPOSI registry. European Journal of Clinical Pharmacology, 2014, 70, 1495-1503. | 0.8 | 25 |
| 43 | Gender difference in drug use in hospitalized elderly patients. European Journal of Internal Medicine, 2015, 26, 483-490. | 1.0 | 25 |
| 44 | Adherence to antibiotic treatment guidelines and outcomes in the hospitalized elderly with different types of pneumonia. European Journal of Internal Medicine, 2015, 26, 330-337. | 1.0 | 25 |
| 45 | Prevalence and Risk Factors Associated with Use of QT-Prolonging Drugs in Hospitalized Older People. Drugs and Aging, 2016, 33, 53-61. | 1.3 | 24 |
| 46 | Post-discharge after surgery Virtual Care with Remote Automated Monitoring-1 (PVC-RAM-1) technology versus standard care: randomised controlled trial. BMJ, The, 2021, 374, n2209. | 3.0 | 24 |
| 47 | Prophylaxis of venous thromboembolism in elderly patients with multimorbidity. Internal and Emergency Medicine, 2013, 8, 509-520. | 1.0 | 23 |
| 48 | Evaluating prophylactic heparin in ambulatory patients with solid tumours: a systematic review and individual participant data meta-analysis. Lancet Haematology, the, 2020, 7, e746-e755. | 2.2 | 21 |
| 49 | Use of heparins in patients with cancer: individual participant data meta-analysis of randomised trials study protocol. BMJ Open, 2016, 6, e010569. | 0.8 | 18 |
| 50 | Patient data metaâ€analysis of Postâ€Authorization Safety Surveillance (PASS) studies of haemophilia A patients treated with <scp>rAHF</scp> â€PFM. Haemophilia, 2014, 20, 777-783. | 1.0 | 17 |
| 51 | FOCUS: Frailty Management Optimisation through EIPAHA Commitments and Utilisation of Stakeholders' Input – an innovative European Project in elderly care*. Family Medicine and Primary Care Review, 2016, 3, 373-376. | 0.1 | 17 |
| 52 | Padua prediction score or clinical judgment for decision making on antithrombotic prophylaxis: a quasi-randomized controlled trial. Journal of Thrombosis and Thrombolysis, 2016, 42, 336-339. | 1.0 | 17 |
| 53 | Emergency physician accuracy in interpreting electrocardiograms with potential ST-segment elevation myocardial infarction: Is it enough?. Acute Cardiac Care, 2016, 18, 7-10. | 0.2 | 17 |
| 54 | Influenza Vaccination and Vitamin K Antagonist Treatment. Archives of Internal Medicine, 2010, 170, 609-16. | 4.3 | 16 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Prognostic value of estimated glomerular filtration rate in hospitalized elderly patients. Internal and Emergency Medicine, 2014, 9, 735-747. | 1.0 | 16 |
| 56 | Oral anticoagulant use in octogenarian European patients with atrial fibrillation: A subanalysis of PREFER in AF. International Journal of Cardiology, 2017, 232, 98-104. | 0.8 | 16 |
| 57 | N-of-1 Randomized Trials of Ultra-Micronized Palmitoylethanolamide in Older Patients with Chronic Pain. Drugs and Aging, 2017, 34, 941-952. | 1.3 | 16 |
| 58 | The number needed to treat for net effect (NNTnet) as a metric for measuring combined benefits and harms. Journal of Clinical Epidemiology, 2020, 125, 100-107. | 2.4 | 16 |
| 59 | Comparison of Disease Clusters in Two Elderly Populations Hospitalized in 2008 and 2010. Gerontology, 2013, 59, 307-315. | 1.4 | 14 |
| 60 | Lung ultrasound in the diagnosis of stroke-associated pneumonia. Internal and Emergency Medicine, 2014, 9, 173-178. | 1.0 | 14 |
| 61 | Brain and kidney, victims of atrial microembolism in elderly hospitalized patients? Data from the REPOSI study. European Journal of Internal Medicine, 2015, 26, 243-249. | 1.0 | 14 |
| 62 | COPD exacerbations in the emergency department: Epidemiology and related costs. A retrospective cohort multicentre study from the Italian Society of Emergency Medicine (SIMEU). European Journal of Internal Medicine, 2018, 51, 74-79. | 1.0 | 13 |
| 63 | Adapted physical activity to promote active and healthy ageing: the PoliFIT pilot randomized waiting list-controlled trial. Aging Clinical and Experimental Research, 2019, 31, 511-518. | 1.4 | 13 |
| 64 | Clinical trials and haemophilia: does the Bayesian approach make the ideal and desirable good friends?. Haemophilia, 2009, 15, 900-903. | 1.0 | 12 |
| 65 | Joint use of cardio-embolic and bleeding risk scores in elderly patients with atrial fibrillation. European Journal of Internal Medicine, 2013, 24, 800-806. | 1.0 | 12 |
| 66 | Prevalence and characteristics of antidepressant drug prescriptions in older Italian patients. International Psychogeriatrics, 2012, 24, 606-613. | 0.6 | 11 |
| 67 | Patient-level compared with study-level meta-analyses demonstrate consistency of D-dimer as predictor of venous thromboembolic recurrences. Journal of Clinical Epidemiology, 2013, 66, 415-425. | 2.4 | 11 |
| 68 | Perceptions and experiences of frailty interventions: quantitative and qualitative results from a survey of partners within the European Innovation Partnership on Active and Healthy Ageing (EIP-AHA). Ageing and Society, 2018, 38, 1843-1867. | 1.2 | 11 |
| 69 | Management of Patients With Unprovoked Venous Thromboembolism: An Evidence-Based and Practical Approach. Current Treatment Options in Cardiovascular Medicine, 2013, 15, 224-239. | 0.4 | 10 |
| 70 | Quality of reporting in abstracts of RCTs published in emergency medicine journals: a protocol for a systematic survey of the literature. BMJ Open, 2017, 7, e014981. | 0.8 | 10 |
| 71 | Accuracy of Physicians in Differentiating Type 1 and Type 2 Myocardial Infarction Based on Clinical Information. CJC Open, 2020, 2, 577-584. | 0.7 | 10 |
| 72 | Rationale and design of the PeriOperative ISchemic Evaluation-3 (POISE-3): a randomized controlled trial evaluating tranexamic acid and a strategy to minimize hypotension in noncardiac surgery. Trials, 2022, 23, 101. | 0.7 | 10 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Antipsychotic prescription and mortality in hospitalized older persons. Psychogeriatrics, 2017, 17, 397-405. | 0.6 | 9 |
| 74 | Benefits and harms of direct oral anticoagulation and low molecular weight heparin for thromboprophylaxis in patients undergoing non-cardiac surgery: systematic review and network meta-analysis of randomised trials. BMJ, The, 2022, 376, e066785. | 3.0 | 9 |
| 75 | A generalised model for individualising a treatment recommendation based on group-level evidence from randomised clinical trials. BMJ Open, 2013, 3, e003143. | 0.8 | 8 |
| 76 | Alzheimer's Disease Diagnosis: Discrepancy between Clinical, Neuroimaging, and Cerebrospinal Fluid Biomarkers Criteria in an Italian Cohort of Geriatric Outpatients: A Retrospective Cross-sectional Study. Frontiers in Medicine, 2017, 4, 203. | 1.2 | 8 |
| 77 | Simulation-Based Education for Physicians to Increase Oral Anticoagulants in Hospitalized Elderly Patients with Atrial Fibrillation. American Journal of Medicine, 2019, 132, e634-e647. | 0.6 | 8 |
| 78 | Patient preference for needleless factor VIII reconstitution device: the Italian experience. International Journal of General Medicine, 2010, 3, 203. | 0.8 | 7 |
| 79 | The stigma of low opioid prescription in the hospitalized multimorbid elderly in Italy. Internal and Emergency Medicine, 2015, 10, 305-313. | 1.0 | 7 |
| 80 | How Prefrail Older People Living Alone Perceive Information and Communications Technology and What They Would Ask a Robot for: Qualitative Study. Journal of Medical Internet Research, 2019, 21, e13228. | 2.1 | 7 |
| 81 | Immune tolerance induction for treating inhibitors in people with congenital haemophilia A or B. The Cochrane Library, 2015, 2015, CD010561. | 1.5 | 6 |
| 82 | Predictors of clinical events occurring during hospital stay among elderly patients admitted to medical wards in Italy. European Journal of Internal Medicine, 2016, 32, 38-42. | 1.0 | 6 |
| 83 | Bayesian approach to the assessment of the population-specific risk of inhibitors in hemophilia A patients: a case study. Journal of Blood Medicine, 2016, Volume 7, 239-253. | 0.7 | 5 |
| 84 | Validation of the BAP-65 score for prediction of in-hospital death or use of mechanical ventilation in patients presenting to the emergency department with an acute exacerbation of COPD: a retrospective multi-center study from the Italian Society of Emergency Medicine (SIMEU). European Journal of Internal Medicine, 2019, 61, 62-68. | 1.0 | 5 |
| 85 | Continuous Noninvasive Remote Automated Blood Pressure Monitoring With Novel Wearable Technology: A Preliminary Validation Study. JMIR MHealth and UHealth, 2022, 10, e24916. | 1.8 | 5 |
| 86 | Efficacy of ultra-micronized palmitoylethanolamide (um-PEA) in geriatric patients with chronic pain: study protocol for a series of N-of-1 randomized trials. Trials, 2016, 17, 369. | 0.7 | 4 |
| 87 | Evaluation of safety and effectiveness of factor VIII treatment in haemophilia A patients with low titre inhibitors or a personal history of inhibitor. Thrombosis and Haemostasis, 2015, 114, 56-64. | 1.8 | 3 |
| 88 | Tranexamic acid and rosuvastatin in patients at risk of cardiovascular events after noncardiac surgery: a pilot of the POISE-3 randomized controlled trial. Pilot and Feasibility Studies, 2020, 6, 104. | 0.5 | 3 |
| 89 | How personalized are benefit and harm results of randomized trials? AÂsystematic review. Journal of Clinical Epidemiology, 2020, 126, 17-25. | 2.4 | 3 |
| 90 | Post Discharge after Surgery Virtual Care with Remote Automated Monitoring Technology (PVC-RAM): protocol for a randomized controlled trial. CMAJ Open, 2021, 9, E142-E148. | 1.1 | 3 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Predicting Disease Recurrence in Patients with Previous Unprovoked Venous Thromboembolism: The DASH Prediction Score. Blood, 2011, 118, 544-544. | 0.6 | 3 |
| 92 | An Observational Retrospective Study Provide Information on Hospitalization and Severe Outcomes of the 2009 A(H1N1) Infection in Italy. Journal of Clinical Medicine Research, 2013, 5, 286-93. | 0.6 | 2 |
| 93 | Radiation Necrosis Following Stereotactic Radiosurgery for Trigeminal Neuralgia. Canadian Journal of Neurological Sciences, 2020, 47, 425-427. | 0.3 | 2 |
| 94 | Beyond wellness monitoring: Continuous multiparameter remote automated monitoring of patients. Canadian Journal of Cardiology, 2021, , . | 0.8 | 2 |
| 95 | Functional recovery following hospitalisation of patients diagnosed with COVID-19: a protocol for a longitudinal cohort study. BMJ Open, 2021, 11, e053021. | 0.8 | 2 |
| 96 | Polypathological patients and prognostic scores. European Journal of Internal Medicine, 2012, 23, e36-e37. | 1.0 | 1 |
| 97 | Gout, allopurinol intake and clinical outcomes in the hospitalized multimorbid elderly. European Journal of Internal Medicine, 2014, 25, 847-852. | 1.0 | 1 |
| 98 | A decisional model to individualize warfarin recommendations: Expected impact on treatment and outcome rates in a real-world population with atrial fibrillation. International Journal of Cardiology, 2016, 203, 785-790. | 0.8 | 1 |
| 99 | Understanding frailty: meanings and beliefs about screening and prevention across key stakeholder groups in Europe – CORRIGENDUM. Ageing and Society, 2018, 38, 1306-1306. | 1.2 | 1 |
| 100 | More about optimal choices in cardioembolism prevention. European Journal of Internal Medicine, 2011, 22, e19. | 1.0 | 0 |
| 101 | In anticoagulated patients with AF, HAS-BLED predicted major bleeding better than CHADS2and CHA2DS2-VASc. Annals of Internal Medicine, 2014, 160, JC13. | 2.0 | 0 |
| 102 | Venous Thromboembolism Recurrence after a First Episode of Provoked Venous Thrombosis Due to a Transient Risk Factor. A Systematic Review of the Literature. Blood, 2008, 112, 3029-3029. | 0.6 | 0 |
| 103 | Rate of Inhibitor Development in Hemophilia A Patients Treated with Plasma Derived or Recombinant Factor VIII Concentrates. A Systematic Review of the Literature Blood, 2009, 114, 3154-3154. | 0.6 | 0 |
| 104 | Risk of Recurrence after Stopping Anticoagulants in Women with Combined Oral Contraceptive-Associated Venous Thromboembolism: A Systematic Review and Meta-Analysis. Blood, 2021, 138, 776-776. | 0.6 | 0 |
| 105 | Effect of a Perioperative Hypotension-Avoidance Strategy Versus a Hypertension-Avoidance Strategy on the Risk of Acute Kidney Injury: A Clinical Research Protocol for a Substudy of the POISE-3 Randomized Clinical Trial. Canadian Journal of Kidney Health and Disease, 2022, 9, 205435812110692. | 0.6 | 0 |