

Luis F Melo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6448332/publications.pdf>

Version: 2024-02-01

97
papers

4,186
citations

117453

34
h-index

123241

61
g-index

97
all docs

97
docs citations

97
times ranked

4922
citing authors

#	ARTICLE	IF	CITATIONS
1	Affordable Pretreatment Strategy for Mitigation of Biofouling in Drinking-Water Systems. <i>Journal of Environmental Engineering, ASCE</i> , 2022, 148, .	0.7	1
2	Characterization of biofilm structure and properties via processing of 2D optical coherence tomography images in BISCAP. <i>Bioinformatics</i> , 2022, 38, 1708-1715.	1.8	7
3	A Multi-Purpose Approach to the Mechanisms of Action of Two Biocides (Benzalkonium Chloride and Tj ETQq1 1 0.784314 rgBT /Ove in <i>Microbiology</i> , 2022, 13, 842414.	1.5	16
4	New Functionalized Macroparticles for Environmentally Sustainable Biofilm Control in Water Systems. <i>Antibiotics</i> , 2021, 10, 399.	1.5	2
5	Legionella and Biofilmsâ€”Integrated Surveillance to Bridge Science and Real-Field Demands. <i>Microorganisms</i> , 2021, 9, 1212.	1.6	15
6	Graph-based network modeling and simulation of condensers in once-through cooling water system under the effect of biofouling formation. <i>Applied Thermal Engineering</i> , 2020, 165, 114577.	3.0	4
7	Quorum sensing in food spoilage and natural-based strategies for its inhibition. <i>Food Research International</i> , 2020, 127, 108754.	2.9	73
8	Surface modifications for antimicrobial effects in the healthcare setting: a critical overview. <i>Journal of Hospital Infection</i> , 2018, 99, 239-249.	1.4	225
9	<i>Pseudomonas fluorescens</i> tolerance to benzyltrimethylammonium chloride: Altered phenotype and cross-resistance. <i>Journal of Global Antimicrobial Resistance</i> , 2018, 15, 188-195.	0.9	15
10	Combination of selected enzymes with cetyltrimethylammonium bromide in biofilm inactivation, removal and regrowth. <i>Food Research International</i> , 2017, 95, 101-107.	2.9	30
11	Anti-microbial coating innovations to prevent infectious diseases (AMiCI): Cost action ca15114. <i>Bioengineered</i> , 2017, 8, 679-685.	1.4	20
12	Characterization of the heterotrophic bacteria from a minimally processed vegetables plant. <i>LWT - Food Science and Technology</i> , 2017, 85, 293-300.	2.5	23
13	Impact of polymicrobial biofilms in catheter-associated urinary tract infections. <i>Critical Reviews in Microbiology</i> , 2017, 43, 423-439.	2.7	63
14	An in vitro model of catheter-associated urinary tract infections to investigate the role of uncommon bacteria on the <i>Escherichia coli</i> microbial consortium. <i>Biochemical Engineering Journal</i> , 2017, 118, 64-69.	1.8	15
15	Comparative stability and efficacy of selected chlorine-based biocides against <i>Escherichia coli</i> in planktonic and biofilm states. <i>Food Research International</i> , 2017, 102, 511-518.	2.9	27
16	<i>Staphylococcus aureus</i> and <i>Escherichia coli</i> dualâ€”species biofilms on nanohydroxyapatite loaded with CHX or ZnO nanoparticles. <i>Journal of Biomedical Materials Research - Part A</i> , 2017, 105, 491-497.	2.1	19
17	Influence of Flow Velocity on the Characteristics of <i>Pseudomonas fluorescens</i> Biofilms. <i>Journal of Environmental Engineering, ASCE</i> , 2016, 142, .	0.7	40
18	The Effects of Selected Brominated and Chlorinated Chemicals on <i>Pseudomonas fluorescens</i> Planktonic Cells and Flow-Generated Biofilms. <i>Journal of Food Processing and Preservation</i> , 2016, 40, 316-328.	0.9	7

#	ARTICLE	IF	CITATIONS
19	Impact of <i>Delftia tsuruhatensis</i> and <i>Achromobacter xylosoxidans</i> on <i>Escherichia coli</i> dual-species biofilms treated with antibiotic agents. <i>Biofouling</i> , 2016, 32, 227-241.	0.8	17
20	Evaluation of SICON Â® surfaces for biofouling mitigation in critical process areas. <i>Food and Bioproducts Processing</i> , 2016, 98, 173-180.	1.8	8
21	Disinfection with neutral electrolyzed oxidizing water to reduce microbial load and to prevent biofilm regrowth in the processing of fresh-cut vegetables. <i>Food and Bioproducts Processing</i> , 2016, 98, 333-340.	1.8	19
22	Evaluation of SICON performance for biofouling mitigation in the food industry. <i>Food Control</i> , 2016, 62, 201-207.	2.8	19
23	EFFECTS OF HYDRODYNAMIC STRESS AND FEED RATE ON THE PERFORMANCE OF A MICROBIAL FUEL CELL. <i>Environmental Engineering and Management Journal</i> , 2016, 15, 2497-2504.	0.2	4
24	The impact of material properties, nutrient load and shear stress on biofouling in food industries. <i>Food and Bioproducts Processing</i> , 2015, 95, 228-236.	1.8	27
25	The effect of shear stress on the formation and removal of <i>Bacillus cereus</i> biofilms. <i>Food and Bioproducts Processing</i> , 2015, 93, 242-248.	1.8	58
26	The effects of surface type on the removal of <i>Bacillus cereus</i> and <i>Pseudomonas fluorescens</i> single and dual species biofilms. <i>Food and Bioproducts Processing</i> , 2015, 93, 234-241.	1.8	25
27	Efficacy of antimicrobial combinations to reduce the use of sodium hypochlorite in the control of planktonic and sessile <i>Escherichia coli</i> . <i>Biochemical Engineering Journal</i> , 2015, 104, 115-122.	1.8	15
28	Anti-sessile bacterial and cytocompatibility properties of CHX-loaded nanohydroxyapatite. <i>Colloids and Surfaces B: Biointerfaces</i> , 2015, 130, 305-314.	2.5	17
29	<i>Escherichia coli</i> adhesion, biofilm development and antibiotic susceptibility on biomedical materials. <i>Journal of Biomedical Materials Research - Part A</i> , 2015, 103, 1414-1423.	2.1	68
30	The combined effects of shear stress and mass transfer on the balance between biofilm and suspended cell dynamics. <i>Desalination and Water Treatment</i> , 2015, 53, 3348-3354.	1.0	19
31	<i>Escherichia coli</i> adhesion to surfaces—a thermodynamic assessment. <i>Colloid and Polymer Science</i> , 2015, 293, 177-185.	1.0	12
32	96-well microtiter plates for biofouling simulation in biomedical settings. <i>Biofouling</i> , 2014, 30, 535-546.	0.8	31
33	Biofilm Localization in the Vertical Wall of Shaking 96-Well Plates. <i>Scientifica</i> , 2014, 2014, 1-6.	0.6	17
34	The effects of ferulic and salicylic acids on <i>Bacillus cereus</i> and <i>Pseudomonas fluorescens</i> single- and dual-species biofilms. <i>International Biodeterioration and Biodegradation</i> , 2014, 86, 42-51.	1.9	70
35	The ability of an antimicrobial agent to penetrate a biofilm is not correlated with its killing or removal efficiency. <i>Biofouling</i> , 2014, 30, 675-683.	0.8	34
36	The effects of surface properties on <i>Escherichia coli</i> adhesion are modulated by shear stress. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014, 123, 1-7.	2.5	43

#	ARTICLE	IF	CITATIONS
37	Interaction between atypical microorganisms and <i>E. coli</i> in catheter-associated urinary tract biofilms. <i>Biofouling</i> , 2014, 30, 893-902.	0.8	27
38	Identifying the Nature of Fouling Layers by Online Monitoring of the Propagation of Vibrations Along the Deposition Surface. <i>Heat Transfer Engineering</i> , 2014, 35, 251-257.	1.2	9
39	Influence of nanohydroxyapatite surface properties on <i>Staphylococcus epidermidis</i> biofilm formation. <i>Journal of Biomaterials Applications</i> , 2014, 28, 1325-1335.	1.2	18
40	Influence of the shear stress and salinity on Anammox biofilms formation: modelling results. <i>Bioprocess and Biosystems Engineering</i> , 2014, 37, 1955-1961.	1.7	18
41	Influence of flow rate variation on the development of <i>Escherichia coli</i> biofilms. <i>Bioprocess and Biosystems Engineering</i> , 2013, 36, 1787-1796.	1.7	35
42	Localization of Contamination Sources in Drinking Water Distribution Systems: A Method Based on Successive Positive Readings of Sensors. <i>Water Resources Management</i> , 2013, 27, 4623-4635.	1.9	21
43	A 1D mathematical model for a microbial fuel cell. <i>Energy</i> , 2013, 61, 463-471.	4.5	86
44	Effect of low concentrations of synthetic surfactants on polycyclic aromatic hydrocarbons (PAH) biodegradation. <i>International Biodeterioration and Biodegradation</i> , 2013, 83, 48-55.	1.9	37
45	Overview on the developments of microbial fuel cells. <i>Biochemical Engineering Journal</i> , 2013, 73, 53-64.	1.8	301
46	Biofilm Control With New Microparticles With Immobilized Biocide. <i>Heat Transfer Engineering</i> , 2013, 34, 712-718.	1.2	17
47	The effect of glucose concentration and shaking conditions on <i>Escherichia coli</i> biofilm formation in microtiter plates. <i>Chemical Engineering Science</i> , 2013, 94, 192-199.	1.9	45
48	Flow cells as quasi-ideal systems for biofouling simulation of industrial piping systems. <i>Biofouling</i> , 2013, 29, 953-966.	0.8	28
49	The Influence of Interfering Substances on the Antimicrobial Activity of Selected Quaternary Ammonium Compounds. <i>International Journal of Food Science</i> , 2013, 2013, 1-9.	0.9	36
50	A modular reactor to simulate biofilm development in orthopedic materials. <i>International Microbiology</i> , 2013, 16, 191-8.	1.1	6
51	Setup and Validation of Flow Cell Systems for Biofouling Simulation in Industrial Settings. <i>Scientific World Journal</i> , The, 2012, 2012, 1-10.	0.8	22
52	Flow cell hydrodynamics and their effects on <i>E. coli</i> biofilm formation under different nutrient conditions and turbulent flow. <i>Biofouling</i> , 2011, 27, 1-11.	0.8	118
53	In situ evaluation of a new silorane-based composite resin's bioadhesion properties. <i>Dental Materials</i> , 2011, 27, 1238-1245.	1.6	22
54	Physiological changes induced by the quaternary ammonium compound benzyldimethyldodecylammonium chloride on <i>Pseudomonas fluorescens</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, 1036-1043.	1.3	105

#	ARTICLE	IF	CITATIONS
55	Mechanistic Aspects of Heat Exchanger and Membrane Biofouling and Prevention. , 2010, , 365-380.		7
56	Polyphase development of the Falc3n Basin in northwestern Venezuela: implications for oil generation. Geological Society Special Publication, 2009, 328, 587-612.	0.8	3
57	Monitoring of biofilms in the food and beverage industries. , 2009, , 131-151.		6
58	Monitoring cleaning-in-place of shampoo films using nanovibration technology. Sensors and Actuators B: Chemical, 2009, 136, 376-382.	4.0	24
59	Using nanovibrations to monitor biofouling. Biotechnology and Bioengineering, 2008, 99, 1407-1415.	1.7	44
60	Deposition from a milk mineral solution on novel heat transfer surfaces under turbulent flow conditions. Journal of Food Engineering, 2008, 85, 29-41.	2.7	31
61	Simplified numerical simulation to obtain heat transfer correlations for stirred yoghurt in a plate heat exchanger. Food and Bioprocess Processing, 2008, 86, 296-303.	1.8	9
62	Protein-calcium phosphate interactions in fouling of modified stainless-steel surfaces by simulated milk. International Dairy Journal, 2008, 18, 72-80.	1.5	34
63	Dynamics of drinking water biofilm in flow/non-flow conditions. Water Research, 2007, 41, 551-562.	5.3	118
64	Effect of proteins on calcium phosphate deposition in turbulent flow as a function of surface properties. Experimental Thermal and Fluid Science, 2007, 32, 375-386.	1.5	13
65	Calcium phosphate fouling on TiN-coated stainless steel surfaces: Role of ions and particles. Chemical Engineering Science, 2007, 62, 3821-3831.	1.9	34
66	Modified stainless steel surfaces targeted to reduce fouling - Evaluation of fouling by milk components. Journal of Food Engineering, 2007, 80, 1176-1187.	2.7	120
67	Monitoring Deposit Build-up using a Novel Mechatronic Surface Sensor (MSS). Food and Bioprocess Processing, 2006, 84, 366-370.	1.8	23
68	Calcium phosphate deposition from simulated milk ultrafiltrate on different stainless steel-based surfaces. International Dairy Journal, 2006, 16, 81-87.	1.5	65
69	Interaction of Desulfovibrio desulfuricans biofilms with stainless steel surface and its impact on bacterial metabolism. Journal of Applied Microbiology, 2006, 101, 1087-1095.	1.4	51
70	The effect of citrate on calcium phosphate deposition from simulated milk ultrafiltrate (SMUF) solution. Journal of Food Engineering, 2006, 73, 379-387.	2.7	43
71	Thermal behaviour of stirred yoghurt during cooling in plate heat exchangers. Journal of Food Engineering, 2006, 76, 433-439.	2.7	22
72	Competition between Nitrospira spp. and Nitrobacter spp. in nitrite-oxidizing bioreactors. Biotechnology and Bioengineering, 2006, 95, 169-175.	1.7	115

#	ARTICLE	IF	CITATIONS
73	A Late Pleistocene-Holocene natural seismograph along the Boconó Fault (Mérida Andes, Venezuela): the moraine-dammed Los Zepa paleo-lake. <i>Bulletin - Societie Geologique De France</i> , 2006, 177, 3-17.	0.9	15
74	The influence of nickel on the adhesion ability of <i>Desulfovibrio desulfuricans</i> . <i>Colloids and Surfaces B: Biointerfaces</i> , 2005, 46, 127-133.	2.5	46
75	Fluorene and phenanthrene uptake by <i>Pseudomonas putida</i> ATCC 17514: Kinetics and physiological aspects. <i>Biotechnology and Bioengineering</i> , 2005, 90, 281-289.	1.7	59
76	Simulation of stirred yoghurt processing in plate heat exchangers. <i>Journal of Food Engineering</i> , 2005, 69, 281-290.	2.7	43
77	Modified stainless steel surfaces targeted to reduce fouling – surface characterization. <i>Journal of Food Engineering</i> , 2004, 64, 63-79.	2.7	115
78	Online Biofilm Monitoring. <i>Reviews in Environmental Science and Biotechnology</i> , 2003, 2, 269-283.	3.9	81
79	Heat transfer and rheology of stirred yoghurt during cooling in plate heat exchangers. <i>Journal of Food Engineering</i> , 2003, 57, 179-187.	2.7	40
80	Biofilm formation and its role in fixed film processes. , 2003, , 337-349.		8
81	The Role of Kaolin Particles in the Performance of a Carbamate-Based Biocide for Water Bacterial Control. <i>Water Environment Research</i> , 2002, 74, 235-241.	1.3	9
82	Nitrifying and heterotrophic population dynamics in biofilm reactors: effects of hydraulic retention time and the presence of organic carbon. <i>Water Research</i> , 2002, 36, 469-481.	5.3	217
83	Effect of flow regime on the architecture of a <i>pseudomonas fluorescens</i> biofilm. <i>Biotechnology and Bioengineering</i> , 2002, 78, 164-171.	1.7	156
84	A versatile reactor for continuous monitoring of biofilm properties in laboratory and industrial conditions. <i>Letters in Applied Microbiology</i> , 2002, 34, 22-26.	1.0	31
85	Influence of medium composition on the characteristics of a denitrifying biofilm formed by <i>Alcaligenes denitrificans</i> in a fluidised bed reactor. <i>Process Biochemistry</i> , 2002, 37, 837-845.	1.8	35
86	Posttreatment of a Brewery Wastewater Using a Sequencing Batch Reactor. <i>Water Environment Research</i> , 2001, 73, 45-51.	1.3	26
87	The Effect of Clay Particles on the Activity of Suspended Autotrophic Nitrifying Bacteria and on the Performance of an Air-Lift Reactor. <i>Environmental Technology (United Kingdom)</i> , 2001, 22, 123-135.	1.2	13
88	Chemical composition and activity of a biofilm during the start-up of an airlift reactor. <i>Water Science and Technology</i> , 2000, 41, 105-111.	1.2	26
89	Mass transfer coefficients within anaerobic biofilms: effects of external liquid velocity. <i>Water Research</i> , 1999, 33, 3673-3678.	5.3	34
90	Retention of bacteria by cellulose fibres as a means of reducing biofouling in paper pulp production processes. <i>Biofouling</i> , 1998, 13, 1-18.	0.8	8

#	ARTICLE	IF	CITATIONS
91	A Simplified Analysis of Reaction and Mass Transfer in UASB and EGSB Reactors. Environmental Technology (United Kingdom), 1997, 18, 35-44.	1.2	24
92	Biofouling in water systems. Experimental Thermal and Fluid Science, 1997, 14, 375-381.	1.5	172
93	Monitoring the thermal efficiency of fouled heat exchangers: A simplified method. Experimental Thermal and Fluid Science, 1997, 14, 455-463.	1.5	22
94	Surface Interactions and Deposit Growth in Fouling of Heat Exchangers. Corrosion Reviews, 1993, 11, 55-96.	1.0	13
95	Biofilm formation: Hydrodynamic effects on internal diffusion and structure. Biofouling, 1993, 7, 67-80.	0.8	152
96	Surface phenomena and hydrodynamic effects on the deposition of pseudomonas fluorescens. Canadian Journal of Chemical Engineering, 1988, 66, 63-67.	0.9	22
97	The Dynamic Behavior of Once-Through Cooling Water Systems under Fouling Phenomena. Heat Transfer Engineering, 0, , 1-9.	1.2	1