David Hajage

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6451190/publications.pdf

Version: 2024-02-01

111	7,202	34	82
papers	citations	h-index	g-index
115	115	115	9086
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Effect of prone positioning on survival in adult patients receiving venovenous extracorporeal membrane oxygenation for acute respiratory distress syndrome: a systematic review and meta-analysis. Intensive Care Medicine, 2022, 48, 270-280.	3.9	36
2	Meta-analyses frequently include old trials that are associated with a larger intervention effect: a meta-epidemiological study. Journal of Clinical Epidemiology, 2022, 145, 144-153.	2.4	7
3	Personalization of renal replacement therapy initiation: a secondary analysis of the AKIKI and IDEAL-ICU trials. Critical Care, 2022, 26, 64.	2.5	6
4	Positive impact on 10-year outcome of the window of opportunity for conventional synthetic DMARDs in rheumatoid arthritis: results from the ESPOIR cohort. RMD Open, 2022, 8, e002040.	1.8	0
5	Compassionate Use of Hydroxychloroquine in Clinical Practice for Patients With Mild to Severe COVID-19 in a French University Hospital. Clinical Infectious Diseases, 2021, 73, e4064-e4072.	2.9	38
6	Reply to Million <i>et al</i> . Clinical Infectious Diseases, 2021, 72, e440-e441.	2.9	0
7	Long-Term Disabilities of Survivors of Out-of-Hospital Cardiac Arrest. Chest, 2021, 159, 699-711.	0.4	21
8	Baclofen destabilises breathing during sleep in healthy humans: A randomised, controlled, doubleâ€blind crossover trial. British Journal of Clinical Pharmacology, 2021, 87, 1814-1823.	1.1	4
9	Clinical characteristics and day-90 outcomes of 4244 critically ill adults with COVID-19: a prospective cohort study. Intensive Care Medicine, 2021, 47, 60-73.	3.9	597
10	Response. Chest, 2021, 159, 1303-1304.	0.4	0
10	Response. Chest, 2021, 159, 1303-1304. Vascular access for renal replacement therapy among 459 critically ill patients: a pragmatic analysis of the randomized AKIKI trial. Annals of Intensive Care, 2021, 11, 56.	2.2	5
	Vascular access for renal replacement therapy among 459 critically ill patients: a pragmatic analysis		
11	Vascular access for renal replacement therapy among 459 critically ill patients: a pragmatic analysis of the randomized AKIKI trial. Annals of Intensive Care, 2021, 11, 56. Comparison of two delayed strategies for renal replacement therapy initiation for severe acute kidney	2.2	5
11 12	Vascular access for renal replacement therapy among 459 critically ill patients: a pragmatic analysis of the randomized AKIKI trial. Annals of Intensive Care, 2021, 11, 56. Comparison of two delayed strategies for renal replacement therapy initiation for severe acute kidney injury (AKIKI 2): a multicentre, open-label, randomised, controlled trial. Lancet, The, 2021, 397, 1293-1300. Association Between Lack of Blinding and Mortality Results in Critical Care Randomized Controlled	2.2 6.3	106
11 12 13	Vascular access for renal replacement therapy among 459 critically ill patients: a pragmatic analysis of the randomized AKIKI trial. Annals of Intensive Care, 2021, 11, 56. Comparison of two delayed strategies for renal replacement therapy initiation for severe acute kidney injury (AKIKI 2): a multicentre, open-label, randomised, controlled trial. Lancet, The, 2021, 397, 1293-1300. Association Between Lack of Blinding and Mortality Results in Critical Care Randomized Controlled Trials: A Meta-Epidemiological Study*. Critical Care Medicine, 2021, 49, 1800-1811. Characteristics, management, and prognosis of elderly patients with COVID-19 admitted in the ICU	2.26.30.4	5 106 21
11 12 13	Vascular access for renal replacement therapy among 459 critically ill patients: a pragmatic analysis of the randomized AKIKI trial. Annals of Intensive Care, 2021, 11, 56. Comparison of two delayed strategies for renal replacement therapy initiation for severe acute kidney injury (AKIKI 2): a multicentre, open-label, randomised, controlled trial. Lancet, The, 2021, 397, 1293-1300. Association Between Lack of Blinding and Mortality Results in Critical Care Randomized Controlled Trials: A Meta-Epidemiological Study*. Critical Care Medicine, 2021, 49, 1800-1811. Characteristics, management, and prognosis of elderly patients with COVID-19 admitted in the ICU during the first wave: insights from the COVID-ICU study. Annals of Intensive Care, 2021, 11, 77. Variance estimators for weighted and stratified linear dose†response function estimators using	2.2 6.3 0.4 2.2	5 106 21 44
11 12 13 14	Vascular access for renal replacement therapy among 459 critically ill patients: a pragmatic analysis of the randomized AKIKI trial. Annals of Intensive Care, 2021, 11, 56. Comparison of two delayed strategies for renal replacement therapy initiation for severe acute kidney injury (AKIKI 2): a multicentre, open-label, randomised, controlled trial. Lancet, The, 2021, 397, 1293-1300. Association Between Lack of Blinding and Mortality Results in Critical Care Randomized Controlled Trials: A Meta-Epidemiological Study*. Critical Care Medicine, 2021, 49, 1800-1811. Characteristics, management, and prognosis of elderly patients with COVID-19 admitted in the ICU during the first wave: insights from the COVID-ICU study. Annals of Intensive Care, 2021, 11, 77. Variance estimators for weighted and stratified linear doseâ€"response function estimators using generalized propensity score. Biometrical Journal, 2021, , . The AKIKI 2 trial: a case for strategy of initiation instead of timing â€" Authors' reply. Lancet, The, 2021,	2.2 6.3 0.4 2.2	5 106 21 44 0

#	Article	IF	CITATIONS
19	Efficacy of Acyclovir to Suppress Herpes Simplex Virus Oropharyngeal Reactivation in Patients Who Are Mechanically Ventilated. JAMA Network Open, 2021, 4, e2139825.	2.8	1
20	Acyclovir for Mechanically Ventilated Patients With Herpes Simplex Virus Oropharyngeal Reactivation. JAMA Internal Medicine, 2020, 180, 263.	2.6	46
21	ECMO for severe ARDS: systematic review and individual patient data meta-analysis. Intensive Care Medicine, 2020, 46, 2048-2057.	3.9	212
22	Impact of Pointâ€ofâ€care Testing on Length of Stay of Patients in the Emergency Department: A Clusterâ€randomized Controlled Study. Academic Emergency Medicine, 2020, 27, 974-983.	0.8	10
23	Relative Contribution of Gestational Weight Gain, Gestational Diabetes, and Maternal Obesity to Neonatal Fat Mass. Nutrients, 2020, 12, 3434.	1.7	4
24	Risk Factors for Developing Severe Acute Kidney Injury in Adult Patients With Refractory Postcardiotomy Cardiogenic Shock Receiving Venoarterial Extracorporeal Membrane Oxygenation. Critical Care Medicine, 2020, 48, e715-e721.	0.4	11
25	Attributable Mortality of Hip Fracture in Older Patients: A Retrospective Observational Study. Journal of Clinical Medicine, 2020, 9, 2370.	1.0	11
26	Extracorporeal membrane oxygenation for severe acute respiratory distress syndrome associated with COVID-19: a retrospective cohort study. Lancet Respiratory Medicine, the, 2020, 8, 1121-1131.	5.2	344
27	Respiratory support in COPD patients after acute exacerbation with monitoring the quality of support (Rescue2-monitor): an open-label, prospective randomized, controlled, superiority clinical trial comparing hospital- versus home-based acute non-invasive ventilation for patients with hypercapnic chronic obstructive pulmonary disease. Trials. 2020. 21. 877.	0.7	3
28	Circulating Receptor Activator of Nuclear Factor kB Ligand and triglycerides are associated with progression of lower limb arterial calcification in type 2 diabetes: a prospective, observational cohort study. Cardiovascular Diabetology, 2020, 19, 140.	2.7	12
29	Venoarterial extracorporeal membrane oxygenation to rescue sepsis-induced cardiogenic shock: a retrospective, multicentre, international cohort study. Lancet, The, 2020, 396, 545-552.	6.3	108
30	Renal replacement therapy in acute kidney injury – Authors' reply. Lancet, The, 2020, 396, 1975-1976.	6.3	1
31	Delayed versus early initiation of renal replacement therapy for severe acute kidney injury: a systematic review and individual patient data meta-analysis of randomised clinical trials. Lancet, The, 2020, 395, 1506-1515.	6.3	148
32	Knowledge and perception of the French ANSM recommendations for acute odontogenic cellulitis in French private dental practices: a national survey. Journal of Oral Medicine and Oral Surgery, 2020, 26, 25.	0.2	0
33	Reply to Chousterman et al.: Delaying Renal Replacement Therapy Could Be Harmful in Patients with Acute Brain Injury. American Journal of Respiratory and Critical Care Medicine, 2019, 200, 646-647.	2.5	1
34	Perioperative management of oral anticoagulated patients undergoing an oral, implant, or periodontal procedure: a survey of practices of members of two dental scientific societies, the PRADICO study. Clinical Oral Investigations, 2019, 23, 4311-4323.	1.4	3
35	Utility of Cricoid Pressure—Reply. JAMA Surgery, 2019, 154, 564.	2.2	0
36	Timing of Renal Replacement Therapy for Severe Acute Kidney Injury in Critically Ill Patients. American Journal of Respiratory and Critical Care Medicine, 2019, 199, 1066-1075.	2.5	26

#	Article	IF	CITATIONS
37	The Artificial Kidney Initiation in Kidney Injury 2 (AKIKI2): study protocol for a randomized controlled trial. Trials, 2019, 20, 726.	0.7	15
38	Outcomes of Stenotrophomonas maltophilia hospital-acquired pneumonia in intensive care unit: a nationwide retrospective study. Critical Care, 2019, 23, 371.	2.5	41
39	A musical intervention for respiratory comfort during noninvasive ventilation inÂthe ICU. European Respiratory Journal, 2019, 53, 1801873.	3.1	16
40	The effect of local anesthetic continuous wound infusion for the prevention of postoperative pneumonia after on-pump cardiac surgery with sternotomy: the STERNOCAT randomized clinical trial. Intensive Care Medicine, 2019, 45, 33-43.	3.9	17
41	Effect of Cricoid Pressure Compared With a Sham Procedure in the Rapid Sequence Induction of Anesthesia. JAMA Surgery, 2019, 154, 9.	2.2	104
42	A phase III double-blind placebo-controlled randomized study of dexamphetamine sulfate for fatigue in primary brain tumors patients: An ANOCEF trial (DXA). Neuro-Oncology Advances, 2019, 1, vdz043.	0.4	8
43	Timing of Renal Support and Outcome of Septic Shock and Acute Respiratory Distress Syndrome. A <i>Post Hoc</i> Analysis of the AKIKI Randomized Clinical Trial. American Journal of Respiratory and Critical Care Medicine, 2018, 198, 58-66.	2.5	62
44	Plasma oxysterols: biomarkers for diagnosis and treatment in spastic paraplegia type 5. Brain, 2018, 141, 72-84.	3.7	67
45	Underreporting of End-of-Life Decisions in Critical Care Trials: A Call to Modify the Consolidated Standards of Reporting Trials Statement. American Journal of Respiratory and Critical Care Medicine, 2018, 197, 263-266.	2.5	10
46	Perception des poussées de polyarthrite rhumatoÃ⁻de telles que rapportées par les patientsÂ: sous-analyse de l'essai STRASS sur les stratégies de diminution progressive du traitement. Revue Du Rhumatisme (Edition Francaise), 2018, 85, 353-358.	0.0	0
47	Clinical impact of upper gastrointestinal endoscopy in critically ill patients with suspected bleeding. Annals of Intensive Care, 2018, 8, 75.	2.2	6
48	Percutaneous versus surgical femoro-femoral veno-arterial ECMO: a propensity score matched study. Intensive Care Medicine, 2018, 44, 2153-2161.	3.9	123
49	Closedâ€form variance estimator for weighted propensity score estimators with survival outcome. Biometrical Journal, 2018, 60, 1151-1163.	0.6	16
50	Extracorporeal Membrane Oxygenation for Severe Acute Respiratory Distress Syndrome and Posterior Probability of Mortality Benefit in a Post Hoc Bayesian Analysis of a Randomized Clinical Trial. JAMA - Journal of the American Medical Association, 2018, 320, 2251.	3.8	367
51	Extracorporeal Membrane Oxygenation for Severe Acute Respiratory Distress Syndrome. New England Journal of Medicine, 2018, 378, 1965-1975.	13.9	1,563
52	Effect of cumulative exposure to corticosteroid and DMARD on radiographic progression in rheumatoid arthritis: results from the ESPOIR cohort. Rheumatology, 2018, 57, 1563-1573.	0.9	8
53	Hypothesis: early renal replacement therapy increases mortality in critically ill patients with acute on chronic renal failure. A post hoc analysis of the AKIKI trial. Intensive Care Medicine, 2018, 44, 1360-1361.	3.9	11
54	An outbreak of <i>Pneumocytis jirovecii</i> pneumonia among liver transplant recipients. Transplant Infectious Disease, 2018, 20, e12956.	0.7	11

#	Article	IF	CITATIONS
55	Ventilator-associated pneumonia in patients assisted by veno-arterial extracorporeal membrane oxygenation support: Epidemiology and risk factors of treatment failure. PLoS ONE, 2018, 13, e0194976.	1.1	42
56	An observational study of agreement between percentage pain reduction calculated from visual analog or numerical rating scales versus that reported by parturients during labor epidural analgesia. International Journal of Obstetric Anesthesia, 2017, 30, 39-43.	0.2	9
57	Prone positioning in acute respiratory distress syndrome after abdominal surgery: a multicenter retrospective study. Annals of Intensive Care, 2017, 7, 21.	2.2	19
58	Why ELAIN and AKIKI Should Not Be Compared: Resolving Discordant Studies. American Journal of Kidney Diseases, 2017, 69, 864.	2.1	6
59	Severe pulmonary embolism managed with high-flow nasal cannula oxygen therapy. European Journal of Emergency Medicine, 2017, 24, 230-232.	0.5	15
60	Estimation of conditional and marginal odds ratios using the prognostic score. Statistics in Medicine, 2017, 36, 687-716.	0.8	7
61	Overfitting in propensity score model: a commentary on "propensity score model overfitting led to inflated variance of estimated odds ratios―by Schuster etÂal Journal of Clinical Epidemiology, 2017, 88, 160-161.	2.4	1
62	Diagnostic Performance of C-Reactive Protein in Detecting Post-Operative Infectious Complications After Laparoscopic Sleeve Gastrectomy. Obesity Surgery, 2017, 27, 3124-3132.	1.1	6
63	Patient-perceived flares in rheumatoid arthritis: A sub-analysis of the STRASS treatment tapering strategy trial. Joint Bone Spine, 2017, 84, 577-581.	0.8	10
64	Sustainability of TNF-blocker tapering in rheumatoid arthritis over 3 years: long-term follow-up of the STRASS (Spacing of TNF-blocker injections in Rheumatoid ArthritiS Study) randomised controlled trial. RMD Open, 2017, 3, e000474.	1.8	13
65	Optimal timing of renal replacement therapy in patients with acute kidney injury in the context of sepsis. Intensive Care Medicine, 2017, 43, 1546-1547.	3.9	0
66	Prevalence and treatment of atherogenic dyslipidemia in the primary prevention of cardiovascular disease in Europe: EURIKA, a cross-sectional observational study. BMC Cardiovascular Disorders, 2017, 17, 160.	0.7	80
67	Impact of Intragastric Balloon Before Laparoscopic Gastric Bypass on Patients with Super Obesity: a Randomized Multicenter Study. Obesity Surgery, 2017, 27, 902-909.	1.1	37
68	Score for pulmonary tuberculosis in patients with clinical presumption of tuberculosis in a low-prevalence area. International Journal of Tuberculosis and Lung Disease, 2017, 21, 1272-1279.	0.6	4
69	Renal replacement therapy after cardiac surgery: do not ask "Whenâ€, ask "Whyâ€. Critical Care, 2017, 21 231.	'2.5	2
70	Loxapine to control agitation during weaning from mechanical ventilation. Critical Care, 2017, 21, 235.	2.5	4
71	Off-label use of the expensive orphan drug eculizumab in France 2009–2013 and the impact of literature: focus on the transplantation field. European Journal of Clinical Pharmacology, 2016, 72, 737-746.	0.8	12
72	ADAMTSâ€13 and von Willebrand factor predict venous thromboembolism in patients with cancer. Journal of Thrombosis and Haemostasis, 2016, 14, 306-315.	1.9	60

#	Article	IF	CITATIONS
73	Can we improve transthoracic echocardiography training in non-cardiologist residents? Experience of two training programs in the intensive care unit. Annals of Intensive Care, 2016, 6, 44.	2.2	13
74	Initiation Strategies for Renal-Replacement Therapy in the Intensive Care Unit. New England Journal of Medicine, 2016, 375, 122-133.	13.9	817
75	Child-onset and adolescent-onset acquired thrombotic thrombocytopenic purpura with severe ADAMTS13 deficiency: a cohort study of the French national registry for thrombotic microangiopathy. Lancet Haematology,the, 2016, 3, e537-e546.	2.2	53
76	Effect of a musical intervention on tolerance and efficacy of non-invasive ventilation in the ICU: study protocol for a randomized controlled trial (MUSique pour l'Insuffisance Respiratoire Aigue -) Tj ETQq0	O Oor.gBT/0	Ov ed ock 10 1
77	Neutrophil expression of glucocorticoid-induced leucine zipper (GILZ) anti-inflammatory protein is associated with acute respiratory distress syndrome severity. Annals of Intensive Care, 2016, 6, 105.	2.2	9
78	Initiation of Renal-Replacement Therapy in the Intensive Care Unit. New England Journal of Medicine, 2016, 375, 1899-1902.	13.9	12
79	On the use of propensity scores in case of rare exposure. BMC Medical Research Methodology, 2016, 16, 38.	1.4	25
80	Control treatments in biologics trials of rheumatoid arthritis were often not deemed acceptable in the context of care. Journal of Clinical Epidemiology, 2016, 69, 235-244.	2.4	3
81	Conservative treatment of retinoblastoma: a prospective phase II randomized trial of neoadjuvant chemotherapy followed by local treatments and chemothermotherapy. Eye, 2016, 30, 46-52.	1.1	22
82	The authors reply. Critical Care Medicine, 2015, 43, e328-e329.	0.4	1
83	The authors reply. Critical Care Medicine, 2015, 43, e266-e267.	0.4	0
84	The authors reply. Critical Care Medicine, 2015, 43, e216.	0.4	1
85	Comparison of two strategies for initiating renal replacement therapy in the intensive care unit: study protocol for a randomized controlled trial (AKIKI). Trials, 2015, 16, 170.	0.7	26
86	Seriously, Should We Be Treating Severe ARDS With High-Flow Nasal Cannula Oxygen?—Reply. Respiratory Care, 2015, 60, e148.2-e149.	0.8	1
87	Cardiovascular Changes After Gastric Bypass Surgery: Involvement of Increased Secretions of Glucagon-Like Peptide-1 and Brain Natriuretic Peptide. Obesity Surgery, 2015, 25, 1933-1939.	1.1	14
88	Use of High-Flow Nasal Cannula Oxygen Therapy to Prevent Desaturation During Tracheal Intubation of Intensive Care Patients With Mild-to-Moderate Hypoxemia*. Critical Care Medicine, 2015, 43, 574-583.	0.4	264
89	Five-year trends for ventilator-associated pneumonia: Correlation between microbiological findings and antimicrobial drug consumption. International Journal of Antimicrobial Agents, 2015, 46, 518-525.	1.1	39
90	Use of Desmopressin Acetate in Severe Hyponatremia in the Intensive Care Unit. Clinical Journal of the American Society of Nephrology: CJASN, 2014, 9, 229-237.	2.2	42

#	Article	IF	CITATIONS
91	Gram-negative bacteremia: Which empirical antibiotic therapy?. Médecine Et Maladies Infectieuses, 2014, 44, 159-166.	5.1	4
92	Long-term outcomes and cardiac surgery in critically ill patients with infective endocarditis. European Heart Journal, 2014, 35, 1195-1204.	1.0	75
93	Evaluation of a chromogenic commercial assay using VWF-73 peptide for ADAMTS13 activity measurement. Thrombosis Research, 2014, 134, 1074-1080.	0.8	28
94	Acute kidney injury in critical care: Experience of a conservative strategy. Journal of Critical Care, 2014, 29, 1022-1027.	1.0	34
95	Diabetes mellitus is an independent prognostic factor for major liver-related outcomes in patients with cirrhosis and chronic hepatitis C. Hepatology, 2014, 60, 823-831.	3.6	135
96	Reasons of not having breast reconstruction: a historical cohort of 1937 breast cancer patients undergoing mastectomy. SpringerPlus, 2013, 2, 325.	1.2	26
97	Prospective and Comparative Evaluation of the Toxicity of Adjuvant Concurrent Chemoradiotherapy After Neoadjuvant Chemotherapy for Breast Cancer. American Journal of Clinical Oncology: Cancer Clinical Trials, 2013, 36, 425-429.	0.6	5
98	Establishment and Validation of Circulating Tumor Cell–Based Prognostic Nomograms in First-Line Metastatic Breast Cancer Patients. Clinical Cancer Research, 2013, 19, 1596-1602.	3.2	49
99	Microparticle increase in severe obesity: Not related to metabolic syndrome and unchanged after massive weight loss. Obesity, 2013, 21, 2236-2243.	1.5	114
100	Long-Term Prognostic Performance of Ki67 Rate in Early Stage, pT1-pT2, pN0, Invasive Breast Carcinoma. PLoS ONE, 2013, 8, e55901.	1.1	26
101	Abstract 2410: Circulating tumor cells to guide the choice between chemotherapy and hormone therapy as first line treatment for metastatic breast cancer patients: the STIC CTC METABREAST trial, 2013, , .		3
102	High independent prognostic and predictive value of circulating tumor cells compared with serum tumor markers in a large prospective trial in first-line chemotherapy for metastatic breast cancer patients. Annals of Oncology, 2012, 23, 618-624.	0.6	239
103	Effect of an event occurring over time and confounded by health status: estimation and interpretation. A study based on survival data simulations with application on breast cancer. Statistics in Medicine, 2012, 31, 4444-4455.	0.8	4
104	High Ki67 expression is a risk marker of invasive relapse for classical lobular carcinoma in situ patients. Breast, 2012, 21, 380-383.	0.9	13
105	Severe postâ€renal acute kidney injury, postâ€obstructive diuresis and renal recovery. BJU International, 2012, 110, E1027-34.	1.3	59
106	Assessment of circulating tumor cells and serum markers for progression-free survival prediction in metastatic breast cancer: a prospective observational study. Breast Cancer Research, 2012, 14, R29.	2.2	72
107	External Validation of Adjuvant! Online Breast Cancer Prognosis Tool. Prioritising Recommendations for Improvement. PLoS ONE, 2011, 6, e27446.	1.1	38
108	Neurologic complications and outcomes of infective endocarditis in critically ill patients: The ENDOcardite en REAnimation prospective multicenter study*. Critical Care Medicine, 2011, 39, 1474-1481.	0.4	158

#	Article	IF	CITATIONS
109	Intra-operative navigation of knee kinematics and the influence of osteoarthritis. Knee, 2011, 18, 259-264.	0.8	9
110	Azathioprine in severe uveitis of Behçet's disease. Arthritis Care and Research, 2010, 62, 1733-1738.	1.5	79
111	Modeling of PTPN22 and HLA-DRB1 susceptibility to rheumatoid arthritis. BMC Proceedings, 2007, 1, S14.	1.8	2