

Jerzy Palka

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6451579/jerzy-palka-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

114
papers

1,974
citations

23
h-index

37
g-index

123
ext. papers

2,259
ext. citations

4.4
avg, IF

4.85
L-index

#	Paper	IF	Citations
114	Recombinant Prolidase Activates EGFR-Dependent Cell Growth in an Experimental Model of Inflammation in HaCaT Keratinocytes. Implication for Wound Healing.. <i>Frontiers in Molecular Biosciences</i> , 2022 , 9, 876348	5.6	1
113	Collagen metabolism as a regulator of proline dehydrogenase/proline oxidase-dependent apoptosis/autophagy. <i>Amino Acids</i> , 2021 , 53, 1917-1925	3.5	6
112	Proline oxidase silencing inhibits p53-dependent apoptosis in MCF-7 breast cancer cells. <i>Amino Acids</i> , 2021 , 53, 1943-1956	3.5	1
111	Extracellular Prolidase (PEPD) Induces Anabolic Processes through EGFR, Integrin, and IGF-1R Signaling Pathways in an Experimental Model of Wounded Fibroblasts. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
110	PRODH/POX-Dependent Celecoxib-Induced Apoptosis in MCF-7 Breast Cancer. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	2
109	Platelet-Rich Plasma Promotes the Proliferation of Human Keratinocytes via a Progression of the Cell Cycle. A Role of Prolidase. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	4
108	Prolidase Stimulates Proliferation and Migration through Activation of the PI3K/Akt/mTOR Signaling Pathway in Human Keratinocytes. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	14
107	LC-QTOF-MS and H NMR Metabolomics Verifies Potential Use of Greater Omentum for Biofilm Eradication in Rats. <i>Pathogens</i> , 2020 , 9,	4.5	1
106	Understanding the role of key amino acids in regulation of proline dehydrogenase/proline oxidase (prodh/pox)-dependent apoptosis/autophagy as an approach to targeted cancer therapy. <i>Molecular and Cellular Biochemistry</i> , 2020 , 466, 35-44	4.2	17
105	Overexpression of Prolidase Induces Autophagic Death in MCF-7 Breast Cancer Cells. <i>Cellular Physiology and Biochemistry</i> , 2020 , 54, 875-887	3.9	3
104	Verapamil and collagenase differentially affect collagen metabolism in experimental model of Peyronie's disease. <i>Molecular and Cellular Probes</i> , 2020 , 49, 101488	3.3	2
103	Proline-dependent regulation of collagen metabolism. <i>Cellular and Molecular Life Sciences</i> , 2020 , 77, 1911-1918	10.3	42
102	Cancers Cells in Traps? The Pathways of NETs Formation in Response to OSCC in Humans-A Pilot Study. <i>Cancer Control</i> , 2020 , 27, 1073274820960473	2.2	3
101	Development of an LC-MS Targeted Metabolomics Methodology to Study Proline Metabolism in Mammalian Cell Cultures. <i>Molecules</i> , 2020 , 25,	4.8	3
100	A novel plausible mechanism of NSAIDs-induced apoptosis in cancer cells: the implication of proline oxidase and peroxisome proliferator-activated receptor. <i>Pharmacological Reports</i> , 2020 , 72, 1152-1160	3.9	7
99	Capsaicin up-regulates pro-apoptotic activity of thiazolidinediones in glioblastoma cell line. <i>Biomedicine and Pharmacotherapy</i> , 2020 , 132, 110741	7.5	6
98	The mechanism for differential effect of nelfinavir and indinavir on collagen metabolism in human skin fibroblasts. <i>Experimental Dermatology</i> , 2019 , 28, 845-853	4	2

97	Constituents of Propolis: Chrysin, Caffeic Acid, -Coumaric Acid, and Ferulic Acid Induce PRODH/POX-Dependent Apoptosis in Human Tongue Squamous Cell Carcinoma Cell (CAL-27). <i>Frontiers in Pharmacology</i> , 2018 , 9, 336	5.6	45
96	Proline oxidase silencing induces proline-dependent pro-survival pathways in MCF-7 cells. <i>Oncotarget</i> , 2018 , 9, 13748-13757	3.3	5
95	Differences and similarities in the phenomenon of NETs formation in oral inflammation and in oral squamous cell carcinoma. <i>Journal of Cancer</i> , 2018 , 9, 1958-1965	4.5	12
94	HIF-1 Is a Key Factor in Bile Duct Ligation-Induced Liver Fibrosis in Rats. <i>Journal of Investigative Surgery</i> , 2017 , 30, 41-46	1.2	10
93	Exogenous proline stimulates type I collagen and HIF-1 α expression and the process is attenuated by glutamine in human skin fibroblasts. <i>Molecular and Cellular Biochemistry</i> , 2017 , 435, 197-206	4.2	12
92	Functional Consequences of Intracellular Proline Levels Manipulation Affecting PRODH/POX-Dependent Pro-Apoptotic Pathways in a Novel in Vitro Cell Culture Model. <i>Cellular Physiology and Biochemistry</i> , 2017 , 43, 670-684	3.9	10
91	Acetylenic derivative of betulin induces apoptosis in endometrial adenocarcinoma cell line. <i>Biomedicine and Pharmacotherapy</i> , 2017 , 95, 429-436	7.5	9
90	Amino Acid Profiles of Serum and Urine in Search for Prostate Cancer Biomarkers: a Pilot Study. <i>International Journal of Medical Sciences</i> , 2017 , 14, 1-12	3.7	58
89	Differential effect of platelet-rich plasma fractions on α 2 β 1-integrin signaling, collagen biosynthesis, and prolidase activity in human skin fibroblasts. <i>Drug Design, Development and Therapy</i> , 2017 , 11, 1849-1857	4.4	14
88	Prolidase-proline dehydrogenase/proline oxidase-collagen biosynthesis axis as a potential interface of apoptosis/autophagy. <i>BioFactors</i> , 2016 , 42, 341-8	6.1	20
87	New potential biomarkers of acetaminophen-induced hepatotoxicity. <i>Advances in Medical Sciences</i> , 2016 , 61, 325-330	2.8	7
86	Prolidase-dependent mechanism of (Z)-8,9-epoxyheptadeca-1,11,14-triene-induced inhibition of collagen biosynthesis in cultured human skin fibroblasts. <i>Natural Product Research</i> , 2016 , 30, 665-71	2.3	2
85	Enalapril stimulates collagen biosynthesis through prolidase-dependent mechanism in cultured fibroblasts. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2015 , 388, 677-83	3.4	4
84	The mechanism of oxythiamine-induced collagen biosynthesis in cultured fibroblasts. <i>Molecular and Cellular Biochemistry</i> , 2015 , 403, 51-60	4.2	9
83	α 2 β 1-integrin Ligands: Abciximab and Eptifibatide as Proapoptotic Factors in MCF-7 Human Breast Cancer Cells. <i>Current Drug Targets</i> , 2015 , 16, 1429-37	3	18
82	Proline Oxidase (POX) as A Target for Cancer Therapy. <i>Current Drug Targets</i> , 2015 , 16, 1464-9	3	13
81	The effect of estrogen on prolidase-dependent regulation of HIF-1 α expression in breast cancer cells. <i>Molecular and Cellular Biochemistry</i> , 2013 , 379, 29-36	4.2	8
80	The mechanism of hydralazine-induced collagen biosynthesis in cultured fibroblasts. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2013 , 386, 303-9	3.4	11

79	Cross-talk between integrin receptor and insulin-like growth factor receptor in regulation of collagen biosynthesis in cultured fibroblasts. <i>Advances in Medical Sciences</i> , 2013 , 58, 292-7	2.8	9
78	UVC inhibits collagen biosynthesis through up-regulation of NF- κ B p65 signaling in cultured fibroblasts. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2013 , 129, 143-8	6.7	5
77	The effect of prolactin and estrogen cross-talk on prolidase- dependent signaling in MCF-7 cells. <i>Neoplasma</i> , 2013 , 60, 355-63	3.3	9
76	Thrombin-dependent modulation of α 2-integrin-mediated signaling up-regulates prolidase and HIF-1 α through p-FAK in colorectal cancer cells. <i>Molecular and Cellular Biochemistry</i> , 2012 , 361, 235-41	4.2	11
75	Scutellarin-dependent inhibition of collagen biosynthesis in cultured fibroblasts. <i>Natural Product Research</i> , 2011 , 25, 1789-95	2.3	8
74	Betulinic acid inhibits the expression of hypoxia-inducible factor 1 α and vascular endothelial growth factor in human endometrial adenocarcinoma cells. <i>Molecular and Cellular Biochemistry</i> , 2010 , 340, 15-20	4.2	33
73	The effect of Telmisartan on collagen biosynthesis depends on the status of estrogen activation in breast cancer cells. <i>European Journal of Pharmacology</i> , 2010 , 628, 51-6	5.3	17
72	4-Chlorodiazepam—agonist of peripheral benzodiazepine receptors as a protecting factor in IL-1 induced deregulation of collagen biosynthesis in cultured human chondrocytes. <i>European Journal of Pharmacology</i> , 2010 , 647, 31-6	5.3	1
71	Prolidase-dependent regulation of TGF β 1 (corrected) and TGF β 2 receptor expressions in human skin fibroblasts. <i>European Journal of Pharmacology</i> , 2010 , 649, 115-9	5.3	23
70	Mechanism of betulinic acid inhibition of collagen biosynthesis in human endometrial adenocarcinoma cells. <i>Neoplasma</i> , 2009 , 56, 361-6	3.3	7
69	Hyaluronic acid abrogates nitric oxide-dependent stimulation of collagen degradation in cultured human chondrocytes. <i>Pharmacological Research</i> , 2009 , 60, 46-9	10.2	6
68	Estrogen-dependent regulation of PPAR-gamma signaling on collagen biosynthesis in adenocarcinoma endometrial cells. <i>Neoplasma</i> , 2009 , 56, 448-54	3.3	9
67	Estrogen receptor beta participate in the regulation of metabolism of extracellular matrix in estrogen alpha negative breast cancer. <i>Folia Histochemica Et Cytobiologica</i> , 2009 , 47, S107-12	1.4	6
66	Combined therapy with disintegrin and melphalan as a new strategy in inhibition of endometrial cancer cell line (Ishikawa) growth. <i>Folia Histochemica Et Cytobiologica</i> , 2009 , 47, S121-5	1.4	2
65	Prolidase dependent inhibition of collagen biosynthesis in Chinese hamster ovary cells. <i>Journal of Biochemistry</i> , 2008 , 144, 409-14	3.1	5
64	Protective effect of hyaluronic acid on interleukin-1-induced deregulation of beta1-integrin and insulin-like growth factor-I receptor signaling and collagen biosynthesis in cultured human chondrocytes. <i>Molecular and Cellular Biochemistry</i> , 2008 , 308, 57-64	4.2	31
63	Phosphoenolpyruvate-dependent inhibition of collagen biosynthesis, alpha2beta1 integrin and IGF-I receptor signaling in cultured fibroblasts. <i>Molecular and Cellular Biochemistry</i> , 2008 , 315, 61-7	4.2	4
62	Prolidase-dependent regulation of collagen biosynthesis. <i>Amino Acids</i> , 2008 , 35, 731-8	3.5	118

61	Glucose-depleted medium reduces the collagen content of human skin fibroblast cultures. <i>Molecular and Cellular Biochemistry</i> , 2007 , 305, 79-85	4.2	11
60	Prolidase-independent mechanism of camptothecin-induced inhibition of collagen biosynthesis in cultured human skin fibroblasts. <i>Journal of Biochemistry</i> , 2007 , 141, 287-92	3.1	21
59	Novel amidine analogue of melphalan as a specific multifunctional inhibitor of growth and metabolism of human breast cancer cells. <i>Biochemical Pharmacology</i> , 2006 , 72, 320-31	6	17
58	Hyaluronic acid counteracts interleukin-1-induced inhibition of collagen biosynthesis in cultured human chondrocytes. <i>Pharmacological Research</i> , 2006 , 54, 275-81	10.2	40
57	Enhanced prolidase activity and decreased collagen content in breast cancer tissue. <i>International Journal of Experimental Pathology</i> , 2006 , 87, 289-96	2.8	49
56	Effect of melanin on netilmicin-induced inhibition of collagen biosynthesis in human skin fibroblasts. <i>Bioorganic and Medicinal Chemistry</i> , 2006 , 14, 8155-61	3.4	8
55	Butyrate-induced collagen biosynthesis in cultured fibroblasts is independent on alpha2beta1 integrin signalling and undergoes through IGF-I receptor cascade. <i>Molecular and Cellular Biochemistry</i> , 2006 , 286, 147-52	4.2	9
54	Melanin counter act puromycin-induced inhibition of collagen and DNA biosynthesis in human skin fibroblasts. <i>Life Sciences</i> , 2005 , 77, 528-38	6.8	7
53	Inhibition of collagen and DNA biosynthesis by a novel amidine analogue of chlorambucil is accompanied by deregulation of $\alpha 1$ -integrin and IGF-I receptor signaling in MDA-MB 231 cells. <i>Environmental Toxicology and Pharmacology</i> , 2005 , 20, 118-24	5.8	48
52	Acetylsalicylic acid prevents nickel-induced collagen biosynthesis in human fibroblasts. <i>Environmental Toxicology and Pharmacology</i> , 2005 , 20, 501-5	5.8	4
51	Differential effects of echistatin and thrombin on collagen production and prolidase activity in human dermal fibroblasts and their possible implication in beta1-integrin-mediated signaling. <i>Pharmacological Research</i> , 2005 , 51, 217-21	10.2	34
50	The effect of hyaluronic acid on interleukin-1-induced deregulation of collagen metabolism in cultured human skin fibroblasts. <i>Pharmacological Research</i> , 2005 , 51, 473-7	10.2	22
49	Phenotype variability in a daughter and father with mild osteogenesis imperfecta correlated with collagen and prolidase levels in cultured skin fibroblasts. <i>Annals of Clinical Biochemistry</i> , 2005 , 42, 80-4	2.2	7
48	Decreased expression of the insulin-like growth factor-I-binding protein-1 (IGFBP-1) phosphoisoform in pre-eclamptic Wharton's jelly and its role in the regulation of collagen biosynthesis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2004 , 42, 175-81	5.9	11
47	Metalloproteinases, insulin-like growth factor-I and its binding proteins in aortic aneurysm. <i>International Journal of Experimental Pathology</i> , 2004 , 85, 159-64	2.8	20
46	Amidine analogue of chlorambucil is a stronger inhibitor of protein and DNA synthesis in breast cancer MCF-7 cells than is the parent drug. <i>European Journal of Pharmacology</i> , 2004 , 492, 95-101	5.3	12
45	Acetylsalicylic acid as a potential regulator of prolidase-convertible pro-drugs in control and neoplastic cells. <i>Il Farmaco</i> , 2004 , 59, 679-84		3
44	Fasting-induced inhibition of collagen biosynthesis in rat skin. A possible role for phosphoenolpyruvate in this process. <i>Molecular and Cellular Biochemistry</i> , 2004 , 265, 203-8	4.2	4

43	Acetylsalicylic acid-dependent inhibition of collagen biosynthesis and beta1-integrin signaling in cultured fibroblasts. <i>Medical Science Monitor</i> , 2004 , 10, BR175-9	3.2	11
42	Oxidative stress induces IGF-I receptor signaling disturbances in cultured human dermal fibroblasts. A possible mechanism for collagen biosynthesis inhibition. <i>Cellular and Molecular Biology Letters</i> , 2004 , 9, 643-50	8.1	9
41	Differential effects of estradiol and raloxifene on collagen biosynthesis in cultured human skin fibroblasts. <i>International Journal of Molecular Medicine</i> , 2003 , 12, 803	4.4	4
40	Gly511 to Ser substitution in the COL1A1 gene in osteogenesis imperfecta type III patient with increased turnover of collagen. <i>Molecular and Cellular Biochemistry</i> , 2003 , 248, 49-56	4.2	5
39	Proline analogue of melphalan as a prodrug susceptible to the action of prolidase in breast cancer MDA-MB 231 cells. <i>Il Farmaco</i> , 2003 , 58, 1113-9		12
38	Expression of IGF-binding protein-1 phosphoisoforms in fasted rat skin and its role in regulation of collagen biosynthesis. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2003 , 134, 703-11	2.3	4
37	Differential effects of estradiol and raloxifene on collagen biosynthesis in cultured human skin fibroblasts. <i>International Journal of Molecular Medicine</i> , 2003 , 12, 803-9	4.4	47
36	Inhibitory effect of acetylsalicylic acid on metalloproteinase activity in human lung adenocarcinoma at different stages of differentiation. <i>European Journal of Pharmacology</i> , 2002 , 443, 1-6	5.3	12
35	Melanin potentiates gentamicin-induced inhibition of collagen biosynthesis in human skin fibroblasts. <i>European Journal of Pharmacology</i> , 2002 , 446, 7-13	5.3	19
34	An expression of IGF-binding proteins in normal and pre-eclamptic human umbilical cord serum and tissues. <i>Molecular and Cellular Biochemistry</i> , 2002 , 237, 111-7	4.2	3
33	Serum and tissue level of insulin-like growth factor-I (IGF-I) and IGF-I binding proteins as an index of pancreatitis and pancreatic cancer. <i>International Journal of Experimental Pathology</i> , 2002 , 83, 239-45	2.8	65
32	Prolidase activity disregulation in chronic pancreatitis and pancreatic cancer. <i>Hepato-Gastroenterology</i> , 2002 , 49, 1699-703		13
31	Defects of type I procollagen metabolism correlated with decrease of prolidase activity in a case of lethal osteogenesis imperfecta. <i>FEBS Journal</i> , 2001 , 268, 2172-8		20
30	Phosphorylation of prolidase increases the enzyme activity. <i>Molecular and Cellular Biochemistry</i> , 2001 , 220, 95-101	4.2	26
29	The mechanism for anthracycline-induced inhibition of collagen biosynthesis. <i>European Journal of Pharmacology</i> , 2001 , 411, 17-25	5.3	21
28	Melanin potentiates daunorubicin-induced inhibition of collagen biosynthesis in human skin fibroblasts. <i>European Journal of Pharmacology</i> , 2001 , 419, 139-45	5.3	13
27	Doxycycline-induced inhibition of prolidase activity in human skin fibroblasts and its involvement in impaired collagen biosynthesis. <i>European Journal of Pharmacology</i> , 2001 , 430, 25-31	5.3	8
26	Cytotoxicity and effect on collagen biosynthesis of proline analogue of melphalan as a prolidase-convertible prodrug in cultured human skin fibroblasts. <i>Il Farmaco</i> , 2001 , 56, 701-6		7

25	The potential mechanism for glutamine-induced collagen biosynthesis in cultured human skin fibroblasts. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2001 , 130, 23-32	2.3	44
24	Potential role of beta 1 integrin and collagen biosynthesis in estrogen-dependent reduction of apoptosis in tamoxifen-treated breast cancer cells. <i>Gynecologic and Obstetric Investigation</i> , 2001 , 51, 248-53	2.5	5
23	Estrogenic and antiestrogenic effects of raloxifene on collagen metabolism in breast cancer MCF-7 cells. <i>Gynecological Endocrinology</i> , 2001 , 15, 225-233	2.4	2
22	Collagen metabolism disturbances are accompanied by an increase in prolidase activity in lung carcinoma planoepitheliale. <i>International Journal of Experimental Pathology</i> , 2000 , 81, 341-7	2.8	27
21	Pre-eclampsia-induced alterations in IGF-I of human umbilical cord. <i>European Journal of Clinical Investigation</i> , 2000 , 30, 389-96	4.6	14
20	Potential role of pyrroline 5-carboxylate in regulation of collagen biosynthesis in cultured human skin fibroblasts. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2000 , 125, 265-71	2.6	26
19	Age-dependent changes in glycosaminoglycan content in the skin of fasted rats. A possible mechanism. <i>Experimental and Toxicologic Pathology</i> , 2000 , 52, 127-31		8
18	The mechanism of daunorubicin-induced inhibition of prolidase activity in human skin fibroblasts and its implication to impaired collagen biosynthesis. <i>Experimental and Toxicologic Pathology</i> , 2000 , 52, 149-55		18
17	An accumulation of IGF-I and IGF-binding proteins in human umbilical cord. <i>Molecular and Cellular Biochemistry</i> , 2000 , 206, 133-9	4.2	18
16	Differential effect of fasting on IGF-BPs in serum of young and adult rats and its implication to impaired skin GAG content. <i>Molecular and Cellular Biochemistry</i> , 2000 , 205, 45-52	4.2	3
15	Preeclampsia is associated with alterations in insulin-like growth factor (IGF)-1 and IGF-binding proteins in Wharton's jelly of the umbilical cord. <i>Clinical Chemistry and Laboratory Medicine</i> , 2000 , 38, 603-8	5.9	10
14	Inhibition of collagen biosynthesis and increases in low molecular weight IGF-I binding proteins in the skin of fasted rats. <i>Comparative Biochemistry and Physiology C, Comparative Pharmacology and Toxicology</i> , 2000 , 127, 49-59		1
13	Collagen metabolism disturbances are accompanied by an increase in prolidase activity in lung carcinoma planoepitheliale. <i>International Journal of Experimental Pathology</i> , 2000 , 81, 341-347	2.8	39
12	Decreased biosynthesis of glycosaminoglycans in the skin of rats with chronic diabetes mellitus. <i>Experimental and Toxicologic Pathology</i> , 1999 , 51, 239-43		9
11	Estrogen-dependent regulation of prolidase activity in breast cancer MCF-7 cells. <i>Gynecological Endocrinology</i> , 1999 , 13, 166-74	2.4	13
10	Insulin-like growth factor I-dependent regulation of prolidase activity in cultured human skin fibroblasts. <i>Molecular and Cellular Biochemistry</i> , 1998 , 189, 177-83	4.2	32
9	Prolidase in human breast cancer MCF-7 cells. <i>Cancer Letters</i> , 1998 , 127, 63-70	9.9	23
8	Fibroblast chemotaxis and prolidase activity modulation by insulin-like growth factor II and mannose 6-phosphate. <i>Molecular and Cellular Biochemistry</i> , 1997 , 168, 177-83	4.2	35

7	Prolidase activity in fibroblasts is regulated by interaction of extracellular matrix with cell surface integrin receptors. <i>Journal of Cellular Biochemistry</i> , 1997 , 67, 166-75	4.7	130
6	Decrease in the glycosaminoglycan content in the skin of diabetic rats. The role of IGF-I, IGF-binding proteins and proteolytic activity. <i>Molecular and Cellular Biochemistry</i> , 1996 , 154, 1-8	4.2	23
5	Elevated activity of low molecular weight insulin-like growth factor-binding proteins in sera of vitamin C-deficient and fasted guinea pigs. <i>Endocrinology</i> , 1991 , 128, 1769-79	4.8	43
4	Scorbutic and fasted guinea pig sera contain an insulin-like growth factor I-reversible inhibitor of proteoglycan and collagen synthesis in chick embryo chondrocytes and adult human skin fibroblasts. <i>Archives of Biochemistry and Biophysics</i> , 1990 , 276, 85-93	4.1	82
3	Similar hormonal changes in sera from scorbutic and fasted (vitamin C-supplemented) guinea pigs, including decreased IGF-I and appearance of an IGF-I reversible mitogenic inhibitor. <i>Growth Factors</i> , 1989 , 1, 147-56	1.6	28
2	Salt stimulation of serum insulin-like growth factor binding protein activity. <i>Analytical Biochemistry</i> , 1988 , 175, 442-9	3.1	16
1	Plasma and liver amino acids in rats after administration of ethanol or acetaldehyde. <i>Biochemical Medicine and Metabolic Biology</i> , 1986 , 36, 239-43		11