

Andrzej Cechnicki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6451854/publications.pdf>

Version: 2024-02-01

47
papers

581
citations

686830

13
h-index

642321

23
g-index

47
all docs

47
docs citations

47
times ranked

912
citing authors

#	ARTICLE	IF	CITATIONS
1	The predictive validity of Expressed Emotions (EE) in schizophrenia. A 20-year prospective study. <i>Journal of Psychiatric Research</i> , 2013, 47, 208-214.	1.5	90
2	Anticipated and experienced stigma among people with schizophrenia: its nature and correlates. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 643-650.	1.6	71
3	Duration of untreated psychosis (DUP) and the course of schizophrenia in a 20-year follow-up study. <i>Psychiatry Research</i> , 2014, 219, 420-425.	1.7	41
4	Self-disturbances, cognitive biases and insecure attachment as mechanisms of the relationship between traumatic life events and psychotic-like experiences in non-clinical adults – A path analysis. <i>Psychiatry Research</i> , 2018, 259, 571-578.	1.7	39
5	The interplay between childhood trauma, cognitive biases, psychotic-like experiences and depression and their additive impact on predicting lifetime suicidal behavior in young adults. <i>Psychological Medicine</i> , 2020, 50, 116-124.	2.7	39
6	Mediating role of cognitive biases, resilience and depressive symptoms in the relationship between childhood trauma and psychotic-like experiences in young adults. <i>Microbial Biotechnology</i> , 2020, 14, 87-96.	0.9	31
7	Neural circuit of verbal humor comprehension in schizophrenia - an fMRI study. <i>NeuroImage: Clinical</i> , 2017, 15, 525-540.	1.4	25
8	Do better communication skills promote sheltered employment in schizophrenia?. <i>Schizophrenia Research</i> , 2016, 176, 331-339.	1.1	24
9	Resilience and cognitive biases mediate the relationship between early exposure to traumatic life events and depressive symptoms in young adults. <i>Journal of Affective Disorders</i> , 2019, 254, 26-33.	2.0	23
10	The interplay between childhood trauma, cognitive biases, and cannabis use on the risk of psychosis in nonclinical young adults in Poland. <i>European Psychiatry</i> , 2020, 63, e35.	0.1	20
11	Prognostic value of duration of untreated psychosis in long-term outcome of schizophrenia. <i>Medical Science Monitor</i> , 2011, 17, CR277-CR283.	0.5	16
12	Quality of life in a 20-year follow-up study of people suffering from schizophrenia. <i>Comprehensive Psychiatry</i> , 2015, 56, 133-140.	1.5	16
13	Toward a Complex Network of Risks for Psychosis: Combining Trauma, Cognitive Biases, Depression, and Psychotic-like Experiences on a Large Sample of Young Adults. <i>Schizophrenia Bulletin</i> , 2021, 47, 395-404.	2.3	15
14	A combination of self-disturbances and psychotic-like experiences. A cluster analysis study on a non-clinical sample in Poland. <i>Psychiatry Research</i> , 2019, 273, 394-401.	1.7	13
15	The role of dance/movement therapy in the treatment of negative symptoms in schizophrenia: a mixed methods pilot study. <i>Journal of Mental Health</i> , 2022, 31, 613-623.	1.0	13
16	Comparison of the long-term treatment outcomes of women and men diagnosed with schizophrenia over a period of 20 years. A prospective study. <i>Comprehensive Psychiatry</i> , 2018, 84, 62-67.	1.5	11
17	The stability of negative syndrome, persistent negative syndrome and deficit syndrome in a twenty-year follow-up study of schizophrenia patients. <i>Psychiatry Research</i> , 2016, 238, 236-241.	1.7	10
18	Effects of traumatic life events, cognitive biases and variation in dopaminergic genes on psychosis proneness. <i>Microbial Biotechnology</i> , 2021, 15, 248-255.	0.9	8

#	ARTICLE	IF	CITATIONS
19	The attitudes of psychiatrists toward people suffering from mental illnesses. <i>Psychiatria Polska</i> , 2017, 51, 29-44.	0.2	8
20	Effects of interactions between variation in dopaminergic genes, traumatic life events, and anomalous self-experiences on psychosis proneness: Results from a cross-sectional study in a nonclinical sample. <i>European Psychiatry</i> , 2020, 63, e104.	0.1	7
21	The significance of the personality traits of schizophrenic patients and their therapists for the therapeutic relationship. <i>Psychiatria Polska</i> , 2016, 50, 771-786.	0.2	7
22	Flexible and Integrative Psychiatric Care Based on a Global Treatment Budget: Comparing the Implementation in Germany and Poland. <i>Frontiers in Psychiatry</i> , 2021, 12, 760276.	1.3	7
23	Consistency of symptomatic dimensions of schizophrenia over 20 years. <i>Psychiatry Research</i> , 2012, 200, 115-119.	1.7	5
24	Humor perception in schizophrenia appears to be related to disorganization syndrome. <i>Comprehensive Psychiatry</i> , 2020, 96, 152149.	1.5	5
25	The Indirect Effect of Trauma via Cognitive Biases and Self-Disturbances on Psychotic-Like Experiences. <i>Frontiers in Psychiatry</i> , 2021, 12, 611069.	1.3	5
26	On the relation of white matter brain abnormalities and the asociality symptoms in schizophrenia outpatients – a DTI study. <i>Acta Neurobiologiae Experimentalis</i> , 2021, 81, 80-95.	0.4	5
27	The influence of early psychosocial intervention on the long-term clinical outcomes of people suffering from schizophrenia. <i>Psychiatria Polska</i> , 2017, 51, 45-61.	0.2	5
28	Differences in subjective quality of life of people with a schizophrenia diagnosis between participants in Occupational Therapy Workshops and those working in a Sheltered Employment Establishment. <i>Psychiatria Polska</i> , 2019, 53, 81-92.	0.2	4
29	The Impact of the FKBP5 Gene Polymorphisms on the Relationship between Traumatic Life Events and Psychotic-Like Experiences in Non-Clinical Adults. <i>Brain Sciences</i> , 2021, 11, 561.	1.1	3
30	Implementation of virtual reality (VR) in diagnostics and therapy of nonaffective psychoses. <i>Psychiatria Polska</i> , 2020, 54, 951-975.	0.2	3
31	Znaczenie Otwartego Dialogu w leczeniu osób chorujących na schizofrenię™. <i>Postepy Psychiatrii i Neurologii</i> , 2014, 23, 134-139.	0.2	2
32	Premorbid social relationship and the course of schizophrenia in a 20-year follow-up study. <i>Psychiatria Polska</i> , 2020, 54, 437-451.	0.2	2
33	Integrating trauma, self-disturbances, cognitive biases, and personality into a model for the risk of psychosis: a longitudinal study in a non-clinical sample. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 1073-1085.	1.8	2
34	Shared voice. <i>Postepy Psychiatrii i Neurologii</i> , 2017, 26, 203-205.	0.2	1
35	Opinions of Polish psychiatrists on psychiatry and their own professional role. <i>Postepy Psychiatrii i Neurologii</i> , 2018, 27, 31-48.	0.2	1
36	A paradigm description of virtual reality and its possible applications in psychiatry. <i>Postepy Psychiatrii i Neurologii</i> , 2019, 28, 116-134.	0.2	1

#	ARTICLE	IF	CITATIONS
37	Satisfaction with care in patients with schizophrenia treated in a pilot-program model and traditional care. <i>Psychiatria Polska</i> , 2021, , 1-16.	0.2	1
38	The Fate of Polish Psychiatry under German Occupation in World War II. <i>Israel Journal of Psychiatry</i> , 2015, 52, 33-7.	0.2	1
39	Predictors of Satisfaction with Care in Patients Suffering from Schizophrenia Treated Under Community Mental Health Teams. <i>Community Mental Health Journal</i> , 2022, 58, 1495-1504.	1.1	1
40	History and the "present" thirty years of German-Polish psychiatry meetings. <i>Postepy Psychiatrii I Neurologii</i> , 2017, 26, 121-126.	0.2	0
41	Relationship between family attitude, symptoms' severity and social functioning of people suffering from schizophrenia over 20 years. A prospective study. <i>Postepy Psychiatrii I Neurologii</i> , 2018, 27, 289-303.	0.2	0
42	Associations of insight and treatment adherence with employment status of people with schizophrenia. <i>Postepy Psychiatrii I Neurologii</i> , 2019, 28, 21-33.	0.2	0
43	Negative syndrome, persistent negative symptoms and deficit syndrome and their associations with severity of clinical symptoms and level of functioning in 20-year schizophrenia. <i>Postepy Psychiatrii I Neurologii</i> , 2020, 29, 25-38.	0.2	0
44	Cognitive and personality predictors of trait resilience in young people with psychosis proneness: an exploratory study. <i>Psychosis</i> , 0, , 1-12.	0.4	0
45	Help us save the National Programme for the Protection of Mental Health (open letter). <i>Psychiatria Polska</i> , 2015, 49, 871-872.	0.2	0
46	The Moderating Role of the FKBP5 Gene Polymorphisms in the Relationship between Attachment Style, Perceived Stress and Psychotic-like Experiences in Non-Clinical Young Adults. <i>Journal of Clinical Medicine</i> , 2022, 11, 1614.	1.0	0
47	Application of 360° virtual reality videos in the assessment of paranoia in schizophrenia patients: a pilot study. <i>Psychiatria Polska</i> , 2021, , 1-14.	0.2	0