

Fabio Trincardi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6451908/fabio-trincardi-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74 papers	2,841 citations	32 h-index	51 g-index
76 ext. papers	3,219 ext. citations	3.3 avg, IF	5.19 L-index

#	Paper	IF	Citations
74	COVID-19 lockdowns reveal the resilience of Adriatic Sea fisheries to forced fishing effort reduction.. <i>Scientific Reports</i> , 2022 , 12, 1052	4.9	3
73	Resilient biotic response to long-term climate change in the Adriatic Sea.. <i>Global Change Biology</i> , 2022 ,	11.4	1
72	Factors controlling margin instability during the Plio-Quaternary in the Gela Basin (Strait of Sicily, Mediterranean Sea). <i>Marine and Petroleum Geology</i> , 2021 , 123, 104767	4.7	13
71	Fate of terrigenous organic carbon in muddy clinothems on continental shelves revealed by stratal geometries: Insight from the Adriatic sedimentary archive. <i>Global and Planetary Change</i> , 2021 , 203, 103539	4.3	8
70	Post-LGM multi-proxy sedimentary record of bottom-current variability and downslope sedimentary processes in a contourite drift of the Gela Basin (Strait of Sicily). <i>Marine Geology</i> , 2021 , 439, 106564	3.3	6
69	Clinofolds and clinothems: Fundamental elements of basin infill. <i>Basin Research</i> , 2020 , 32, 187-205	3.2	20
68	The 2019 Flooding of Venice and Its Implications for Future Predictions. <i>Oceanography</i> , 2020 , 33, 42-49	2.3	28
67	Compound and hybrid clinothems of the last lowstand Mid-Adriatic Deep: Processes, depositional environments, controls and implications for stratigraphic analysis of prograding systems. <i>Basin Research</i> , 2020 , 32, 363-377	3.2	8
66	Integrated approach of multiple environmental datasets for the assessment of sediment contamination in marine areas affected by long-lasting industrial activity: the case study of Bagnoli (southern Italy). <i>Journal of Soils and Sediments</i> , 2020 , 20, 1692-1705	3.4	4
65	Short-term evolution of Po della Pila delta lobe from time lapse high-resolution multibeam bathymetry (2013-2016). <i>Estuarine, Coastal and Shelf Science</i> , 2020 , 233, 106533	2.9	11
64	Ephemeral rollover points and clinothem evolution in the modern Po Delta based on repeated bathymetric surveys. <i>Basin Research</i> , 2020 , 32, 402-418	3.2	15
63	Tidal inlets in the Anthropocene: Geomorphology and benthic habitats of the Chioggia inlet, Venice Lagoon (Italy). <i>Earth Surface Processes and Landforms</i> , 2019 , 44, 2297-2315	3.7	13
62	Assessing the human footprint on the sea-floor of coastal systems: the case of the Venice Lagoon, Italy. <i>Scientific Reports</i> , 2019 , 9, 6615	4.9	28
61	Submarine Landslides on the Seafloor. <i>Geophysical Monograph Series</i> , 2019 , 339-356	1.1	1
60	The Late Pleistocene Po River lowstand wedge in the Adriatic Sea: Controls on architecture variability and sediment partitioning. <i>Marine and Petroleum Geology</i> , 2018 , 96, 16-50	4.7	37
59	Geomorphology of Scour Holes at Tidal Channel Confluences. <i>Journal of Geophysical Research F: Earth Surface</i> , 2018 , 123, 1386-1406	3.8	14
58	How to make a 350-m-thick lowstand systems tract in 17,000 years: The Late Pleistocene Po River (Italy) lowstand wedge. <i>Geology</i> , 2017 , 45, 327-330	5	46

57	High resolution multibeam and hydrodynamic datasets of tidal channels and inlets of the Venice Lagoon. <i>Scientific Data</i> , 2017 , 4, 170121	8.2	29
56	Off-shelf fluxes across the southern Adriatic margin: Factors controlling dense-water-driven transport phenomena. <i>Marine Geology</i> , 2016 , 375, 44-63	3.3	28
55	The reshaping of the South West Adriatic Margin by cascading of dense shelf waters. <i>Marine Geology</i> , 2016 , 375, 64-81	3.3	33
54	Pliocene-Quaternary contourite depositional system along the south-western Adriatic margin: changes in sedimentary stacking pattern and associated bottom currents. <i>Geo-Marine Letters</i> , 2016 , 36, 67-79	1.9	24
53	Onshore to offshore anatomy of a late Quaternary source-to-sink system (Po Plain-Adriatic Sea, Italy). <i>Earth-Science Reviews</i> , 2016 , 153, 212-237	10.2	80
52	The 1966 Flooding of Venice: What Time Taught Us for the Future. <i>Oceanography</i> , 2016 , 29,	2.3	30
51	Seafloor heterogeneity influences the biodiversity-ecosystem functioning relationships in the deep sea. <i>Scientific Reports</i> , 2016 , 6, 26352	4.9	49
50	Cascading dense shelf-water during the extremely cold winter of 2012 in the Adriatic, Mediterranean Sea: Formation, flow, and seafloor impact. <i>Marine Geology</i> , 2016 , 375, 1-4	3.3	9
49	Interactions among Adriatic continental margin morphology, deep circulation and bedform patterns. <i>Marine Geology</i> , 2016 , 375, 82-98	3.3	25
48	The Gondola Slide: A mass transport complex controlled by margin topography (South-Western Adriatic Margin, Mediterranean Sea). <i>Marine Geology</i> , 2015 , 366, 97-113	3.3	16
47	Sedimentary response to Milankovitch-type climatic oscillations and formation of sediment undulations: evidence from a shallow-shelf setting at Gela Basin on the Sicilian continental margin. <i>Quaternary Science Reviews</i> , 2015 , 108, 76-94	3.9	13
46	Anatomy of a compound delta from the post-glacial transgressive record in the Adriatic Sea. <i>Marine Geology</i> , 2015 , 362, 43-59	3.3	45
45	Bathymetry of the Adriatic Sea: The legacy of the last eustatic cycle and the impact of modern sediment dispersal. <i>Journal of Maps</i> , 2014 , 10, 151-158	2.2	34
44	Mass Transport Complexes from Contourite and Shelf-Edge Deposits Along the South-Western Adriatic Margin (Italy). <i>Advances in Natural and Technological Hazards Research</i> , 2014 , 447-457	1.8	2
43	3D seismic geomorphology of mass transport complexes in a foredeep basin: Examples from the Pleistocene of the Central Adriatic Basin (Mediterranean Sea). <i>Sedimentary Geology</i> , 2013 , 294, 127-141	2.8	31
42	Large-scale single incised valley from a small catchment basin on the western Adriatic margin (central Mediterranean Sea). <i>Global and Planetary Change</i> , 2013 , 100, 245-262	4.2	27
41	Man made deltas. <i>Scientific Reports</i> , 2013 , 3, 1926	4.9	75
40	Drowned karst landscape offshore the Apulian margin (Southern Adriatic Sea, Italy). <i>Journal of Cave and Karst Studies</i> , 2012 , 74, 197-212	1.6	21

39	Distinguishing Sediment Bedforms from Sediment Deformation in Prodeltas of the Mediterranean Sea 2012 , 233-244		
38	High-frequency sea level and sediment supply fluctuations during Termination I: An integrated sequence-stratigraphy and modeling approach from the Adriatic Sea (Central Mediterranean). <i>Marine Geology</i> , 2011 , 287, 54-70	3.3	52
37	A review of undulated sediment features on Mediterranean prodeltas: distinguishing sediment transport structures from sediment deformation. <i>Marine Geophysical Researches</i> , 2011 , 32, 49-69	2.3	51
36	Depositional Patterns in the Late Holocene Po Delta System 2011 , 365-392		28
35	Organic matter in sediments of canyons and open slopes of the Portuguese, Catalan, Southern Adriatic and Cretan Sea margins. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2010 , 57, 441-457	2.5	104
34	Cascades in Mediterranean Submarine Grand Canyons. <i>Oceanography</i> , 2009 , 22, 26-43	2.3	140
33	Reconstruction of sediment supply from mass accumulation rates in the Northern Adriatic Basin (Italy) over the past 19,000 years. <i>Journal of Geophysical Research</i> , 2009 , 114,		16
32	Climatic cycles as expressed in sediments of the PROMESS1 borehole PRAD1-2, central Adriatic, for the last 370 ka: 1. Integrated stratigraphy. <i>Geochemistry, Geophysics, Geosystems</i> , 2008 , 9, n/a-n/a	3.6	19
31	Sedimentary response to climate and sea level changes during the past ~400 ka from borehole PRAD12 (Adriatic margin). <i>Geochemistry, Geophysics, Geosystems</i> , 2008 , 9, n/a-n/a	3.6	28
30	Climatic cycles as expressed in sediments of the PROMESS1 borehole PRAD1-2, central Adriatic, for the last 370 ka: 2. Paleoenvironmental evolution. <i>Geochemistry, Geophysics, Geosystems</i> , 2008 , 9, n/a-n/a	3.6	15
29	A geomechanical approach for the genesis of sediment undulations on the Adriatic shelf. <i>Geochemistry, Geophysics, Geosystems</i> , 2008 , 9, n/a-n/a	3.6	24
28	Coastal dynamics under conditions of rapid sea-level rise: Late Pleistocene to Early Holocene evolution of barrier-lagoon systems on the northern Adriatic shelf (Italy). <i>Quaternary Science Reviews</i> , 2008 , 27, 1107-1123	3.9	114
27	Middle Pleistocene to Holocene activity of the Gondola Fault Zone (Southern Adriatic Foreland): Deformation of a regional shear zone and seismotectonic implications. <i>Tectonophysics</i> , 2008 , 453, 110-121	3.1	33
26	Late-Holocene climate variability in the Adriatic Sea (Central Mediterranean). <i>Holocene</i> , 2008 , 18, 153-167	2.6	74
25	Mediterranean shelf-edge muddy contourites: examples from the Gela and South Adriatic basins. <i>Geo-Marine Letters</i> , 2008 , 28, 137-151	1.9	50
24	Seafloor evidence for the interaction between cascading and along-slope bottom water masses. <i>Journal of Geophysical Research</i> , 2007 , 112,		37
23	Shelf-edge erosion, sediment failure and inception of Bari Canyon on the Southwestern Adriatic Margin (Central Mediterranean). <i>Marine Geology</i> , 2007 , 246, 193-207	3.3	45
22	Morphologic variability of exposed mass-transport deposits on the eastern slope of Gela Basin (Sicily channel). <i>Basin Research</i> , 2007 , 19, 217-240	3.2	57

21	Mediterranean bottom-current deposits: an example from the Southwestern Adriatic Margin. <i>Geological Society Special Publication</i> , 2007 , 276, 199-224	1.7	21
20	Modeling of sequence geometry north of Gargano Peninsula by changing sediment pathways in the Adriatic Sea. <i>Continental Shelf Research</i> , 2007 , 27, 526-541	2.4	10
19	The Western Adriatic shelf clinoform: energy-limited bottomset. <i>Continental Shelf Research</i> , 2007 , 27, 506-525	2.4	97
18	Short-distance variability in slope bed-forms along the Southwestern Adriatic Margin (Central Mediterranean). <i>Marine Geology</i> , 2006 , 234, 271-292	3.3	62
17	Active foreland deformation evidenced by shallow folds and faults affecting late Quaternary shelf slope deposits (Adriatic Sea, Italy). <i>Basin Research</i> , 2006 , 18, 171-188	3.2	48
16	Sedimentary structures offshore Ortona, Adriatic Sea [Deformation or sediment waves?]. <i>Marine Geology</i> , 2006 , 234, 261-270	3.3	31
15	Pleistocene muddy forced-regression deposits on the Adriatic shelf: A comparison with prodelta deposits of the late Holocene highstand mud wedge. <i>Marine Geology</i> , 2005 , 222-223, 213-233	3.3	45
14	The modern Po Delta system: Lobe switching and asymmetric prodelta growth. <i>Marine Geology</i> , 2005 , 222-223, 49-74	3.3	132
13	High-resolution Surveys for Geohazards and Shallow Gas: NW Adriatic (Italy) and Iskenderun Bay (Turkey). <i>Marine Geophysical Researches</i> , 2005 , 26, 247-266	2.3	10
12	Mediterranean Prodelta Systems: Natural Evolution and Human Impact Investigated by EURODELTA. <i>Oceanography</i> , 2004 , 17, 34-45	2.3	32
11	Cliniform Generation on Mediterranean Margins. <i>Oceanography</i> , 2004 , 17, 104-117	2.3	32
10	Evidence of soft sediment deformation, fluid escape, sediment failure and regional weak layers within the late Quaternary mud deposits of the Adriatic Sea. <i>Marine Geology</i> , 2004 , 213, 91-119	3.3	70
9	Seafloor undulation pattern on the Adriatic shelf and comparison to deep-water sediment waves. <i>Marine Geology</i> , 2004 , 213, 121-148	3.3	67
8	The PASTA Project: Investigation of Po and Apennine Sediment Transport and Accumulation. <i>Oceanography</i> , 2004 , 17, 46-57	2.3	38
7	The late-Holocene Gargano subaqueous delta, Adriatic shelf: Sediment pathways and supply fluctuations. <i>Marine Geology</i> , 2003 , 193, 61-91	3.3	265
6	Seismic facies and sedimentary processes on the continental rise off Wilkes Land (East Antarctica): evidence of bottom current activity. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2003 , 50, 1509-1527	2.3	36
5	Continental shelf drift deposit indicates non-steady state Antarctic bottom water production in the Holocene. <i>Marine Geology</i> , 2001 , 179, 1-8	3.3	51
4	Quaternary forced regression deposits in the Adriatic basin and the record of composite sea-level cycles. <i>Geological Society Special Publication</i> , 2000 , 172, 245-269	1.7	38

- | | | | |
|---|--|-----|----|
| 3 | Conference stresses relevance of marine strata to today's issues. <i>Eos</i> , 1999 , 80, 135 | 1.5 | 0 |
| 2 | Collapse and flow of lowstand shelf-margin deposits: An example from the eastern Tyrrhenian Sea, Italy. <i>Marine Geology</i> , 1992 , 105, 77-94 | 3.3 | 16 |
| 1 | Pleistocene Suvero slide, Paola basin, southern Italy. <i>Marine and Petroleum Geology</i> , 1989 , 6, 324-335 | 4.7 | 19 |