

# Jeanne E Poole

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6454248/jeanne-e-poole-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

55  
papers

8,605  
citations

27  
h-index

74  
g-index

74  
ext. papers

10,801  
ext. citations

8.3  
avg, IF

5.17  
L-index

#	Paper	IF	Citations
55	Arrhythmias in Female Patients: Incidence, Presentation and Management.. <i>Circulation Research</i> , <b>2022</b> , 130, 474-495	15.7	2
54	Hydroxychloroquine with or without azithromycin for treatment of early SARS-CoV-2 infection among high-risk outpatient adults: A randomized clinical trial. <i>EClinicalMedicine</i> , <b>2021</b> , 33, 100773	11.3	28
53	Management of Arrhythmias After Heart Transplant: Current State and Considerations for Future Research. <i>Circulation: Arrhythmia and Electrophysiology</i> , <b>2021</b> , 14, e007954	6.4	1
52	Ablation Versus Drug Therapy for Atrial Fibrillation in Heart Failure: Results From the CABANA Trial. <i>Circulation</i> , <b>2021</b> , 143, 1377-1390	16.7	46
51	The Lancet women and cardiovascular disease Commission: reducing the global burden by 2030. <i>Lancet, The</i> , <b>2021</b> , 397, 2385-2438	40	80
50	Treatment-Related Changes in Left Atrial Structure in Atrial Fibrillation: Findings From the CABANA Imaging Substudy. <i>Circulation: Arrhythmia and Electrophysiology</i> , <b>2021</b> , 14, e008540	6.4	3
49	Ablation Versus Drug Therapy for Atrial Fibrillation in Racial and Ethnic Minorities. <i>Journal of the American College of Cardiology</i> , <b>2021</b> , 78, 126-138	15.1	4
48	Association Between Sex and Treatment Outcomes of Atrial Fibrillation Ablation Versus Drug Therapy: Results From the CABANA Trial. <i>Circulation</i> , <b>2021</b> , 143, 661-672	16.7	11
47	Increasing Participation of Women in Cardiovascular Trials: JACC Council Perspectives. <i>Journal of the American College of Cardiology</i> , <b>2021</b> , 78, 737-751	15.1	10
46	Outcomes for patients with anterior myocardial infarction and prior cardiac arrest in the home automated external defibrillator trial (HAT). <i>Resuscitation</i> , <b>2021</b> , 168, 75-83	4	0
45	Association Between Age and Outcomes of Catheter Ablation Versus Medical Therapy for Atrial Fibrillation: Results from the CABANA Trial.. <i>Circulation</i> , <b>2021</b> ,	16.7	4
44	Prognostic Value of Late Gadolinium Enhancement for the Prediction of Cardiovascular Outcomes in Dilated Cardiomyopathy: An International, Multi-Institutional Study of the MINICOR Group. <i>Circulation: Cardiovascular Imaging</i> , <b>2020</b> , 13, e010105	3.9	17
43	Recurrence of Atrial Fibrillation After Catheter Ablation or Antiarrhythmic Drug Therapy in the CABANA Trial. <i>Journal of the American College of Cardiology</i> , <b>2020</b> , 75, 3105-3118	15.1	41
42	European Heart Rhythm Association (EHRA) international consensus document on how to prevent, diagnose, and treat cardiac implantable electronic device infections-endorsed by the Heart Rhythm Society (HRS), the Asia Pacific Heart Rhythm Society (APHRS), the Latin American Heart Rhythm Society (LAHRS), International Society for Cardiovascular Infectious Diseases (ISCVID), and the	9.5	35
41	AnaLysis of Both sex and device specific factors on outcomes in pAtients with non-ischemic with cardiomyopathy (BIO-LIBRA): Design and clinical protocol. <i>Heart Rhythm O2</i> , <b>2020</b> , 1, 376-384	1.5	
40	QT interval and arrhythmic safety of hydroxychloroquine monotherapy in coronavirus disease 2019. <i>Heart Rhythm O2</i> , <b>2020</b> , 1, 167-172	1.5	8
39	European Heart Rhythm Association (EHRA) international consensus document on how to prevent, diagnose, and treat cardiac implantable electronic device infections-endorsed by the Heart Rhythm Society (HRS), the Asia Pacific Heart Rhythm Society (APHRS), the Latin American Heart Rhythm Society (LAHRS), International Society for Cardiovascular Infectious Diseases (ISCVID) and the European Society of Clinical Microbiology and Infectious Diseases (ESCMID) in collaboration with the European Association for Cardio. <i>Europace</i> , <b>2020</b> , 22, 515-549	3.9	82

38	European Heart Rhythm Association (EHRA) international consensus document on how to prevent, diagnose, and treat cardiac implantable electronic device infections-endorsed by the Heart Rhythm Society (HRS), the Asia Pacific Heart Rhythm Society (APHRS), the Latin American Heart Rhythm Society (LAHRS), International Society for Cardiovascular Infectious Diseases (ISCVID) and the	3	22
37	Long-Term Outcomes of Implantable Cardioverter-Defibrillator Therapy in the SCD-HeFT. <i>Journal of the American College of Cardiology</i> , <b>2020</b> , 76, 405-415. <i>Journal of Cardio-thoracic Surgery</i> , <b>2020</b> , 57, e1-e31	15.1	9
36	Clinical practice and implementation of guidelines for the prevention, diagnosis and management of cardiac implantable electronic device infections: results of a worldwide survey under the auspices of the European Heart Rhythm Association. <i>Europace</i> , <b>2019</b> , 21, 1270-1279	3.9	29
35	Effect of Catheter Ablation vs Medical Therapy on Quality of Life Among Patients With Atrial Fibrillation: The CABANA Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2019</b> , 321, 1275-1285	27.4	209
34	Effect of Catheter Ablation vs Antiarrhythmic Drug Therapy on Mortality, Stroke, Bleeding, and Cardiac Arrest Among Patients With Atrial Fibrillation: The CABANA Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2019</b> , 321, 1261-1274	27.4	472
33	Subcutaneous ICD screening with the Boston Scientific ZOOM programmer versus a 12-lead ECG machine. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2018</b> , 41, 511-516	1.6	6
32	Comparison of 2 ambulatory patch ECG monitors: The benefit of the P-wave and signal clarity. <i>American Heart Journal</i> , <b>2018</b> , 203, 109-117	4.9	12
31	Catheter Ablation versus Antiarrhythmic Drug Therapy for Atrial Fibrillation (CABANA) Trial: Study Rationale and Design. <i>American Heart Journal</i> , <b>2018</b> , 199, 192-199	4.9	76
30	Improving the Use of Primary Prevention Implantable Cardioverter-Defibrillators Therapy With Validated Patient-Centric Risk Estimates. <i>JACC: Clinical Electrophysiology</i> , <b>2018</b> , 4, 1089-1102	4.6	6
29	Association of Implantable Cardioverter Defibrillators With Survival in Patients With and Without Improved Ejection Fraction: Secondary Analysis of the Sudden Cardiac Death in Heart Failure Trial. <i>JAMA Cardiology</i> , <b>2017</b> , 2, 767-774	16.2	41
28	Defibrillation for Ventricular Fibrillation: A Shocking Update. <i>Journal of the American College of Cardiology</i> , <b>2017</b> , 70, 1496-1509	15.1	28
27	Multicenter Automatic Defibrillator Implantation Trial-Subcutaneous Implantable Cardioverter Defibrillator (MADIT S-ICD): Design and clinical protocol. <i>American Heart Journal</i> , <b>2017</b> , 189, 158-166	4.9	27
26	QRS Duration or QRS Morphology: What Really Matters in Cardiac Resynchronization Therapy?. <i>Journal of the American College of Cardiology</i> , <b>2016</b> , 67, 1104-1117	15.1	49
25	Use of Guideline-Directed Medications for Heart Failure Before Cardioverter-Defibrillator Implantation. <i>Journal of the American College of Cardiology</i> , <b>2016</b> , 67, 1062-1069	15.1	36
24	Worldwide Randomized Antibiotic Envelope Infection Prevention Trial (WRAP-IT). <i>American Heart Journal</i> , <b>2016</b> , 180, 12-21	4.9	42
23	Unexpected deviation in circadian variation of ventricular arrhythmias: the SCD-HeFT (Sudden Cardiac Death in Heart Failure Trial). <i>Journal of the American College of Cardiology</i> , <b>2014</b> , 63, 2702-8	15.1	25
22	Use of the 6-min walk distance to identify variations in treatment benefits from implantable cardioverter-defibrillator and amiodarone: results from the SCD-HeFT (Sudden Cardiac Death in Heart Failure Trial). <i>Journal of the American College of Cardiology</i> , <b>2014</b> , 63, 2560-2568	15.1	15
21	Rapid-rate nonsustained ventricular tachycardia found on implantable cardioverter-defibrillator interrogation: relationship to outcomes in the SCD-HeFT (Sudden Cardiac Death in Heart Failure Trial). <i>Journal of the American College of Cardiology</i> , <b>2013</b> , 61, 2161-8	15.1	51

20	Reply: rapid rate nonsustained ventricular tachycardia found on ICD interrogation: relationship of RR-NSVT to outcomes in the SCD-HeFT trial. <i>Journal of the American College of Cardiology</i> , <b>2013</b> , 62, 2028-2029	15.1	29
19	Who should receive the subcutaneous implanted defibrillator?: The subcutaneous implantable cardioverter defibrillator (ICD) should be considered in all ICD patients who do not require pacing. <i>Circulation: Arrhythmia and Electrophysiology</i> , <b>2013</b> , 6, 1236-44; discussion 1244-5	6.4	30
18	Complication rates associated with pacemaker or implantable cardioverter-defibrillator generator replacements and upgrade procedures: results from the REPLACE registry. <i>Circulation</i> , <b>2010</b> , 122, 1553-61	16.7	513
17	Impact of implantable cardioverter-defibrillator, amiodarone, and placebo on the mode of death in stable patients with heart failure: analysis from the sudden cardiac death in heart failure trial. <i>Circulation</i> , <b>2009</b> , 120, 2170-6	16.7	171
16	Primary prevention with defibrillator therapy in women: results from the Sudden Cardiac Death in Heart Failure Trial. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2008</b> , 19, 720-4	2.7	62
15	Rationale and design of the Home Automatic External Defibrillator Trial (HAT). <i>American Heart Journal</i> , <b>2008</b> , 155, 445-54	4.9	9
14	Prognostic importance of defibrillator shocks in patients with heart failure. <i>New England Journal of Medicine</i> , <b>2008</b> , 359, 1009-17	59.2	1033
13	New indications for implantable defibrillator therapy. <i>Current Cardiology Reports</i> , <b>2006</b> , 8, 330-5	4.2	3
12	Amiodarone or an implantable cardioverter-defibrillator for congestive heart failure. <i>New England Journal of Medicine</i> , <b>2005</b> , 352, 225-37	59.2	4876
11	AUTOMATED EXTERNAL DEFIBRILLATOR USE BY UNTRAINED BYSTANDERS: CAN THE PUBLIC-USE MODEL WORK?. <i>Prehospital Emergency Care</i> , <b>2004</b> , 8, 284-291	2.8	13
10	Malignant sustained ventricular tachyarrhythmias in women: characteristics and outcome of treatment with an implantable cardioverter defibrillator. <i>Journal of Cardiovascular Electrophysiology</i> , <b>1997</b> , 8, 2-10	2.7	25
9	Prospective evaluation of the effect of biphasic waveform defibrillation on ventricular pacing thresholds. <i>Journal of Cardiovascular Electrophysiology</i> , <b>1997</b> , 8, 485-95	2.7	11
8	Low-energy impedance-compensating biphasic waveforms terminate ventricular fibrillation at high rates in victims of out-of-hospital cardiac arrest. LIFE Investigators. <i>Journal of Cardiovascular Electrophysiology</i> , <b>1997</b> , 8, 1373-85	2.7	107
7	A prospective randomized comparison in humans of 90-mu F and 120-mu F biphasic pulse defibrillation using a unipolar defibrillation system. <i>Journal of Cardiovascular Electrophysiology</i> , <b>1995</b> , 6, 1097-100	2.7	12
6	Serial defibrillation threshold measures in man: a prospective controlled study. <i>Journal of Cardiovascular Electrophysiology</i> , <b>1995</b> , 6, 19-25	2.7	29
5	Prospective randomized comparison of biphasic waveform tilt using a unipolar defibrillation system. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>1995</b> , 18, 1369-73	1.6	27
4	A prospective randomized comparison in humans of biphasic waveform 60-microF and 120-microF capacitance pulses using a unipolar defibrillation system. <i>Circulation</i> , <b>1995</b> , 91, 91-5	16.7	25
3	Truncated biphasic pulses for transthoracic defibrillation. <i>Circulation</i> , <b>1995</b> , 91, 1768-74	16.7	63

- |   |   |      |    |
|---|---|------|----|
| 2 | Ventricular arrhythmias detected after transvenous defibrillator implantation in patients with a clinical history of only ventricular fibrillation. Implications for use of implantable defibrillator. <i>Circulation</i> , <b>1995</b> , 91, 1996-2001 | 16.7 | 39 |
| 1 | A prospective randomized comparison of defibrillation efficacy of truncated pulses and damped sine wave pulses in humans. <i>Journal of Cardiovascular Electrophysiology</i> , <b>1994</b> , 5, 725-30  | 2.7  | 6  |