

# Christophe Vinsonneau

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6456284/publications.pdf>

Version: 2024-02-01

46  
papers

5,344  
citations

236912  
25  
h-index

302107  
39  
g-index

50  
all docs

50  
docs citations

50  
times ranked

5697  
citing authors

#	ARTICLE	IF	CITATIONS
1	Renal Replacement Therapy for Acute Kidney Injury in French Intensive Care Units: A Nationwide Survey of Practices. <i>Blood Purification</i> , 2022, 51, 698-707.	1.8	2
2	Continuous renal replacement therapy versus intermittent hemodialysis as first modality for renal replacement therapy in severe acute kidney injury: a secondary analysis of AKIKI and IDEAL-ICU studies. <i>Critical Care</i> , 2022, 26, 93.	5.8	21
3	Relationship between SARS-CoV-2 infection and the incidence of ventilator-associated lower respiratory tract infections: a European multicenter cohort study. <i>Intensive Care Medicine</i> , 2021, 47, 188-198.	8.2	237
4	Comparison of high-flow nasal oxygen therapy and non-invasive ventilation in ICU patients with acute respiratory failure and a do-not-intubate orders: a multicentre prospective study OXYPAL. <i>BMJ Open</i> , 2021, 11, e045659.	1.9	6
5	Frailty is associated with long-term outcome in patients with sepsis who are over 80 years old: results from an observational study in 241 European ICUs. <i>Age and Ageing</i> , 2021, 50, 1719-1727.	1.6	20
6	Comparison of two delayed strategies for renal replacement therapy initiation for severe acute kidney injury (AKIKI 2): a multicentre, open-label, randomised, controlled trial. <i>Lancet</i> , The, 2021, 397, 1293-1300.	13.7	106
7	Combined psychologist-physician post-death meeting as part of an integrated bereavement program for families. <i>Intensive Care Medicine</i> , 2021, 47, 795-797.	8.2	0
8	Impact of early low-calorie low-protein versus standard-calorie standard-protein feeding on outcomes of ventilated adults with shock: design and conduct of a randomised, controlled, multicentre, open-label, parallel-group trial (NUTRIREA-3). <i>BMJ Open</i> , 2021, 11, e045041.	1.9	6
9	Awake prone positioning for COVID-19 acute hypoxaemic respiratory failure: a randomised, controlled, multinational, open-label meta-trial. <i>Lancet Respiratory Medicine</i> , the, 2021, 9, 1387-1395.	10.7	259
10	Intermittent Techniques for Acute Dialysis. , 2019, , 905-908.e1.		0
11	The urine biomarkers TIMP2 and IGFBP7 can identify patients who will experience severe acute kidney injury following a cardiac arrest: A prospective multicentre study. <i>Resuscitation</i> , 2019, 141, 104-110.	3.0	7
12	Urinary TIMP2 and IGFBP7 Identifies High Risk Patients of Short-Term Progression from Mild and Moderate to Severe Acute Kidney Injury during Septic Shock: A Prospective Cohort Study. <i>Disease Markers</i> , 2019, 2019, 1-8.	1.3	18
13	Hemodynamic efficiency of hemodialysis treatment with high cut-off membrane during the early period of post-resuscitation shock: The HYPERDIA trial. <i>Resuscitation</i> , 2019, 140, 170-177.	3.0	15
14	Impact of a multimodal strategy combining a new standard of care and restriction of carbapenems, fluoroquinolones and cephalosporins on antibiotic consumption and resistance of <i>Pseudomonas aeruginosa</i> in a French intensive care unit. <i>International Journal of Antimicrobial Agents</i> , 2019, 53, 416-422.	2.5	30
15	Indications for and Contraindications to Intermittent Hemodialysis in Critically Ill Patients. , 2019, , 928-932.e2.		0
16	Acute kidney injury in the ICU: from injury to recovery: reports from the 5th Paris International Conference. <i>Annals of Intensive Care</i> , 2017, 7, 49.	4.6	100
17	Timing of Initiation of Renal Replacement Therapy in Critically Ill Patients With Acute Kidney Injury. <i>JAMA - Journal of the American Medical Association</i> , 2016, 316, 1497.	7.4	0
18	The optic nerve sheath diameter as a useful tool for early prediction of outcome after cardiac arrest: A prospective pilot study. <i>Resuscitation</i> , 2016, 103, 7-13.	3.0	42

#	ARTICLE	IF	CITATIONS
19	Renal replacement therapy in adult and pediatric intensive care. <i>Annals of Intensive Care</i> , 2015, 5, 58.	4.6	82
20	Acute kidney injury after out-of-hospital cardiac arrest: risk factors and prognosis in a large cohort. <i>Intensive Care Medicine</i> , 2015, 41, 1273-1280.	8.2	73
21	Very high volume hemofiltration with the Cascade system in septic shock patients. <i>Intensive Care Medicine</i> , 2015, 41, 2111-2120.	8.2	45
22	Discovery and validation of cell cycle arrest biomarkers in human acute kidney injury. <i>Critical Care</i> , 2013, 17, R25.	5.8	969
23	Ureteral obstruction promotes proliferation and differentiation of the renal urothelium into a bladder-like phenotype. <i>Kidney International</i> , 2012, 82, 428-435.	5.2	19
24	Safety and diagnostic yield of renal biopsy in the intensive care unit. <i>Intensive Care Medicine</i> , 2012, 38, 1826-1833.	8.2	36
25	Heart-Kidney Interaction. , 2012, , 1029-1029.		0
26	Hemodialysis in ICU. , 2012, , 1042-1045.		0
27	Antibiotics and the burn patient. <i>Burns</i> , 2011, 37, 16-26.	1.9	52
28	Too early initiation of renal replacement therapy may be harmful. <i>Critical Care</i> , 2011, 15, 112.	5.8	9
29	Intermittent Hemodialysis. , 2010, , 515-523.		1
30	Indications for and Contraindications to Intermittent Hemodialysis in Critically Ill Patients. , 2009, , 1239-1243.		4
31	Is myocardial adrenergic responsiveness depressed in human septic shock?. <i>Intensive Care Medicine</i> , 2008, 34, 917-922.	8.2	48
32	Influence of Burns on Pharmacokinetics and Pharmacodynamics of Drugs Used in the Care of Burn Patients. <i>Clinical Pharmacokinetics</i> , 2008, 47, 635-654.	3.5	119
33	Techniques de suppl�ance extrar�nales: place et indications. , 2007, , 319-342.		0
34	H�modialyse intermittente et h�mofiltration continue en r�animation : que choisir ?. <i>Praticien En Anesthesie Reanimation</i> , 2007, 11, 365-374.	0.0	0
35	Ionic dialysance: a new valid parameter for quantification of dialysis efficiency in acute renal failure?. <i>Intensive Care Medicine</i> , 2007, 33, 460-465.	8.2	31
36	Continuous venovenous haemodiafiltration versus intermittent haemodialysis for acute renal failure in patients with multiple-organ dysfunction syndrome: a multicentre randomised trial. <i>Lancet</i> , The, 2006, 368, 379-385.	13.7	625

#	ARTICLE	IF	CITATIONS
37	One-year Outcome after Severe Pulmonary Exacerbation in Adults with Cystic Fibrosis. American Journal of Respiratory and Critical Care Medicine, 2005, 171, 158-164.	5.6	112
38	High-Volume Hemofiltration After Out-of-Hospital Cardiac Arrest. Journal of the American College of Cardiology, 2005, 46, 432-437.	2.8	244
39	Adjunctive therapies in sepsis: An evidence-based review. Critical Care Medicine, 2004, 32, S562-S570.	0.9	76
40	Brain natriuretic peptide: A marker of myocardial dysfunction and prognosis during severe sepsis. Critical Care Medicine, 2004, 32, 660-665.	0.9	420
41	Selection of endpoints for clinical trials of acute renal failure in critically ill patients. Current Opinion in Critical Care, 2002, 8, 515-518.	3.2	29
42	Successful Cardiopulmonary Resuscitation After Cardiac Arrest as a "Sepsis-Like" Syndrome. Circulation, 2002, 106, 562-568.	1.6	878
43	French intensivists do not apply American recommendations regarding decisions to forgo life-sustaining therapy. Critical Care Medicine, 2001, 29, 1887-1892.	0.9	94
44	Hepatic response to sepsis: Interaction between coagulation and inflammatory processes. Critical Care Medicine, 2001, 29, S42-S47.	0.9	298
45	Compliance with triage to intensive care recommendations. Critical Care Medicine, 2001, 29, 2132-2136.	0.9	176
46	Hemofiltration and left ventricular function in sepsis. Critical Care Medicine, 1999, 27, 473-474.	0.9	14