

Leti van Bodegom-Vos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6456620/publications.pdf>

Version: 2024-02-01

87
papers

1,404
citations

361296

20
h-index

414303

32
g-index

90
all docs

90
docs citations

90
times ranked

1893
citing authors

#	ARTICLE	IF	CITATIONS
1	What works and why in the implementation of eRehabilitation after stroke – a process evaluation. Disability and Rehabilitation: Assistive Technology, 2024, 19, 345-359.	1.3	2
2	Implementing enhancements in supervised group exercise for people with axial spondyloarthritis: a hybrid effectiveness-implementation study. Scandinavian Journal of Rheumatology, 2023, 52, 60-68.	0.6	2
3	Effectiveness of a multifaceted quality improvement intervention to improve patient outcomes after total hip and knee arthroplasty: a registry nested cluster randomised controlled trial. BMJ Quality and Safety, 2023, 32, 34-46.	1.8	5
4	Performing a knee arthroscopy among patients with degenerative knee disease: one-third is potentially low value care. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 1568-1574.	2.3	4
5	more comprehensive evaluation of quality of care after total hip and knee arthroplasty: combining 4 indicators in an ordered composite outcome. Monthly Notices of the Royal Astronomical Society: Letters, 2022, 93, 138-145.	1.2	2
6	Lessons learned from a pilot implementation of physical activity recommendations in axial spondyloarthritis exercise group therapy. BMC Rheumatology, 2022, 6, 12.	0.6	5
7	Reducing Low-Value Care: Uncertainty as Crucial Cross-Cutting Theme Comment on "Key Factors That Promote Low-Value Care: Views of Experts From the United States, Canada, and the Netherlands". International Journal of Health Policy and Management, 2022, , .	0.5	1
8	CLINICAL EFFECTIVENESS OF STRATIFIED EXERCISE THERAPY COMPARED TO USUAL EXERCISE THERAPY IN PATIENTS WITH KNEE OSTEOARTHRITIS: A RANDOMIZED CONTROLLED TRIAL (OCTOPUS-STUDY). Osteoarthritis and Cartilage, 2022, 30, S75-S76.	0.6	0
9	A tailored intervention does not reduce low value MRI-™s and arthroscopies in degenerative knee disease when the secular time trend is taken into account: a difference-in-difference analysis. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 4134-4143.	2.3	2
10	Cues to improve antibiotic-allergy registration: A mixed-method study. PLoS ONE, 2022, 17, e0266473.	1.1	2
11	Characterizing and quantifying low-value diagnostic imaging internationally: a scoping review. BMC Medical Imaging, 2022, 22, 73.	1.4	15
12	International comparison of variation in performance between hospitals for THA and TKA: Is it even possible? A systematic review including 33 studies and 8 arthroplasty register reports. EFORT Open Reviews, 2022, 7, 247-263.	1.8	1
13	Stratified exercise therapy does not improve outcomes compared with usual exercise therapy in people with knee osteoarthritis (OCTOPuS study): a cluster randomised trial. Journal of Physiotherapy, 2022, 68, 182-190.	0.7	7
14	Awareness of performance on outcomes after total hip and knee arthroplasty among Dutch orthopedic surgeons: how to improve feedback from arthroplasty registries. Monthly Notices of the Royal Astronomical Society: Letters, 2021, 92, 54-61.	1.2	7
15	Differences in organization of care are associated with mortality, severe complication and failure to rescue in emergency colon cancer surgery. International Journal for Quality in Health Care, 2021, 33, .	0.9	4
16	Cost-utility analysis of a cluster randomized controlled trial implementing a structured osteoarthritis model in primary healthcare. Osteoarthritis and Cartilage, 2021, 29, S58-S59.	0.6	0
17	OP0071-HPR-...PILOT IMPLEMENTATION OF ENHANCEMENTS IN SUPERVISED GROUP EXERCISE FOR PEOPLE WITH AXIAL SPONDYLOARTHRITIS (AXSPA) IN THE NETHERLANDS. Annals of the Rheumatic Diseases, 2021, 80, 38.2-38.	0.5	0
18	OP0198-HPR-...A STRUCTURED MODEL FOR OA CARE IN PRIMARY HEALTHCARE IS A COST-EFFECTIVE ALTERNATIVE COMPARED TO USUAL CARE FOR PEOPLE WITH HIP AND KNEE OA. Annals of the Rheumatic Diseases, 2021, 80, 119-120.	0.5	0

#	ARTICLE	IF	CITATIONS
19	Factors facilitating and hindering the implementation of the European Society of Cardiology Syncope Guidelines at the Emergency Department: A nationwide qualitative study. <i>International Journal of Cardiology</i> , 2021, 333, 167-173.	0.8	6
20	Interventions to reduce low-value imaging – a systematic review of interventions and outcomes. <i>BMC Health Services Research</i> , 2021, 21, 983.	0.9	30
21	The Influence of Personalised Sarcoma Care (PERSARC) Prediction Modelling on Clinical Decision Making in a Multidisciplinary Setting. <i>Sarcoma</i> , 2021, 2021, 1-6.	0.7	4
22	Preferences and beliefs of Dutch orthopaedic surgeons and patients reduce the implementation of ‘Choosing Wisely’ recommendations in degenerative knee disease. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 3101-3117.	2.3	6
23	Stratified exercise therapy compared with usual care by physical therapists in patients with knee osteoarthritis: A randomized controlled trial protocol (OCTOPuS study). <i>Physiotherapy Research International</i> , 2020, 25, e1819.	0.7	7
24	Between-Hospital Variation in Revision Rates After Total Hip and Knee Arthroplasty in the Netherlands. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020, 102, 315-324.	1.4	13
25	Implementation strategies used to implement nursing guidelines in daily practice: A systematic review. <i>International Journal of Nursing Studies</i> , 2020, 111, 103748.	2.5	37
26	Non-surgical treatment before hip and knee arthroplasty remains underutilized with low satisfaction regarding performance of work, sports, and leisure activities. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 717-723.	1.2	17
27	Higher quality of care and less surgery after implementing osteoarthritis guidelines in primary care - long-term results from a cluster-randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2020, 28, S439-S440.	0.6	0
28	A multicomponent intervention to decrease sedentary time during hospitalization: a quasi-experimental pilot study. <i>Clinical Rehabilitation</i> , 2020, 34, 901-915.	1.0	3
29	Effects of de-implementation strategies aimed at reducing low-value nursing procedures: a systematic review and meta-analysis. <i>Implementation Science</i> , 2020, 15, 38.	2.5	21
30	Differences in factors influencing the use of eRehabilitation after stroke; a cross-sectional comparison between Brazilian and Dutch healthcare professionals. <i>BMC Health Services Research</i> , 2020, 20, 488.	0.9	3
31	Low adherence to exercise may have influenced the proportion of OMERACT-OARSI responders in an integrated osteoarthritis care model: secondary analyses from a cluster-randomised stepped-wedge trial. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 236.	0.8	11
32	THU0653-HPR – BARRIERS FOR THE UPTAKE OF EULAR POSTGRADUATE EDUCATION FOR HEALTH PROFESSIONALS IN RHEUMATOLOGY IN EASTERN EUROPEAN COUNTRIES: RESULTS FROM 3 NATIONAL SURVEYS. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 571-571.	0.5	0
33	Monitoring Hospital Performance with Statistical Process Control After Total Hip and Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020, 102, 2087-2094.	1.4	5
34	Barriers and Facilitators of Vigorous Cardiorespiratory Training in Axial Spondyloarthritis: Surveys Among Patients, Physiotherapists, and Rheumatologists. <i>Arthritis Care and Research</i> , 2019, 71, 839-851.	1.5	23
35	How to improve eRehabilitation programs in stroke care? A focus group study to identify requirements of end-users. <i>BMC Medical Informatics and Decision Making</i> , 2019, 19, 145.	1.5	28
36	Implementing a structured model for osteoarthritis care in primary healthcare: A stepped-wedge cluster-randomised trial. <i>PLoS Medicine</i> , 2019, 16, e1002949.	3.9	31

#	ARTICLE	IF	CITATIONS
37	Teachersâ€™ and studentsâ€™ perceptions on barriers and facilitators for eHealth education in the curriculum of functional exercise and physical therapy: a focus groups study. <i>BMC Medical Education</i> , 2019, 19, 343.	1.0	14
38	Factors associated with willingness to use eRehabilitation after stroke: A cross-sectional study among patients, informal caregivers and healthcare professionals. <i>Journal of Rehabilitation Medicine</i> , 2019, 51, 665-674.	0.8	10
39	Barriers and facilitators for omitting parts of locoregional treatment in older patients with early stage breast cancer from the patient's perspective. <i>European Journal of Surgical Oncology</i> , 2019, 45, e97.	0.5	0
40	Hospital staff participation in a national hip fracture audit: facilitators and barriers. <i>Archives of Osteoporosis</i> , 2019, 14, 110.	1.0	3
41	Reduction of routine radiographs in the follow-up of distal radius and ankle fractures: Barriers and facilitators perceived by orthopaedic trauma surgeons. <i>Journal of Evaluation in Clinical Practice</i> , 2019, 25, 265-274.	0.9	6
42	Do Outcomes in Elective Colon and Rectal Cancer Surgery Differ by Weekday? An Observational Study Using Data From the Dutch ColoRectal Audit. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2019, 17, 821-828.	2.3	7
43	Towards a systematic approach for (de)implementation of patient blood management strategies. <i>Transfusion Medicine</i> , 2018, 28, 158-167.	0.5	13
44	How the dual process model of human cognition can inform efforts to deimplement ineffective and harmful clinical practices: A preliminary model of unlearning and substitution. <i>Journal of Evaluation in Clinical Practice</i> , 2018, 24, 198-205.	0.9	82
45	Mortality, readmission and length of stay have different relationships using hospital-level versus patient-level data: an example of the ecological fallacy affecting hospital performance indicators. <i>BMJ Quality and Safety</i> , 2018, 27, 474-483.	1.8	25
46	What is Important in E-health Interventions for Stroke Rehabilitation? A Survey Study among Patients, Informal Caregivers, and Health Professionals.. <i>International Journal of Telerehabilitation</i> , 2018, 10, 15-28.	0.7	13
47	Attention needed for cognitive problems in patients after out-of-hospital cardiac arrest: an inventory about daily rehabilitation care. <i>Netherlands Heart Journal</i> , 2018, 26, 493-499.	0.3	13
48	Why the uptake of eRehabilitation programs in stroke care is so difficultâ€”a focus group study in the Netherlands. <i>Implementation Science</i> , 2018, 13, 133.	2.5	38
49	Implementing international osteoarthritis guidelines in an integrated care model â€” results from a cluster randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2018, 26, S34-S35.	0.6	0
50	Weekend Effect in Emergency Colon and Rectal Cancer Surgery: A Prospective Study Using Data From the Dutch ColoRectal Audit. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2018, 16, 735-741.	2.3	16
51	Implementation and de-implementation: two sides of the same coin?. <i>BMJ Quality and Safety</i> , 2017, 26, 495-501.	1.8	128
52	Hospital variation in allogeneic transfusion and extended length of stay in primary elective hip and knee arthroplasty: a cross-sectional study. <i>BMJ Open</i> , 2017, 7, e014143.	0.8	5
53	The effectiveness of a de-implementation strategy to reduce low-value blood management techniques in primary hip and knee arthroplasty: a pragmatic cluster-randomized controlled trial. <i>Implementation Science</i> , 2017, 12, 72.	2.5	27
54	Healthcare Quality Indicators for Physiotherapy Management in Hip and Knee Osteoarthritis and Rheumatoid Arthritis: A Delphi Study. <i>Musculoskeletal Care</i> , 2016, 14, 219-232.	0.6	19

#	ARTICLE	IF	CITATIONS
55	Internet-based self-management support for adults with asthma: a qualitative study among patients, general practitioners and practice nurses on barriers to implementation. <i>BMJ Open</i> , 2016, 6, e010809.	0.8	16
56	Erythropoietin to reduce allogeneic red blood cell transfusion in patients undergoing total hip or knee arthroplasty. <i>Vox Sanguinis</i> , 2016, 111, 219-225.	0.7	33
57	Effectiveness and Clinical Outcomes of a Two-Step Implementation of Conservative Oxygenation Targets in Critically Ill Patients. <i>Critical Care Medicine</i> , 2016, 44, 554-563.	0.4	78
58	Meta-analysis of the central line bundle for preventing catheter-related infections: a case study in appraising the evidence in quality improvement. <i>BMJ Quality and Safety</i> , 2016, 25, 118-129.	1.8	25
59	Barriers and Facilitators Associated with Non-Surgical Treatment Use for Osteoarthritis Patients in Orthopaedic Practice. <i>PLoS ONE</i> , 2016, 11, e0147406.	1.1	35
60	Variation in use of non-surgical treatments among osteoarthritis patients in orthopaedic practice in the Netherlands. <i>BMJ Open</i> , 2015, 5, e009117.	0.8	23
61	Implementing international osteoarthritis treatment guidelines in primary health care: study protocol for the SAMBA stepped wedge cluster randomized controlled trial. <i>Implementation Science</i> , 2015, 10, 165.	2.5	14
62	Effectiveness of an interactive postgraduate educational intervention with patient participation on the adherence to a physiotherapy guideline for hip and knee osteoarthritis: a randomised controlled trial. <i>Disability and Rehabilitation</i> , 2015, 37, 274-282.	0.9	17
63	Cell Salvage in Hip and Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2015, 97, 1012-1021.	1.4	47
64	WARRIOR-trial - is routine radiography following the 2-week initial follow-up in trauma patients with wrist and ankle fractures necessary: study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 66.	0.7	17
65	OP0305-HPRâ€¦Quality Indicators for Physiotherapy Management in Hip and Knee Osteoarthritis and Rheumatoid Arthritis; Development and Measurability. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 188.2-188.	0.5	0
66	Most Important Factors for the Implementation of Shared Decision Making in Sciatica Care: Ranking among Professionals and Patients. <i>PLoS ONE</i> , 2014, 9, e94176.	1.1	33
67	De-implementation of expensive blood saving measures in hip and knee arthroplasties: study protocol for the LISBOA-II cluster randomized trial. <i>Implementation Science</i> , 2014, 9, 48.	2.5	16
68	Perceived barriers among physicians for stopping nonâ€œcostâ€œeffective bloodâ€œsaving measures in total hip and total knee arthroplasties. <i>Transfusion</i> , 2014, 54, 2598-2607.	0.8	19
69	Designing a strategy to implement optimal conservative treatments in patients with knee or hip osteoarthritis in orthopedic practice: a study protocol of the BART-OP study. <i>Implementation Science</i> , 2014, 9, 22.	2.5	9
70	THU0561â€¦Perceived Facilitators and Barriers of Cardiovascular Training. A Survey among People with Ankylosing Spondylitis and Physiotherapists. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 376.2-377.	0.5	1
71	Barriers and facilitators to implement shared decision making in multidisciplinary sciatica care: a qualitative study. <i>Implementation Science</i> , 2013, 8, 95.	2.5	44
72	Frequent use of blood-saving measures in elective orthopaedic surgery: a 2012 Dutch blood management survey. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 230.	0.8	16

#	ARTICLE	IF	CITATIONS
73	Quality Indicators for Physiotherapy Care in Hip and Knee Osteoarthritis: Development and Clinimetric Properties. <i>Musculoskeletal Care</i> , 2013, 11, 193-202.	0.6	9
74	Postgraduate education to increase adherence to a Dutch physiotherapy practice guideline for hip and knee OA: a randomized controlled trial. <i>Rheumatology</i> , 2013, 52, 368-375.	0.9	21
75	OP0077-HPR...The effect of an interactive workshop on the adherence with the dutch physical therapy practice guideline for hip and knee osteoarthritis: A randomised controlled trial. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 79.2-79.	0.5	0
76	SP0180...Health professionals workshop session: "I've been asked to review a clinical guideline" where do I start? <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 44.2-44.	0.5	0
77	Are patients' preferences for shifting services from medical specialists to general practitioners related to the type of medical intervention?. <i>Quality in Primary Care</i> , 2013, 21, 81-95.	0.8	2
78	A Qualitative Study of Barriers to the Implementation of a Rheumatoid Arthritis Guideline Among Generalist and Specialist Physical Therapists. <i>Physical Therapy</i> , 2012, 92, 1292-1305.	1.1	15
79	Implementation strategies of internet-based asthma self-management support in usual care. Study protocol for the IMPASSE cluster randomized trial. <i>Implementation Science</i> , 2012, 7, 113.	2.5	9
80	Designing an implementation strategy to improve interprofessional shared decision making in sciatica: study protocol of the DISC study. <i>Implementation Science</i> , 2012, 7, 55.	2.5	6
81	Designing a strategy to implement cost-effective blood transfusion management in elective hip and knee arthroplasties: A study protocol. <i>Implementation Science</i> , 2012, 7, 58.	2.5	18
82	Understanding organisational development, sustainability, and diffusion of innovations within hospitals participating in a multilevel quality collaborative. <i>Implementation Science</i> , 2011, 6, 18.	2.5	42
83	Towards an organisation-wide process-oriented organisation of care: A literature review. <i>Implementation Science</i> , 2011, 6, 8.	2.5	47
84	Applying the quality improvement collaborative method to process redesign: a multiple case study. <i>Implementation Science</i> , 2010, 5, 19.	2.5	43
85	Shifting stroke care from the hospital to the nursing home: explaining the outcomes of a Dutch case. <i>Journal of Evaluation in Clinical Practice</i> , 2010, 16, 1203-1208.	0.9	6
86	Does case-mix based reimbursement stimulate the development of process-oriented care delivery?. <i>Health Policy</i> , 2010, 98, 74-80.	1.4	2
87	How to implement process-oriented care. <i>Accreditation and Quality Assurance</i> , 2009, 14, 5-13.	0.4	12