## M Silvia DÃ-az-Cruz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6456787/publications.pdf

Version: 2024-02-01

83 papers 6,931 citations

41323 49 h-index 82 g-index

83 all docs 83 docs citations

83 times ranked 6201 citing authors

#	Article	IF	CITATIONS
1	Liquid chromatography–tandem mass spectrometry for the analysis of pharmaceutical residues in environmental samples: a review. Journal of Chromatography A, 2005, 1067, 1-14.	1.8	535
2	Identification and determination of metabolites and degradation products of sulfonamide antibiotics. TrAC - Trends in Analytical Chemistry, 2008, 27, 1008-1022.	5.8	293
3	Occurrence of sulfonamide residues along the Ebro river basinRemoval in wastewater treatment plants and environmental impact assessment. Environment International, 2011, 37, 462-473.	4.8	210
4	Organic UV filters and their photodegradates, metabolites and disinfection by-products in the aquatic environment. TrAC - Trends in Analytical Chemistry, 2008, 27, 873-887.	5.8	203
5	Liquid chromatography–(tandem) mass spectrometry of selected emerging pollutants (steroid sex) Tj ETQq1 1 Chromatography A, 2003, 1000, 503-526.	0.784314 1.8	ł rgBT /Ove <mark>rlo</mark> 200
6	First Determination of UV Filters in Marine Mammals. Octocrylene Levels in Franciscana Dolphins. Environmental Science & Envir	4.6	195
7	Highly sensitive simultaneous determination of sulfonamide antibiotics and one metabolite in environmental waters by liquid chromatography–quadrupole linear ion trap–mass spectrometry. Journal of Chromatography A, 2008, 1193, 50-59.	1.8	184
8	An overview of UV-absorbing compounds (organic UV filters) in aquatic biota. Analytical and Bioanalytical Chemistry, 2012, 404, 2597-2610.	1.9	184
9	Chemical analysis and ecotoxicological effects of organic UV-absorbing compounds in aquatic ecosystems. TrAC - Trends in Analytical Chemistry, 2009, 28, 708-717.	5.8	172
10	Determination of 19 sulfonamides in environmental water samples by automated on-line solid-phase extraction-liquid chromatography–tandem mass spectrometry (SPE-LC–MS/MS). Talanta, 2010, 81, 355-366.	2.9	169
11	Determination of estrogens and progestogens by mass spectrometric techniques (GC/MS, LC/MS and) Tj ETQq1 1	1 0.78431 0.7	4 rggT /Over
12	UV filters bioaccumulation in fish from Iberian river basins. Science of the Total Environment, 2015, 518-519, 518-525.	3.9	148
13	Simultaneous occurrence of nitrates and sulfonamide antibiotics in two ground water bodies of Catalonia (Spain). Journal of Hydrology, 2010, 383, 93-101.	2.3	138
14	Fully automated determination of nine ultraviolet filters and transformation products in natural waters and wastewaters by on-line solid phase extraction–liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2013, 1294, 106-116.	1.8	130
15	Biodegradation of sulfamethazine by Trametes versicolor: Removal from sewage sludge and identification of intermediate products by UPLC–QqTOF-MS. Science of the Total Environment, 2011, 409, 5505-5512.	3.9	127
16	Analysis of UV filters in tap water and other clean waters in Spain. Analytical and Bioanalytical Chemistry, 2012, 402, 2325-2333.	1.9	123
17	Combining chemical analysis and ecotoxicity to determine environmental exposure and to assess risk from sulfonamides. TrAC - Trends in Analytical Chemistry, 2009, 28, 804-819.	5.8	120
18	Occurrence of multiclass UV filters in treated sewage sludge from wastewater treatment plants. Chemosphere, 2011, 84, 1158-1165.	4.2	118

#	Article	IF	CITATIONS
19	Occurrence, fate and environmental risk assessment of the organic microcontaminants included in the Watch Lists set by EU Decisions 2015/495 and 2018/840 in the groundwater of Spain. Science of the Total Environment, 2019, 663, 285-296.	3.9	117
20	Contamination sources and distribution patterns of pharmaceuticals and personal care products in Alpine rivers strongly affected by tourism. Science of the Total Environment, 2017, 590-591, 484-494.	3.9	115
21	Toxic heritage: Maternal transfer of pyrethroid insecticides and sunscreen agents in dolphins from Brazil. Environmental Pollution, 2015, 207, 391-402.	3.7	114
22	Determination of parabens and benzophenone-type UV filters in human placenta. First description of the existence of benzyl paraben and benzophenone-4. Environment International, 2016, 88, 243-249.	4.8	114
23	Urban groundwater contamination by residues of UV filters. Journal of Hazardous Materials, 2014, 271, 141-149.	6.5	109
24	LC–MS2 trace analysis of antimicrobials in water, sediment and soil. TrAC - Trends in Analytical Chemistry, 2005, 24, 645-657.	5.8	105
25	Determination of antimicrobial residues and metabolites in the aquatic environment by liquid chromatography tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2006, 386, 973-985.	1.9	105
26	Evaluation of fungal- and photo-degradation as potential treatments for the removal of sunscreens BP3 and BP1. Science of the Total Environment, 2012, 427-428, 355-363.	3.9	105
27	Ecotoxicity evaluation and removal of sulfonamides and their acetylated metabolites during conventional wastewater treatment. Science of the Total Environment, 2012, 437, 403-412.	3.9	99
28	Occurrence of hydrophobic organic pollutants (BFRs and UV-filters) in sediments from South America. Chemosphere, 2013, 92, 309-316.	4.2	99
29	Kinetic studies and characterization of photolytic products of sulfamethazine, sulfapyridine and their acetylated metabolites in water under simulated solar irradiation. Water Research, 2012, 46, 711-722.	<b>5.</b> 3	97
30	Multiresidue trace analysis of sulfonamide antibiotics and their metabolites in soils and sewage sludge by pressurized liquid extraction followed by liquid chromatography–electrospray-quadrupole linear ion trap mass spectrometry. Journal of Chromatography A, 2013, 1275, 32-40.	1.8	96
31	Fast pressurized liquid extraction with in-cell purification and analysis by liquid chromatography tandem mass spectrometry for the determination of UV filters and their degradation products in sediments. Analytical and Bioanalytical Chemistry, 2011, 400, 2195-2204.	1.9	95
32	Ecological risk assessment associated to the removal of endocrine-disrupting parabens and benzophenone-4 in wastewater treatment. Journal of Hazardous Materials, 2016, 310, 143-151.	6.5	84
33	Application of fully automated online solid phase extraction-liquid chromatography-electrospray-tandem mass spectrometry for the determination of sulfonamides and their acetylated metabolites in groundwater. Analytical and Bioanalytical Chemistry, 2011, 399, 795-806.	1.9	79
34	Occurrence of organic UV filters and metabolites in lebranche mullet (Mugil liza) from Brazil. Science of the Total Environment, 2018, 618, 451-459.	3.9	77
35	Particle bound pollutants in rivers: Results from suspended sediment sampling in Globaqua River Basins. Science of the Total Environment, 2019, 647, 645-652.	3.9	77
36	Single and joint ecotoxicity data estimation of organic UV filters and nanomaterials toward selected aquatic organisms. Urban groundwater risk assessment. Environmental Research, 2016, 145, 126-134.	3.7	75

#	Article	lF	CITATIONS
37	Determination of UV filters in human breast milk using turbulent flow chromatography and babies' daily intake estimation. Environmental Research, 2018, 161, 532-539.	3.7	75
38	Multi-residue method for trace level determination of UV filters in fish based on pressurized liquid extraction and liquid chromatography–quadrupole-linear ion trap-mass spectrometry. Journal of Chromatography A, 2013, 1286, 93-101.	1.8	72
39	Determination of antimicrobials in sludge from infiltration basins at two artificial recharge plants by pressurized liquid extraction–liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2006, 1130, 72-82.	1.8	69
40	Analytical quality assurance in veterinary drug residue analysis methods: Matrix effects determination and monitoring for sulfonamides analysis. Talanta, 2015, 132, 443-450.	2.9	69
41	Removal of sulfonamide antibiotics upon conventional activated sludge and advanced membrane bioreactor treatment. Analytical and Bioanalytical Chemistry, 2012, 404, 1505-1515.	1.9	66
42	Recent advances in LC-MS residue analysis of veterinary medicines in the terrestrial environment. TrAC - Trends in Analytical Chemistry, 2007, 26, 637-646.	5.8	64
43	Determination of sulfonamide antibiotics and metabolites in liver, muscle and kidney samples by pressurized liquid extraction or ultrasound-assisted extraction followed by liquid chromatography–quadrupole linear ion trap-tandem mass spectrometry (HPLC–QqLIT-MS/MS). Talanta, 2015. 134. 768-778.	2.9	62
44	Ozonation and peroxone oxidation of benzophenone-3 in water: Effect of operational parameters and identification of intermediate products. Science of the Total Environment, 2013, 443, 209-217.	3.9	60
45	Personal care products reconnaissance in EVROTAS river (Greece): Water-sediment partition and bioaccumulation in fish. Science of the Total Environment, 2019, 651, 3079-3089.	3.9	60
46	Occurrence, fate and risk assessment of personal care products in river–groundwater interface. Science of the Total Environment, 2016, 568, 829-837.	3.9	59
47	LC-QqLIT MS analysis of nine sulfonamides and one of their acetylated metabolites in the Llobregat River basin. Quantitative determination and qualitative evaluation by IDA experiments. Analytical and Bioanalytical Chemistry, 2010, 397, 1325-1334.	1.9	58
48	Degradation of UV filters in sewage sludge and 4-MBC in liquid medium by the ligninolytic fungus Trametes versicolor. Journal of Environmental Management, 2012, 104, 114-120.	3.8	55
49	UV filters and benzotriazoles in urban aquatic ecosystems: The footprint of daily use products. Science of the Total Environment, 2017, 601-602, 975-986.	3.9	54
50	Review of emerging contaminants in aquatic biota from Latin America: 2002–2016. Environmental Toxicology and Chemistry, 2017, 36, 1716-1727.	2.2	51
51	Voltammetry Assisted by Multivariate Analysis as a Tool for Speciation of Metallothioneins: $\hat{A}$ Competitive Complexation of $\hat{I}$ =- and $\hat{I}$ 2-Metallothionein Domains with Cadmium and Zinc. Environmental Science & En	4.6	49
52	Liquid chromatography-tandem mass spectrometry for the multi-residue analysis of organic UV filters and their transformation products in the aquatic environment. Analytical Methods, 2013, 5, 355-366.	1.3	48
53	Highly selective sample preparation and gas chromatographic–mass spectrometric analysis of chlorpyrifos, diazinon and their major metabolites in sludge and sludge-fertilized agricultural soils. Journal of Chromatography A, 2006, 1132, 21-27.	1.8	46
54	Occurrence of pharmaceuticals and UV filters in swimming pools and spas. Environmental Science and Pollution Research, 2016, 23, 14431-14441.	2.7	46

#	Article	IF	CITATIONS
55	A Potential New Threat to Wild Life: Presence of UV Filters in Bird Eggs from a Preserved Area. Environmental Science & Enviro	4.6	43
56	Transformation products of amoxicillin and ampicillin after photolysis in aqueous matrices: Identification and kinetics. Science of the Total Environment, 2018, 642, 954-967.	3.9	43
57	Priority and emerging organic microcontaminants in three Mediterranean river basins: Occurrence, spatial distribution, and identification of river basin specific pollutants. Science of the Total Environment, 2021, 754, 142344.	3.9	42
58	Removal of polar UV stabilizers in biological wastewater treatments and ecotoxicological implications. Chemosphere, 2015, 119, S51-S57.	4.2	41
59	Determination of triazines and their metabolites in environmental samples using molecularly imprinted polymer extraction, pressurized liquid extraction and LC–tandem mass spectrometry. Journal of Hydrology, 2010, 383, 30-38.	2.3	40
60	Sediments as a sink for UV filters and benzotriazoles: the case study of Upper Iguaçu watershed, Curitiba (Brazil). Environmental Science and Pollution Research, 2017, 24, 18284-18294.	2.7	39
61	Biodegradation studies of N 4-acetylsulfapyridine and N 4-acetylsulfamethazine in environmental water by applying mass spectrometry techniques. Analytical and Bioanalytical Chemistry, 2012, 402, 2885-2896.	1.9	35
62	Linking the Effect of Antibiotics on Partial-Nitritation Biofilters: Performance, Microbial Communities and Microbial Activities. Frontiers in Microbiology, 2018, 9, 354.	1.5	35
63	Implementation of a chemical equilibrium constraint in the multivariate curve resolution of voltammograms from systems with successive metal complexes. Analyst, The, 2001, 126, 371-377.	1.7	32
64	Occurrence of pharmaceuticals and personal care products in the urban aquifer of Zaragoza (Spain) and its relationship with intensive shallow geothermal energy exploitation. Journal of Hydrology, 2018, 566, 629-642.	2.3	31
65	Trends in sulfonamides and their by-products analysis in environmental samples using mass spectrometry techniques. Trends in Environmental Analytical Chemistry, 2016, 9, 24-36.	5.3	28
66	Beach showers as sources of contamination for sunscreen pollution in marine protected areas and areas of intensive beach tourism in Hawaii, USA. Journal of Hazardous Materials, 2022, 438, 129546.	6.5	26
67	Structural Elucidation of Sulfaquinoxaline Metabolism Products and Their Occurrence in Biological Samples Using High-Resolution Orbitrap Mass Spectrometry. Analytical Chemistry, 2014, 86, 5579-5586.	3.2	25
68	Oxybenzone contamination from sunscreen pollution and its ecological threat to Hanauma Bay, Oahu, Hawaii, U.S.A Chemosphere, 2022, 291, 132880.	4.2	25
69	Nanosized titanium dioxide UV filter increases mixture toxicity when combined with parabens. Ecotoxicology and Environmental Safety, 2019, 184, 109565.	2.9	22
70	Fate and risk assessment of sulfonamides and metabolites in urban groundwater. Environmental Pollution, 2020, 267, 115480.	3.7	22
71	Bioremediation of emerging micropollutants in irrigation water. The alternative of microalgae-based treatments. Journal of Environmental Management, 2020, 274, 111081.	3.8	21
72	Anthropogenic contaminants in freshwater from the northern Antarctic Peninsula region. Ambio, 2021, 50, 544-559.	2.8	21

#	Article	IF	CITATIONS
73	Development of a QuEChERS-based method for the analysis of pharmaceuticals and personal care products in lettuces grown in field-scale agricultural plots irrigated with reclaimed water. Talanta, 2021, 230, 122302.	2.9	21
74	On-line solid phase extraction-liquid chromatography-tandem mass spectrometry for insect repellent residue analysis in surface waters using atmospheric pressure photoionization. Journal of Chromatography A, 2018, 1544, 33-40.	1.8	16
75	Reactive Barriers for Renaturalization of Reclaimed Water during Soil Aquifer Treatment. Water (Switzerland), 2020, 12, 1012.	1.2	15
76	Contaminants of emerging concern in marine areas: First evidence of UV filters and paraben preservatives in seawater and sediment on the eastern coast of Tunisia. Environmental Pollution, 2022, 309, 119749.	3.7	15
77	First application of carbon-based screen-printed electrodes for the voltammetric determination of the organic UV filters oxybenzone and octocrylene. Talanta, 2019, 196, 381-388.	2.9	14
78	Suitability of Polystyrene for Voltammetric Cells: A Differential Pulse Anodic Stripping Voltammetric Study. Analytical Chemistry, 1994, 66, 1548-1551.	3.2	12
79	Behavior of UV Filters, UV Blockers and Pharmaceuticals in High Rate Algal Ponds Treating Urban Wastewater. Water (Switzerland), 2020, 12, 2658.	1.2	12
80	Mediterranean seagrass Posidonia oceanica accumulates sunscreen UV filters. Marine Pollution Bulletin, 2022, 176, 113417.	2.3	11
81	Development of a sensitive analytical method for the simultaneous analysis of Benzophenone-type UV filters and paraben preservatives in umbilical cord blood. MethodsX, 2021, 8, 101307.	0.7	10
82	Screen-Printed Electrodes for the Voltammetric Sensing of Benzotriazoles in Water. Sensors, 2020, 20, 1839.	2.1	6
83	Analytical methods for antifouling booster biocides determination in environmental matrices: A review. Trends in Environmental Analytical Chemistry, 2021, 29, e00108.	5.3	5