M Silvia DÃ-az-Cruz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6456787/publications.pdf

Version: 2024-02-01

83 papers 6,931 citations

41323 49 h-index 82 g-index

83 all docs 83 docs citations

83 times ranked 6201 citing authors

#	Article	IF	Citations
1	Oxybenzone contamination from sunscreen pollution and its ecological threat to Hanauma Bay, Oahu, Hawaii, U.S.A Chemosphere, 2022, 291, 132880.	4.2	25
2	Mediterranean seagrass Posidonia oceanica accumulates sunscreen UV filters. Marine Pollution Bulletin, 2022, 176, 113417.	2.3	11
3	Beach showers as sources of contamination for sunscreen pollution in marine protected areas and areas of intensive beach tourism in Hawaii, USA. Journal of Hazardous Materials, 2022, 438, 129546.	6.5	26
4	Contaminants of emerging concern in marine areas: First evidence of UV filters and paraben preservatives in seawater and sediment on the eastern coast of Tunisia. Environmental Pollution, 2022, 309, 119749.	3.7	15
5	Priority and emerging organic microcontaminants in three Mediterranean river basins: Occurrence, spatial distribution, and identification of river basin specific pollutants. Science of the Total Environment, 2021, 754, 142344.	3.9	42
6	Analytical methods for antifouling booster biocides determination in environmental matrices: A review. Trends in Environmental Analytical Chemistry, 2021, 29, e00108.	5. 3	5
7	Anthropogenic contaminants in freshwater from the northern Antarctic Peninsula region. Ambio, 2021, 50, 544-559.	2.8	21
8	Development of a sensitive analytical method for the simultaneous analysis of Benzophenone-type UV filters and paraben preservatives in umbilical cord blood. MethodsX, 2021, 8, 101307.	0.7	10
9	Development of a QuEChERS-based method for the analysis of pharmaceuticals and personal care products in lettuces grown in field-scale agricultural plots irrigated with reclaimed water. Talanta, 2021, 230, 122302.	2.9	21
10	Behavior of UV Filters, UV Blockers and Pharmaceuticals in High Rate Algal Ponds Treating Urban Wastewater. Water (Switzerland), 2020, 12, 2658.	1.2	12
11	Bioremediation of emerging micropollutants in irrigation water. The alternative of microalgae-based treatments. Journal of Environmental Management, 2020, 274, 111081.	3.8	21
12	Fate and risk assessment of sulfonamides and metabolites in urban groundwater. Environmental Pollution, 2020, 267, 115480.	3.7	22
13	Reactive Barriers for Renaturalization of Reclaimed Water during Soil Aquifer Treatment. Water (Switzerland), 2020, 12, 1012.	1.2	15
14	Screen-Printed Electrodes for the Voltammetric Sensing of Benzotriazoles in Water. Sensors, 2020, 20, 1839.	2.1	6
15	Particle bound pollutants in rivers: Results from suspended sediment sampling in Globaqua River Basins. Science of the Total Environment, 2019, 647, 645-652.	3.9	77
16	Nanosized titanium dioxide UV filter increases mixture toxicity when combined with parabens. Ecotoxicology and Environmental Safety, 2019, 184, 109565.	2.9	22
17	Occurrence, fate and environmental risk assessment of the organic microcontaminants included in the Watch Lists set by EU Decisions 2015/495 and 2018/840 in the groundwater of Spain. Science of the Total Environment, 2019, 663, 285-296.	3.9	117
18	First application of carbon-based screen-printed electrodes for the voltammetric determination of the organic UV filters oxybenzone and octocrylene. Talanta, 2019, 196, 381-388.	2.9	14

#	Article	IF	Citations
19	Personal care products reconnaissance in EVROTAS river (Greece): Water-sediment partition and bioaccumulation in fish. Science of the Total Environment, 2019, 651, 3079-3089.	3.9	60
20	On-line solid phase extraction-liquid chromatography-tandem mass spectrometry for insect repellent residue analysis in surface waters using atmospheric pressure photoionization. Journal of Chromatography A, 2018, 1544, 33-40.	1.8	16
21	Determination of UV filters in human breast milk using turbulent flow chromatography and babies' daily intake estimation. Environmental Research, 2018, 161, 532-539.	3.7	75
22	Occurrence of organic UV filters and metabolites in lebranche mullet (Mugil liza) from Brazil. Science of the Total Environment, 2018, 618, 451-459.	3.9	77
23	Occurrence of pharmaceuticals and personal care products in the urban aquifer of Zaragoza (Spain) and its relationship with intensive shallow geothermal energy exploitation. Journal of Hydrology, 2018, 566, 629-642.	2.3	31
24	Transformation products of amoxicillin and ampicillin after photolysis in aqueous matrices: Identification and kinetics. Science of the Total Environment, 2018, 642, 954-967.	3.9	43
25	Linking the Effect of Antibiotics on Partial-Nitritation Biofilters: Performance, Microbial Communities and Microbial Activities. Frontiers in Microbiology, 2018, 9, 354.	1.5	35
26	Contamination sources and distribution patterns of pharmaceuticals and personal care products in Alpine rivers strongly affected by tourism. Science of the Total Environment, 2017, 590-591, 484-494.	3.9	115
27	UV filters and benzotriazoles in urban aquatic ecosystems: The footprint of daily use products. Science of the Total Environment, 2017, 601-602, 975-986.	3.9	54
28	A Potential New Threat to Wild Life: Presence of UV Filters in Bird Eggs from a Preserved Area. Environmental Science & Enviro	4.6	43
29	Sediments as a sink for UV filters and benzotriazoles: the case study of Upper Iguaçu watershed, Curitiba (Brazil). Environmental Science and Pollution Research, 2017, 24, 18284-18294.	2.7	39
30	Review of emerging contaminants in aquatic biota from Latin America: 2002–2016. Environmental Toxicology and Chemistry, 2017, 36, 1716-1727.	2.2	51
31	Occurrence of pharmaceuticals and UV filters in swimming pools and spas. Environmental Science and Pollution Research, 2016, 23, 14431-14441.	2.7	46
32	Occurrence, fate and risk assessment of personal care products in river–groundwater interface. Science of the Total Environment, 2016, 568, 829-837.	3.9	59
33	Determination of parabens and benzophenone-type UV filters in human placenta. First description of the existence of benzyl paraben and benzophenone-4. Environment International, 2016, 88, 243-249.	4.8	114
34	Single and joint ecotoxicity data estimation of organic UV filters and nanomaterials toward selected aquatic organisms. Urban groundwater risk assessment. Environmental Research, 2016, 145, 126-134.	3.7	75
35	Ecological risk assessment associated to the removal of endocrine-disrupting parabens and benzophenone-4 in wastewater treatment. Journal of Hazardous Materials, 2016, 310, 143-151.	6.5	84
36	Trends in sulfonamides and their by-products analysis in environmental samples using mass spectrometry techniques. Trends in Environmental Analytical Chemistry, 2016, 9, 24-36.	5.3	28

#	Article	lF	CITATIONS
37	UV filters bioaccumulation in fish from Iberian river basins. Science of the Total Environment, 2015, 518-519, 518-525.	3.9	148
38	Toxic heritage: Maternal transfer of pyrethroid insecticides and sunscreen agents in dolphins from Brazil. Environmental Pollution, 2015, 207, 391-402.	3.7	114
39	Determination of sulfonamide antibiotics and metabolites in liver, muscle and kidney samples by pressurized liquid extraction or ultrasound-assisted extraction followed by liquid chromatography–quadrupole linear ion trap-tandem mass spectrometry (HPLC–QqLIT-MS/MS). Talanta, 2015. 134. 768-778.	2.9	62
40	Analytical quality assurance in veterinary drug residue analysis methods: Matrix effects determination and monitoring for sulfonamides analysis. Talanta, 2015, 132, 443-450.	2.9	69
41	Removal of polar UV stabilizers in biological wastewater treatments and ecotoxicological implications. Chemosphere, 2015, 119, S51-S57.	4.2	41
42	Urban groundwater contamination by residues of UV filters. Journal of Hazardous Materials, 2014, 271, 141-149.	6.5	109
43	Structural Elucidation of Sulfaquinoxaline Metabolism Products and Their Occurrence in Biological Samples Using High-Resolution Orbitrap Mass Spectrometry. Analytical Chemistry, 2014, 86, 5579-5586.	3.2	25
44	Multiresidue trace analysis of sulfonamide antibiotics and their metabolites in soils and sewage sludge by pressurized liquid extraction followed by liquid chromatography–electrospray-quadrupole linear ion trap mass spectrometry. Journal of Chromatography A, 2013, 1275, 32-40.	1.8	96
45	Fully automated determination of nine ultraviolet filters and transformation products in natural waters and wastewaters by on-line solid phase extraction–liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2013, 1294, 106-116.	1.8	130
46	Ozonation and peroxone oxidation of benzophenone-3 in water: Effect of operational parameters and identification of intermediate products. Science of the Total Environment, 2013, 443, 209-217.	3.9	60
47	Multi-residue method for trace level determination of UV filters in fish based on pressurized liquid extraction and liquid chromatography–quadrupole-linear ion trap-mass spectrometry. Journal of Chromatography A, 2013, 1286, 93-101.	1.8	72
48	Liquid chromatography-tandem mass spectrometry for the multi-residue analysis of organic UV filters and their transformation products in the aquatic environment. Analytical Methods, 2013, 5, 355-366.	1.3	48
49	Occurrence of hydrophobic organic pollutants (BFRs and UV-filters) in sediments from South America. Chemosphere, 2013, 92, 309-316.	4.2	99
50	First Determination of UV Filters in Marine Mammals. Octocrylene Levels in Franciscana Dolphins. Environmental Science & Envir	4.6	195
51	Ecotoxicity evaluation and removal of sulfonamides and their acetylated metabolites during conventional wastewater treatment. Science of the Total Environment, 2012, 437, 403-412.	3.9	99
52	Kinetic studies and characterization of photolytic products of sulfamethazine, sulfapyridine and their acetylated metabolites in water under simulated solar irradiation. Water Research, 2012, 46, 711-722.	5. 3	97
53	An overview of UV-absorbing compounds (organic UV filters) in aquatic biota. Analytical and Bioanalytical Chemistry, 2012, 404, 2597-2610.	1.9	184
54	Removal of sulfonamide antibiotics upon conventional activated sludge and advanced membrane bioreactor treatment. Analytical and Bioanalytical Chemistry, 2012, 404, 1505-1515.	1.9	66

#	Article	IF	CITATIONS
55	Analysis of UV filters in tap water and other clean waters in Spain. Analytical and Bioanalytical Chemistry, 2012, 402, 2325-2333.	1.9	123
56	Evaluation of fungal- and photo-degradation as potential treatments for the removal of sunscreens BP3 and BP1. Science of the Total Environment, 2012, 427-428, 355-363.	3.9	105
57	Degradation of UV filters in sewage sludge and 4-MBC in liquid medium by the ligninolytic fungus Trametes versicolor. Journal of Environmental Management, 2012, 104, 114-120.	3.8	55
58	Biodegradation studies of N 4-acetylsulfapyridine and N 4-acetylsulfamethazine in environmental water by applying mass spectrometry techniques. Analytical and Bioanalytical Chemistry, 2012, 402, 2885-2896.	1.9	35
59	Occurrence of sulfonamide residues along the Ebro river basinRemoval in wastewater treatment plants and environmental impact assessment. Environment International, 2011, 37, 462-473.	4.8	210
60	Biodegradation of sulfamethazine by Trametes versicolor: Removal from sewage sludge and identification of intermediate products by UPLC–QqTOF-MS. Science of the Total Environment, 2011, 409, 5505-5512.	3.9	127
61	Occurrence of multiclass UV filters in treated sewage sludge from wastewater treatment plants. Chemosphere, 2011, 84, 1158-1165.	4.2	118
62	Application of fully automated online solid phase extraction-liquid chromatography-electrospray-tandem mass spectrometry for the determination of sulfonamides and their acetylated metabolites in groundwater. Analytical and Bioanalytical Chemistry, 2011, 399, 795-806.	1.9	79
63	Fast pressurized liquid extraction with in-cell purification and analysis by liquid chromatography tandem mass spectrometry for the determination of UV filters and their degradation products in sediments. Analytical and Bioanalytical Chemistry, 2011, 400, 2195-2204.	1.9	95
64	LC-QqLIT MS analysis of nine sulfonamides and one of their acetylated metabolites in the Llobregat River basin. Quantitative determination and qualitative evaluation by IDA experiments. Analytical and Bioanalytical Chemistry, 2010, 397, 1325-1334.	1.9	58
65	Simultaneous occurrence of nitrates and sulfonamide antibiotics in two ground water bodies of Catalonia (Spain). Journal of Hydrology, 2010, 383, 93-101.	2.3	138
66	Determination of triazines and their metabolites in environmental samples using molecularly imprinted polymer extraction, pressurized liquid extraction and LC–tandem mass spectrometry. Journal of Hydrology, 2010, 383, 30-38.	2.3	40
67	Determination of 19 sulfonamides in environmental water samples by automated on-line solid-phase extraction-liquid chromatography–tandem mass spectrometry (SPE-LC–MS/MS). Talanta, 2010, 81, 355-366.	2.9	169
68	Chemical analysis and ecotoxicological effects of organic UV-absorbing compounds in aquatic ecosystems. TrAC - Trends in Analytical Chemistry, 2009, 28, 708-717.	5.8	172
69	Combining chemical analysis and ecotoxicity to determine environmental exposure and to assess risk from sulfonamides. TrAC - Trends in Analytical Chemistry, 2009, 28, 804-819.	5.8	120
70	Highly sensitive simultaneous determination of sulfonamide antibiotics and one metabolite in environmental waters by liquid chromatographyâ \in quadrupole linear ion trapâ \in mass spectrometry. Journal of Chromatography A, 2008, 1193, 50-59.	1.8	184
71	Organic UV filters and their photodegradates, metabolites and disinfection by-products in the aquatic environment. TrAC - Trends in Analytical Chemistry, 2008, 27, 873-887.	5.8	203
72	Identification and determination of metabolites and degradation products of sulfonamide antibiotics. TrAC - Trends in Analytical Chemistry, 2008, 27, 1008-1022.	5.8	293

#	Article	IF	CITATIONS
73	Recent advances in LC-MS residue analysis of veterinary medicines in the terrestrial environment. TrAC - Trends in Analytical Chemistry, 2007, 26, 637-646.	5.8	64
74	Determination of antimicrobials in sludge from infiltration basins at two artificial recharge plants by pressurized liquid extraction–liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2006, 1130, 72-82.	1.8	69
75	Highly selective sample preparation and gas chromatographic–mass spectrometric analysis of chlorpyrifos, diazinon and their major metabolites in sludge and sludge-fertilized agricultural soils. Journal of Chromatography A, 2006, 1132, 21-27.	1.8	46
76	Determination of antimicrobial residues and metabolites in the aquatic environment by liquid chromatography tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2006, 386, 973-985.	1.9	105
77	LC–MS2 trace analysis of antimicrobials in water, sediment and soil. TrAC - Trends in Analytical Chemistry, 2005, 24, 645-657.	5.8	105
78	Liquid chromatography–tandem mass spectrometry for the analysis of pharmaceutical residues in environmental samples: a review. Journal of Chromatography A, 2005, 1067, 1-14.	1.8	535
79	Determination of estrogens and progestogens by mass spectrometric techniques (GC/MS, LC/MS and) Tj ETQq $1\ 1$	0.784314 0.7	l rgBT /Over
80	Liquid chromatography–(tandem) mass spectrometry of selected emerging pollutants (steroid sex) Tj ETQq0 0 0 Chromatography A, 2003, 1000, 503-526.	0 rgBT /Ov 1.8	erlock 10 Tf 200
81	Voltammetry Assisted by Multivariate Analysis as a Tool for Speciation of Metallothioneins: Competitive Complexation of α- and β-Metallothionein Domains with Cadmium and Zinc. Environmental Science & Environmental Scien	4.6	49
82	Implementation of a chemical equilibrium constraint in the multivariate curve resolution of voltammograms from systems with successive metal complexes. Analyst, The, 2001, 126, 371-377.	1.7	32
83	Suitability of Polystyrene for Voltammetric Cells: A Differential Pulse Anodic Stripping Voltammetric Study. Analytical Chemistry, 1994, 66, 1548-1551.	3.2	12