Weibo Liang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6456965/publications.pdf Version: 2024-02-01

196777 286692 2,673 148 29 43 citations h-index g-index papers 150 150 150 2918 docs citations times ranked citing authors all docs

WEIRO LIANC

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | CR-GAN: Automatic craniofacial reconstruction for personal identification. Pattern Recognition, 2022, 124, 108400. | 5.1 | 6 |
| 2 | Intermittent fasting enhances hippocampal NPY expression to promote neurogenesis after traumatic brain injury. Nutrition, 2022, 97, 111621. | 1.1 | 12 |
| 3 | Optogenetics for Understanding and Treating Brain Injury: Advances in the Field and Future Prospects. International Journal of Molecular Sciences, 2022, 23, 1800. | 1.8 | 7 |
| 4 | Assess the diversity of gut microbiota among healthy adults for forensic application. Microbial Cell Factories, 2022, 21, 46. | 1.9 | 10 |
| 5 | A fully automated sex estimation for proximal femur X-ray images through deep learning detection and classification. Legal Medicine, 2022, 57, 102056. | 0.6 | 4 |
| 6 | Scientific Evidences of Calorie Restriction and Intermittent Fasting for Neuroprotection in Traumatic Brain Injury Animal Models: A Review of the Literature. Nutrients, 2022, 14, 1431. | 1.7 | 6 |
| 7 | An overview of SNP-SNP microhaplotypes in the 26 populations of the 1000 Genomes Project. International Journal of Legal Medicine, 2022, 136, 1211-1226. | 1.2 | 6 |
| 8 | Validation of the Microreader 40Y ID System: a Y-STR multiplex for casework and database samples. International Journal of Legal Medicine, 2021, 135, 23-41. | 1.2 | 7 |
| 9 | Population genetics of 27 Y-STRs for the Yi population from Liangshan Yi Autonomous Prefecture, China. International Journal of Legal Medicine, 2021, 135, 441-442. | 1.2 | 1 |
| 10 | Morphological analysis of three-dimensionally reconstructed frontal sinuses from Chinese Han population using computed tomography. International Journal of Legal Medicine, 2021, 135, 1015-1023. | 1.2 | 8 |
| 11 | A Novel SNP-STR System Based on a Capillary Electrophoresis Platform. Frontiers in Genetics, 2021, 12, 636821. | 1.1 | 11 |
| 12 | Detection of cellâ€free fetal DNA in maternal plasma using two types of compound markers. Electrophoresis, 2021, 42, 1158-1167. | 1.3 | 4 |
| 13 | Computer-aided superimposition of the frontal sinus via 3D reconstruction for comparative forensic identification. International Journal of Legal Medicine, 2021, 135, 1993-2001. | 1.2 | 10 |
| 14 | DNA-based eyelid trait prediction in Chinese Han population. International Journal of Legal Medicine, 2021, 135, 1743-1752. | 1.2 | 2 |
| 15 | The effect of infertile semen on the mRNAâ€based body fluid identification. Electrophoresis, 2021, 42, 1614-1622. | 1.3 | 2 |
| 16 | Validation of the Microreader 28A ID System: A 6â€dye multiplex amplification assay for forensic application. Electrophoresis, 2021, 42, 1928-1935. | 1.3 | 3 |
| 17 | Feasibility of using probabilistic methods to analyse microRNA quantitative data in forensically relevant body fluids: a proof-of-principle study. International Journal of Legal Medicine, 2021, 135, 2247-2261. | 1.2 | 2 |
| 18 | mRNA and microRNA stability validation of blood samples under different environmental conditions. Forensic Science International: Genetics, 2021, 55, 102567. | 1.6 | 13 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Set of 15 SNP-SNP Markers for Detection of Unbalanced Degraded DNA Mixtures and Noninvasive Prenatal Paternity Testing. Frontiers in Genetics, 2021, 12, 800598. | 1.1 | 3 |
| 20 | Postmortem interval determination using mRNA markers and DNA normalization. International Journal of Legal Medicine, 2020, 134, 149-157. | 1.2 | 18 |
| 21 | A new method to detect methylation profiles for forensic body fluid identification combining ARMS-PCR technique and random forest model. Forensic Science International: Genetics, 2020, 49, 102371. | 1.6 | 16 |
| 22 | Multi-Indel: A Microhaplotype Marker Can Be Typed Using Capillary Electrophoresis Platforms. Frontiers in Genetics, 2020, 11, 567082. | 1.1 | 19 |
| 23 | Moringa oleifera Lam and its Therapeutic Effects in Immune Disorders. Frontiers in Pharmacology, 2020, 11, 566783. | 1.6 | 31 |
| 24 | Integrated Bioinformatics Analysis for the Identification of Key Molecules and Pathways in the Hippocampus of Rats After Traumatic Brain Injury. Neurochemical Research, 2020, 45, 928-939. | 1.6 | 9 |
| 25 | Development and application of a nonbinary SNP-based microhaplotype panel for paternity testing involving close relatives. Forensic Science International: Genetics, 2020, 46, 102255. | 1.6 | 48 |
| 26 | A new approach to detect a set of SNPâ€&NP markers: Combining ARMSâ€PCR with SNaPshot technology. Electrophoresis, 2020, 41, 1189-1197. | 1.3 | 10 |
| 27 | Rapidly mutating Y-STRs study in Chinese Yi population. International Journal of Legal Medicine, 2019, 133, 45-50. | 1.2 | 8 |
| 28 | Identifying novel microhaplotypes for ancestry inference. International Journal of Legal Medicine, 2019, 133, 983-988. | 1.2 | 47 |
| 29 | Developmental validation of the Microreaderâ, ¢ 20A ID system. Electrophoresis, 2019, 40, 3099-3107. | 1.3 | 4 |
| 30 | miR-212-5p attenuates ferroptotic neuronal death after traumatic brain injury by targeting Ptgs2. Molecular Brain, 2019, 12, 78. | 1.3 | 123 |
| 31 | Establishing a second-tier panel of 18 ancestry informative markers to improve ancestry distinctions among Asian populations. Forensic Science International: Genetics, 2019, 41, 159-167. | 1.6 | 13 |
| 32 | The expression of 10 candidate specific microRNA markers for human body fluid identification in animal buccal swabs. Forensic Science International, 2019, 300, e44-e49. | 1.3 | 3 |
| 33 | A microhaplotypes panel for massively parallel sequencing analysis of DNA mixtures. Forensic Science International: Genetics, 2019, 40, 140-149. | 1.6 | 58 |
| 34 | A functional variant in the flanking region of priâ€letâ€7f contributes to colorectal cancer risk in a Chinese population. Journal of Cellular Physiology, 2019, 234, 15717-15725. | 2.0 | 6 |
| 35 | A new approach to detect a set of SNP-SNP markers: Combining ARMS-PCR with SNaPshot technology. Forensic Science International: Genetics Supplement Series, 2019, 7, 150-151. | 0.1 | 1 |
| 36 | Multiplex DNA methylation profiling by ARMS-PCR for body fluid identification. Forensic Science International: Genetics Supplement Series, 2019, 7, 820-822. | 0.1 | 2 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Evaluation of the microhaplotype markers in kinship analysis. Electrophoresis, 2019, 40, 1091-1095. | 1.3 | 22 |
| 38 | Genotyping polymorphic microhaplotype markers through the Illumina® MiSeq platform for for for for for for for | 1.6 | 35 |
| 39 | Forensic age estimation for pelvic X-ray images using deep learning. European Radiology, 2019, 29, 2322-2329. | 2.3 | 51 |
| 40 | Fermented dairy foods intake and risk of cancer. International Journal of Cancer, 2019, 144, 2099-2108. | 2.3 | 79 |
| 41 | Population genetic analysis of 30 insertion–deletion (INDEL) loci in a Qinghai Tibetan group using the Investigator DIPplex Kit. International Journal of Legal Medicine, 2019, 133, 1039-1041. | 1.2 | 12 |
| 42 | Circular Ribonucleic Acid Expression Profile in Mouse Cortex after Traumatic Brain Injury. Journal of Neurotrauma, 2019, 36, 1018-1028. | 1.7 | 28 |
| 43 | Effect of infertile semen samples on mRNA-based body fluid identification by KLK3 and PRM1. Forensic Science International: Genetics Supplement Series, 2019, 7, 507-508. | 0.1 | 2 |
| 44 | A new proposed nomenclature for microhaplotypes. Forensic Science International: Genetics Supplement Series, 2019, 7, 813-815. | 0.1 | 0 |
| 45 | What makes your "eyes―look different?. Forensic Science International: Genetics Supplement Series, 2019, 7, 105-106. | 0.1 | 0 |
| 46 | Application of MHanalyser software in the study of microhaplotypes in forensics. Forensic Science International: Genetics Supplement Series, 2019, 7, 271-273. | 0.1 | 1 |
| 47 | A comparison of malpractice lawsuits mediated and judged in court in China. Journal of Clinical Forensic and Legal Medicine, 2018, 54, 109-113. | 0.5 | 4 |
| 48 | Genetic portrait of 27 Y-STR loci in the Tibetan ethnic population of the Qinghai province of China. Forensic Science International: Genetics, 2018, 34, e18-e19. | 1.6 | 25 |
| 49 | Semen-specific miRNAs: Suitable for the distinction of infertile semen in the body fluid identification?. Forensic Science International: Genetics, 2018, 33, 161-167. | 1.6 | 49 |
| 50 | Population genetic analysis of a 21-plex DIP panel in seven Chinese ethnic populations. International Journal of Legal Medicine, 2018, 132, 145-147. | 1.2 | 4 |
| 51 | Detection of promoter methylation status of suppressor of cytokine signaling 3 (SOCS3) in tissue and plasma from Chinese patients with different hepatic diseases. Clinical and Experimental Medicine, 2018, 18, 79-87. | 1.9 | 27 |
| 52 | Genetic polymorphism of 21 non-CODIS STR loci in Chengdu Han population and its interpopulation analysis between 25 populations in China. Legal Medicine, 2018, 31, 14-16. | 0.6 | 6 |
| 53 | Evaluation of the Microhaplotypes panel for DNA mixture analyses. Forensic Science International: Genetics, 2018, 35, 149-155. | 1.6 | 64 |
| 54 | Two-person DNA mixture interpretation based on a novel set of SNP-STR markers. Forensic Science International: Genetics, 2018, 37, 37-45. | 1.6 | 25 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Microhaplotype identified and performed in genetic investigation using PCR-SSCP. Forensic Science International: Genetics, 2017, 28, e1-e7. | 1.6 | 15 |
| 56 | Forensic parameters of 19 X-STR polymorphisms in two Chinese populations. International Journal of Legal Medicine, 2017, 131, 975-977. | 1.2 | 14 |
| 57 | Screening and confirmation of microRNA markers for distinguishing between menstrual and peripheral blood. Forensic Science International: Genetics, 2017, 30, 24-33. | 1.6 | 31 |
| 58 | Genetic polymorphisms of 17 Y-chromosomal STRs in the Chengdu Han population of China. International Journal of Legal Medicine, 2017, 131, 967-968. | 1.2 | 3 |
| 59 | Developing eight SNP-STR markers for DNA mixture detection. Forensic Science International: Genetics Supplement Series, 2017, 6, e351-e352. | 0.1 | 3 |
| 60 | Postmortem interval (PMI) determination by profiling of HAF mRNA degradation using RT-qPCR. Forensic Science International: Genetics Supplement Series, 2017, 6, e182-e183. | 0.1 | 1 |
| 61 | Expression difference of miR-10b and miR-135b between the fertile and infertile semen samples (p). Forensic Science International: Genetics Supplement Series, 2017, 6, e257-e259. | 0.1 | 24 |
| 62 | Comparative study on methods of DNA genotyping between single piece of dandruff and EZ-tape. Forensic Science International: Genetics Supplement Series, 2017, 6, e244-e245. | 0.1 | 0 |
| 63 | Association between BMP4 gene polymorphisms and eyelid traits in Chinese Han population. Forensic Science International: Genetics Supplement Series, 2017, 6, e355-e356. | 0.1 | 2 |
| 64 | Genotyping microhaplotype markers through massively parallel sequencing. Forensic Science International: Genetics Supplement Series, 2017, 6, e314-e316. | 0.1 | 6 |
| 65 | Microhaplotype: Ability of personal identification and being ancestry informative marker. Forensic Science International: Genetics Supplement Series, 2017, 6, e442-e444. | 0.1 | 5 |
| 66 | Degradation of AIF in mouse heart tissue for estimating postmortem interval (PMI). Forensic Science International: Genetics Supplement Series, 2017, 6, e575-e576. | 0.1 | 0 |
| 67 | SNP-STR analysis for non-invasive paternity test for fetus. Forensic Science International: Genetics Supplement Series, 2017, 6, e413-e414. | 0.1 | 5 |
| 68 | Estimate the heterozygote balance of microhaplotype marker with massively parallel sequencing. Forensic Science International: Genetics Supplement Series, 2017, 6, e375-e376. | 0.1 | 6 |
| 69 | An investigation of a set of DIP-STR markers to detect unbalanced DNA mixtures among the southwest Chinese Han population. Forensic Science International: Genetics, 2017, 31, 34-39. | 1.6 | 21 |
| 70 | Genetic diversity of 21 autosomal STR loci in the Han population from Sichuan province, Southwest China. Forensic Science International: Genetics, 2017, 31, e33-e35. | 1.6 | 41 |
| 71 | Mutational analysis of 33 autosomal short tandem repeat (STR) loci in southwest Chinese Han population based on trio parentage testing. Forensic Science International: Genetics, 2016, 23, 86-90. | 1.6 | 25 |
| 72 | Population study and mutation analysis for 28 short tandem repeat loci in southwest Chinese Han population. Journal of Clinical Forensic and Legal Medicine, 2016, 44, 10-13. | 0.5 | 9 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | A comparative study of insertion/deletion polymorphisms applied among Southwest, South and Northwest Chinese populations using Investigator® DIPplex. Forensic Science International: Genetics, 2016, 21, 10-14. | 1.6 | 45 |
| 74 | Hippocampus-dependent spatial memory impairment due to molar tooth loss is ameliorated by an enriched environment. Archives of Oral Biology, 2016, 61, 1-7. | 0.8 | 37 |
| 75 | A 21-plex DIP panel's application in multinational Chinese population. Forensic Science International: Genetics Supplement Series, 2015, 5, e537-e538. | 0.1 | Ο |
| 76 | The species specific of 3 microRNA markers in saliva. Forensic Science International: Genetics Supplement Series, 2015, 5, e674-e676. | 0.1 | 1 |
| 77 | Screening and confirmation of microRNA markers for distinguishing between menstrual and peripheral blood. Forensic Science International: Genetics Supplement Series, 2015, 5, e353-e355. | 0.1 | 1 |
| 78 | A primary investigation on SNPs associated with eyelid traits of Chinese Han Adults. Forensic Science International: Genetics Supplement Series, 2015, 5, e669-e670. | 0.1 | 3 |
| 79 | FLfinder: A novel software for the microhaplotype marker. Forensic Science International: Genetics Supplement Series, 2015, 5, e622-e624. | 0.1 | 13 |
| 80 | Mutation Study of 28 Autosomal STR Loci in Southwest Chinese Han Population. Forensic Science International: Genetics Supplement Series, 2015, 5, e298-e299. | 0.1 | 1 |
| 81 | A Functional Polymorphism in the Promoter of MiR-143/145 Is Associated With the Risk of Cervical Squamous Cell Carcinoma in Chinese Women. Medicine (United States), 2015, 94, e1289. | 0.4 | 36 |
| 82 | Development of a SNP-STRs multiplex for forensic identification. Forensic Science International: Genetics Supplement Series, 2015, 5, e598-e600. | 0.1 | 18 |
| 83 | Effect of aging on the microstructure, hardness and chemical composition of dentin. Archives of Oral Biology, 2015, 60, 1811-1820. | 0.8 | 59 |
| 84 | A novel system for forensic SNP analysis through PCR–ligase detection reaction. Forensic Science International: Genetics Supplement Series, 2015, 5, e231-e232. | 0.1 | 0 |
| 85 | NGS technology makes microhaplotype a potential forensic marker. Forensic Science International: Genetics Supplement Series, 2015, 5, e233-e234. | 0.1 | 15 |
| 86 | Influences of different RT-qPCR methods on forensic body fluid identification by microRNA. Forensic Science International: Genetics Supplement Series, 2015, 5, e295-e297. | 0.1 | 13 |
| 87 | SNP–STR polymorphism: A sensitive compound marker for forensic genetic applications. Forensic Science International: Genetics Supplement Series, 2013, 4, e206-e207. | 0.1 | 11 |
| 88 | Micro RNA profiling for the detection and differentiation of body fluids in forensic stain analysis. Forensic Science International: Genetics Supplement Series, 2013, 4, e216-e217. | 0.1 | 6 |
| 89 | mRNA degradation pattern analysis in post-mortem normalized using the DNA. Forensic Science International: Genetics Supplement Series, 2013, 4, e266-e267. | 0.1 | 6 |
| 90 | A genetic variant in the promoter region of miR-34b/c is associated with a reduced risk of colorectal cancer. Biological Chemistry, 2013, 394, 415-420. | 1.2 | 52 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | 5 miRNA expression analyze in post-mortem interval (PMI) within 48h. Forensic Science International: Genetics Supplement Series, 2013, 4, e190-e191. | 0.1 | 18 |
| 92 | Genetic data for 30 insertion/deletion polymorphisms in six Chinese populations with Qiagen Investigator DIPplex Kit. Forensic Science International: Genetics Supplement Series, 2013, 4, e268-e269. | 0.1 | 5 |
| 93 | Population genetics for 17 Y-STR loci(AmpFISTR®Y-filerTM) in Luzhou Han ethnic group. Forensic Science International: Genetics, 2013, 7, e23-e26. | 1.6 | 23 |
| 94 | Expression of basigin in the early phase of acute myocardial ischemia in rats. Molecular Medicine Reports, 2013, 7, 1494-1500. | 1.1 | 7 |
| 95 | Interactions ofmiR-34b/candTP53Polymorphisms on the Risk of Intracranial Aneurysm. Clinical and Developmental Immunology, 2012, 2012, 1-7. | 3.3 | 22 |
| 96 | Association Between Single-Nucleotide Polymorphisms in Interleukin-12A and Risk of Chronic Obstructive Pulmonary Disease. DNA and Cell Biology, 2012, 31, 1475-1479. | 0.9 | 9 |
| 97 | Association Between <i>pri-miR-218</i> Polymorphism and Risk of Hepatocellular Carcinoma in a Han Chinese Population. DNA and Cell Biology, 2012, 31, 761-765. | 0.9 | 26 |
| 98 | Interactions of interleukin-12A and interleukin-12B polymorphisms on the risk of intracranial aneurysm. Molecular Biology Reports, 2012, 39, 11217-11223. | 1.0 | 14 |
| 99 | Association Between Single-Nucleotide Polymorphisms in Pre-miRNAs and the Risk of Asthma in a Chinese Population. DNA and Cell Biology, 2011, 30, 919-923. | 0.9 | 35 |
| 100 | Null Genotypes of GSTM1 and GSTT1 Contribute to Risk of Cervical Neoplasia: An Evidence-Based Meta-Analysis. PLoS ONE, 2011, 6, e20157. | 1.1 | 49 |
| 101 | Association of single nucleotide polymorphisms in interleukin 12 (IL-12A and -B) with asthma in a Chinese population. Human Immunology, 2011, 72, 603-606. | 1.2 | 27 |
| 102 | The association between two polymorphisms in pre-miRNAs and breast cancer risk: a meta-analysis. Breast Cancer Research and Treatment, 2011, 125, 571-574. | 1.1 | 91 |
| 103 | RAD51 135G/C polymorphism and breast cancer risk: a meta-analysis from 21 studies. Breast Cancer Research and Treatment, 2011, 125, 827-835. | 1.1 | 60 |
| 104 | Characteristics of eight X-STR loci for forensic purposes in the Chinese population. International Journal of Legal Medicine, 2011, 125, 127-131. | 1.2 | 35 |
| 105 | Association between SNPs in pre-miRNA and risk of chronic obstructive pulmonary disease. Clinical Biochemistry, 2011, 44, 813-816. | 0.8 | 28 |
| 106 | Association of TNF-α Gene Promoter Polymorphisms With Susceptibility of Cervical Cancer in Southwest China. Laboratory Medicine, 2011, 42, 287-290. | 0.8 | 10 |
| 107 | Association of Tumor Necrosis Factor Gene Polymorphisms with Susceptibility to Dilated Cardiomyopathy in a Han Chinese Population. DNA and Cell Biology, 2010, 29, 625-628. | 0.9 | 15 |
| 108 | The Association Between Interleukin-23 Receptor Gene Polymorphisms and Systemic Lupus Erythematosus. DNA and Cell Biology, 2010, 29, 79-82. | 0.9 | 13 |

Weibo Liang

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Association of ADAM33 Polymorphisms and Susceptibility to Psoriasis. DNA and Cell Biology, 2010, 29, 435-439. | 0.9 | 10 |
| 110 | CTLA4 and CD86 gene polymorphisms and susceptibility to chronic obstructive pulmonary disease. Human Immunology, 2010, 71, 1141-1146. | 1.2 | 28 |
| 111 | IL-8 –251A/T polymorphism is associated with decreased cancer risk among population-based studies: Evidence from a meta-analysis. European Journal of Cancer, 2010, 46, 1333-1343. | 1.3 | 37 |
| 112 | CD86 +1057 G/A Polymorphism and the Risk of Colorectal Cancer. DNA and Cell Biology, 2010, 29, 381-386. | 0.9 | 14 |
| 113 | Association of Matrix Metalloproteinases 1, 7, and 9 Gene Polymorphisms with Genetic Susceptibility to Colorectal Carcinoma in a Han Chinese Population. DNA and Cell Biology, 2010, 29, 657-661. | 0.9 | 20 |
| 114 | The association between ATM D1853N polymorphism and breast cancer susceptibility: a meta-analysis. Journal of Experimental and Clinical Cancer Research, 2010, 29, 117. | 3.5 | 28 |
| 115 | Association Between IRF-5 Polymorphisms and Risk of Acute Coronary Syndrome. DNA and Cell Biology, 2010, 29, 19-23. | 0.9 | 10 |
| 116 | Systemic Lupus Erythematosus (SLE) Risk Factors: Novel Proteins Detected From Familial SLE Using Proteomics. Laboratory Medicine, 2009, 40, 408-411. | 0.8 | 4 |
| 117 | The IL-16 gene polymorphisms and the risk of the systemic lupus erythematosus. Clinica Chimica Acta, 2009, 403, 223-225. | 0.5 | 36 |
| 118 | Association of CD40 â^'1C/T polymorphism in the 5′-untranslated region and chronic obstructive pulmonary disease. Clinica Chimica Acta, 2009, 408, 56-59. | 0.5 | 13 |
| 119 | Genetic polymorphism of Interleukin-16 and risk of nasopharyngeal carcinoma. Clinica Chimica Acta, 2009, 409, 132-135. | 0.5 | 36 |
| 120 | The association between dilated cardiomyopathy and RTN4 3′UTR insertion/deletion polymorphisms. Clinica Chimica Acta, 2009, 400, 21-24. | 0.5 | 14 |
| 121 | Identification of serum biomarkers for nasopharyngeal carcinoma by proteomic analysis. Cancer, 2008, 112, 544-551. | 2.0 | 31 |
| 122 | Association of IL-1B Gene Polymorphisms with Nasopharyngeal Carcinoma in a Chinese Population. Clinical Oncology, 2008, 20, 207-211. | 0.6 | 27 |
| 123 | No association between epidermal growth factor and epidermal growth factor receptor polymorphisms and nasopharyngeal carcinoma. Cancer Genetics and Cytogenetics, 2008, 185, 69-73. | 1.0 | 18 |
| 124 | Single nucleotide polymorphisms of VEGF gene and Psoriasis risk. Journal of Dermatological Science, 2008, 49, 263-265. | 1.0 | 21 |
| 125 | The association of interleukin-16 polymorphisms with IL-16 serum levels and risk of colorectal and gastric cancer. Carcinogenesis, 2008, 30, 295-299. | 1.3 | 95 |
| 126 | The xeroderma pigmentosum group C gene polymorphisms and genetic susceptibility of nasopharyngeal carcinoma. Acta OncolA ³ gica, 2008, 47, 379-384. | 0.8 | 26 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Genetic Polymorphisms of the DNA Repair Gene and Risk of Nasopharyngeal Carcinoma. DNA and Cell Biology, 2007, 26, 491-496. | 0.9 | 36 |
| 128 | Association of transforming growth factor-Î ² 1 gene polymorphisms with genetic susceptibility to nasopharyngeal carcinoma. Clinica Chimica Acta, 2007, 380, 165-169. | 0.5 | 46 |
| 129 | Interleukin-10 gene promoter polymorphisms and the risk of nasopharyngeal carcinoma. Tissue Antigens, 2007, 70, 12-17. | 1.0 | 40 |
| 130 | Construction and characterization of monoclonal antibodies specific for the R transactivator 185 of Epstein-Barr virus. Journal of Virological Methods, 2007, 144, 12-16. | 1.0 | 1 |
| 131 | Allele Frequencies of D2S2960 and GATA149B10 in Two Populations. Journal of Forensic Sciences, 2006, 51, 1204-1204. | 0.9 | Ο |
| 132 | Allele Frequency Distribution of STR Loci D5S1486 in Three Populations. Journal of Forensic Sciences, 2005, 50, 1-2. | 0.9 | 0 |
| 133 | Allele Frequency Distributions for 15 STR Loci in Chinese Chengdu Han Population. Journal of Forensic Sciences, 2005, 50, 1-2. | 0.9 | Ο |
| 134 | Allele Frequency Distribution of STR Loci D5S814 in Four Populations. Journal of Forensic Sciences, 2005, 50, 1-2. | 0.9 | 0 |
| 135 | STR Loci D19S400's Allele Frequency Distribution in Ten Populations. Journal of Forensic Sciences, 2005, 50, 1-1. | 0.9 | 1 |
| 136 | Allele Frequency Distribution of STR D5S819 in Four Populations. Journal of Forensic Sciences, 2005, 50, 1-2. | 0.9 | 0 |
| 137 | Allele Frequency Distribution of STR Loci D11S1390 and D11S2008 in Two Populations. Journal of Forensic Sciences, 2005, 50, 1-1. | 0.9 | Ο |
| 138 | Allele Frequency Distributions for 9 STR Loci of Tibetan Population in Chinese Tibet. Journal of Forensic Sciences, 2005, 50, 1-2. | 0.9 | 2 |
| 139 | Allele Frequency Distribution of STR Loci D5S2845 in Four Populations. Journal of Forensic Sciences, 2005, 50, 1-2. | 0.9 | Ο |
| 140 | Allele frequency distribution of STR loci D5S814 in four populations. Journal of Forensic Sciences, 2005, 50, 226-7. | 0.9 | 0 |
| 141 | STR loci D19S400's allele frequency distribution in ten populations. Journal of Forensic Sciences, 2005, 50, 725. | 0.9 | 0 |
| 142 | Allele frequency distribution of two X-chromosomal STR loci in the Han population in China. International Congress Series, 2004, 1261, 145-147. | 0.2 | 1 |
| 143 | A population study of three Y-STR loci by multiplexing in Han population in Chengdu, China. International Congress Series, 2004, 1261, 254-256. | 0.2 | 0 |
| 144 | Allele Frequency Distribution of Two X-Chromosomal STR Loci in Han Population in China. Journal of Forensic Sciences, 2004, 49, 1-2. | 0.9 | 3 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Two X-Chromosome STR Loci DXS6803 and XS6793 Frequency Data in Chinese Population. Journal of Forensic Sciences, 2004, 49, 1-2. | 0.9 | 7 |
| 146 | Allele Frequency Distribution of STR Loci D5S2848 in Four Populations. Journal of Forensic Sciences, 2004, 49, 1-2. | 0.9 | 3 |
| 147 | Sequence Polymorphisms of the Mitochondrial DNA Control Region in 105 Chinese Han Population. Journal of Forensic Sciences, 2003, 48, 1-5. | 0.9 | 3 |
| 148 | Allele distributions for D21 S1435 and D21S2055 loci in two Chinese populations. Journal of Forensic Sciences, 2002, 47, 667-8. | 0.9 | 0 |