

# Bin Cui

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6457762/publications.pdf>

Version: 2024-02-01

68  
papers

1,544  
citations

279798

23  
h-index

330143

37  
g-index

69  
all docs

69  
docs citations

69  
times ranked

1654  
citing authors

#	ARTICLE	IF	CITATIONS
1	Interface and defect modulation via a core-shell design in (Na <sub>0.5</sub> Bi <sub>0.5</sub> TiO <sub>3</sub> @La <sub>2</sub> O <sub>3</sub> )-(SrSn <sub>0.2</sub> Ti <sub>0.8</sub> O <sub>3</sub> @La <sub>2</sub> O <sub>3</sub> )-Bi <sub>2</sub> O <sub>3</sub> -B <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> composite ceramics for wide-temperature energy storage capacitors. <i>Chemical Engineering Journal</i> , 2022, 435, 135061.	12.7	22
2	Janus phenol-formaldehyde resin and periodic mesoporous organic silica nanoadsorbent for the removal of heavy metal ions and organic dyes from polluted water. <i>Advanced Composites and Hybrid Materials</i> , 2022, 5, 1180-1195.	21.1	100
3	Controllable preparation of Na <sub>0.4</sub> K <sub>0.1</sub> Bi <sub>0.5</sub> TiO <sub>3</sub> @CaZrO <sub>3</sub> @NaNbO <sub>3</sub> nanoceramics with excellent temperature-stable energy storage performance by combining sol-gel synthesis and two-step sintering. <i>Ceramics International</i> , 2022, 48, 31138-31147.	4.8	7
4	Enhanced energy storage of lead-free mixed oxide core double-shell barium strontium zirconate titanate@magnesium aluminate@zinc oxide-boron trioxide-silica ceramic nanocomposites. <i>Advanced Composites and Hybrid Materials</i> , 2022, 5, 1477-1489.	21.1	24
5	A Binary Particle Self-Assembly Sintering Method to Realize Controllable Synthesis of Fine-Grained Barium Titanate Ceramics. <i>Journal of Electronic Materials</i> , 2021, 50, 325-335.	2.2	8
6	Boosting energy storage performance in Ba <sub>0.8</sub> Sr <sub>0.2</sub> Zr <sub>0.1</sub> Ti <sub>0.9</sub> O <sub>3</sub> @Na <sub>0.5</sub> Bi <sub>0.5</sub> TiO <sub>3</sub> lead-free nanoceramics through polar nanoregions and grain refinement engineering. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 7259-7270.	2.2	3
7	Densification and fine-grain formation mechanisms of BaTiO <sub>3</sub> ceramics consolidated by self-assembly sintering. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 8043-8053.	2.2	1
8	A novel microwave stimulus remote-controlled anticancer drug release system based on Janus TiO <sub>2</sub> -mSiO <sub>2</sub> nanocarriers. <i>Materials Science and Engineering C</i> , 2021, 123, 111968.	7.3	8
9	Designing high energy storage performance BSZT-KNN ceramics. <i>Ceramics International</i> , 2021, 47, 20617-20625.	4.8	18
10	ZnO capped flower-like porous carbon-Fe <sub>3</sub> O <sub>4</sub> composite as carrier for bi-triggered drug delivery. <i>Materials Science and Engineering C</i> , 2020, 107, 110256.	7.3	19
11	Design strategy of barium titanate/polyvinylidene fluoride-based nanocomposite films for high energy storage. <i>Journal of Materials Chemistry A</i> , 2020, 8, 884-917.	10.3	151
12	A new strategy to achieve the controllable preparation of nanoceramics with BaTiO <sub>3</sub> @resin core-shell nanoparticles. <i>SN Applied Sciences</i> , 2020, 2, 1.	2.9	0
13	A new strategy to realize phase structure and morphology of BaTiO <sub>3</sub> nanowires controlled in ZnO-B <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> glass. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2020, 262, 114785.	3.5	4
14	A Strategy for Microwave-Controlled Release of Anticancer Drugs: (Fe <sub>3</sub> O <sub>4</sub> /nGO)@mSiO <sub>2</sub> /GQDs Nanocomposite Carrier Jointly Enhanced by nGO and GQDs. <i>Nano</i> , 2020, 15, 2050071.	1.0	3
15	Excellent dielectric properties and enhanced temperature stability of CaZrO <sub>3</sub> -modified BaTiO <sub>3</sub> ceramic capacitors. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 13088-13094.	2.2	6
16	Enhanced energy storage properties in lead-free BaTiO <sub>3</sub> @Na <sub>0.5</sub> K <sub>0.5</sub> NbO <sub>3</sub> nano-ceramics with nanodomains via a core-shell structural design. <i>Journal of Materials Chemistry C</i> , 2020, 8, 5248-5258.	5.5	39
17	The combined first principles and experimental study of O-doped KMnF <sub>3</sub> as a cathode for potassium-ion batteries. <i>Applied Surface Science</i> , 2020, 514, 145954.	6.1	11
18	From core-shell particles to dense Ba <sub>0.8</sub> Sr <sub>0.2</sub> Zr <sub>0.1</sub> Ti <sub>0.9</sub> O <sub>3</sub> @Bi <sub>2</sub> O <sub>3</sub> @Fe <sub>2</sub> O <sub>3</sub> @SiO <sub>2</sub> ceramics with low sintering temperature and improved dielectric, energy storage properties. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 4006-4016.	2.2	2

#	ARTICLE	IF	CITATIONS
19	Removal of calcium and magnesium from lithium concentrated solution by solvent extraction method using D2EHPA. <i>Desalination</i> , 2020, 479, 114306.	8.2	45
20	Low-Temperature Sintering and Enhanced Dielectric Properties of BaZr <sub>0.2</sub> Ti <sub>0.8</sub> O <sub>3</sub> -Based Y <sub>5</sub> V Ceramics with Li <sub>2</sub> CO <sub>3</sub> to Reduce the Sintering Temperature. <i>Journal of Electronic Materials</i> , 2019, 48, 7081-7088.	2.2	2
21	Scalable Synthesis Nano-Perovskite K(Mn <sub>0.95</sub> Ni <sub>0.05</sub> )F <sub>3</sub> Cathode by Homogeneous Precipitation Method for Potassium-Ion Batteries. <i>Nanoscale Research Letters</i> , 2019, 14, 238.	5.7	11
22	The effect of a barium titanate xerogel precursor on the grain size and densification of fine-grained BaTiO <sub>3</sub> ceramics. <i>Ceramics International</i> , 2019, 45, 10626-10632.	4.8	12
23	Preparation of flower-dewdrops Fe <sub>3</sub> O <sub>4</sub> /carbon-SiO <sub>2</sub> microsphere for microwave-triggered drug delivery. <i>Journal of Alloys and Compounds</i> , 2019, 775, 826-835.	5.5	27
24	The energy storage properties of fine-grained Ba <sub>0.8</sub> Sr <sub>0.2</sub> Zr <sub>0.1</sub> Ti <sub>0.9</sub> O <sub>3</sub> ceramics enhanced by MgO and ZnO-B <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> coatings. <i>Materials Research Bulletin</i> , 2019, 111, 311-319.	5.2	11
25	Lithium extraction from low-grade salt lake brine with ultrahigh Mg/Li ratio using TBP " kerosene "	7.9	80
26	Fabrication of X <sub>8</sub> R-type Ba <sub>0.991</sub> Bi <sub>0.006</sub> TiO <sub>3</sub> @Nb <sub>2</sub> O <sub>5</sub> "Co <sub>3</sub> O <sub>4</sub> "La <sub>2</sub> O <sub>3</sub> @ZnO"B <sub>2</sub> O <sub>3</sub> "SiO <sub>2</sub> ceramics with a fine-grained microstructure and low sintering temperature. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 6369-6376.	2.2	1
27	Preparation of a microwave-responsive hollow-mesoporous Fe <sub>3</sub> O <sub>4</sub> /nGO composite for on-demand controllable drug release. <i>New Journal of Chemistry</i> , 2018, 42, 13406-13413.	2.8	3
28	Fabrication of submicron BaTiO <sub>3</sub> @YFeO <sub>3</sub> particles and fine-grained composite magnetodielectric ceramics with a core-shell structure by means of a co-precipitation method. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 10986-10991.	2.2	3
29	A microwave-triggered controllable drug delivery system based on hollow-mesoporous cobalt ferrite magnetic nanoparticles. <i>Journal of Alloys and Compounds</i> , 2017, 699, 526-533.	5.5	50
30	Synthesis of fine-grain Ba <sub>0.96</sub> La <sub>0.04</sub> TiO <sub>3</sub> dielectric ceramics by different routes for multilayer ceramic capacitors. <i>Ceramics International</i> , 2017, 43, 15115-15121.	4.8	4
31	Preparation of multifunctional Fe <sub>3</sub> O <sub>4</sub> @ZnAl <sub>2</sub> O <sub>4</sub> :Eu <sup>3+</sup> @mSiO <sub>2</sub> "APTES drug-carrier for microwave controlled release of anticancer drugs. <i>RSC Advances</i> , 2017, 7, 55489-55495.	3.6	4
32	A novel double-coating approach to prepare fine-grained BaTiO <sub>3</sub> @La <sub>2</sub> O <sub>3</sub> @SiO <sub>2</sub> dielectric ceramics for energy storage application. <i>Journal of Alloys and Compounds</i> , 2017, 690, 438-445.	5.5	48
33	Synthesis and characterization of mesoporous and hollow-mesoporous MxFe <sub>3-x</sub> O <sub>4</sub> (M=Mg, Mn, Fe, Co.) <i>Tj ETQq1 1 0.784314 rgBT /Ov</i> <i>Research</i> , 2017, 19, 1.	1.9	17
34	Core-Shell Structure and Dielectric Properties of Ba <sub>0.991</sub> Bi <sub>0.006</sub> TiO <sub>3</sub> @Nb <sub>2</sub> O <sub>5</sub> "Co <sub>3</sub> O <sub>4</sub> "La <sub>2</sub> O <sub>3</sub> @ZnO"B <sub>2</sub> O <sub>3</sub> "SiO <sub>2</sub> Ceramics. <i>Journal of the American Ceramic Society</i> , 2016, 99, 1664-1670.	2.2	4
35	Production of Ba <sub>0.991</sub> Bi <sub>0.006</sub> TiO <sub>3</sub> @ZnO"B <sub>2</sub> O <sub>3</sub> "SiO <sub>2</sub> ceramics with a high dielectric constant, a core-shell structure, and a fine-grained microstructure by means of a sol-precipitation method. <i>Ceramics International</i> , 2016, 42, 7397-7405.	4.8	11
36	Multifunctional Fe <sub>3</sub> O <sub>4</sub> @WO <sub>3</sub> @mSiO <sub>2</sub> "APTES nanocarrier for targeted drug delivery and controllable release with microwave irradiation triggered by WO <sub>3</sub> . <i>Materials Letters</i> , 2016, 169, 185-188.	2.6	23

#	ARTICLE	IF	CITATIONS
37	Development of a $\text{Fe}_3\text{O}_4/\text{SnO}_2/\text{Er}^{3+}, \text{Yb}^{3+}$ -APTES nanocarrier for microwave-triggered controllable drug release, and the study of the loading and release mechanisms using microcalorimetry. <i>New Journal of Chemistry</i> , 2016, 40, 1460-1470.	2.8	9
38	Novel Method To Investigate the Interaction Force between Etoposide and APTES-Functionalized $\text{Fe}_3\text{O}_4/\text{nSiO}_2/\text{mSiO}_2$ Nanocarrier for Drug Loading and Release Processes. <i>Journal of Physical Chemistry C</i> , 2015, 119, 4379-4386.	3.1	50
39	A novel microwave stimulus remote controlled anticancer drug release system based on $\text{Fe}_3\text{O}_4/\text{ZnO}/\text{mGd}_2\text{O}_3/\text{Eu@P}(\text{NIPAm-co-MAA})$ multifunctional nanocarriers. <i>Journal of Materials Chemistry B</i> , 2015, 3, 6919-6927.	5.8	23
40	A novel precipitation-based synthesis for the formation of X8R-type dielectrics composition based on monodispersed submicron $\text{Ba}_{0.991}\text{Bi}_{0.006}\text{TiO}_3/\text{Nb}_2\text{O}_5$ particles. <i>Journal of the European Ceramic Society</i> , 2015, 35, 2461-2469.	5.7	13
41	Glycine-functionalized $\text{Fe}_3\text{O}_4/\text{TiO}_2/\text{Er}^{3+}, \text{Yb}^{3+}$ nanocarrier for microwave-triggered controllable drug release and study on mechanism of loading/release process using microcalorimetry. <i>Expert Opinion on Drug Delivery</i> , 2015, 12, 1397-1409.	5.0	8
42	A multifunctional $\text{I}^2\text{-CD}$ -modified $\text{Fe}_3\text{O}_4/\text{ZnO}:\text{Er}^{3+}, \text{Yb}^{3+}$ nanocarrier for antitumor drug delivery and microwave-triggered drug release. <i>Materials Science and Engineering C</i> , 2015, 46, 253-263.	7.3	78
43	Phase composition, microstructure, and dielectric properties of dysprosium-doped $\text{Ba}(\text{Zr}_{0.1}\text{Ti}_{0.9})\text{O}_3$ -based Y5V ceramics with high permittivity. <i>Ceramics International</i> , 2014, 40, 11681-11688.	4.8	11
44	Multifunctional $\text{I}^3\text{-Fe}_2\text{O}_3/\text{Ca}_3(\text{PO}_4)_2/\text{YPO}_4:\text{Tb}^{3+}, \text{Ce}^{3+}$ nanocomposites as a potential drug carrier. <i>Materials Chemistry and Physics</i> , 2014, 146, 330-336.	4.0	5
45	Fabrication of submicron $\text{La}_2\text{O}_3$ -coated $\text{BaTiO}_3$ particles and fine-grained ceramics with temperature-stable dielectric properties. <i>Scripta Materialia</i> , 2014, 90-91, 49-52.	5.2	32
46	Novel $\text{Fe}_3\text{O}_4/\text{ZnO}/\text{mSiO}_2$ Nanocarrier for Targeted Drug Delivery and Controllable Release with Microwave Irradiation. <i>Journal of Physical Chemistry C</i> , 2014, 118, 14929-14937.	3.1	74
47	Barium titanate-based X8R ceramics with high dielectric constant by adding Zn-B-Si-O nanocomposites. <i>International Journal of Nanomanufacturing</i> , 2014, 10, 152.	0.3	0
48	Novel X8R-type $\text{BaTiO}_3$ -based ceramics with a high dielectric constant created by doping nanocomposites with $\text{Li}^+\text{-Ti}^4+\text{Si}^4+\text{O}$ . <i>Journal of Materials Science: Materials in Electronics</i> , 2013, 24, 3850-3855.	2.2	10
49	Enhancement of dielectric properties by addition of $\text{Li}^+\text{-Ti}^4+\text{Si}^4+\text{O}$ nanocomposite to X7R ceramics. <i>Journal of Alloys and Compounds</i> , 2013, 550, 216-220.	5.5	6
50	Low temperature sintering of high permittivity $\text{BaTiO}_3$ based X8R ceramics doped with $\text{Li}_2\text{O}^+\text{-Bi}_2\text{O}_3^+\text{-B}_2\text{O}_3$ frit. <i>Materials Letters</i> , 2013, 113, 167-169.	2.6	10
51	Magnetically recoverable core-shell nanocomposites $\text{I}^3\text{-Fe}_2\text{O}_3/\text{SiO}_2/\text{TiO}_2^+\text{-Ag}$ with enhanced photocatalytic activity and antibacterial activity. <i>Separation and Purification Technology</i> , 2013, 103, 251-257.	7.9	83
52	High permittivity of $\text{Ba}(\text{Ti}_{1-x}\text{Zr}_x)\text{O}_3$ -based $\text{Y}_5\text{V}$ -type nanopowders and ceramics synthesized using a one-step sol-gel method. <i>Journal of Advanced Dielectrics</i> , 2013, 03, 1350018.	2.4	0
53	A simple approach for the synthesis of bifunctional $\text{Fe}_3\text{O}_4/\text{Gd}_2\text{O}_3:\text{Eu}^{3+}$ core-shell nanocomposites. <i>Journal of Alloys and Compounds</i> , 2012, 531, 30-33.	5.5	32
54	A novel process to synthesize high-k $\text{Y}_5\text{V}^{\text{TM}}$ nanopowder and ceramics. <i>Ceramics International</i> , 2012, 38, 389-394.	4.8	9

#	ARTICLE	IF	CITATIONS
55	Synthesis and characterization of Zn <sup>2+</sup> -Ba <sup>2+</sup> -Si <sup>4+</sup> -O nano-composites and their doped BaTiO <sub>3</sub> ceramics. Materials Research Bulletin, 2010, 45, 1460-1465.	5.2	9
56	Preparation and characterization of Ag-doped BaTiO <sub>3</sub> based X7R ceramics. Materials Research Bulletin, 2009, 44, 893-897.	5.2	26
57	Synthesis, characterization, and dielectric properties of Ba(Ti <sub>1-x</sub> Snx)O <sub>3</sub> nanopowders and ceramics. Materials Research Bulletin, 2009, 44, 1930-1934.	5.2	32
58	Preparation and characterization of BaTiO <sub>3</sub> powders and ceramics by sol-gel process using hexanoic and hexanedioic acid as surfactant. Microelectronic Engineering, 2009, 86, 352-356.	2.4	6
59	Preparation and characterization of monodisperse Ag nanoparticles doped barium titanate ceramics. Journal of Alloys and Compounds, 2009, 478, 620-623.	5.5	26
60	Preparation and characterization of BaTiO <sub>3</sub> powders and ceramics by sol-gel process using oleic acid as surfactant. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2008, 473, 34-41.	5.6	46
61	Preparation and characterization of BaTiO <sub>3</sub> powders and ceramics by sol-gel process using decanedioic acid. Journal of Alloys and Compounds, 2008, 459, 589-593.	5.5	28
62	A Facile Solvothermal Synthesis of Monodisperse Ni Nanoparticles. Chemical Research in Chinese Universities, 2008, 24, 260-262.	2.6	1
63	PREPARATION OF PEROVSKITE 0.75Pb(Ni <sub>1/3</sub> Nb <sub>2/3</sub> )O <sub>3</sub> -0.25PbTiO <sub>3</sub> CERAMICS USING SEMICHEMICAL METHODS AND RELATED REACTION MECHANISMS. Chemical Engineering Communications, 2007, 195, 11-17.	2.6	0
64	Preparation and characterization of niobium-doped barium titanate nanocrystalline powders and ceramics. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2007, 454-455, 667-672.	5.6	29
65	Preparation and characterization of BaTiO <sub>3</sub> powders and ceramics by the sol-gel process using organic monoacid as surfactant. Scripta Materialia, 2007, 57, 623-626.	5.2	28
66	Preparation and characterization of Co-doped BaTiO <sub>3</sub> nanosized powders and ceramics. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2006, 133, 205-208.	3.5	48
67	Nd-doped barium titanate ceramics with various Ti/Ba ratios prepared by sol-gel method. Science in China Series B: Chemistry, 2005, 48, 60-64.	0.8	7
68	Synthesis and Characterization of Li-Ti-O Nano-Composites and Their Doped BaTiO <sub>3</sub> Based X7R-Type Ceramics. Advanced Materials Research, 0, 148-149, 1575-1579.	0.3	0