

William R Lovallo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6457918/william-r-lovallo-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

177
papers

9,773
citations

53
h-index

93
g-index

186
ext. papers

10,547
ext. citations

4.1
avg, IF

6.2
L-index

#	Paper	IF	Citations
177	Early life adversity and increased antisocial and depressive tendencies in young adults with family histories of alcohol and other substance use disorders: Findings from the Family Health Patterns project.. <i>Addictive Behaviors Reports</i> , 2022 , 15, 100401	3.7	
176	Neurobiological mechanisms of early life adversity, blunted stress reactivity and risk for addiction. <i>Neuropharmacology</i> , 2021 , 188, 108519	5.5	13
175	Baseline associations between biomarkers, cognitive function, and self-regulation indices in the Cognitive and Self-regulatory Mechanisms of Obesity Study. <i>Obesity Science and Practice</i> , 2021 , 7, 669-681	2.6	0
174	Cardiovascular Stress Reactivity and Health: Recent Questions and Future Directions. <i>Psychosomatic Medicine</i> , 2021 , 83, 756-766	3.7	3
173	Addiction resistance to alcohol: What about heavy drinkers who avoid alcohol problems?. <i>Drug and Alcohol Dependence</i> , 2019 , 204, 107552	4.9	3
172	Early-Life Adversity and Blunted Stress Reactivity as Predictors of Alcohol and Drug use in Persons With COMT (rs4680) Val158Met Genotypes. <i>Alcoholism: Clinical and Experimental Research</i> , 2019 , 43, 1519-1527	3.7	18
171	Working memory reflects vulnerability to early life adversity as a risk factor for substance use disorder in the FKBP5 cortisol cochaperone polymorphism, rs9296158. <i>PLoS ONE</i> , 2019 , 14, e0218212	3.7	7
170	Cortisol stress reactivity in women, diurnal variations, and hormonal contraceptives: studies from the Family Health Patterns Project. <i>Stress</i> , 2019 , 22, 421-427	3	6
169	Early life adversity and increased delay discounting: Findings from the Family Health Patterns project. <i>Experimental and Clinical Psychopharmacology</i> , 2019 , 27, 153-159	3.2	9
168	Blunted stress reactivity reveals vulnerability to early life adversity in young adults with a family history of alcoholism. <i>Addiction</i> , 2019 , 114, 798-806	4.6	17
167	The role of genetics in stress effects on health and addiction. <i>Current Opinion in Psychology</i> , 2019 , 27, 72-76	6.2	7
166	Cognitive and Self-regulatory Mechanisms of Obesity Study (COSMOS): Study protocol for a randomized controlled weight loss trial examining change in biomarkers, cognition, and self-regulation across two behavioral treatments. <i>Contemporary Clinical Trials</i> , 2018 , 66, 20-27	2.3	8
165	Defining the phenotype of young adults with family histories of alcohol and other substance use disorders: Studies from the family health patterns project. <i>Addictive Behaviors</i> , 2018 , 77, 247-254	4.2	12
164	Early life adversity diminishes the cortisol response to opioid blockade in women: Studies from the Family Health Patterns project. <i>PLoS ONE</i> , 2018 , 13, e0205723	3.7	12
163	The behavioural, cognitive, and neural corollaries of blunted cardiovascular and cortisol reactions to acute psychological stress. <i>Neuroscience and Biobehavioral Reviews</i> , 2017 , 77, 74-86	9	119
162	Joint Impact of Early Life Adversity and COMT Val158Met (rs4680) Genotypes on the Adult Cortisol Response to Psychological Stress. <i>Psychosomatic Medicine</i> , 2017 , 79, 631-637	3.7	27
161	Early-Life Adversity Interacts with FKBP5 Genotypes: Altered Working Memory and Cardiac Stress Reactivity in the Oklahoma Family Health Patterns Project. <i>Neuropsychopharmacology</i> , 2016 , 41, 1724-32	8.7	24

160	Risk factors for alcoholism in the Oklahoma Family Health Patterns project: impact of early life adversity and family history on affect regulation and personality. <i>Drug and Alcohol Dependence</i> , 2015 , 150, 38-45	4.9	16
159	Cortisol Stress Response in Men and Women Modulated Differentially by the Mu-Opioid Receptor Gene Polymorphism OPRM1 A118G. <i>Neuropsychopharmacology</i> , 2015 , 40, 2546-54	8.7	38
158	Shared genetic factors influence amygdala volumes and risk for alcoholism. <i>Neuropsychopharmacology</i> , 2015 , 40, 412-20	8.7	32
157	Can exaggerated stress reactivity and prolonged recovery predict negative health outcomes? The case of cardiovascular disease. <i>Psychosomatic Medicine</i> , 2015 , 77, 212-4	3.7	19
156	Assessment of whole brain white matter integrity in youths and young adults with a family history of substance-use disorders. <i>Human Brain Mapping</i> , 2014 , 35, 5401-13	5.9	31
155	Combining diffusion tensor imaging and magnetic resonance spectroscopy to study reduced frontal white matter integrity in youths with family histories of substance use disorders. <i>Human Brain Mapping</i> , 2014 , 35, 5877-87	5.9	23
154	Anomalous temporoparietal activity in individuals with a family history of alcoholism: studies from the Oklahoma Family Health Patterns Project. <i>Alcoholism: Clinical and Experimental Research</i> , 2014 , 38, 1639-45	3.7	12
153	Differential impact of serotonin transporter activity on temperament and behavior in persons with a family history of alcoholism in the Oklahoma Family Health Patterns Project. <i>Alcoholism: Clinical and Experimental Research</i> , 2014 , 38, 1575-81	3.7	12
152	Hormonal contraceptive use diminishes salivary cortisol response to psychosocial stress and naltrexone in healthy women. <i>Pharmacology Biochemistry and Behavior</i> , 2013 , 109, 84-90	3.9	38
151	Early life adversity reduces stress reactivity and enhances impulsive behavior: implications for health behaviors. <i>International Journal of Psychophysiology</i> , 2013 , 90, 8-16	2.9	191
150	Early life adversity contributes to impaired cognition and impulsive behavior: studies from the Oklahoma Family Health Patterns Project. <i>Alcoholism: Clinical and Experimental Research</i> , 2013 , 37, 616-23	3.7	75
149	Naltrexone effects on cortisol secretion in women and men in relation to a family history of alcoholism: studies from the Oklahoma Family Health Patterns Project. <i>Psychoneuroendocrinology</i> , 2012 , 37, 1922-8	5	26
148	Lifetime adversity leads to blunted stress axis reactivity: studies from the Oklahoma Family Health Patterns Project. <i>Biological Psychiatry</i> , 2012 , 71, 344-9	7.9	184
147	The functional connectivity of the human caudate: an application of meta-analytic connectivity modeling with behavioral filtering. <i>NeuroImage</i> , 2012 , 60, 117-29	7.9	181
146	Do low levels of stress reactivity signal poor states of health?. <i>Biological Psychology</i> , 2011 , 86, 121-8	3.2	135
145	Greater discounting of delayed rewards in young adults with family histories of alcohol and drug use disorders: studies from the Oklahoma family health patterns project. <i>Alcoholism: Clinical and Experimental Research</i> , 2011 , 35, 1607-13	3.7	49
144	Hydrocortisone suppression of the fear-potentiated startle response and posttraumatic stress disorder. <i>Psychoneuroendocrinology</i> , 2011 , 36, 970-80	5	30
143	Cardiovascular responses to stress and disease outcomes: a test of the reactivity hypothesis. <i>Hypertension</i> , 2010 , 55, 842-3	8.5	11

142	Deficits in affective prosody comprehension: family history of alcoholism versus alcohol exposure. <i>Alcohol and Alcoholism</i> , 2010 , 45, 25-9	3.5	5
141	Caffeine and blood pressure response: sex, age, and hormonal status. <i>Journal of Womens Health</i> , 2010 , 19, 1171-6	3	27
140	Metaanalytic connectivity modeling: delineating the functional connectivity of the human amygdala. <i>Human Brain Mapping</i> , 2010 , 31, 173-84	5.9	236
139	Acute effects of hydrocortisone on the human brain: an fMRI study. <i>Psychoneuroendocrinology</i> , 2010 , 35, 15-20	5	99
138	Use of a resting control day in measuring the cortisol response to mental stress: diurnal patterns, time of day, and gender effects. <i>Psychoneuroendocrinology</i> , 2010 , 35, 1253-8	5	36
137	The IRB is key. <i>Science</i> , 2009 , 323, 713-4; author reply 713-4	33.3	1
136	Are Large Physiological Reactions to Acute Psychological Stress Always Bad for Health?. <i>Social and Personality Psychology Compass</i> , 2009 , 3, 725-743	3	66
135	Influence of antisocial and psychopathic traits on decision-making biases in alcoholics. <i>Alcoholism: Clinical and Experimental Research</i> , 2009 , 33, 817-25	3.7	38
134	Differential activation of the anterior cingulate cortex and caudate nucleus during a gambling simulation in persons with a family history of alcoholism: studies from the Oklahoma Family Health Patterns Project. <i>Drug and Alcohol Dependence</i> , 2009 , 100, 17-23	4.9	57
133	The rebirth of neuroscience in psychosomatic medicine, Part I: historical context, methods, and relevant basic science. <i>Psychosomatic Medicine</i> , 2009 , 71, 117-34	3.7	81
132	The rebirth of neuroscience in psychosomatic medicine, Part II: clinical applications and implications for research. <i>Psychosomatic Medicine</i> , 2009 , 71, 135-51	3.7	58
131	Impulsive errors on a Go-NoGo reaction time task: disinhibitory traits in relation to a family history of alcoholism. <i>Alcoholism: Clinical and Experimental Research</i> , 2008 , 32, 888-94	3.7	70
130	Hypothalamic-pituitary-adrenal axis function: relative contributions of perceived stress and obesity in women. <i>Journal of Womens Health</i> , 2008 , 17, 1647-55	3	29
129	Reduced amygdala activation in young adults at high risk of alcoholism: studies from the Oklahoma family health patterns project. <i>Biological Psychiatry</i> , 2007 , 61, 1306-9	7.9	102
128	Individual Differences in Response to Stress and Risk for Addiction 2007 , 227-248		6
127	Psychological or physiological: why are tetraplegic patients content?. <i>Neurology</i> , 2007 , 69, 261-7	6.5	27
126	The effects of caffeine on the inducibility of atrial fibrillation. <i>Journal of Electrocardiology</i> , 2006 , 39, 421-54		32
125	Cortisol responses to mental stress, exercise, and meals following caffeine intake in men and women. <i>Pharmacology Biochemistry and Behavior</i> , 2006 , 83, 441-7	3.9	109

124	Recruitment of healthy participants for studies on risks for alcoholism: effectiveness of random digit dialling. <i>Alcohol and Alcoholism</i> , 2006 , 41, 349-52	3.5	6
123	A Reviewer Critique of Risk Profile in Hypertension Genesis: A 5-Year Follow-Up Study. <i>American Journal of Hypertension</i> , 2006 , 19, 781-781	2.3	
122	The hypothalamic-pituitary-adrenocortical axis in addiction. <i>International Journal of Psychophysiology</i> , 2006 , 59, 193-4	2.9	23
121	Cortisol secretion patterns in addiction and addiction risk. <i>International Journal of Psychophysiology</i> , 2006 , 59, 195-202	2.9	170
120	Blunted hypothalamic-pituitary-adrenocortical axis responsivity to stress in persons with a family history of alcoholism. <i>International Journal of Psychophysiology</i> , 2006 , 59, 210-7	2.9	80
119	Sex differences in the hemodynamic responses to mental stress: Effect of caffeine consumption. <i>Psychophysiology</i> , 2006 , 43, 337-43	4.1	22
118	Working memory and decision-making biases in young adults with a family history of alcoholism: studies from the Oklahoma family health patterns project. <i>Alcoholism: Clinical and Experimental Research</i> , 2006 , 30, 763-73	3.7	62
117	Caffeine stimulation of cortisol secretion across the waking hours in relation to caffeine intake levels. <i>Psychosomatic Medicine</i> , 2005 , 67, 734-9	3.7	81
116	Cardiovascular reactivity: mechanisms and pathways to cardiovascular disease. <i>International Journal of Psychophysiology</i> , 2005 , 58, 119-32	2.9	100
115	Caffeine tolerance is incomplete: persistent blood pressure responses in the ambulatory setting. <i>American Journal of Hypertension</i> , 2005 , 18, 714-9	2.3	17
114	Hemodynamic mechanisms underlying the incomplete tolerance to caffeine's pressor effects. <i>American Journal of Cardiology</i> , 2005 , 95, 1389-92	3	32
113	Blood pressure response to caffeine shows incomplete tolerance after short-term regular consumption. <i>Hypertension</i> , 2004 , 43, 760-5	8.5	80
112	Cardiovascular effects of caffeine in men and women. <i>American Journal of Cardiology</i> , 2004 , 93, 1022-6	3	124
111	Cardiovascular reactivity to psychological challenge: conceptual and measurement considerations. <i>Psychosomatic Medicine</i> , 2003 , 65, 9-21	3.7	202
110	Psychophysiological reactivity: mechanisms and pathways to cardiovascular disease. <i>Psychosomatic Medicine</i> , 2003 , 65, 36-45	3.7	192
109	Cardiovascular responses to physical and psychological stress in female alcoholics with transitory hypertension after early abstinence. <i>Alcoholism: Clinical and Experimental Research</i> , 2003 , 27, 1489-98	3.7	12
108	Altered affective modulation of the startle reflex in alcoholics with antisocial personality disorder. <i>Alcoholism: Clinical and Experimental Research</i> , 2003 , 27, 1901-11	3.7	24
107	Adrenocortical stress responses and altered working memory performance. <i>Psychophysiology</i> , 2002 , 39, 95-99	4.1	70

106	Altered Emotion-Modulated Startle in Young Adults With a Family History of Alcoholism. <i>Alcoholism: Clinical and Experimental Research</i> , 2002 , 26, 441-448	3-7	27
105	Attenuated Heart Rate Responses to Public Speaking in Individuals With Alcohol Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2002 , 26, 841-847	3-7	44
104	Cortisol Dysregulation and Cognitive Impairment in Abstinent Male Alcoholics. <i>Alcoholism: Clinical and Experimental Research</i> , 2002 , 26, 1198-1204	3-7	71
103	Neurological basis of deficits in affective prosody comprehension among alcoholics and fetal alcohol-exposed adults. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2002 , 14, 321-8	2-7	39
102	Bridging psychology and biology: the analysis of individuals in groups.. <i>American Psychologist</i> , 2002 , 57, 341-351	9-5	143
101	Physiologic markers of chronic stress in premenopausal, middle-aged women. <i>Psychosomatic Medicine</i> , 2002 , 64, 502-9	3-7	93
100	Adrenocortical stress responses and altered working memory performance. <i>Psychophysiology</i> , 2002 , 39, 95-9	4-1	22
99	Attenuated Heart Rate Responses to Public Speaking in Individuals With Alcohol Dependence 2002 , 26, 841		1
98	Cortisol dysregulation and cognitive impairment in abstinent male alcoholics. <i>Alcoholism: Clinical and Experimental Research</i> , 2002 , 26, 1198-204	3-7	31
97	Altered emotion-modulated startle in young adults with a family history of alcoholism. <i>Alcoholism: Clinical and Experimental Research</i> , 2002 , 26, 441-8	3-7	16
96	Attenuated heart rate responses to public speaking in individuals with alcohol dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2002 , 26, 841-7	3-7	14
95	Psychological and physiological responses to postprandial mental stress in women with the irritable bowel syndrome. <i>Psychosomatic Medicine</i> , 2001 , 63, 805-13	3-7	44
94	New ambulatory impedance cardiograph validated against the Minnesota Impedance Cardiograph. <i>Psychophysiology</i> , 2001 , 38, 465-473	4-1	17
93	Altered Emotional Perception in Alcoholics: Deficits in Affective Prosody Comprehension. <i>Alcoholism: Clinical and Experimental Research</i> , 2001 , 25, 362-369	3-7	80
92	Exogenous cortisol exerts effects on the startle reflex independent of emotional modulation. <i>Pharmacology Biochemistry and Behavior</i> , 2001 , 68, 203-10	3-9	75
91	Enhanced memory for emotional material following stress-level cortisol treatment in humans. <i>Psychoneuroendocrinology</i> , 2001 , 26, 307-17	5	614
90	Caffeine and stress: implications for risk, assessment, and management of hypertension. <i>Journal of Clinical Hypertension</i> , 2001 , 3, 354-61	2-3	20
89	New ambulatory impedance cardiograph validated against the Minnesota Impedance Cardiograph 2001 , 38, 465		6

88	Altered Emotional Perception in Alcoholics: Deficits in Affective Prosody Comprehension 2001 , 25, 362		1
87	Blunted Stress Cortisol Response in Abstinent Alcoholic and Polysubstance-Abusing Men. <i>Alcoholism: Clinical and Experimental Research</i> , 2000 , 24, 651-658	3.7	204
86	Coping Self-Efficacy and Psychological Distress Following the Oklahoma City Bombing1. <i>Journal of Applied Social Psychology</i> , 2000 , 30, 1331-1344	2.1	78
85	Caffeine, extended stress, and blood pressure in borderline hypertensive men. <i>International Journal of Behavioral Medicine</i> , 2000 , 7, 183-188	2.6	9
84	Hypertension risk status and effect of caffeine on blood pressure. <i>Hypertension</i> , 2000 , 36, 137-41	8.5	102
83	Adrenocorticotropin responses to interpersonal stress: effects of overt anger expression style and defensiveness. <i>International Journal of Psychophysiology</i> , 2000 , 37, 257-65	2.9	44
82	Additive pressor effects of caffeine and stress in male medical students at risk for hypertension. <i>American Journal of Hypertension</i> , 2000 , 13, 475-81	2.3	36
81	Blunted Stress Cortisol Response in Abstinent Alcoholic and Polysubstance-Abusing Men 2000 , 24, 651		5
80	Cortisol fluctuates with increases and decreases in negative affect. <i>Psychoneuroendocrinology</i> , 1999 , 24, 227-41	5	137
79	Sex differences in pain perception and cardiovascular responses in persons with parental history for hypertension. <i>Pain</i> , 1999 , 83, 331-8	8	39
78	Hemodynamics during rest and behavioral stress in normotensive men at high risk for hypertension. <i>Psychophysiology</i> , 1998 , 35, 47-53	4.1	17
77	Interactive effects of trait hostility and anger expression on cardiovascular reactivity in young men. <i>International Journal of Psychophysiology</i> , 1998 , 28, 181-91	2.9	32
76	Five-year follow-up for adverse outcomes in males with at least minimally positive angiograms: importance of "denial" in assessing psychosocial risk factors. <i>Journal of Psychosomatic Research</i> , 1998 , 44, 241-50	4.1	90
75	Hypothalamic-pituitary-adrenocortical responses to psychological stress and caffeine in men at high and low risk for hypertension. <i>Psychosomatic Medicine</i> , 1998 , 60, 521-7	3.7	67
74	Hemodynamics during rest and behavioral stress in normotensive men at high risk for hypertension 1998 , 35, 47		2
73	Men at risk for hypertension show elevated vascular resistance at rest and during mental stress. <i>International Journal of Psychophysiology</i> , 1997 , 25, 185-92	2.9	24
72	Cardiovascular and neuroendocrine adjustment to public speaking and mental arithmetic stressors. <i>Psychophysiology</i> , 1997 , 34, 266-75	4.1	336
71	Altered cortisol response in sober alcoholics: an examination of contributing factors. <i>Alcohol</i> , 1996 , 13, 493-8	2.7	70

70	Hemodynamic alterations in alcohol-related transitory hypertension. <i>Alcohol</i> , 1996 , 13, 387-93	2.7	18
69	Is aspirin, as used for antithrombosis, an emotion-modulating agent?. <i>Journal of Psychosomatic Research</i> , 1996 , 40, 53-8	4.1	32
68	Caffeine and behavioral stress effects on blood pressure in borderline hypertensive Caucasian men.. <i>Health Psychology</i> , 1996 , 15, 11-17	5	19
67	Emotional distress among males with "syndrome X". <i>Journal of Behavioral Medicine</i> , 1996 , 19, 455-66	3.6	21
66	Acute blood pressure elevations with caffeine in men with borderline systemic hypertension. <i>American Journal of Cardiology</i> , 1996 , 77, 270-4	3	52
65	Stress-like adrenocorticotropin responses to caffeine in young healthy men. <i>Pharmacology Biochemistry and Behavior</i> , 1996 , 55, 365-9	3.9	59
64	Pain perception and cardiovascular responses in men with positive parental history for hypertension. <i>Psychophysiology</i> , 1996 , 33, 655-61	4.1	67
63	Denial of depression as an independent correlate of coronary artery disease. <i>Journal of Health Psychology</i> , 1996 , 1, 93-105	3.1	25
62	Effect of trait hostility on cardiovascular responses to harassment in young men. <i>International Journal of Behavioral Medicine</i> , 1995 , 2, 172-91	2.6	42
61	Adrenocortical effects of caffeine at rest and during mental stress in borderline hypertensive men. <i>International Journal of Behavioral Medicine</i> , 1995 , 2, 263-75	2.6	8
60	Caffeine elevates blood pressure response to exercise in mild hypertensive men. <i>American Journal of Hypertension</i> , 1995 , 8, 1184-8	2.3	22
59	Hypertension risk factors and cardiovascular reactivity to mental stress in young men. <i>International Journal of Psychophysiology</i> , 1995 , 20, 155-60	2.9	30
58	Prolonged increase in blood pressure by a single oral dose of caffeine in mildly hypertensive men. <i>American Journal of Hypertension</i> , 1994 , 7, 755-8	2.3	37
57	Lipid-lowering therapy and violent death: Is depression a culprit?. <i>Stress and Health</i> , 1994 , 10, 233-237		8
56	Drinking history is related to persistent blood pressure dysregulation in postwithdrawal alcoholics. <i>Alcoholism: Clinical and Experimental Research</i> , 1994 , 18, 1172-6	3.7	26
55	Borderline hypertensives produce exaggerated adrenocortical responses to mental stress. <i>Psychosomatic Medicine</i> , 1994 , 56, 245-50	3.7	66
54	Impedance cardiography used to assess patterns of cardiovascular response to behavioral stressors. <i>Biological Psychology</i> , 1993 , 36, 97-105	3.2	6
53	Consistency of cardiovascular response pattern to caffeine across multiple studies using impedance and nuclear cardiography. <i>Biological Psychology</i> , 1993 , 36, 131-8	3.2	10

52	Cortisol concentrations in serum of borderline hypertensive men exposed to a novel experimental setting. <i>Psychoneuroendocrinology</i> , 1993 , 18, 355-63	5	41
51	Attenuated cortisol response to biobehavioral stressors in sober alcoholics. <i>Journal of Studies on Alcohol and Drugs</i> , 1993 , 54, 393-8		85
50	Cardiac adaptation to increased systemic blood pressure in borderline hypertensive men. <i>American Journal of Cardiology</i> , 1993 , 72, 407-12	3	8
49	Cardiovascular and neuroendocrine responsiveness in diabetic adolescents within a family context: Association with poor diabetic control and dysfunctional family dynamics.. <i>Family Systems Medicine</i> , 1992 , 10, 5-33		10
48	Hemodynamic characteristics of young men at risk for hypertension at rest and during laboratory stressors.. <i>Health Psychology</i> , 1992 , 11, 24-31	5	18
47	Cardiovascular responses to occupational stress in male medical students: A paradigm for ambulatory monitoring studies.. <i>Health Psychology</i> , 1992 , 11, 55-60	5	22
46	Cardiovascular differentiation of emotions. <i>Psychosomatic Medicine</i> , 1992 , 54, 422-35	3.7	171
45	A Biobehavioral Model of Hypertension Development 1992 , 265-280		14
44	The Role of Cardiovascular Reactivity in Hypertension Risk 1992 , 165-186		10
43	Blood pressure dysregulation associated with alcohol withdrawal. <i>Alcoholism: Clinical and Experimental Research</i> , 1991 , 15, 478-82	3.7	43
42	Antihypertensive efficacy of guanfacine and methyldopa in patients with mild to moderate essential hypertension. <i>Journal of Clinical Pharmacology</i> , 1991 , 31, 318-26	2.9	3
41	Hypertension risk and caffeine's effect on cardiovascular activity during mental stress in young men.. <i>Health Psychology</i> , 1991 , 10, 236-243	5	32
40	Heart rate reactivity, behavior pattern, and parental hypertension as predictors of cardiovascular activity during cognitive challenge. <i>Psychophysiology</i> , 1991 , 28, 639-47	4.1	19
39	Psychophysiological activity and neuropsychological test performance in alcoholics. <i>Journal of Clinical Psychology</i> , 1991 , 47, 823-39	2.8	4
38	Effects of caffeine on pressor regulation during rest and exercise in men at risk for hypertension. <i>American Heart Journal</i> , 1991 , 122, 1107-15	4.9	27
37	Heart rate reactivity as a predictor of neuroendocrine responses to aversive and appetitive challenges. <i>Psychosomatic Medicine</i> , 1990 , 52, 17-26	3.7	69
36	Methodological guidelines for impedance cardiography. <i>Psychophysiology</i> , 1990 , 27, 1-23	4.1	857
35	Exaggerated pressure response to exercise in men at risk for systemic hypertension. <i>American Journal of Cardiology</i> , 1990 , 66, 731-6	3	120

34	Effects of caffeine on blood pressure response during exercise in normotensive healthy young men. <i>American Journal of Cardiology</i> , 1990 , 65, 909-13	3	68
33	Caffeine may potentiate adrenocortical stress responses in hypertension-prone men. <i>Hypertension</i> , 1989 , 14, 170-6	8.5	44
32	Simultaneous measurement of stroke volume by impedance cardiography and nuclear ventriculography: comparisons at rest and exercise. <i>Annals of Biomedical Engineering</i> , 1989 , 17, 475-82	4.7	26
31	Noninvasive Measurement of Cardiac Functions 1989 , 23-50		7
30	Effect of behavior state on caffeine's ability to alter blood pressure. <i>American Journal of Cardiology</i> , 1988 , 61, 798-802	3	49
29	Mechanisms of myocardial ischemia induced by epinephrine: comparison with exercise-induced ischemia. <i>Psychosomatic Medicine</i> , 1988 , 50, 381-93	3.7	10
28	Caffeine enhances the physiological response to occupational stress in medical students.. <i>Health Psychology</i> , 1987 , 6, 101-112	5	48
27	Work pressure and the type A behavior pattern exam stress in male medical students. <i>Psychosomatic Medicine</i> , 1986 , 48, 125-33	3.7	34
26	Thought disorder and schizophrenia: isolating and timing a mental event. <i>Journal of Clinical Psychology</i> , 1986 , 42, 417-24	2.8	4
25	Heart rate reactivity and type A behavior as modifiers of physiological response to active and passive coping. <i>Psychophysiology</i> , 1986 , 23, 105-12	4.1	46
24	Predicting response to a reaction time task: heart rate reactivity compared with type A behavior. <i>Psychophysiology</i> , 1986 , 23, 648-56	4.1	23
23	Activation patterns to aversive stimulation in man: passive exposure versus effort to control. <i>Psychophysiology</i> , 1985 , 22, 283-91	4.1	118
22	Chronic alcoholism in males: cognitive deficit as a function of age of onset, age, and duration. <i>Alcoholism: Clinical and Experimental Research</i> , 1985 , 9, 400-6	3.7	29
21	Effects of caffeine on vascular resistance, cardiac output and myocardial contractility in young men. <i>American Journal of Cardiology</i> , 1985 , 56, 119-22	3	114
20	Verbal recall in schizophrenia: differential effect of retroactive interference in nonparanoid patients. <i>Comprehensive Psychiatry</i> , 1985 , 26, 164-74	7.3	6
19	Associative response bias and severity of thought disorder in schizophrenia and mania. <i>Journal of Clinical Psychology</i> , 1984 , 40, 889-92	2.8	2
18	Cardiovascular effects of coffee and caffeine. <i>American Journal of Cardiology</i> , 1984 , 54, 941	3	
17	Convergent and discriminant validity of the WIST. <i>Journal of Clinical Psychology</i> , 1983 , 39, 321-5	2.8	2

16	Effects of cueing on immediate and recent memory in schizophrenics. <i>Journal of Nervous and Mental Disease</i> , 1983 , 171, 426-30	1.8	27
15	Performance of Type A (coronary-prone) men during and after exposure to uncontrollable noise and task failure.. <i>Journal of Personality and Social Psychology</i> , 1980 , 38, 963-971	6.5	18
14	A comparison of four scales for anxiety, depression, and neuroticism. <i>Journal of Clinical Psychology</i> , 1980 , 36, 427-32	2.8	44
13	Type A behavior, self-involvement, autonomic activity, and the traits of neuroticism and extraversion. <i>Psychosomatic Medicine</i> , 1980 , 42, 329-34	3.7	37
12	A psychophysiological comparison of type A and B men exposed to failure and uncontrollable noise. <i>Psychophysiology</i> , 1980 , 17, 29-36	4.1	58
11	A random process model of cognitive deficit in schizophrenia. <i>Schizophrenia Bulletin</i> , 1980 , 6, 526-35	1.3	4
10	Randomness and the "streaking" phenomenon: attentional anomalies in performance on the Whitaker Index of Schizophrenic Thinking (WIST). <i>Journal of Clinical Psychology</i> , 1979 , 35, 289-95	2.8	4
9	Comparison of cognitive performance in subjects high and low in anxiety and depression. <i>Bulletin of the Psychonomic Society</i> , 1978 , 11, 243-244		1
8	Cognitive and psychophysiological response to doxepin and chlordiazepoxide. <i>Comprehensive Psychiatry</i> , 1978 , 19, 171-8	7.3	87
7	Relationship between schizophrenic thinking and MMPI for process and reactive patients. <i>Journal of Clinical Psychology</i> , 1977 , 33, 116-9	2.8	13
6	Schizophrenic cognitive dysfunction: a deficit in rule transfer. <i>Journal of Clinical Psychology</i> , 1977 , 33, 335-40	2.8	21
5	Some factors influencing the vasomotor response to cold pressor stimulation. <i>Psychophysiology</i> , 1975 , 12, 499-505	4.1	15
4	The cold pressor test and autonomic function: a review and integration. <i>Psychophysiology</i> , 1975 , 12, 268-82	4.1	278
3	Cutaneous vasomotor responses to cold pressor stimulation. <i>Psychophysiology</i> , 1974 , 11, 458-71	4.1	2
2	Autonomic arousal in normal, alcoholic, and brain-damaged subjects as measured by the plethysmograph response to cold pressor stimulation. <i>Psychophysiology</i> , 1973 , 10, 166-76	4.1	14
1	Stress Hormones in Psychophysiological Research: Emotional, Behavioral, and Cognitive Implications 465-494		5