

Jan-Erik Gjertsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6458370/publications.pdf>

Version: 2024-02-01

66
papers

1,529
citations

394421

19
h-index

330143

37
g-index

70
all docs

70
docs citations

70
times ranked

1319
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | The Norwegian Hip Fracture Register: Experiences after the first 2 years and 15,576 reported operations. Monthly Notices of the Royal Astronomical Society: Letters, 2008, 79, 583-593. | 3.3 | 139 |
| 2 | Clinical outcome after undisplaced femoral neck fractures. Monthly Notices of the Royal Astronomical Society: Letters, 2011, 82, 268-274. | 3.3 | 121 |
| 3 | Does time from fracture to surgery affect mortality and intraoperative medical complications for hip fracture patients?. Bone and Joint Journal, 2019, 101-B, 1129-1137. | 4.4 | 85 |
| 4 | Using national hip fracture registries and audit databases to develop an international perspective. Injury, 2017, 48, 2174-2179. | 1.7 | 80 |
| 5 | Cemented or Uncemented Hemiarthroplasty for Femoral Neck Fracture? Data from the Norwegian Hip Fracture Register. Clinical Orthopaedics and Related Research, 2020, 478, 90-100. | 1.5 | 74 |
| 6 | Patient satisfaction, pain, and quality of life 4 months after displaced femoral neck fractures: A comparison of 663 fractures treated with internal fixation and 906 with bipolar hemiarthroplasty reported to the Norwegian Hip Fracture Register. Monthly Notices of the Royal Astronomical Society: Letters, 2008, 79, 594-601. | 3.3 | 67 |
| 7 | Quality of life following hip fractures: results from the Norwegian hip fracture register. BMC Musculoskeletal Disorders, 2016, 17, 265. | 1.9 | 64 |
| 8 | Reduced Revision Risk for Dual-Mobility Cup in Total Hip Replacement Due to Hip Fracture. Journal of Bone and Joint Surgery - Series A, 2019, 101, 1278-1285. | 3.0 | 64 |
| 9 | Total hip replacement after femoral neck fractures in elderly patients : Results of 8,577 fractures reported to the Norwegian Arthroplasty Register. Monthly Notices of the Royal Astronomical Society: Letters, 2007, 78, 491-497. | 3.3 | 61 |
| 10 | Outcomes of Unicompartamental Knee Arthroplasty After Aseptic Revision to Total Knee Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2016, 98, 431-440. | 3.0 | 55 |
| 11 | Posterior approach compared to direct lateral approach resulted in better patient-reported outcome after hemiarthroplasty for femoral neck fracture. Monthly Notices of the Royal Astronomical Society: Letters, 2017, 88, 29-34. | 3.3 | 49 |
| 12 | High failure rate after internal fixation and beneficial outcome after arthroplasty in treatment of displaced femoral neck fractures in patients between 55 and 70 years. Monthly Notices of the Royal Astronomical Society: Letters, 2018, 89, 53-58. | 3.3 | 46 |
| 13 | Fast track hip fracture care and mortality – an observational study of 2230 patients. BMC Musculoskeletal Disorders, 2019, 20, 248. | 1.9 | 46 |
| 14 | Improved outcome after hip fracture surgery in Norway. Monthly Notices of the Royal Astronomical Society: Letters, 2017, 88, 505-511. | 3.3 | 40 |
| 15 | Fixation, sex, and age: highest risk of revision for uncemented stems in elderly women – data from 66,995 primary total hip arthroplasties in the Norwegian Arthroplasty Register. Monthly Notices of the Royal Astronomical Society: Letters, 2020, 91, 33-41. | 3.3 | 35 |
| 16 | Hemiarthroplasties after Hip Fractures in Norway and Sweden: A Collaboration between the Norwegian and Swedish National Registries. HIP International, 2014, 24, 223-230. | 1.7 | 32 |
| 17 | Outcome of Revision Surgery for Infection After Total Knee Arthroplasty. JBJS Reviews, 2019, 7, e4-e4. | 2.0 | 32 |
| 18 | Surgical site infection after hip fracture – mortality and risk factors: an observational cohort study of 1,709 patients. Monthly Notices of the Royal Astronomical Society: Letters, 2020, 91, 347-352. | 3.3 | 27 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | How Does Implant Survivorship Vary with Different Corail Femoral Stem Variants? Results of 51,212 Cases with Up to 30 Years Of Follow-up from the Norwegian Arthroplasty Register. <i>Clinical Orthopaedics and Related Research</i> , 2021, 479, 2169-2180. | 1.5 | 25 |
| 20 | Intramedullary nail versus sliding hip screw for stable and unstable trochanteric and subtrochanteric fractures. <i>Bone and Joint Journal</i> , 2022, 104-B, 274-282. | 4.4 | 24 |
| 21 | Surgeon's experience level and risk of reoperation after hip fracture surgery: an observational study on 30,945 patients in the Norwegian Hip Fracture Register 2011-2015. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 89, 496-502. | 3.3 | 23 |
| 22 | Do direct oral anticoagulants (DOACs) cause delayed surgery, longer length of hospital stay, and poorer outcome for hip fracture patients?. <i>European Geriatric Medicine</i> , 2020, 11, 563-569. | 2.8 | 21 |
| 23 | Secondary patella resurfacing in painful non-resurfaced total knee arthroplasties. <i>International Orthopaedics</i> , 2016, 40, 715-722. | 1.9 | 19 |
| 24 | Cementing technique for primary knee arthroplasty: a scoping review. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019, 90, 582-589. | 3.3 | 19 |
| 25 | Perioperative, short-, and long-term mortality related to fixation in primary total hip arthroplasty: a study on 79,557 patients in the Norwegian Arthroplasty Register. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 152-158. | 3.3 | 18 |
| 26 | High prevalence of vertebral fractures and low trabecular bone score in patients with fragility fractures: A cross-sectional sub-study of NoFRACT. <i>Bone</i> , 2019, 122, 14-21. | 2.9 | 16 |
| 27 | Cognitive impairment influences the risk of reoperation after hip fracture surgery: results of 87,573 operations reported to the Norwegian Hip Fracture Register. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 146-151. | 3.3 | 15 |
| 28 | Antibiotic-Loaded Bone Cement in Prevention of Periprosthetic Joint Infections in Primary Total Knee Arthroplasty: A Register-based Multicentre Randomised Controlled Non-inferiority Trial (ALBA trial). <i>BMJ Open</i> , 2021, 11, e041096. | 1.9 | 15 |
| 29 | Postoperative start compared to preoperative start of low-molecular-weight heparin increases mortality in patients with femoral neck fractures. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 48-54. | 3.3 | 14 |
| 30 | Post-fracture Risk Assessment: Target the Centrally Sited Fractures First! A Substudy of NoFRACT. <i>Journal of Bone and Mineral Research</i> , 2019, 34, 2036-2044. | 2.8 | 14 |
| 31 | Effect of a Fracture Liaison Service on the Rate of Subsequent Fracture Among Patients With a Fragility Fracture in the Norwegian Capture the Fracture Initiative (NoFRACT). <i>JAMA Network Open</i> , 2018, 1, e185701. | 5.9 | 13 |
| 32 | Waiting time for hip fracture surgery: hospital variation, causes, and effects on postoperative mortality. <i>Bone & Joint Open</i> , 2021, 2, 710-720. | 2.6 | 13 |
| 33 | Hip fracture treatment in Norway. <i>Bone & Joint Open</i> , 2020, 1, 644-653. | 2.6 | 12 |
| 34 | Nail or plate fixation for A3 trochanteric hip fractures: A systematic review of randomised controlled trials. <i>Injury</i> , 2018, 49, 1319-1323. | 1.7 | 11 |
| 35 | Low bone density and high morbidity in patients between 55 and 70 years with displaced femoral neck fractures: a case-control study of 50 patients vs 150 normal controls. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 371. | 1.9 | 10 |
| 36 | Is there a weekend effect after hip fracture surgery? A study of 74,410 hip fractures reported to the Norwegian Hip Fracture Register. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 63-68. | 3.3 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Implants for trochanteric fractures in Norway: the role of the trochanteric stabilizing plate—a study on 20,902 fractures from the Norwegian hip fracture register 2011–2017. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 26. | 2.3 | 10 |
| 38 | Optimal duration of anticoagulant thromboprophylaxis in total hip arthroplasty: new evidence in 55,540 patients with osteoarthritis from the Nordic Arthroplasty Register Association (NARA) group. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019, 90, 298-305. | 3.3 | 9 |
| 39 | Operative approach influences functional outcome after DAIR for infected total hip arthroplasty. <i>Bone and Joint Journal</i> , 2020, 102-B, 1662-1669. | 4.4 | 8 |
| 40 | Modifiable and non-modifiable risk factors in hip fracture mortality in Norway, 2014 to 2018. <i>Bone and Joint Journal</i> , 2022, 104-B, 884-893. | 4.4 | 8 |
| 41 | Timing of hip hemiarthroplasty and the influence on prosthetic joint infection. <i>PLoS ONE</i> , 2020, 15, e0229947. | 2.5 | 7 |
| 42 | Associations of overweight, obesity and osteoporosis with ankle fractures. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 723. | 1.9 | 7 |
| 43 | Good validity in the Norwegian Knee Ligament Register: assessment of data quality for key variables in primary and revision cruciate ligament reconstructions from 2004 to 2013. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, 231. | 1.9 | 7 |
| 44 | Validation of orthopaedic surgeons'™ assessment of cognitive function in patients with acute hip fracture. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 268. | 1.9 | 6 |
| 45 | Outcome at 1 year in patients with femoral shaft fractures treated with intramedullary nailing or skeletal traction in a low-income country: a prospective observational study of 187 patients in Malawi. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 724-731. | 3.3 | 6 |
| 46 | Patient-reported outcome measures after hip fracture in patients with chronic cognitive impairment. <i>Bone & Joint Open</i> , 2021, 2, 454-465. | 2.6 | 6 |
| 47 | Compliance with national guidelines for antibiotic prophylaxis in hip fracture patients: a quality assessment study of 13 329 patients in the Norwegian Hip Fracture Register. <i>BMJ Open</i> , 2020, 10, e035598. | 1.9 | 6 |
| 48 | Validation of Chichewa Short Musculoskeletal Function Assessment (SMFA) questionnaire: A cross-sectional study. <i>Malawi Medical Journal</i> , 2019, 31, 65. | 0.6 | 5 |
| 49 | Should Total Hip Arthroplasty Be Used for Hip Fracture?. <i>New England Journal of Medicine</i> , 2019, 381, 2261-2262. | 27.0 | 5 |
| 50 | Cost utility analysis of intramedullary nailing and skeletal traction treatment for patients with femoral shaft fractures in Malawi. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021, 92, 436-442. | 3.3 | 5 |
| 51 | Kaplan-Meier and Cox Regression Are Preferable for the Analysis of Time to Revision of Joint Arthroplasty. <i>JBJS Open Access</i> , 2022, 7, . | 1.5 | 5 |
| 52 | Low-molecular-weight heparin for hip fracture patients treated with osteosynthesis: should thromboprophylaxis start before or after surgery? An observational study of 45,913 hip fractures reported to the Norwegian Hip Fracture Register. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 89, 615-621. | 3.3 | 4 |
| 53 | No association between osteoporosis and AO classification of distal radius fractures: an observational study of 289 patients. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 811. | 1.9 | 4 |
| 54 | Trochanteric stabilizing plate in the treatment of trochanteric fractures: a scoping review. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021, 92, 733-738. | 3.3 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | The unmet need for treatment of children with musculoskeletal impairment in Malawi. BMC Pediatrics, 2022, 22, 67. | 1.7 | 3 |
| 56 | CORR Insights®: Is the Survivorship of Birmingham Hip Resurfacing Better Than Selected Conventional Hip Arthroplasties in Men Younger Than 65 Years of Age? A Study from the Australian Orthopaedic Association National Joint Replacement Registry. Clinical Orthopaedics and Related Research, 2020, 478, 2637-2639. | 1.5 | 1 |
| 57 | Reply to the Letter to the Editor: Cemented or Uncemented Hemiarthroplasty for Femoral Neck Fracture? Data from the Norwegian Hip Fracture Register. Clinical Orthopaedics and Related Research, 2020, 478, 687-689. | 1.5 | 1 |
| 58 | Association of perioperative thromboprophylaxis on revision rate due to infection and aseptic loosening in primary total hip arthroplasty – new evidence from the Nordic Arthroplasty Registry Association (NARA). Monthly Notices of the Royal Astronomical Society: Letters, 2022, 93, 417-423. | 3.3 | 1 |
| 59 | Thromboprophylaxis in primary shoulder arthroplasty does not seem to prevent death: a report from the Norwegian Arthroplasty Register 2005–2018. Monthly Notices of the Royal Astronomical Society: Letters, 2021, 92, 401-407. | 3.3 | 0 |
| 60 | Title is missing!. , 2021, 16, e0243536. | | 0 |
| 61 | Title is missing!. , 2021, 16, e0243536. | | 0 |
| 62 | Title is missing!. , 2021, 16, e0243536. | | 0 |
| 63 | Title is missing!. , 2021, 16, e0243536. | | 0 |
| 64 | Title is missing!. , 2021, 16, e0243536. | | 0 |
| 65 | Title is missing!. , 2021, 16, e0243536. | | 0 |
| 66 | Subsequent ipsi- and contralateral femoral fractures after intramedullary nailing of a trochanteric or subtrochanteric fracture: a cohort study on 2012 patients. BMC Musculoskeletal Disorders, 2022, 23, 399. | 1.9 | 0 |