

Jan-Erik Gjertsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6458370/publications.pdf>

Version: 2024-02-01

66
papers

1,529
citations

394421

19
h-index

330143

37
g-index

70
all docs

70
docs citations

70
times ranked

1319
citing authors

#	ARTICLE	IF	CITATIONS
1	The unmet need for treatment of children with musculoskeletal impairment in Malawi. BMC Pediatrics, 2022, 22, 67.	1.7	3
2	Intramedullary nail versus sliding hip screw for stable and unstable trochanteric and subtrochanteric fractures. Bone and Joint Journal, 2022, 104-B, 274-282.	4.4	24
3	Kaplan-Meier and Cox Regression Are Preferable for the Analysis of Time to Revision of Joint Arthroplasty. JBJS Open Access, 2022, 7, .	1.5	5
4	Good validity in the Norwegian Knee Ligament Register: assessment of data quality for key variables in primary and revision cruciate ligament reconstructions from 2004 to 2013. BMC Musculoskeletal Disorders, 2022, 23, 231.	1.9	7
5	Association of perioperative thromboprophylaxis on revision rate due to infection and aseptic loosening in primary total hip arthroplasty – new evidence from the Nordic Arthroplasty Registry Association (NARA). Monthly Notices of the Royal Astronomical Society: Letters, 2022, 93, 417-423.	3.3	1
6	Subsequent ipsi- and contralateral femoral fractures after intramedullary nailing of a trochanteric or subtrochanteric fracture: a cohort study on 2012 patients. BMC Musculoskeletal Disorders, 2022, 23, 399.	1.9	0
7	Modifiable and non-modifiable risk factors in hip fracture mortality in Norway, 2014 to 2018. Bone and Joint Journal, 2022, 104-B, 884-893.	4.4	8
8	Cost utility analysis of intramedullary nailing and skeletal traction treatment for patients with femoral shaft fractures in Malawi. Monthly Notices of the Royal Astronomical Society: Letters, 2021, 92, 436-442.	3.3	5
9	Thromboprophylaxis in primary shoulder arthroplasty does not seem to prevent death: a report from the Norwegian Arthroplasty Register 2005–2018. Monthly Notices of the Royal Astronomical Society: Letters, 2021, 92, 401-407.	3.3	0
10	Trochanteric stabilizing plate in the treatment of trochanteric fractures: a scoping review. Monthly Notices of the Royal Astronomical Society: Letters, 2021, 92, 733-738.	3.3	4
11	Patient-reported outcome measures after hip fracture in patients with chronic cognitive impairment. Bone & Joint Open, 2021, 2, 454-465.	2.6	6
12	Associations of overweight, obesity and osteoporosis with ankle fractures. BMC Musculoskeletal Disorders, 2021, 22, 723.	1.9	7
13	How Does Implant Survivorship Vary with Different Corail Femoral Stem Variants? Results of 51,212 Cases with Up to 30 Years Of Follow-up from the Norwegian Arthroplasty Register. Clinical Orthopaedics and Related Research, 2021, 479, 2169-2180.	1.5	25
14	Waiting time for hip fracture surgery: hospital variation, causes, and effects on postoperative mortality. Bone & Joint Open, 2021, 2, 710-720.	2.6	13
15	Implants for trochanteric fractures in Norway: the role of the trochanteric stabilizing plate – a study on 20,902 fractures from the Norwegian hip fracture register 2011–2017. Journal of Orthopaedic Surgery and Research, 2021, 16, 26.	2.3	10
16	Antibiotic-Loaded Bone Cement in Prevention of Periprosthetic Joint Infections in Primary Total Knee Arthroplasty: A Register-based Multicentre Randomised Controlled Non-inferiority Trial (ALBA trial). BMJ Open, 2021, 11, e041096.	1.9	15
17	Title is missing!. , 2021, 16, e0243536.		0
18	Title is missing!. , 2021, 16, e0243536.		0

#	ARTICLE	IF	CITATIONS
19	Title is missing!. , 2021, 16, e0243536.		0
20	Title is missing!. , 2021, 16, e0243536.		0
21	Title is missing!. , 2021, 16, e0243536.		0
22	Title is missing!. , 2021, 16, e0243536.		0
23	Fixation, sex, and age: highest risk of revision for uncemented stems in elderly women â€” data from 66,995 primary total hip arthroplasties in the Norwegian Arthroplasty Register. Monthly Notices of the Royal Astronomical Society: Letters, 2020, 91, 33-41.	3.3	35
24	Is there a weekend effect after hip fracture surgery? A study of 74,410 hip fractures reported to the Norwegian Hip Fracture Register. Monthly Notices of the Royal Astronomical Society: Letters, 2020, 91, 63-68.	3.3	10
25	Perioperative, short-, and long-term mortality related to fixation in primary total hip arthroplasty: a study on 79,557 patients in the Norwegian Arthroplasty Register. Monthly Notices of the Royal Astronomical Society: Letters, 2020, 91, 152-158.	3.3	18
26	Cemented or Uncemented Hemiarthroplasty for Femoral Neck Fracture? Data from the Norwegian Hip Fracture Register. Clinical Orthopaedics and Related Research, 2020, 478, 90-100.	1.5	74
27	Hip fracture treatment in Norway. Bone & Joint Open, 2020, 1, 644-653.	2.6	12
28	Operative approach influences functional outcome after DAIR for infected total hip arthroplasty. Bone and Joint Journal, 2020, 102-B, 1662-1669.	4.4	8
29	No association between osteoporosis and AO classification of distal radius fractures: an observational study of 289 patients. BMC Musculoskeletal Disorders, 2020, 21, 811.	1.9	4
30	Outcome at 1 year in patients with femoral shaft fractures treated with intramedullary nailing or skeletal traction in a low-income country: a prospective observational study of 187 patients in Malawi. Monthly Notices of the Royal Astronomical Society: Letters, 2020, 91, 724-731.	3.3	6
31	CORR InsightsÂ®: Is the Survivorship of Birmingham Hip Resurfacing Better Than Selected Conventional Hip Arthroplasties in Men Younger Than 65 Years of Age? A Study from the Australian Orthopaedic Association National Joint Replacement Registry. Clinical Orthopaedics and Related Research, 2020, 478, 2637-2639.	1.5	1
32	Do direct oral anticoagulants (DOACs) cause delayed surgery, longer length of hospital stay, and poorer outcome for hip fracture patients?. European Geriatric Medicine, 2020, 11, 563-569.	2.8	21
33	Reply to the Letter to the Editor: Cemented or Uncemented Hemiarthroplasty for Femoral Neck Fracture? Data from the Norwegian Hip Fracture Register. Clinical Orthopaedics and Related Research, 2020, 478, 687-689.	1.5	1
34	Timing of hip hemiarthroplasty and the influence on prosthetic joint infection. PLoS ONE, 2020, 15, e0229947.	2.5	7
35	Cognitive impairment influences the risk of reoperation after hip fracture surgery: results of 87,573 operations reported to the Norwegian Hip Fracture Register. Monthly Notices of the Royal Astronomical Society: Letters, 2020, 91, 146-151.	3.3	15
36	Surgical site infection after hip fracture â€” mortality and risk factors: an observational cohort study of 1,709 patients. Monthly Notices of the Royal Astronomical Society: Letters, 2020, 91, 347-352.	3.3	27

#	ARTICLE	IF	CITATIONS
37	Compliance with national guidelines for antibiotic prophylaxis in hip fracture patients: a quality assessment study of 13 329 patients in the Norwegian Hip Fracture Register. <i>BMJ Open</i> , 2020, 10, e035598.	1.9	6
38	Low bone density and high morbidity in patients between 55 and 70 years with displaced femoral neck fractures: a case-control study of 50 patients vs 150 normal controls. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 371.	1.9	10
39	Post-fracture Risk Assessment: Target the Centrally Sited Fractures First! A Substudy of NoFRACT. <i>Journal of Bone and Mineral Research</i> , 2019, 34, 2036-2044.	2.8	14
40	Cementing technique for primary knee arthroplasty: a scoping review. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019, 90, 582-589.	3.3	19
41	Validation of Chichewa Short Musculoskeletal Function Assessment (SMFA) questionnaire: A cross-sectional study. <i>Malawi Medical Journal</i> , 2019, 31, 65.	0.6	5
42	Validation of orthopaedic surgeons' assessment of cognitive function in patients with acute hip fracture. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 268.	1.9	6
43	Fast track hip fracture care and mortality – an observational study of 2230 patients. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 248.	1.9	46
44	Optimal duration of anticoagulant thromboprophylaxis in total hip arthroplasty: new evidence in 55,540 patients with osteoarthritis from the Nordic Arthroplasty Register Association (NARA) group. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019, 90, 298-305.	3.3	9
45	High prevalence of vertebral fractures and low trabecular bone score in patients with fragility fractures: A cross-sectional sub-study of NoFRACT. <i>Bone</i> , 2019, 122, 14-21.	2.9	16
46	Does time from fracture to surgery affect mortality and intraoperative medical complications for hip fracture patients?. <i>Bone and Joint Journal</i> , 2019, 101-B, 1129-1137.	4.4	85
47	Should Total Hip Arthroplasty Be Used for Hip Fracture?. <i>New England Journal of Medicine</i> , 2019, 381, 2261-2262.	27.0	5
48	Reduced Revision Risk for Dual-Mobility Cup in Total Hip Replacement Due to Hip Fracture. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 1278-1285.	3.0	64
49	Outcome of Revision Surgery for Infection After Total Knee Arthroplasty. <i>JBJS Reviews</i> , 2019, 7, e4-e4.	2.0	32
50	High failure rate after internal fixation and beneficial outcome after arthroplasty in treatment of displaced femoral neck fractures in patients between 55 and 70 years. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 89, 53-58.	3.3	46
51	Effect of a Fracture Liaison Service on the Rate of Subsequent Fracture Among Patients With a Fragility Fracture in the Norwegian Capture the Fracture Initiative (NoFRACT). <i>JAMA Network Open</i> , 2018, 1, e185701.	5.9	13
52	Low-molecular-weight heparin for hip fracture patients treated with osteosynthesis: should thromboprophylaxis start before or after surgery? An observational study of 45,913 hip fractures reported to the Norwegian Hip Fracture Register. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 89, 615-621.	3.3	4
53	Nail or plate fixation for A3 trochanteric hip fractures: A systematic review of randomised controlled trials. <i>Injury</i> , 2018, 49, 1319-1323.	1.7	11
54	Surgeons' experience level and risk of reoperation after hip fracture surgery: an observational study on 30,945 patients in the Norwegian Hip Fracture Register 2011–2015. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 89, 496-502.	3.3	23

#	ARTICLE	IF	CITATIONS
55	Using national hip fracture registries and audit databases to develop an international perspective. <i>Injury</i> , 2017, 48, 2174-2179.	1.7	80
56	Improved outcome after hip fracture surgery in Norway. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 505-511.	3.3	40
57	Posterior approach compared to direct lateral approach resulted in better patient-reported outcome after hemiarthroplasty for femoral neck fracture. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 29-34.	3.3	49
58	Postoperative start compared to preoperative start of low-molecular-weight heparin increases mortality in patients with femoral neck fractures. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 48-54.	3.3	14
59	Secondary patella resurfacing in painful non-resurfaced total knee arthroplasties. <i>International Orthopaedics</i> , 2016, 40, 715-722.	1.9	19
60	Quality of life following hip fractures: results from the Norwegian hip fracture register. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 265.	1.9	64
61	Outcomes of Unicompartmental Knee Arthroplasty After Aseptic Revision to Total Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2016, 98, 431-440.	3.0	55
62	Hemiarthroplasties after Hip Fractures in Norway and Sweden: A Collaboration between the Norwegian and Swedish National Registries. <i>HIP International</i> , 2014, 24, 223-230.	1.7	32
63	Clinical outcome after undisplaced femoral neck fractures. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2011, 82, 268-274.	3.3	121
64	Patient satisfaction, pain, and quality of life 4 months after displaced femoral neck fractures: A comparison of 663 fractures treated with internal fixation and 906 with bipolar hemiarthroplasty reported to the Norwegian Hip Fracture Register. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2008, 79, 594-601.	3.3	67
65	The Norwegian Hip Fracture Register: Experiences after the first 2 years and 15,576 reported operations. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2008, 79, 583-593.	3.3	139
66	Total hip replacement after femoral neck fractures in elderly patients : Results of 8,577 fractures reported to the Norwegian Arthroplasty Register. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2007, 78, 491-497.	3.3	61