

J M Belln

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6459270/j-m-bellon-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

174
papers

3,337
citations

30
h-index

46
g-index

201
ext. papers

3,825
ext. citations

4.1
avg. IF

4.61
L-index

#	Paper	IF	Citations
174	A simple score to predict early severe infections in patients with newly diagnosed multiple myeloma.. <i>Blood Cancer Journal</i> , 2022 , 12, 68	7	0
173	Risk prediction of CMV reactivation after allogeneic stem cell transplantation using five non-HLA immunogenetic polymorphisms.. <i>Annals of Hematology</i> , 2022 , 1	3	0
172	Effects of Hepatitis C Virus (HCV) Eradication on Bone Mineral Density in Human Immunodeficiency Virus/HCV-Coinfected Patients. <i>Clinical Infectious Diseases</i> , 2021 , 73, e2026-e2033	11.6	2
171	Influence of postoperative complications on long-term outcome after oncologic lung resection surgery. Substudy of a randomized control trial. <i>Journal of Clinical Monitoring and Computing</i> , 2021 , 35, 1183-1192	2	2
170	Influence of Comorbidities on the Survival of COPD Patients According to Phenotypes. <i>International Journal of COPD</i> , 2020 , 15, 2759-2767	3	
169	Potentially inappropriate medications in older adults living with HIV. <i>HIV Medicine</i> , 2020 , 21, 541-546	2.7	4
168	Differences in the Outcome of Patients with COPD according to Body Mass Index. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	5
167	Spontaneous recovery of neuromuscular blockade is an independent risk factor for postoperative pulmonary complications after abdominal surgery: A secondary analysis. <i>European Journal of Anaesthesiology</i> , 2020 , 37, 203-211	2.3	2
166	Effects of Eradication of HCV on Cardiovascular Risk and Preclinical Atherosclerosis in HIV/HCV-Coinfected Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020 , 83, 292-300	3.1	2
165	Influence of Pneumonia on the Survival of Patients with COPD. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	1
164	Brief Report: CYP27B1 rs10877012 T Allele Was Linked to Non-AIDS Progression in ART-Naïve HIV-Infected Patients: A Retrospective Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020 , 85, 659-664	3.1	2
163	OXY-SCORE: a new perspective for left ventricular hypertrophy diagnosis. <i>Therapeutic Advances in Chronic Disease</i> , 2020 , 11, 2040622320936417	4.9	1
162	Renal function in children assisted with extracorporeal membrane oxygenation. <i>International Journal of Artificial Organs</i> , 2020 , 43, 119-126	1.9	1
161	Mild profile improvement of immune biomarkers in HIV/HCV-coinfected patients who removed hepatitis C after HCV treatment: A prospective study. <i>Journal of Infection</i> , 2020 , 80, 99-110	18.9	3
160	Polypharmacy and Drug-Drug Interactions in People Living With Human Immunodeficiency Virus in the Region of Madrid, Spain: A Population-Based Study. <i>Clinical Infectious Diseases</i> , 2020 , 71, 353-362	11.6	23
159	DBP rs16846876 and rs12512631 polymorphisms are associated with progression to AIDS naïve HIV-infected patients: a retrospective study. <i>Journal of Biomedical Science</i> , 2019 , 26, 83	13.3	2
158	Usefulness of combining clinical and biochemical parameters for prediction of postoperative pulmonary complications after lung resection surgery. <i>Journal of Clinical Monitoring and Computing</i> , 2019 , 33, 1043-1054	2	6

157	Plasma protein thiolation index (PTI) as a potential biomarker for left ventricular hypertrophy in humans. <i>PLoS ONE</i> , 2019 , 14, e0216359	3.7	4
156	Evaluation of the diagnostic accuracy of laboratory-based screening for hepatitis C in dried blood spot samples: A systematic review and meta-analysis. <i>Scientific Reports</i> , 2019 , 9, 7316	4.9	27
155	rs2228570 Polymorphism Is Related to Non-Progression to AIDS in Antiretroviral Therapy Naïve HIV-Infected Patients. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	7
154	Metabolic bone disease in patients diagnosed with inflammatory bowel disease from Spain. <i>Therapeutic Advances in Gastroenterology</i> , 2019 , 12, 1756284819862152	4.7	8
153	European mitochondrial haplogroups predict liver-related outcomes in patients coinfectd with HIV and HCV: a retrospective study. <i>Journal of Translational Medicine</i> , 2019 , 17, 244	8.5	2
152	Effectiveness of psychological and educational interventions for the prevention of depression in the workplace: A systematic review and meta-analysis. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019 , 45, 324-332	4.3	10
151	New Strategies of Pulmonary Protection of Preterm Infants in the Delivery Room with the Respiratory Function Monitoring. <i>American Journal of Perinatology</i> , 2019 , 36, 1368-1376	3.3	5
150	Wilms Tumor 1 gene expression levels improve risk stratification in AML patients. Results of a multicentre study within the Spanish Group for Molecular Biology in Haematology. <i>British Journal of Haematology</i> , 2018 , 181, 542-546	4.5	2
149	Multicenter comparison of CD34+ myeloid cell count by flow cytometry in low-risk myelodysplastic syndrome. Is it feasible?. <i>Cytometry Part B - Clinical Cytometry</i> , 2018 , 94, 527-535	3.4	6
148	Prognostic value of liver stiffness in HIV/HCV-Coinfected patients with decompensated cirrhosis. <i>BMC Infectious Diseases</i> , 2018 , 18, 170	4	1
147	Comparison of Two Protocols of Carbon Tetrachloride-Induced Cirrhosis in Rats - Improving Yield and Reproducibility. <i>Scientific Reports</i> , 2018 , 8, 9163	4.9	29
146	A novel predictive approach for GVHD after allogeneic SCT based on clinical variables and cytokine gene polymorphisms. <i>Blood Advances</i> , 2018 , 2, 1719-1737	7.8	20
145	Eradication of hepatitis C virus and non-liver-related non-acquired immune deficiency syndrome-related events in human immunodeficiency virus/hepatitis C virus coinfection. <i>Hepatology</i> , 2017 , 66, 344-356	11.2	40
144	Clinical and Economic Impact of a Multidisciplinary Intervention to Reduce Bleeding Risk in Patients With Acute Coronary Syndrome. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2017 , 70, 825-831	0.7	1
143	Análisis de los resultados económicos y en salud de un programa dirigido a la reducción de hemorragia en pacientes con síndrome coronario agudo. <i>Revista Espanola De Cardiologia</i> , 2017 , 70, 825-831	1.5	5
142	IL7RA polymorphisms are not associated with AIDS progression. <i>European Journal of Clinical Investigation</i> , 2017 , 47, 719-727	4.6	2
141	Infection in critically ill pediatric patients on continuous renal replacement therapy. <i>International Journal of Artificial Organs</i> , 2017 , 40, 224-229	1.9	4
140	Multicenter study for the evaluation of the antibody response against salmonella typhi Vi vaccination (EMPATHY) for the diagnosis of Anti-polysaccharide antibody production deficiency in patients with primary immunodeficiency. <i>Clinical Immunology</i> , 2016 , 169, 80-84	9	24

139	Prognostic Value of Transient Elastography in Human Immunodeficiency Virus-Infected Patients With Chronic Hepatitis C. <i>Open Forum Infectious Diseases</i> , 2016 , 3, ofw212	1	8
138	Soluble Adhesion Molecules in Patients Coinfected with HIV and HCV: A Predictor of Outcome. <i>PLoS ONE</i> , 2016 , 11, e0148537	3.7	8
137	Pediatric Extrapulmonary Tuberculosis: Clinical Spectrum, Risk Factors and Diagnostic Challenges in a Low Prevalence Region. <i>Pediatric Infectious Disease Journal</i> , 2016 , 35, 1175-1181	3.4	36
136	Measurement of cardiac output in children by pressure-recording analytical method. <i>Pediatric Cardiology</i> , 2015 , 36, 358-64	2.1	14
135	Interobserver variance in myelodysplastic syndromes with less than 5 % bone marrow blasts: unilineage vs. multilineage dysplasia and reproducibility of the threshold of 2 % blasts. <i>Annals of Hematology</i> , 2015 , 94, 565-73	3	38
134	Mortality in obesity-hypoventilation syndrome and prognostic risk factors. <i>Archivos De Bronconeumologia</i> , 2015 , 51, 304-5	0.7	2
133	Assessment of pain in critically ill children. Is cutaneous conductance a reliable tool?. <i>Journal of Critical Care</i> , 2015 , 30, 481-5	4	11
132	Toll-like receptor 8 (TLR8) polymorphisms are associated with non-progression of chronic hepatitis C in HIV/HCV coinfecting patients. <i>Infection, Genetics and Evolution</i> , 2015 , 36, 339-344	4.5	6
131	Long-term evolution after in-hospital cardiac arrest in children: Prospective multicenter multinational study. <i>Resuscitation</i> , 2015 , 96, 126-34	4	30
130	Comparison of the prognostic value of liver biopsy and FIB-4 index in patients coinfecting with HIV and hepatitis C virus. <i>Clinical Infectious Diseases</i> , 2015 , 60, 950-8	11.6	29
129	Noninvasive mechanical ventilation in patients with obesity hypoventilation syndrome. Long-term outcome and prognostic factors. <i>Archivos De Bronconeumologia</i> , 2015 , 51, 61-68	0.7	35
128	Noninvasive Mechanical Ventilation in Patients With Obesity Hypoventilation Syndrome. Long-term Outcome and Prognostic Factors. <i>Archivos De Bronconeumologia</i> , 2015 , 51, 61-68	0.7	10
127	IL7RA polymorphisms predict the CD4+ recovery in HIV patients on cART. <i>European Journal of Clinical Investigation</i> , 2015 , 45, 1192-9	4.6	10
126	Comparison of normal saline, hypertonic saline albumin and terlipressin plus hypertonic saline albumin in an infant animal model of hypovolemic shock. <i>PLoS ONE</i> , 2015 , 10, e0121678	3.7	5
125	Prognostic relevance of early AKI according to pRIFLE criteria in children undergoing cardiac surgery. <i>Pediatric Nephrology</i> , 2014 , 29, 1265-72	3.2	30
124	Cardiac arrest and resuscitation in the pediatric intensive care unit: a prospective multicenter multinational study. <i>Resuscitation</i> , 2014 , 85, 1380-6	4	29
123	ACSM4 polymorphisms are associated with rapid AIDS progression in HIV-infected patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014 , 65, 27-32	3.1	8
122	Determinants of highly active antiretroviral therapy duration in HIV-1-infected children and adolescents in Madrid, Spain, from 1996 to 2012. <i>PLoS ONE</i> , 2014 , 9, e96307	3.7	7

121	Citrate anticoagulation for CRRT in children: comparison with heparin. <i>BioMed Research International</i> , 2014 , 2014, 786301	3	26
120	Prediction of liver complications in patients with hepatitis C virus-related cirrhosis with and without HIV coinfection: comparison of hepatic venous pressure gradient and transient elastography. <i>Clinical Infectious Diseases</i> , 2014 , 58, 713-8	11.6	28
119	Relationship between hyperglycemia, hormone disturbances, and clinical evolution in severely hyperglycemic post surgery critically ill children: an observational study. <i>BMC Endocrine Disorders</i> , 2014 , 14, 25	3.3	5
118	SLC30A8 rs13266634 polymorphism is related to a favorable cardiometabolic lipid profile in HIV/hepatitis C virus-coinfected patients. <i>Aids</i> , 2014 , 28, 1325-32	3.5	7
117	Shockable rhythms and defibrillation during in-hospital pediatric cardiac arrest. <i>Resuscitation</i> , 2014 , 85, 387-91	4	34
116	Donor and Recipient Genotypes for Interleukin 1 Gene Single Nucleotide Polymorphisms (SNPs) Allow Anticipation of Acute Graft Versus Host Disease after HLA-Identical Allogeneic Stem Cell Transplantation (allo-SCT). <i>Blood</i> , 2014 , 124, 666-666	2.2	1
115	Erythropoiesis-stimulating agents in anaemia due to chronic kidney disease: a cost-minimization analysis. <i>International Journal of Clinical Pharmacy</i> , 2013 , 35, 463-8	2.3	7
114	Continuous renal replacement therapy in children after cardiac surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2013 , 146, 448-54	1.5	12
113	Clinical effects of viral relapse after interferon plus ribavirin in patients co-infected with human immunodeficiency virus and hepatitis C virus. <i>Journal of Hepatology</i> , 2013 , 58, 1104-12	13.4	25
112	Multichannel intraluminal impedance to study gastroesophageal reflux in mechanically ventilated children in the first 48 h after PICU admission. <i>Nutrition</i> , 2013 , 29, 972-6	4.8	3
111	Prediction of hepatic fibrosis in patients coinfecting with HIV and hepatitis C virus based on genetic markers. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013 , 64, 434-42	3.1	6
110	European mitochondrial haplogroups are associated with CD4+ T cell recovery in HIV-infected patients on combination antiretroviral therapy. <i>Journal of Antimicrobial Chemotherapy</i> , 2013 , 68, 2349-57	5.1	14
109	Circulating tumor cells following first chemotherapy cycle: an early and strong predictor of outcome in patients with metastatic breast cancer. <i>Oncologist</i> , 2013 , 18, 917-23	5.7	33
108	GRP-087 Impact of an Electronic Medicines Reconciliation Programme Used in a General Surgery Unit. <i>European Journal of Hospital Pharmacy</i> , 2013 , 20, A31.3-A32	1.6	
107	Mitochondrial haplogroups are associated with clinical pattern of AIDS progression in HIV-infected patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013 , 63, 178-83	3.1	20
106	Predictors of attrition and immunological failure in HIV-1 patients on highly active antiretroviral therapy from different healthcare settings in Mozambique. <i>PLoS ONE</i> , 2013 , 8, e82718	3.7	16
105	The Challenge Of Quantifying CD34+ Myeloid Cells In Myelodysplastic Syndromes With Less Than 5% Bone Marrow Blasts. Reproducibility Among 6 Flow Cytometry Observers. <i>Blood</i> , 2013 , 122, 2769-2769	2.2	9
104	Short-term behavior of different polymer structure lightweight meshes used to repair abdominal wall defects. <i>Histology and Histopathology</i> , 2013 , 28, 611-21	1.4	2

103	Psychometric properties of the Spanish version of the diagnostic interview for depressive personality. <i>European Psychiatry</i> , 2012 , 27, 582-90	6	
102	Comparison of normal saline, hypertonic saline and hypertonic saline colloid resuscitation fluids in an infant animal model of hypovolemic shock. <i>Resuscitation</i> , 2012 , 83, 1159-65	4	12
101	Evolution and mortality risk factors in children with continuous renal replacement therapy after cardiac surgery. <i>Revista Espanola De Cardiologia</i> , 2012 , 65, 795-800	1.5	7
100	Pulmonary arterial thermodilution, femoral arterial thermodilution and bioreactance cardiac output monitoring in a pediatric hemorrhagic hypovolemic shock model. <i>Resuscitation</i> , 2012 , 83, 125-9	4	18
99	Nutritional status and clinical outcome of children on continuous renal replacement therapy: a prospective observational study. <i>BMC Nephrology</i> , 2012 , 13, 125	2.7	28
98	Influence on effectiveness of early treatment with anti-TNF therapy in rheumatoid arthritis. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2012 , 15, 355-60	3.4	6
97	Sustained virological response to interferon plus ribavirin reduces non-liver-related mortality in patients coinfecting with HIV and Hepatitis C virus. <i>Clinical Infectious Diseases</i> , 2012 , 55, 728-36	11.6	122
96	Implantable defibrillator electrograms and origin of left ventricular impulses: an analysis of regionalization ability and visual spatial resolution. <i>Journal of Cardiovascular Electrophysiology</i> , 2012 , 23, 506-14	2.7	7
95	Detecting MCI and dementia in primary care: effectiveness of the MMS, the FAQ and the IQCODE [corrected]. <i>Family Practice</i> , 2012 , 29, 401-6	1.9	32
94	Chronic obstructive pulmonary disease as a cardiovascular risk factor. Results of a case-control study (CONSISTE study). <i>International Journal of COPD</i> , 2012 , 7, 679-86	3	38
93	Development of a compatibility chart for intravenous Y-site drug administration in a pediatric intensive care unit. <i>Journal of Infusion Nursing</i> , 2012 , 35, 109-14	1	9
92	Comparison of continuous pH-meter and intermittent pH paper monitoring of gastric pH in critically ill children. <i>European Journal of Gastroenterology and Hepatology</i> , 2012 , 24, 33-6	2.2	7
91	HIV-infected adolescents: relationship between atazanavir plasma levels and bilirubin concentrations. <i>Journal of Adolescent Health</i> , 2011 , 48, 100-2	5.8	8
90	Causes of death in pediatric patients vertically infected by the human immunodeficiency virus type 1 in Madrid, Spain, from 1982 to mid-2009. <i>Pediatric Infectious Disease Journal</i> , 2011 , 30, 495-500	3.4	10
89	Use of transient elastography (FibroScan [®]) for the noninvasive assessment of portal hypertension in HIV/HCV-coinfected patients. <i>Journal of Viral Hepatitis</i> , 2011 , 18, 685-91	3.4	41
88	Impact of liver steatosis on the correlation between liver stiffness and fibrosis measured by transient elastography in patients coinfecting with human immunodeficiency virus and hepatitis C virus. <i>Journal of Viral Hepatitis</i> , 2011 , 18, e278-83	3.4	28
87	Adipokine profiles and lipodystrophy in HIV-infected children during the first 4 years on highly active antiretroviral therapy. <i>HIV Medicine</i> , 2011 , 12, 54-60	2.7	11
86	Diagnostic accuracy of the APRI, FIB-4, and the Forns index for predicting liver fibrosis in HIV/HCV-coinfected patients: a validation study. <i>Journal of Infection</i> , 2011 , 63, 402-5	18.9	15

85	Indications for the use of next-generation antiretroviral drugs in current clinical practice. <i>Farmacia Hospitalaria</i> , 2011 , 35, 14-22	0.9	1
84	Hemodynamic, respiratory, and perfusion parameters during asphyxia, resuscitation, and post-resuscitation in a pediatric model of cardiac arrest. <i>Intensive Care Medicine</i> , 2011 , 37, 147-55	14.5	19
83	Measurement of cardiac output in children by bioreactance. <i>Pediatric Cardiology</i> , 2011 , 32, 469-72	2.1	36
82	Correlations between hemodynamic, oxygenation and tissue perfusion parameters during asphyxial cardiac arrest and resuscitation in a pediatric animal model. <i>Resuscitation</i> , 2011 , 82, 755-9	4	12
81	An artificial neural network improves the non-invasive diagnosis of significant fibrosis in HIV/HCV coinfecting patients. <i>Journal of Infection</i> , 2011 , 62, 77-86	18.9	28
80	Cardiovascular risk markers are increased in HIV-infected children with lipodystrophy syndrome. <i>Journal of Infection</i> , 2011 , 62, 240-3	18.9	3
79	Effect of accompanying antiretroviral drugs on virological response to pegylated interferon and ribavirin in patients co-infected with HIV and hepatitis C virus. <i>Journal of Antimicrobial Chemotherapy</i> , 2011 , 66, 2843-9	5.1	12
78	Comparison of transient elastography and liver biopsy for the assessment of liver fibrosis in HIV/hepatitis C virus-coinfecting patients and correlation with noninvasive serum markers. <i>Journal of Viral Hepatitis</i> , 2010 , 17, 280-6	3.4	85
77	215 Cardiac Output Monitoring: Experimental Study in An Infant Shock Animal Model Comparing Pulmonary Arterial Thermodilution, Femoral Arterial Thermodilution and Bioreactance. <i>Pediatric Research</i> , 2010 , 68, 112-112	3.2	11
76	Impairment of stimulation ability of very-preterm neonatal monocytes in response to lipopolysaccharide. <i>Human Immunology</i> , 2010 , 71, 151-7	2.3	22
75	Association between lipodystrophy and leptin in human immunodeficiency virus-1-infected children receiving lopinavir/ritonavir-based therapy. <i>Pediatric Infectious Disease Journal</i> , 2010 , 29, 774-7	3.4	4
74	1028 Gastroesophageal Reflux in Critically Ill Children. <i>Pediatric Research</i> , 2010 , 68, 511-511	3.2	
73	Terlipressin versus adrenaline in an infant animal model of asphyxial cardiac arrest. <i>Intensive Care Medicine</i> , 2010 , 36, 1248-55	14.5	18
72	Clinical course and mortality risk factors in critically ill children requiring continuous renal replacement therapy. <i>Intensive Care Medicine</i> , 2010 , 36, 843-9	14.5	47
71	Clinical course of children requiring prolonged continuous renal replacement therapy. <i>Pediatric Nephrology</i> , 2010 , 25, 523-8	3.2	7
70	Comparison of levels of antiretroviral drugs with efficacy in children with HIV infection. <i>Indian Journal of Pediatrics</i> , 2010 , 77, 397-402	3	3
69	Can serum hyaluronic acid replace simple non-invasive indexes to predict liver fibrosis in HIV/Hepatitis C coinfecting patients?. <i>BMC Infectious Diseases</i> , 2010 , 10, 244	4	20
68	Duration of antiretroviral regimens in treatment-experienced patients in clinical practice. <i>Retrovirology</i> , 2010 , 7,	3.6	78

67	Accuracy of three transcutaneous carbon dioxide monitors in critically ill children. <i>Pediatric Pulmonology</i> , 2010 , 45, 481-6	3.5	13
66	Diagnosis of advanced fibrosis in HIV and hepatitis C virus-coinfected patients via a new noninvasive index: the HGM-3 index. <i>HIV Medicine</i> , 2010 , 11, 64-73	2.7	12
65	Opportunistic infections and organ-specific diseases in HIV-1-infected children: a cohort study (1990-2006). <i>HIV Medicine</i> , 2010 , 11, 245-52	2.7	21
64	Impact of highly active antiretroviral therapy (HAART) on AIDS and death in a cohort of vertically HIV type 1-infected children: 1980-2006. <i>AIDS Research and Human Retroviruses</i> , 2009 , 25, 1091-7	1.6	24
63	Monogenic and polygenic models detected in steroid 21-hydroxylase deficiency-related paediatric hyperandrogenism. <i>Hormone Research in Paediatrics</i> , 2009 , 71, 28-37	3.3	3
62	Pegylated interferon {alpha}2a plus ribavirin versus pegylated interferon {alpha}2b plus ribavirin for the treatment of chronic hepatitis C in HIV-infected patients. <i>Journal of Antimicrobial Chemotherapy</i> , 2009 , 63, 1256-63	5.1	49
61	Hypophosphatemia and phosphate supplementation during continuous renal replacement therapy in children. <i>Kidney International</i> , 2009 , 75, 312-6	9.9	42
60	Sustained virological response to interferon plus ribavirin reduces liver-related complications and mortality in patients coinfecting with human immunodeficiency virus and hepatitis C virus. <i>Hepatology</i> , 2009 , 50, 407-13	11.2	237
59	Sonographic measurement of cross-sectional area of the median nerve in the diagnosis of carpal tunnel syndrome: correlation with nerve conduction studies. <i>Journal of Clinical Ultrasound</i> , 2009 , 37, 125-31	1	99
58	Cardiac output and blood volume parameters using femoral arterial thermodilution. <i>Pediatrics International</i> , 2009 , 51, 59-65	1.2	27
57	Complications of continuous renal replacement therapy in critically ill children: a prospective observational evaluation study. <i>Critical Care</i> , 2009 , 13, R184	10.8	51
56	Utilidad de la tomografía por emisión de positrones en el diagnóstico del nódulo pulmonar solitario con alta probabilidad de malignidad. <i>Revista De Patología Respiratoria</i> , 2009 , 12, 69-73		
55	Insulin resistance is associated with advanced liver fibrosis and high body mass index in HIV/HCV-coinfected patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009 , 50, 109-10 ^{3.1}		21
54	Clinical severity scores do not predict tolerance to enteral nutrition in critically ill children. <i>British Journal of Nutrition</i> , 2009 , 102, 191-4	3.6	6
53	Asociación de factores de riesgo cardiovascular y EPOC. Resultados de un estudio epidemiológico (estudio ARCE). <i>Archivos De Bronconeumología</i> , 2008 , 44, 233-238	0.7	22
52	Comparación de un programa de rehabilitación domiciliario con uno hospitalario en pacientes con EPOC: estudio multicéntrico español. <i>Archivos De Bronconeumología</i> , 2008 , 44, 512-518	0.7	25
51	Circuit life span in critically ill children on continuous renal replacement treatment: a prospective observational evaluation study. <i>Critical Care</i> , 2008 , 12, R93	10.8	37
50	Association between exposure to nevirapine and reduced liver fibrosis progression in patients with HIV and hepatitis C virus coinfection. <i>Clinical Infectious Diseases</i> , 2008 , 46, 137-43	11.6	43

49	Immunological recovery and metabolic disorders in severe immunodeficiency HIV type 1-infected children on highly active antiretroviral therapy. <i>AIDS Research and Human Retroviruses</i> , 2008 , 24, 1477-84	1.6	10
48	Spatial pattern of HIV-1 mother-to-child-transmission in Madrid (Spain) from 1980 till now: demographic and socioeconomic factors. <i>Aids</i> , 2008 , 22, 2199-205	3.5	9
47	Negative influence of age on CD4+ cell recovery after highly active antiretroviral therapy in naive HIV-1-infected patients with severe immunodeficiency. <i>Journal of Infection</i> , 2008 , 56, 130-6	18.9	9
46	Long-term response to highly active antiretroviral therapy with lopinavir/ritonavir in pre-treated vertically HIV-infected children. <i>Journal of Antimicrobial Chemotherapy</i> , 2008 , 61, 183-90	5.1	10
45	Predictive factors of virological success to salvage regimens containing protease inhibitors in HIV-1 infected children. <i>BMC Infectious Diseases</i> , 2007 , 7, 55	4	2
44	Identification of liver fibrosis in HIV/HCV-coinfected patients using a simple predictive model based on routine laboratory data. <i>Journal of Viral Hepatitis</i> , 2007 , 14, 859-69	3.4	22
43	Disruption in cytokine and chemokine production by T-cells in vertically HIV-1-infected children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007 , 90, 989-997	3.1	9
42	Slow progression of human immunodeficiency virus and hepatitis C virus disease in a cohort of coinfecting children. <i>Pediatric Infectious Disease Journal</i> , 2007 , 26, 846-9	3.4	20
41	Impact on weight and height with the use of HAART in HIV-infected children. <i>Pediatric Infectious Disease Journal</i> , 2007 , 26, 334-8	3.4	69
40	Long-term response to highly active antiretroviral therapy in human immunodeficiency virus and hepatitis C virus coinfecting children: 6 years of follow-up. <i>Pediatric Infectious Disease Journal</i> , 2007 , 26, 1061-4	3.4	9
39	Effectiveness and safety of abacavir, lamivudine, and zidovudine in antiretroviral therapy-naive HIV-infected patients: results from a large multicenter observational cohort. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2006 , 41, 154-9	3.1	15
38	Clinical outcomes improve with highly active antiretroviral therapy in vertically HIV type-1-infected children. <i>Clinical Infectious Diseases</i> , 2006 , 43, 243-52	11.6	63
37	Antiretroviral activity and safety of lopinavir/ritonavir in protease inhibitor-experienced HIV-infected children with severe-moderate immunodeficiency. <i>Journal of Antimicrobial Chemotherapy</i> , 2006 , 57, 579-82	5.1	12
36	Efficiency of 4% icodextrin in preventing adhesions to spiral tacks used to fix intraperitoneal prostheses. <i>European Surgical Research</i> , 2006 , 38, 458-63	1.1	10
35	Estudio comparativo de dos modelos de rehabilitaci3n en las fracturas de cadera. <i>Rehabilitacion</i> , 2006 , 40, 123-131	1	3
34	Pediatric defibrillation after cardiac arrest: initial response and outcome. <i>Critical Care</i> , 2006 , 10, R113	10.8	43
33	Impact of long-term viral suppression in CD4+ recovery of HIV-children on Highly Active Antiretroviral Therapy. <i>BMC Infectious Diseases</i> , 2006 , 6, 10	4	8
32	Effects of highly active antiretroviral therapy with nelfinavir in vertically HIV-1 infected children: 3 years of follow-up. Long-term response to nelfinavir in children. <i>BMC Infectious Diseases</i> , 2006 , 6, 107	4	6

31	Immunological changes after highly active antiretroviral therapy with lopinavir-ritonavir in heavily pretreated HIV-infected children. <i>AIDS Research and Human Retroviruses</i> , 2005 , 21, 398-406	1.6	9
30	Patency and structural changes in cryopreserved arterial grafts used as vessel substitutes in the rat. <i>Journal of Surgical Research</i> , 2005 , 124, 297-304	2.5	14
29	Pregnancy-induced expansion of regulatory T-lymphocytes may mediate protection to multiple sclerosis activity. <i>Immunology Letters</i> , 2005 , 96, 195-201	4.1	63
28	Role of antiretroviral therapies in mucocutaneous manifestations in HIV-infected children over a period of two decades. <i>British Journal of Dermatology</i> , 2005 , 153, 382-9	4	13
27	Factores determinantes de la prescripci3n farmacol3gica en los pacientes con EPOC estable. Resultados de un estudio multic3ntrico espa3ol (IDENTEPOC). <i>Archivos De Bronconeumologia</i> , 2005 , 41, 63-70	0.7	6
26	Mutations at codons 54 and 82 of HIV protease predict virological response of HIV-infected children on salvage lopinavir/ritonavir therapy. <i>Journal of Antimicrobial Chemotherapy</i> , 2005 , 56, 1081-6	5.1	12
25	Homeostatic role of IL-7 in HIV-1 infected children on HAART: Association with immunological and virological parameters. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2005 , 94, 170-177	3.1	9
24	Histological evaluation of scar tissue inflammatory response: the role of hGH in diabetic rats. <i>Histology and Histopathology</i> , 2005 , 20, 53-7	1.4	6
23	Impact of highly active antiretroviral therapy on CD4+ T cells and viral load of children with AIDS: a population-based study. <i>AIDS Research and Human Retroviruses</i> , 2004 , 20, 927-31	1.6	4
22	CD38 expression in CD8+ T cells predicts virological failure in HIV type 1-infected children receiving antiretroviral therapy. <i>Clinical Infectious Diseases</i> , 2004 , 38, 412-7	11.6	45
21	Extensive implementation of highly active antiretroviral therapy shows great effect on survival and surrogate markers in vertically HIV-infected children. <i>Clinical Infectious Diseases</i> , 2004 , 38, 1605-12	11.6	32
20	Positive virological outcome after lopinavir/ritonavir salvage therapy in protease inhibitor-experienced HIV-1-infected children: a prospective cohort study. <i>Journal of Antimicrobial Chemotherapy</i> , 2004 , 54, 921-31	5.1	19
19	Virological phenotype switches under salvage therapy with lopinavir-ritonavir in heavily pretreated HIV-1 vertically infected children. <i>Aids</i> , 2004 , 18, 247-55	3.5	20
18	Salvage lopinavir-ritonavir therapy in human immunodeficiency virus-infected children. <i>Pediatric Infectious Disease Journal</i> , 2004 , 23, 923-30	3.4	34
17	Calidad de vida en la enfermedad pulmonar obstructiva cr3nica. Influencia del nivel de asistencia de los pacientes. <i>Archivos De Bronconeumologia</i> , 2004 , 40, 431-437	0.7	8
16	Characterizing the immune system after long-term undetectable viral load in HIV-1-infected children. <i>Journal of Clinical Immunology</i> , 2003 , 23, 279-89	5.7	17
15	Stimulated proliferative responses in vertically HIV-infected children on HAART correlate with clinical and immunological markers. <i>Clinical and Experimental Immunology</i> , 2003 , 131, 130-7	6.2	5
14	Preserved immune system in long-term asymptomatic vertically HIV-1 infected children. <i>Clinical and Experimental Immunology</i> , 2003 , 132, 105-12	6.2	23

13	Recovery of T-cell subsets after antiretroviral therapy in HIV-infected children. <i>European Journal of Clinical Investigation</i> , 2003 , 33, 619-27	4.6	4
12	Neuroprotective effects of early antiretrovirals in vertical HIV infection. <i>Pediatric Neurology</i> , 2003 , 29, 218-21	2.9	30
11	Viral load and CD4+ T lymphocyte response to highly active antiretroviral therapy in human immunodeficiency virus type 1-infected children: an observational study. <i>Clinical Infectious Diseases</i> , 2003 , 37, 1216-25	11.6	48
10	CD8+ T-cell numbers predict the response to antiviral therapy in HIV-1-infected children. <i>Pediatric Research</i> , 2003 , 53, 309-12	3.2	6
9	Characterizing immune reconstitution after long-term highly active antiretroviral therapy in pediatric AIDS. <i>AIDS Research and Human Retroviruses</i> , 2002 , 18, 1395-406	1.6	27
8	Impact of antiretroviral protocols on dynamics of AIDS progression markers. <i>Archives of Disease in Childhood</i> , 2002 , 86, 119-24	2.2	17
7	Dynamics of progression markers in a non-study population of human immunodeficiency virus-1 vertically infected infants with different antiretroviral treatments. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2002 , 91, 776-82	3.1	4
6	Immunological recovery after 3 years antiretroviral therapy in HIV-1-infected children. <i>Aids</i> , 2002 , 16, 483-6	3.5	19
5	Naïve and memory CD4+ T cells and T cell activation markers in HIV-1 infected children on HAART. <i>Clinical and Experimental Immunology</i> , 2001 , 125, 266-73	6.2	30
4	Antibodies to an epitope from the Cha human autoantigen are markers of Chagas disease. <i>Vaccine Journal</i> , 2001 , 8, 1039-43		22
3	Association of CD8+ T lymphocyte subsets with the most commonly used markers to monitor HIV type 1 infection in children treated with highly active antiretroviral therapy. <i>AIDS Research and Human Retroviruses</i> , 2001 , 17, 525-32	1.6	14
2	Disruption in cytokine and chemokine production by T-cells in vertically HIV-1-infected children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2001 , 90, 989-97	3.1	8
1	Clinical relevance of cytokine production in HIV-1 infection in children on antiretroviral therapy. <i>Scandinavian Journal of Immunology</i> , 2000 , 52, 634-40	3.4	10