## mONICA aNTENOS

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/645978/publications.pdf

Version: 2024-02-01

20 papers

829 citations

16 h-index 752256 20 g-index

20 all docs

20 docs citations

times ranked

20

1203 citing authors

#	Article	IF	Citations
1	7-Ketocholesterol Is an Endogenous Modulator for the Arylhydrocarbon Receptor. Journal of Biological Chemistry, 2001, 276, 3054-3059.	1.6	105
2	Variability in the expression of trophectodermal markers $\hat{l}^2$ -human chorionic gonadotrophin, human leukocyte antigen-G and pregnancy specific $\hat{l}^2$ -1 glycoprotein by the human blastocyst. Human Reproduction, 1999, 14, 1852-1858.	0.4	100
3	A Pilot Study of Predictive Markers of Chemotherapy-Related Amenorrhea Among Premenopausal Women with Early Stage Breast Cancer. Cancer Investigation, 2008, 26, 286-295.	0.6	98
4	Maternal exposure to polycyclic aromatic hydrocarbons diminishes murine ovarian reserve via induction of Harakiri. Journal of Clinical Investigation, 2007, 117, 3971-8.	3.9	98
5	Expression of apoptosis-related genes during human preimplantation embryo development: potential roles for the Harakiri gene product and Caspase-3 in blastomere fragmentation. Molecular Human Reproduction, 2003, 9, 133-141.	1.3	90
6	N-Linked Oligosaccharides Direct the Differential Assembly and Secretion of Inhibin $\hat{l}_{\pm}$ - and $\hat{l}^2$ A-Subunit Dimers. Molecular Endocrinology, 2007, 21, 1670-1684.	3.7	42
7	Chronomics of Pressure Overload–Induced Cardiac Hypertrophy in Mice Reveals Altered Day/Night Gene Expression and Biomarkers of Heart Disease. Chronobiology International, 2012, 29, 810-821.	0.9	42
8	An Activin/Furin Regulatory Loop Modulates the Processing and Secretion of Inhibin $\hat{l}_{\pm}$ - and $\hat{l}^2$ B-Subunit Dimers in Pituitary Gonadotrope Cells. Journal of Biological Chemistry, 2008, 283, 33059-33068.	1.6	34
9	The Role of Activin A and Akt/GSK Signaling in Ovarian Tumor Biology. Endocrinology, 2008, 149, 3809-3816.	1.4	34
10	CYP2A5 Induction and Hepatocellular Stress: An Adaptive Response to Perturbations of Heme Homeostasis. Current Drug Metabolism, 2011, 12, 186-197.	0.7	33
11	Interaction with Nedd8, a Ubiquitin-like Protein, Enhances the Transcriptional Activity of the Aryl Hydrocarbon Receptor. Journal of Biological Chemistry, 2002, 277, 44028-44034.	1.6	22
12	Smad3 and Pitx2 cooperate in stimulation of $FSH\hat{l}^2$ gene transcription. Molecular and Cellular Endocrinology, 2008, 281, 27-36.	1.6	22
13	The effect of menadione on glutathione S-transferase A1 (GSTA1): c-Jun N-terminal kinase (JNK) complex dissociation in human colonic adenocarcinoma Caco-2 cells. Toxicology Letters, 2012, 214, 53-62.	0.4	22
14	Role of PCSK5 Expression in Mouse Ovarian Follicle Development: Identification of the Inhibin $\hat{l}_{\pm}$ - and $\hat{l}_{\pm}$ -Subunits as Candidate Substrates. PLoS ONE, 2011, 6, e17348.	1,1	22
15	Low Levels of GSTA1 Expression Are Required for Caco-2 Cell Proliferation. PLoS ONE, 2012, 7, e51739.	1.1	19
16	Cytochrome P450 2A5 and bilirubin: Mechanisms of gene regulation and cytoprotection. Toxicology and Applied Pharmacology, 2013, 270, 129-138.	1.3	19
17	Expression of cystic fibrosis transmembrane conductance regulator during early human embryo development. Molecular Human Reproduction, 2002, 8, 758-764.	1.3	13
18	Phylogenomic Analyses Reveal the Evolutionary Origin of the Inhibin $\hat{l}_{\pm}$ -Subunit, a Unique TGF $\hat{l}^2$ Superfamily Antagonist. PLoS ONE, 2010, 5, e9457.	1.1	11

2

## MONICA ANTENOS

#	Article	IF	CITATION
19	Regulation of Cytochrome P450 2a5 by Artemisia capillaris and 6,7-Dimethylesculetin in Mouse Hepatocytes. Frontiers in Pharmacology, 2021, 12, 730416.	1.6	2
20	Nrf2-mediated induction of Cyp2a5 partially protects against reductive endoplasmic reticulum stress in mouse hepatocytes. Toxicology, 2022, 471, 153162.	2.0	1