

mONICA aNTENOS

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/645978/publications.pdf>

Version: 2024-02-01

20
papers

829
citations

516561

16
h-index

752573

20
g-index

20
all docs

20
docs citations

20
times ranked

1203
citing authors

#	ARTICLE	IF	CITATIONS
1	Nrf2-mediated induction of Cyp2a5 partially protects against reductive endoplasmic reticulum stress in mouse hepatocytes. <i>Toxicology</i> , 2022, 471, 153162.	2.0	1
2	Regulation of Cytochrome P450 2a5 by <i>Artemisia capillaris</i> and 6,7-Dimethylesculetin in Mouse Hepatocytes. <i>Frontiers in Pharmacology</i> , 2021, 12, 730416.	1.6	2
3	Cytochrome P450 2A5 and bilirubin: Mechanisms of gene regulation and cytoprotection. <i>Toxicology and Applied Pharmacology</i> , 2013, 270, 129-138.	1.3	19
4	Chronomics of Pressure Overload-Induced Cardiac Hypertrophy in Mice Reveals Altered Day/Night Gene Expression and Biomarkers of Heart Disease. <i>Chronobiology International</i> , 2012, 29, 810-821.	0.9	42
5	The effect of menadione on glutathione S-transferase A1 (GSTA1): c-Jun N-terminal kinase (JNK) complex dissociation in human colonic adenocarcinoma Caco-2 cells. <i>Toxicology Letters</i> , 2012, 214, 53-62.	0.4	22
6	Low Levels of GSTA1 Expression Are Required for Caco-2 Cell Proliferation. <i>PLoS ONE</i> , 2012, 7, e51739.	1.1	19
7	CYP2A5 Induction and Hepatocellular Stress: An Adaptive Response to Perturbations of Heme Homeostasis. <i>Current Drug Metabolism</i> , 2011, 12, 186-197.	0.7	33
8	Role of PCSK5 Expression in Mouse Ovarian Follicle Development: Identification of the Inhibin α - and β -Subunits as Candidate Substrates. <i>PLoS ONE</i> , 2011, 6, e17348.	1.1	22
9	Phylogenomic Analyses Reveal the Evolutionary Origin of the Inhibin α -Subunit, a Unique TGF β Superfamily Antagonist. <i>PLoS ONE</i> , 2010, 5, e9457.	1.1	11
10	Smad3 and Pitx2 cooperate in stimulation of FSH β gene transcription. <i>Molecular and Cellular Endocrinology</i> , 2008, 281, 27-36.	1.6	22
11	A Pilot Study of Predictive Markers of Chemotherapy-Related Amenorrhea Among Premenopausal Women with Early Stage Breast Cancer. <i>Cancer Investigation</i> , 2008, 26, 286-295.	0.6	98
12	An Activin/Furin Regulatory Loop Modulates the Processing and Secretion of Inhibin α - and β -Subunit Dimers in Pituitary Gonadotrope Cells. <i>Journal of Biological Chemistry</i> , 2008, 283, 33059-33068.	1.6	34
13	The Role of Activin A and Akt/GSK Signaling in Ovarian Tumor Biology. <i>Endocrinology</i> , 2008, 149, 3809-3816.	1.4	34
14	N-Linked Oligosaccharides Direct the Differential Assembly and Secretion of Inhibin α - and β -Subunit Dimers. <i>Molecular Endocrinology</i> , 2007, 21, 1670-1684.	3.7	42
15	Maternal exposure to polycyclic aromatic hydrocarbons diminishes murine ovarian reserve via induction of Harakiri. <i>Journal of Clinical Investigation</i> , 2007, 117, 3971-8.	3.9	98
16	Expression of apoptosis-related genes during human preimplantation embryo development: potential roles for the Harakiri gene product and Caspase-3 in blastomere fragmentation. <i>Molecular Human Reproduction</i> , 2003, 9, 133-141.	1.3	90
17	Interaction with Nedd8, a Ubiquitin-like Protein, Enhances the Transcriptional Activity of the Aryl Hydrocarbon Receptor. <i>Journal of Biological Chemistry</i> , 2002, 277, 44028-44034.	1.6	22
18	Expression of cystic fibrosis transmembrane conductance regulator during early human embryo development. <i>Molecular Human Reproduction</i> , 2002, 8, 758-764.	1.3	13

#	ARTICLE	IF	CITATIONS
19	7-Ketocholesterol Is an Endogenous Modulator for the Arylhydrocarbon Receptor. Journal of Biological Chemistry, 2001, 276, 3054-3059.	1.6	105
20	Variability in the expression of trophoctodermal markers β -human chorionic gonadotrophin, human leukocyte antigen-G and pregnancy specific β -1 glycoprotein by the human blastocyst. Human Reproduction, 1999, 14, 1852-1858.	0.4	100