

Wei Zheng

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6459974/wei-zheng-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

402
papers

14,058
citations

59
h-index

102
g-index

450
ext. papers

18,634
ext. citations

7.8
avg, IF

5.65
L-index

#	Paper	IF	Citations
402	Rare germline copy number variants (CNVs) and breast cancer risk.. <i>Communications Biology</i> , 2022 , 5, 65	6.7	0
401	Common variants in breast cancer risk loci predispose to distinct tumor subtypes.. <i>Breast Cancer Research</i> , 2022 , 24, 2	8.3	3
400	Association Between Long-Term Regular Exercise and Gut Microbiota Among Middle-Aged and Older Urban Chinese.. <i>International Journal of Sport Nutrition and Exercise Metabolism</i> , 2022 , 1-9	4.4	0
399	Quality of dietary carbohydrate is more important than its quantity in lipid peroxidation.. <i>American Journal of Clinical Nutrition</i> , 2022 ,	7	2
398	Associations of genetic susceptibility to 16 cancers with risk of breast cancer overall and by intrinsic subtypes.. <i>Human Genetics and Genomics Advances</i> , 2022 , 3, 100077	0.8	1
397	Associations of Dietary Intakes of Calcium, Magnesium, and Soy Isoflavones With Bone Fracture Risk in Men: A Prospective Study.. <i>JBMR Plus</i> , 2022 , 6, e10563	3.9	0
396	UACA locus is associated with breast cancer chemoresistance and survival.. <i>Npj Breast Cancer</i> , 2022 , 8, 39	7.8	1
395	Incorporating Polygenic Risk Scores and Nongenetic Risk Factors for Breast Cancer Risk Prediction Among Asian Women.. <i>JAMA Network Open</i> , 2022 , 5, e2149030	10.4	2
394	A Genome-Wide Gene-Based GeneEnvironment Interaction Study of Breast Cancer in More than 90,000 Women. <i>Cancer Research Communications</i> , 2022 , 2, 211-219		0
393	Relevance of the MHC region for breast cancer susceptibility in Asians.. <i>Breast Cancer</i> , 2022 , 1	3.4	
392	Tooth Loss and Risk of Lung Cancer among Urban Chinese Adults: A Cohort Study with Meta-Analysis. <i>Cancers</i> , 2022 , 14, 2428	6.6	
391	Association of Marital Status With Total and Cause-Specific Mortality in Asia. <i>JAMA Network Open</i> , 2022 , 5, e2214181	10.4	1
390	Gene-educational attainment interactions in a multi-ancestry genome-wide meta-analysis identify novel blood pressure loci. <i>Molecular Psychiatry</i> , 2021 , 26, 2111-2125	15.1	3
389	Differential pre-malignant programs and microenvironment chart distinct paths to malignancy in human colorectal polyps.. <i>Cell</i> , 2021 , 184, 6262-6280.e26	56.2	10
388	A Combined Proteomics and Mendelian Randomization Approach to Investigate the Effects of Aspirin-Targeted Proteins on Colorectal Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 564-575	4	2
387	Body mass index and type 2 diabetes and breast cancer survival: a Mendelian randomization study. <i>American Journal of Cancer Research</i> , 2021 , 11, 3921-3934	4.4	
386	Salicylic Acid and Risk of Colorectal Cancer: A Two-Sample Mendelian Randomization Study. <i>Nutrients</i> , 2021 , 13,	6.7	1

385	IL4/IL4R signaling promotes the osteolysis in metastatic bone of CRC through regulating the proliferation of osteoclast precursors. <i>Molecular Medicine</i> , 2021 , 27, 152	6.2	1
384	Evaluating Polygenic Risk Scores for Breast Cancer in Women of African Ancestry. <i>Journal of the National Cancer Institute</i> , 2021 , 113, 1168-1176	9.7	9
383	Incorporating European GWAS findings improve polygenic risk prediction accuracy of breast cancer among East Asians. <i>Genetic Epidemiology</i> , 2021 , 45, 471-484	2.6	2
382	Multi-ancestry genome-wide gene-sleep interactions identify novel loci for blood pressure. <i>Molecular Psychiatry</i> , 2021 ,	15.1	3
381	A Prospective Investigation of Circulating Metabolome Identifies Potential Biomarkers for Gastric Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 1634-1642	4	1
380	Red meat consumption, cooking mutagens, NAT1/2 genotypes and pancreatic cancer risk in two ethnically diverse prospective cohorts. <i>International Journal of Cancer</i> , 2021 , 149, 811	7.5	2
379	Functional Genomic Analyses of the 21q22.3 Locus Identifying Functional Variants and Candidate Gene for Breast Cancer Risk. <i>Cancers</i> , 2021 , 13,	6.6	1
378	Heterogeneity of Associations between Total and Types of Fish Intake and the Incidence of Type 2 Diabetes: Federated Meta-Analysis of 28 Prospective Studies Including 956,122 Participants. <i>Nutrients</i> , 2021 , 13,	6.7	2
377	Discovery and fine-mapping of height loci via high-density imputation of GWASs in individuals of African ancestry. <i>American Journal of Human Genetics</i> , 2021 , 108, 564-582	11	7
376	Associations between Genetically Predicted Circulating Protein Concentrations and Endometrial Cancer Risk. <i>Cancers</i> , 2021 , 13,	6.6	3
375	ABO genotypes and the risk of esophageal and gastric cancers. <i>BMC Cancer</i> , 2021 , 21, 589	4.8	1
374	Development and external validation of a breast cancer absolute risk prediction model in Chinese population. <i>Breast Cancer Research</i> , 2021 , 23, 62	8.3	0
373	Pleiotropy-guided transcriptome imputation from normal and tumor tissues identifies candidate susceptibility genes for breast and ovarian cancer. <i>Human Genetics and Genomics Advances</i> , 2021 , 2, 100042-100042	0.8	2
372	Legume Consumption and Gut Microbiome in Elderly Chinese Men and Women. <i>Journal of Nutrition</i> , 2021 , 151, 2399-2408	4.1	1
371	Cross-ancestry GWAS meta-analysis identifies six breast cancer loci in African and European ancestry women. <i>Nature Communications</i> , 2021 , 12, 4198	17.4	1
370	Association between ALDH2 and ADH1B Polymorphisms and the Risk for Colorectal Cancer in Koreans. <i>Cancer Research and Treatment</i> , 2021 , 53, 754-762	5.2	4
369	Functional annotation of the 2q35 breast cancer risk locus implicates a structural variant in influencing activity of a long-range enhancer element. <i>American Journal of Human Genetics</i> , 2021 , 108, 1190-1203	11	1
368	Hepcidin-regulating iron metabolism genes and pancreatic ductal adenocarcinoma: a pathway analysis of genome-wide association studies. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 1408-1417	17	2

367	Combined Associations of a Polygenic Risk Score and Classical Risk Factors With Breast Cancer Risk. <i>Journal of the National Cancer Institute</i> , 2021 , 113, 329-337	9.7	14
366	Quantifying the association of low-intensity and late initiation of tobacco smoking with total and cause-specific mortality in Asia. <i>Tobacco Control</i> , 2021 , 30, 328-335	5.3	0
365	Dietary fatty acids and colorectal cancer risk in men: A report from the Shanghai Men's Health Study and a meta-analysis. <i>International Journal of Cancer</i> , 2021 , 148, 77-89	7.5	5
364	Mendelian randomization analyses suggest a role for cholesterol in the development of endometrial cancer. <i>International Journal of Cancer</i> , 2021 , 148, 307-319	7.5	13
363	Circulating adipokine concentrations and risk of five obesity-related cancers: A Mendelian randomization study. <i>International Journal of Cancer</i> , 2021 , 148, 1625-1636	7.5	11
362	Identifying Novel Susceptibility Genes for Colorectal Cancer Risk From a Transcriptome-Wide Association Study of 125,478 Subjects. <i>Gastroenterology</i> , 2021 , 160, 1164-1178.e6	13.3	15
361	Association between lincRNA expression and overall survival for patients with triple-negative breast cancer. <i>Breast Cancer Research and Treatment</i> , 2021 , 186, 769-777	4.4	5
360	Adherence to treatment guidelines as a major determinant of survival disparities between black and white patients with ovarian cancer. <i>Gynecologic Oncology</i> , 2021 , 160, 10-15	4.9	7
359	Genetically predicted circulating protein biomarkers and ovarian cancer risk. <i>Gynecologic Oncology</i> , 2021 , 160, 506-513	4.9	3
358	Racial/Ethnic Disparities in All-Cause Mortality among Patients Diagnosed with Triple-Negative Breast Cancer. <i>Cancer Research</i> , 2021 , 81, 1163-1170	10.1	2
357	Radiotherapy after breast-conserving surgery for elderly patients with early-stage breast cancer: A national registry-based study. <i>International Journal of Cancer</i> , 2021 , 148, 857-867	7.5	1
356	A comprehensive re-assessment of the association between vitamin D and cancer susceptibility using Mendelian randomization. <i>Nature Communications</i> , 2021 , 12, 246	17.4	12
355	CYP3A7*1C allele: linking premenopausal oestrone and progesterone levels with risk of hormone receptor-positive breast cancers. <i>British Journal of Cancer</i> , 2021 , 124, 842-854	8.7	2
354	Multi-omics analysis to identify susceptibility genes for colorectal cancer. <i>Human Molecular Genetics</i> , 2021 , 30, 321-330	5.6	2
353	Genetically predicted circulating concentrations of micronutrients and risk of colorectal cancer among individuals of European descent: a Mendelian randomization study. <i>American Journal of Clinical Nutrition</i> , 2021 , 113, 1490-1502	7	5
352	Prospective study of plasma levels of coenzyme Q10 and lung cancer risk in a low-income population in the Southeastern United States. <i>Cancer Medicine</i> , 2021 , 10, 1439-1447	4.8	2
351	A multilayered post-GWAS assessment on genetic susceptibility to pancreatic cancer. <i>Genome Medicine</i> , 2021 , 13, 15	14.4	6
350	Smoking Modifies Pancreatic Cancer Risk Loci on 2q21.3. <i>Cancer Research</i> , 2021 , 81, 3134-3143	10.1	2

349	Incorporating both genetic and tobacco smoking data to identify high-risk smokers for lung cancer screening. <i>Carcinogenesis</i> , 2021 , 42, 874-879	4.6	5
348	Healthy lifestyles, genetic modifiers, and colorectal cancer risk: a prospective cohort study in the UK Biobank. <i>American Journal of Clinical Nutrition</i> , 2021 , 113, 810-820	7	3
347	Associations of Subtype and Isomeric Plasma Carotenoids with Prostate Cancer Risk in Low-Income African and European Americans. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 1846-1857	4	
346	Discovery of structural deletions in breast cancer predisposition genes using whole genome sequencing data from > 2000 women of African-ancestry. <i>Human Genetics</i> , 2021 , 140, 1449-1457	6.3	1
345	Mendelian randomisation study of smoking exposure in relation to breast cancer risk. <i>British Journal of Cancer</i> , 2021 , 125, 1135-1145	8.7	0
344	Association of oral microbiota with lung cancer risk in a low-income population in the Southeastern USA. <i>Cancer Causes and Control</i> , 2021 , 32, 1423-1432	2.8	2
343	Association of Sleep Duration With All- and Major-Cause Mortality Among Adults in Japan, China, Singapore, and Korea. <i>JAMA Network Open</i> , 2021 , 4, e2122837	10.4	6
342	Novel strategy for disease risk prediction incorporating predicted gene expression and DNA methylation data: a multi-phased study of prostate cancer. <i>Cancer Communications</i> , 2021 ,	9.4	1
341	Coffee and tea consumption and mortality from all causes, cardiovascular disease and cancer: a pooled analysis of prospective studies from the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2021 ,	7.8	7
340	Integrating Genome and Methylome Data to Identify Candidate DNA Methylation Biomarkers for Pancreatic Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 2079-2087	4	0
339	Breast Cancer Risk Factors and Survival by Tumor Subtype: Pooled Analyses from the Breast Cancer Association Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 623-642	4	4
338	Lactic acid promotes metastatic niche formation in bone metastasis of colorectal cancer. <i>Cell Communication and Signaling</i> , 2021 , 19, 9	7.5	4
337	Polygenic risk scores for prediction of breast cancer risk in Asian populations.. <i>Genetics in Medicine</i> , 2021 ,	8.1	2
336	Hemochromatosis risk genotype is not associated with colorectal cancer or age at its diagnosis.. <i>Human Genetics and Genomics Advances</i> , 2020 , 1, 100010	0.8	1
335	Genome-wide association study identifies 32 novel breast cancer susceptibility loci from overall and subtype-specific analyses. <i>Nature Genetics</i> , 2020 , 52, 572-581	36.3	76
334	A Germline Variant at 8q24 Contributes to Familial Clustering of Prostate Cancer in Men of African Ancestry. <i>European Urology</i> , 2020 , 78, 316-320	10.2	13
333	Genome-Wide Gene-Diabetes and Gene-Obesity Interaction Scan in 8,255 Cases and 11,900 Controls from PanScan and PanC4 Consortia. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1784-1791	4	4
332	Germline HOXB13 mutations p.G84E and p.R217C do not confer an increased breast cancer risk. <i>Scientific Reports</i> , 2020 , 10, 9688	4.9	2

331	Mendelian Randomization of Circulating Polyunsaturated Fatty Acids and Colorectal Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 860-870	4	12
330	Identification of novel breast cancer susceptibility loci in meta-analyses conducted among Asian and European descendants. <i>Nature Communications</i> , 2020 , 11, 1217	17.4	16
329	Evaluating polygenic risk scores in assessing risk of nine solid and hematologic cancers in European descendants. <i>International Journal of Cancer</i> , 2020 , 147, 3416-3423	7.5	5
328	Genome-Wide Association Study Data Reveal Genetic Susceptibility to Chronic Inflammatory Intestinal Diseases and Pancreatic Ductal Adenocarcinoma Risk. <i>Cancer Research</i> , 2020 , 80, 4004-4013	10.1	1
327	Yogurt consumption and colorectal polyps. <i>British Journal of Nutrition</i> , 2020 , 124, 80-91	3.6	5
326	Meat intake, meat cooking methods, and meat-derived mutagen exposure and risk of sessile serrated lesions. <i>American Journal of Clinical Nutrition</i> , 2020 , 111, 1244-1251	7	6
325	Transcriptome-wide association study of breast cancer risk by estrogen-receptor status. <i>Genetic Epidemiology</i> , 2020 , 44, 442-468	2.6	9
324	Adherence to Dietary Recommendations among Long-Term Breast Cancer Survivors and Cancer Outcome Associations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 386-395	4	10
323	Accelerated aging in breast cancer survivors and its association with mortality and cancer recurrence. <i>Breast Cancer Research and Treatment</i> , 2020 , 180, 449-459	4.4	9
322	Systematic meta-analyses, field synopsis and global assessment of the evidence of genetic association studies in colorectal cancer. <i>Gut</i> , 2020 , 69, 1460-1471	19.2	11
321	Associations between Genetically Predicted Blood Protein Biomarkers and Pancreatic Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1501-1508	4	9
320	Evaluation of determinants for age disparities in the survival improvement of colon cancer: results from a cohort of more than 486,000 patients in the United States. <i>American Journal of Cancer Research</i> , 2020 , 10, 3395-3405	4.4	1
319	Associations between reproductive factors and biliary tract cancers in women from the Biliary Tract Cancers Pooling Project. <i>Journal of Hepatology</i> , 2020 , 73, 863-872	13.4	1
318	A Transcriptome-Wide Association Study Identifies Novel Candidate Susceptibility Genes for Pancreatic Cancer. <i>Journal of the National Cancer Institute</i> , 2020 , 112, 1003-1012	9.7	25
317	Fine-mapping of 150 breast cancer risk regions identifies 191 likely target genes. <i>Nature Genetics</i> , 2020 , 52, 56-73	36.3	56
316	Circulating Levels of Insulin-like Growth Factor 1 and Insulin-like Growth Factor Binding Protein 3 Associate With Risk of Colorectal Cancer Based on Serologic and Mendelian Randomization Analyses. <i>Gastroenterology</i> , 2020 , 158, 1300-1312.e20	13.3	45
315	A Mendelian randomization analysis of circulating lipid traits and breast cancer risk. <i>International Journal of Epidemiology</i> , 2020 , 49, 1117-1131	7.8	17
314	Identification of Novel Loci and New Risk Variant in Known Loci for Colorectal Cancer Risk in East Asians. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 477-486	4	4

313	Sex Disparity Observed for Oncotype DX Breast Recurrence Score in Predicting Mortality Among Patients with Early Stage ER-Positive Breast Cancer. <i>Clinical Cancer Research</i> , 2020 , 26, 101-109	12.9	9
312	Discovery of rare coding variants in OGDHL and BRCA2 in relation to breast cancer risk in Chinese women. <i>International Journal of Cancer</i> , 2020 , 146, 2175-2181	7.5	5
311	Mortality for Robotic- vs Video-Assisted Lobectomy-Treated Stage I Non-Small Cell Lung Cancer Patients. <i>JNCI Cancer Spectrum</i> , 2020 , 4, pkaa028	4.6	1
310	Replication and Genetic Risk Score Analysis for Pancreatic Cancer in a Diverse Multiethnic Population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 2686-2692	4	3
309	Breast cancer risk factors and their effects on survival: a Mendelian randomisation study. <i>BMC Medicine</i> , 2020 , 18, 327	11.4	7
308	An integrative multi-omics analysis to identify candidate DNA methylation biomarkers related to prostate cancer risk. <i>Nature Communications</i> , 2020 , 11, 3905	17.4	12
307	European polygenic risk score for prediction of breast cancer shows similar performance in Asian women. <i>Nature Communications</i> , 2020 , 11, 3833	17.4	31
306	Breast Cancer Polygenic Risk Score and Contralateral Breast Cancer Risk. <i>American Journal of Human Genetics</i> , 2020 , 107, 837-848	11	12
305	Mendelian Randomization Analysis of n-6 Polyunsaturated Fatty Acid Levels and Pancreatic Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 2735-2739	4	2
304	From tobacco smoking to cancer mutational signature: a mediation analysis strategy to explore the role of epigenetic changes. <i>BMC Cancer</i> , 2020 , 20, 880	4.8	6
303	Adiposity, metabolites, and colorectal cancer risk: Mendelian randomization study. <i>BMC Medicine</i> , 2020 , 18, 396	11.4	17
302	Adherence to dietary recommendations and colorectal cancer risk: results from two prospective cohort studies. <i>International Journal of Epidemiology</i> , 2020 , 49, 270-280	7.8	8
301	Genetically Predicted Levels of DNA Methylation Biomarkers and Breast Cancer Risk: Data From 228 951 Women of European Descent. <i>Journal of the National Cancer Institute</i> , 2020 , 112, 295-304	9.7	18
300	Prediagnostic blood levels of organochlorines and risk of non-Hodgkin lymphoma in three prospective cohorts in China and Singapore. <i>International Journal of Cancer</i> , 2020 , 146, 839-849	7.5	6
299	An excellent response to topical therapy of four congenital hemidysplasia with ichthyosiform erythroderma and limb defects syndrome patients with an increased concentration of simvastatin ointment. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, e8-e11	4.6	2
298	Ischaemic heart disease and stroke mortality by specific coal type among non-smoking women with substantial indoor air pollution exposure in China. <i>International Journal of Epidemiology</i> , 2020 , 49, 56-68	7.8	9
297	Circulating markers of cellular immune activation in prediagnostic blood sample and lung cancer risk in the Lung Cancer Cohort Consortium (LC3). <i>International Journal of Cancer</i> , 2020 , 146, 2394-2405	7.5	8
296	Evaluation of associations between genetically predicted circulating protein biomarkers and breast cancer risk. <i>International Journal of Cancer</i> , 2020 , 146, 2130-2138	7.5	9

295	Evaluation of pathogenetic mutations in breast cancer predisposition genes in population-based studies conducted among Chinese women. <i>Breast Cancer Research and Treatment</i> , 2020 , 181, 465-473	4.4	7
294	Evaluating the Utility of Polygenic Risk Scores in Identifying High-Risk Individuals for Eight Common Cancers. <i>JNCI Cancer Spectrum</i> , 2020 , 4, pkaa021	4.6	27
293	Associations of coffee and tea consumption with lung cancer risk. <i>International Journal of Cancer</i> , 2020 , 148, 2457	7.5	5
292	Re-evaluating genetic variants identified in candidate gene studies of breast cancer risk using data from nearly 280,000 women of Asian and European ancestry. <i>EBioMedicine</i> , 2019 , 48, 203-211	8.8	9
291	Oral microbiome and obesity in a large study of low-income and African-American populations. <i>Journal of Oral Microbiology</i> , 2019 , 11, 1650597	6.3	24
290	Two truncating variants in FANCC and breast cancer risk. <i>Scientific Reports</i> , 2019 , 9, 12524	4.9	2
289	Association of BMI, Smoking, and Alcohol with Multiple Myeloma Mortality in Asians: A Pooled Analysis of More than 800,000 Participants in the Asia Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1861-1867	4	4
288	Integrative genomic analyses of APOBEC-mutational signature, expression and germline deletion of APOBEC3 genes, and immunogenicity in multiple cancer types. <i>BMC Medical Genomics</i> , 2019 , 12, 131	3.7	23
287	Overall Mortality After Diagnosis of Breast Cancer in Men vs Women. <i>JAMA Oncology</i> , 2019 , 5, 1589-1596	3.4	44
286	Cigarette smoking and oral microbiota in low-income and African-American populations. <i>Journal of Epidemiology and Community Health</i> , 2019 , 73, 1108-1115	5.1	16
285	Reply. <i>Gastroenterology</i> , 2019 , 157, 896-897	13.3	
284	Shared heritability and functional enrichment across six solid cancers. <i>Nature Communications</i> , 2019 , 10, 431	17.4	45
283	Multiancestry Genome-Wide Association Study of Lipid Levels Incorporating Gene-Alcohol Interactions. <i>American Journal of Epidemiology</i> , 2019 , 188, 1033-1054	3.8	39
282	Multi-ancestry study of blood lipid levels identifies four loci interacting with physical activity. <i>Nature Communications</i> , 2019 , 10, 376	17.4	41
281	Authors' response: Associations of obesity and circulating insulin and glucose with breast cancer risk. <i>International Journal of Epidemiology</i> , 2019 , 48, 1016-1017	7.8	
280	Discovery of a Pathogenic Variant rs139379666 (p. P2974L) in for Breast Cancer Risk in Chinese Populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1308-1315	4	2
279	Timing of HPV16-E6 antibody seroconversion before OPSCC: findings from the HPVC3 consortium. <i>Annals of Oncology</i> , 2019 , 30, 1335-1343	10.3	34
278	The functional ALDH2 polymorphism is associated with breast cancer risk: A pooled analysis from the Breast Cancer Association Consortium. <i>Molecular Genetics & Genomic Medicine</i> , 2019 , 7, e707	2.3	3

277	Identification of Novel Susceptibility Loci and Genes for Prostate Cancer Risk: A Transcriptome-Wide Association Study in Over 140,000 European Descendants. <i>Cancer Research</i> , 2019 , 79, 3192-3204	10.1	23
276	Use of Antihypertensive Medications and Survival Rates for Breast, Colorectal, Lung, or Stomach Cancer. <i>American Journal of Epidemiology</i> , 2019 , 188, 1512-1528	3.8	16
275	Association of Diabetes With All-Cause and Cause-Specific Mortality in Asia: A Pooled Analysis of More Than 1 Million Participants. <i>JAMA Network Open</i> , 2019 , 2, e192696	10.4	39
274	Genome-wide association and transcriptome studies identify target genes and risk loci for breast cancer. <i>Nature Communications</i> , 2019 , 10, 1741	17.4	47
273	Genome-wide association studies identify susceptibility loci for epithelial ovarian cancer in east Asian women. <i>Gynecologic Oncology</i> , 2019 , 153, 343-355	4.9	16
272	Tobacco Smoking and Mortality in Asia: A Pooled Meta-analysis. <i>JAMA Network Open</i> , 2019 , 2, e191474	10.4	42
271	Multi-ancestry genome-wide gene-smoking interaction study of 387,272 individuals identifies new loci associated with serum lipids. <i>Nature Genetics</i> , 2019 , 51, 636-648	36.3	59
270	Body mass index and the association between low-density lipoprotein cholesterol as predicted by HMGR genetic variants and breast cancer risk. <i>International Journal of Epidemiology</i> , 2019 , 48, 1727-1730	7.8	1
269	Diabetes, obesity, and subsequent risk of postmenopausal breast cancer among white and black women in the Southern Community Cohort Study. <i>Cancer Causes and Control</i> , 2019 , 30, 425-433	2.8	3
268	The Consortium of Metabolomics Studies (COMETS): Metabolomics in 47 Prospective Cohort Studies. <i>American Journal of Epidemiology</i> , 2019 , 188, 991-1012	3.8	44
267	The association between weight at birth and breast cancer risk revisited using Mendelian randomisation. <i>European Journal of Epidemiology</i> , 2019 , 34, 591-600	12.1	11
266	Novel Common Genetic Susceptibility Loci for Colorectal Cancer. <i>Journal of the National Cancer Institute</i> , 2019 , 111, 146-157	9.7	67
265	Transcriptome-Wide Association Study Identifies Susceptibility Loci and Genes for Age at Natural Menopause. <i>Reproductive Sciences</i> , 2019 , 26, 496-502	3	4
264	Prospective cohort studies of birth weight and risk of obesity, diabetes, and hypertension in adulthood among the Chinese population. <i>Journal of Diabetes</i> , 2019 , 11, 55-64	3.8	13
263	Prospective cohort studies of dietary vitamin B6 intake and risk of cause-specific mortality. <i>Clinical Nutrition</i> , 2019 , 38, 1180-1187	5.9	9
262	Identifying Putative Susceptibility Genes and Evaluating Their Associations with Somatic Mutations in Human Cancers. <i>American Journal of Human Genetics</i> , 2019 , 105, 477-492	11	12
261	Racial/ethnic, age and sex disparities in leukemia survival among adults in the United States during 1973-2014 period. <i>PLoS ONE</i> , 2019 , 14, e0220864	3.7	16
260	Analysis of Over 140,000 European Descendants Identifies Genetically Predicted Blood Protein Biomarkers Associated with Prostate Cancer Risk. <i>Cancer Research</i> , 2019 , 79, 4592-4598	10.1	9

259	The :p.Arg658* truncating variant is associated with risk of triple-negative breast cancer. <i>Npj Breast Cancer</i> , 2019 , 5, 38	7.8	12
258	Multi-ancestry sleep-by-SNP interaction analysis in 126,926 individuals reveals lipid loci stratified by sleep duration. <i>Nature Communications</i> , 2019 , 10, 5121	17.4	31
257	Diabetes Medication Use in Association with Survival among Patients of Breast, Colorectal, Lung, or Gastric Cancer. <i>Cancer Research and Treatment</i> , 2019 , 51, 538-546	5.2	26
256	Plant and Animal Protein Intake and Risk of Incident Kidney Stones: Results from the Shanghai Men's and Women's Health Studies. <i>Journal of Urology</i> , 2019 , 202, 1217-1223	2.5	3
255	Genetic variant predictors of gene expression provide new insight into risk of colorectal cancer. <i>Human Genetics</i> , 2019 , 138, 307-326	6.3	17
254	Large-Scale Genome-Wide Association Study of East Asians Identifies Loci Associated With Risk for Colorectal Cancer. <i>Gastroenterology</i> , 2019 , 156, 1455-1466	13.3	55
253	Association between educational level and total and cause-specific mortality: a pooled analysis of over 694 000 individuals in the Asia Cohort Consortium. <i>BMJ Open</i> , 2019 , 9, e026225	3	4
252	Urinary PGE-M Levels and Risk of Ovarian Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1845-1852	4	3
251	Racial Differences in the Oral Microbiome: Data from Low-Income Populations of African Ancestry and European Ancestry. <i>MSystems</i> , 2019 , 4,	7.6	15
250	Association of Race and Socioeconomic Status With Colorectal Cancer Screening, Colorectal Cancer Risk, and Mortality in Southern US Adults. <i>JAMA Network Open</i> , 2019 , 2, e1917995	10.4	44
249	Association of Adult Weight Gain With Major Health Outcomes Among Middle-aged Chinese Persons With Low Body Weight in Early Adulthood. <i>JAMA Network Open</i> , 2019 , 2, e1917371	10.4	14
248	Polygenic Risk Scores for Prediction of Breast Cancer and Breast Cancer Subtypes. <i>American Journal of Human Genetics</i> , 2019 , 104, 21-34	11	363
247	Agnostic Pathway/Gene Set Analysis of Genome-Wide Association Data Identifies Associations for Pancreatic Cancer. <i>Journal of the National Cancer Institute</i> , 2019 , 111, 557-567	9.7	16
246	Circulating vitamin D concentrations and risk of breast and prostate cancer: a Mendelian randomization study. <i>International Journal of Epidemiology</i> , 2019 , 48, 1416-1424	7.8	24
245	Circulating high sensitivity C reactive protein concentrations and risk of lung cancer: nested case-control study within Lung Cancer Cohort Consortium. <i>BMJ, The</i> , 2019 , 364, k4981	5.9	18
244	Association of oral health with lung cancer risk in a low-income population of African Americans and European Americans in the Southeastern United States. <i>Lung Cancer</i> , 2019 , 127, 90-95	5.9	10
243	Green tea intake and risk of incident kidney stones: Prospective cohort studies in middle-aged and elderly Chinese individuals. <i>International Journal of Urology</i> , 2019 , 26, 241-246	2.3	11
242	Prospective study of oral microbiome and colorectal cancer risk in low-income and African American populations. <i>International Journal of Cancer</i> , 2019 , 144, 2381-2389	7.5	43

241	Discovery of common and rare genetic risk variants for colorectal cancer. <i>Nature Genetics</i> , 2019 , 51, 76-83	6.3	177
240	Is high vitamin B12 status a cause of lung cancer?. <i>International Journal of Cancer</i> , 2019 , 145, 1499-1503	7.5	33
239	Associations of obesity and circulating insulin and glucose with breast cancer risk: a Mendelian randomization analysis. <i>International Journal of Epidemiology</i> , 2019 , 48, 795-806	7.8	52
238	Genetic Data from Nearly 63,000 Women of European Descent Predicts DNA Methylation Biomarkers and Epithelial Ovarian Cancer Risk. <i>Cancer Research</i> , 2019 , 79, 505-517	10.1	28
237	The BRCA2 c.68-7T>A variant is not pathogenic: A model for clinical calibration of spliceogenicity. <i>Human Mutation</i> , 2018 , 39, 729-741	4.7	16
236	Physical Activity and Pancreatic Cancer Risk among Urban Chinese: Results from Two Prospective Cohort Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018 , 27, 479-487	4	10
235	Prospective study of blood metabolites associated with colorectal cancer risk. <i>International Journal of Cancer</i> , 2018 , 143, 527-534	7.5	19
234	Association of leisure-time physical activity with total and cause-specific mortality: a pooled analysis of nearly a half million adults in the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2018 , 47, 771-779	7.8	25
233	Depressive symptoms and their association with social determinants and chronic diseases in middle-aged and elderly Chinese people. <i>Scientific Reports</i> , 2018 , 8, 3841	4.9	26
232	Adult height is associated with increased risk of ovarian cancer: a Mendelian randomisation study. <i>British Journal of Cancer</i> , 2018 , 118, 1123-1129	8.7	10
231	Intra-individual variation of miRNA expression levels in human plasma samples. <i>Biomarkers</i> , 2018 , 23, 339-346	2.6	7
230	Genome-wide meta-analysis identifies five new susceptibility loci for pancreatic cancer. <i>Nature Communications</i> , 2018 , 9, 556	17.4	103
229	Association of Pancreatic Cancer Susceptibility Variants with Risk of Breast Cancer in Women of European and African Ancestry. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018 , 27, 116-118	4	2
228	Impaired functional vitamin B6 status is associated with increased risk of lung cancer. <i>International Journal of Cancer</i> , 2018 , 142, 2425-2434	7.5	9
227	Associations Between Neighborhood Environment, Health Behaviors, and Mortality. <i>American Journal of Preventive Medicine</i> , 2018 , 54, 87-95	6.1	27
226	Genetic variants demonstrating flip-flop phenomenon and breast cancer risk prediction among women of African ancestry. <i>Breast Cancer Research and Treatment</i> , 2018 , 168, 703-712	4.4	22
225	Associations of obesity and weight change with physical and mental impairments in elderly Chinese people. <i>Maturitas</i> , 2018 , 108, 77-83	5	6
224	Prospective metabolomics study identifies potential novel blood metabolites associated with pancreatic cancer risk. <i>International Journal of Cancer</i> , 2018 , 143, 2161-2167	7.5	22

223	A Comprehensive cis-eQTL Analysis Revealed Target Genes in Breast Cancer Susceptibility Loci Identified in Genome-wide Association Studies. <i>American Journal of Human Genetics</i> , 2018 , 102, 890-903 ¹¹	42
222	Serologic markers of viral infection and risk of non-Hodgkin lymphoma: A pooled study of three prospective cohorts in China and Singapore. <i>International Journal of Cancer</i> , 2018 , 143, 570-579	7.5 19
221	Modifiable lifestyle factors associated with risk of sessile serrated polyps, conventional adenomas and hyperplastic polyps. <i>Gut</i> , 2018 , 67, 456-465	19.2 42
220	The joint effects of major lifestyle factors on colorectal cancer risk among Chinese men: A prospective cohort study. <i>International Journal of Cancer</i> , 2018 , 142, 1093-1101	7.5 13
219	Genetic variation in the vitamin D related pathway and breast cancer risk in women of African ancestry in the root consortium. <i>International Journal of Cancer</i> , 2018 , 142, 36-43	7.5 7
218	A Prospective Investigation of Dietary Intake and Functional Impairments Among the Elderly. <i>American Journal of Epidemiology</i> , 2018 , 187, 2372-2386	3.8 6
217	Germline Rare Coding Variants and Risk of Pancreatic Cancer in Minority Populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018 , 27, 1364-1370	4 13
216	A Transcriptome-Wide Association Study Among 97,898 Women to Identify Candidate Susceptibility Genes for Epithelial Ovarian Cancer Risk. <i>Cancer Research</i> , 2018 , 78, 5419-5430	10.1 32
215	Variants in genes encoding small GTPases and association with epithelial ovarian cancer susceptibility. <i>PLoS ONE</i> , 2018 , 13, e0197561	3.7 9
214	Disparities by race, age, and sex in the improvement of survival for lymphoma: Findings from a population-based study. <i>PLoS ONE</i> , 2018 , 13, e0199745	3.7 6
213	Gene expression in triple-negative breast cancer in relation to survival. <i>Breast Cancer Research and Treatment</i> , 2018 , 171, 199-207	4.4 23
212	Identification of nine new susceptibility loci for endometrial cancer. <i>Nature Communications</i> , 2018 , 9, 3166	17.4 70
211	Egr-1 increases angiogenesis in cartilage via binding Netrin-1 receptor DCC promoter. <i>Journal of Orthopaedic Surgery and Research</i> , 2018 , 13, 125	2.8 9
210	Plasma selenoprotein P concentration and lung cancer risk: results from a case-control study nested within the Shanghai Men's Health Study. <i>Carcinogenesis</i> , 2018 , 39, 1352-1358	4.6 3
209	Genetic variation in the Hippo pathway and breast cancer risk in women of African ancestry. <i>Molecular Carcinogenesis</i> , 2018 , 57, 1311-1318	5 6
208	A prospective study of dietary polyunsaturated fatty acids intake and lung cancer risk. <i>International Journal of Cancer</i> , 2018 , 143, 2225-2237	7.5 17
207	Circulating cotinine concentrations and lung cancer risk in the Lung Cancer Cohort Consortium (LC3). <i>International Journal of Epidemiology</i> , 2018 , 47, 1760-1771	7.8 10
206	A transcriptome-wide association study of 229,000 women identifies new candidate susceptibility genes for breast cancer. <i>Nature Genetics</i> , 2018 , 50, 968-978	36.3 101

205	Novel genetic associations for blood pressure identified via gene-alcohol interaction in up to 570K individuals across multiple ancestries. <i>PLoS ONE</i> , 2018 , 13, e0198166	3.7	31
204	The obesity epidemic and rising diabetes incidence in a low-income racially diverse southern US cohort. <i>PLoS ONE</i> , 2018 , 13, e0190993	3.7	36
203	Genetic Evidence for the Association between Schizophrenia and Breast Cancer. <i>Journal of Psychiatry and Brain Science</i> , 2018 , 3,	1.7	6
202	Level of moderate-intensity leisure-time physical activity and reduced mortality in middle-aged and elderly Chinese. <i>Journal of Epidemiology and Community Health</i> , 2018 , 72, 13-20	5.1	11
201	Large-scale transcriptome-wide association study identifies new prostate cancer risk regions. <i>Nature Communications</i> , 2018 , 9, 4079	17.4	65
200	Colorectal cancer susceptibility loci and influence on survival. <i>Genes Chromosomes and Cancer</i> , 2018 , 57, 630-637	5	15
199	Body mass index is negatively associated with telomere length: a collaborative cross-sectional meta-analysis of 87 observational studies. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 453-475	7	69
198	Green tea consumption and risk of type 2 diabetes in Chinese adults: the Shanghai Women's Health Study and the Shanghai Men's Health Study. <i>International Journal of Epidemiology</i> , 2018 , 47, 1887-1896	7.8	22
197	Transcriptome-wide association studies accounting for colocalization using Egger regression. <i>Genetic Epidemiology</i> , 2018 , 42, 418-433	2.6	37
196	Allelic expression imbalance polymorphisms in susceptibility chromosome regions and the risk and survival of breast cancer. <i>Molecular Carcinogenesis</i> , 2017 , 56, 300-311	5	11
195	Enrichment of putative PAX8 target genes at serous epithelial ovarian cancer susceptibility loci. <i>British Journal of Cancer</i> , 2017 , 116, 524-535	8.7	18
194	Hypomorphic Missense Variants Confer Moderate Risks of Breast Cancer. <i>Cancer Research</i> , 2017 , 77, 2789-2799	10.1	49
193	Association Between Telomere Length and Risk of Cancer and Non-Neoplastic Diseases: A Mendelian Randomization Study. <i>JAMA Oncology</i> , 2017 , 3, 636-651	13.4	236
192	Association between type 2 diabetes and risk of cancer mortality: a pooled analysis of over 771,000 individuals in the Asia Cohort Consortium. <i>Diabetologia</i> , 2017 , 60, 1022-1032	10.3	86
191	Habitual Sleep and human plasma metabolomics. <i>Metabolomics</i> , 2017 , 13, 1	4.7	19
190	Evaluating Exposure-Response Associations for Non-Hodgkin Lymphoma with Varying Methods of Assigning Cumulative Benzene Exposure in the Shanghai Women's Health Study. <i>Annals of Work Exposures and Health</i> , 2017 , 61, 56-66	2.4	7
189	Circulating concentrations of biomarkers and metabolites related to vitamin status, one-carbon and the kynurenine pathways in US, Nordic, Asian, and Australian populations. <i>American Journal of Clinical Nutrition</i> , 2017 , 105, 1314-1326	7	13
188	Genetic variation in SLC7A2 interacts with calcium and magnesium intakes in modulating the risk of colorectal polyps. <i>Journal of Nutritional Biochemistry</i> , 2017 , 47, 35-40	6.3	4

187	Total and Free Circulating Vitamin D and Vitamin D-Binding Protein in Relation to Colorectal Cancer Risk in a Prospective Study of African Americans. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 1242-1247	4	16
186	Evaluating genetic variants associated with breast cancer risk in high and moderate-penetrance genes in Asians. <i>Carcinogenesis</i> , 2017 , 38, 511-518	4.6	20
185	Clinical characteristics and salvage management of persistent cesarean scar pregnancy. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017 , 43, 1293-1298	1.9	7
184	Interactions between calcium intake and polymorphisms in genes essential for calcium reabsorption and risk of colorectal neoplasia in a two-phase study. <i>Molecular Carcinogenesis</i> , 2017 , 56, 2258-2266	5	5
183	Evaluation of genetic variants in association with colorectal cancer risk and survival in Asians. <i>International Journal of Cancer</i> , 2017 , 141, 1130-1139	7.5	15
182	The Premenopausal Breast Cancer Collaboration: A Pooling Project of Studies Participating in the National Cancer Institute Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 1360-1369	4	16
181	Association analyses of East Asian individuals and trans-ancestry analyses with European individuals reveal new loci associated with cholesterol and triglyceride levels. <i>Human Molecular Genetics</i> , 2017 , 26, 1770-1784	5.6	90
180	Body Size Indicators and Risk of Gallbladder Cancer: Pooled Analysis of Individual-Level Data from 19 Prospective Cohort Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 597-606	4	24
179	Characterizing Genetic Susceptibility to Breast Cancer in Women of African Ancestry. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 1016-1026	4	12
178	Demographic, lifestyle, and other factors in relation to antimüllerian hormone levels in mostly late premenopausal women. <i>Fertility and Sterility</i> , 2017 , 107, 1012-1022.e2	4.8	31
177	Association of Estrogen Metabolism with Breast Cancer Risk in Different Cohorts of Postmenopausal Women. <i>Cancer Research</i> , 2017 , 77, 918-925	10.1	72
176	Dietary antioxidant vitamins intake and mortality: A report from two cohort studies of Chinese adults in Shanghai. <i>Journal of Epidemiology</i> , 2017 , 27, 89-97	3.4	27
175	Exome chip meta-analysis identifies novel loci and East Asian-specific coding variants that contribute to lipid levels and coronary artery disease. <i>Nature Genetics</i> , 2017 , 49, 1722-1730	36.3	83
174	SIRT2 Acts as a Cardioprotective Deacetylase in Pathological Cardiac Hypertrophy. <i>Circulation</i> , 2017 , 136, 2051-2067	16.7	127
173	Nephrolithiasis Among Middle Aged and Elderly Urban Chinese: A Report from Prospective Cohort Studies in Shanghai. <i>Journal of Endourology</i> , 2017 , 31, 1327-1334	2.7	10
172	Association analysis identifies 65 new breast cancer risk loci. <i>Nature</i> , 2017 , 551, 92-94	50.4	643
171	Identification of ten variants associated with risk of estrogen-receptor-negative breast cancer. <i>Nature Genetics</i> , 2017 , 49, 1767-1778	36.3	186
170	Reproductive profiles and risk of breast cancer subtypes: a multi-center case-only study. <i>Breast Cancer Research</i> , 2017 , 19, 119	8.3	26

169	Anti-Mullerian hormone and endometrial cancer: a multi-cohort study. <i>British Journal of Cancer</i> , 2017 , 117, 1412-1418	8.7	3
168	Association of breast cancer risk and the mTOR pathway in women of African ancestry in 'The Root' Consortium. <i>Carcinogenesis</i> , 2017 , 38, 789-796	4.6	3
167	Prospective study of urinary prostaglandin E2 metabolite and pancreatic cancer risk. <i>International Journal of Cancer</i> , 2017 , 141, 2423-2429	7.5	19
166	Oleanolic acid prevents cartilage degeneration in diabetic mice via PPAR α -associated mitochondrial stabilization. <i>Biochemical and Biophysical Research Communications</i> , 2017 , 490, 834-840	3.4	13
165	Combined Impact of Known Lifestyle Factors on Total and Cause-Specific Mortality among Chinese Men: A Prospective Cohort Study. <i>Scientific Reports</i> , 2017 , 7, 5293	4.9	15
164	A functionally significant SNP in TP53 and breast cancer risk in African-American women. <i>Npj Breast Cancer</i> , 2017 , 3, 5	7.8	29
163	Green tea consumption and cause-specific mortality: Results from two prospective cohort studies in China. <i>Journal of Epidemiology</i> , 2017 , 27, 36-41	3.4	27
162	Prediagnosis body mass index and waist-hip circumference ratio in association with colorectal cancer survival. <i>International Journal of Cancer</i> , 2017 , 140, 292-301	7.5	18
161	Dietary trace element intake and liver cancer risk: Results from two population-based cohorts in China. <i>International Journal of Cancer</i> , 2017 , 140, 1050-1059	7.5	25
160	Comparison of biomarker expression between proximal and distal colorectal adenomas: The Tennessee-Indiana Adenoma Recurrence Study. <i>Molecular Carcinogenesis</i> , 2017 , 56, 761-773	5	4
159	Estimation of heritability for nine common cancers using data from genome-wide association studies in Chinese population. <i>International Journal of Cancer</i> , 2017 , 140, 329-336	7.5	43
158	Two Novel Susceptibility Loci for Prostate Cancer in Men of African Ancestry. <i>Journal of the National Cancer Institute</i> , 2017 , 109,	9.7	38
157	Body mass index and breast cancer survival: a Mendelian randomization analysis. <i>International Journal of Epidemiology</i> , 2017 , 46, 1814-1822	7.8	27
156	Discovery and fine-mapping of adiposity loci using high density imputation of genome-wide association studies in individuals of African ancestry: African Ancestry Anthropometry Genetics Consortium. <i>PLoS Genetics</i> , 2017 , 13, e1006719	6	60
155	- a novel candidate breast cancer susceptibility locus on 6q14.1. <i>Oncotarget</i> , 2017 , 8, 102769-102782	3.3	3
154	A prospective study of immune and inflammation markers and risk of lung cancer among female never smokers in Shanghai. <i>Carcinogenesis</i> , 2017 , 38, 1004-1010	4.6	19
153	Association of breast cancer risk in women of African ancestry with genetic variants in the TET-related DNA demethylation pathway.. <i>Journal of Clinical Oncology</i> , 2017 , 35, e13015-e13015	2.2	
152	Genome-wide association study of gastric adenocarcinoma in Asia: a comparison of associations between cardia and non-cardia tumours. <i>Gut</i> , 2016 , 65, 1611-8	19.2	76

151	An intergenic risk locus containing an enhancer deletion in 2q35 modulates breast cancer risk by deregulating IGFBP5 expression. <i>Human Molecular Genetics</i> , 2016 , 25, 3863-3876	5.6	24
150	rs2735383, located at a microRNA binding site in the 3'UTR of NBS1, is not associated with breast cancer risk. <i>Scientific Reports</i> , 2016 , 6, 36874	4.9	2
149	Serum biomarkers of polyomavirus infection and risk of lung cancer in never smokers. <i>British Journal of Cancer</i> , 2016 , 115, 1131-1139	8.7	12
148	Macrophage TCF-4 co-activates p65 to potentiate chronic inflammation and insulin resistance in mice. <i>Clinical Science</i> , 2016 , 130, 1257-68	6.5	7
147	Mendelian randomization study of adiposity-related traits and risk of breast, ovarian, prostate, lung and colorectal cancer. <i>International Journal of Epidemiology</i> , 2016 , 45, 896-908	7.8	92
146	Genome-Wide Meta-Analyses of Breast, Ovarian, and Prostate Cancer Association Studies Identify Multiple New Susceptibility Loci Shared by at Least Two Cancer Types. <i>Cancer Discovery</i> , 2016 , 6, 1052-67	74.4	104
145	Genome-wide association studies in East Asians identify new loci for waist-hip ratio and waist circumference. <i>Scientific Reports</i> , 2016 , 6, 17958	4.9	48
144	Identification of four novel susceptibility loci for oestrogen receptor negative breast cancer. <i>Nature Communications</i> , 2016 , 7, 11375	17.4	64
143	Functional mechanisms underlying pleiotropic risk alleles at the 19p13.1 breast-ovarian cancer susceptibility locus. <i>Nature Communications</i> , 2016 , 7, 12675	17.4	53
142	Fine scale mapping of the 17q22 breast cancer locus using dense SNPs, genotyped within the Collaborative Oncological Gene-Environment Study (COGs). <i>Scientific Reports</i> , 2016 , 6, 32512	4.9	16
141	Atlas of prostate cancer heritability in European and African-American men pinpoints tissue-specific regulation. <i>Nature Communications</i> , 2016 , 7, 10979	17.4	37
140	The association of soy food consumption with the risk of subtype of breast cancers defined by hormone receptor and HER2 status. <i>International Journal of Cancer</i> , 2016 , 139, 742-8	7.5	24
139	Dose-response association between hepatitis B surface antigen levels and liver cancer risk in Chinese men and women. <i>International Journal of Cancer</i> , 2016 , 139, 355-62	7.5	13
138	Genome-wide association study in East Asians identifies two novel breast cancer susceptibility loci. <i>Human Molecular Genetics</i> , 2016 , 25, 3361-3371	5.6	22
137	Genome-wide association studies in the Japanese population identify seven novel loci for type 2 diabetes. <i>Nature Communications</i> , 2016 , 7, 10531	17.4	99
136	Anthropometric Factors and Thyroid Cancer Risk by Histological Subtype: Pooled Analysis of 22 Prospective Studies. <i>Thyroid</i> , 2016 , 26, 306-18	6.2	96
135	Meta-analysis of genome-wide association studies identifies multiple lung cancer susceptibility loci in never-smoking Asian women. <i>Human Molecular Genetics</i> , 2016 , 25, 620-9	5.6	32
134	Adherence to Cancer Prevention Guidelines and Cancer Risk in Low-Income and African American Populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 846-53	4	18

133	No evidence that protein truncating variants in BRIP1 are associated with breast cancer risk: implications for gene panel testing. <i>Journal of Medical Genetics</i> , 2016 , 53, 298-309	5.8	83
132	Breast cancer risk variants at 6q25 display different phenotype associations and regulate ESR1, RMND1 and CCDC170. <i>Nature Genetics</i> , 2016 , 48, 374-86	36.3	93
131	Identification of Susceptibility Loci and Genes for Colorectal Cancer Risk. <i>Gastroenterology</i> , 2016 , 150, 1633-1645	13.3	64
130	Aberrant activation of CaMKII β accelerates chronic myeloid leukemia blast crisis. <i>Leukemia</i> , 2016 , 30, 1282-9	10.7	16
129	Cigarette smoking behaviour and blood metabolomics. <i>International Journal of Epidemiology</i> , 2016 , 45, 1421-1432	7.8	40
128	Plasma metabolomic profiles in association with type 2 diabetes risk and prevalence in Chinese adults. <i>Metabolomics</i> , 2016 , 12, 1	4.7	40
127	Evaluation of potential regulatory function of breast cancer risk locus at 6q25.1. <i>Carcinogenesis</i> , 2016 , 37, 163-168	4.6	11
126	Genetic variation in the immunosuppression pathway genes and breast cancer susceptibility: a pooled analysis of 42,510 cases and 40,577 controls from the Breast Cancer Association Consortium. <i>Human Genetics</i> , 2016 , 135, 137-54	6.3	6
125	Association between Adult Height and Risk of Colorectal, Lung, and Prostate Cancer: Results from Meta-analyses of Prospective Studies and Mendelian Randomization Analyses. <i>PLoS Medicine</i> , 2016 , 13, e1002118	11.6	49
124	RAD51B in Familial Breast Cancer. <i>PLoS ONE</i> , 2016 , 11, e0153788	3.7	18
123	Assessment of variation in immunosuppressive pathway genes reveals TGFBR2 to be associated with risk of clear cell ovarian cancer. <i>Oncotarget</i> , 2016 , 7, 69097-69110	3.3	4
122	Association of breast cancer risk with genetic variants showing differential allelic expression: Identification of a novel breast cancer susceptibility locus at 4q21. <i>Oncotarget</i> , 2016 , 7, 80140-80163	3.3	21
121	Genetically Predicted Body Mass Index and Breast Cancer Risk: Mendelian Randomization Analyses of Data from 145,000 Women of European Descent. <i>PLoS Medicine</i> , 2016 , 13, e1002105	11.6	80
120	Fine-Mapping of the 1p11.2 Breast Cancer Susceptibility Locus. <i>PLoS ONE</i> , 2016 , 11, e0160316	3.7	11
119	Adult body mass index and risk of ovarian cancer by subtype: a Mendelian randomization study. <i>International Journal of Epidemiology</i> , 2016 , 45, 884-95	7.8	45
118	Genetic variants in microRNA and microRNA biogenesis pathway genes and breast cancer risk among women of African ancestry. <i>Human Genetics</i> , 2016 , 135, 1145-59	6.3	24
117	Fine-scale mapping of 8q24 locus identifies multiple independent risk variants for breast cancer. <i>International Journal of Cancer</i> , 2016 , 139, 1303-1317	7.5	26
116	Prospective cohort study of general and central obesity, weight change trajectory and risk of major cancers among Chinese women. <i>International Journal of Cancer</i> , 2016 , 139, 1461-70	7.5	34

115	Calcium/magnesium intake ratio, but not magnesium intake, interacts with genetic polymorphism in relation to colorectal neoplasia in a two-phase study. <i>Molecular Carcinogenesis</i> , 2016 , 55, 1449-57	5	7
114	Evaluation of pro-inflammatory markers plasma C-reactive protein and urinary prostaglandin-E2 metabolite in colorectal adenoma risk. <i>Molecular Carcinogenesis</i> , 2016 , 55, 1251-61	5	20
113	Exome genotyping arrays to identify rare and low frequency variants associated with epithelial ovarian cancer risk. <i>Human Molecular Genetics</i> , 2016 , 25, 3600-3612	5.6	9
112	Long-term soy consumption and tumor tissue MicroRNA and gene expression in triple-negative breast cancer. <i>Cancer</i> , 2016 , 122, 2544-51	6.4	16
111	PALB2, CHEK2 and ATM rare variants and cancer risk: data from COGS. <i>Journal of Medical Genetics</i> , 2016 , 53, 800-811	5.8	121
110	Dietary selenium intake and mortality in two population-based cohort studies of 133 957 Chinese men and women. <i>Public Health Nutrition</i> , 2016 , 19, 2991-2998	3.3	8
109	Identification of independent association signals and putative functional variants for breast cancer risk through fine-scale mapping of the 12p11 locus. <i>Breast Cancer Research</i> , 2016 , 18, 64	8.3	25
108	Prediction of breast cancer risk based on common genetic variants in women of East Asian ancestry. <i>Breast Cancer Research</i> , 2016 , 18, 124	8.3	34
107	Combined Impact of Health Behaviors on Mortality in Low-Income Americans. <i>American Journal of Preventive Medicine</i> , 2016 , 51, 344-55	6.1	12
106	Endogenous Estrogens, Estrogen Metabolites, and Breast Cancer Risk in Postmenopausal Chinese Women. <i>Journal of the National Cancer Institute</i> , 2016 , 108,	9.7	46
105	Genes associated with histopathologic features of triple negative breast tumors predict molecular subtypes. <i>Breast Cancer Research and Treatment</i> , 2016 , 157, 117-31	4.4	17
104	Objectively measured physical activity and plasma metabolomics in the Shanghai Physical Activity Study. <i>International Journal of Epidemiology</i> , 2016 , 45, 1433-1444	7.8	47
103	Association of genetic susceptibility variants for type 2 diabetes with breast cancer risk in women of European ancestry. <i>Cancer Causes and Control</i> , 2016 , 27, 679-93	2.8	15
102	Dietary magnesium, calcium:magnesium ratio and risk of reflux oesophagitis, Barrett's oesophagus and oesophageal adenocarcinoma: a population-based case-control study. <i>British Journal of Nutrition</i> , 2016 , 115, 342-50	3.6	27
101	Association between genetic risk score for telomere length and risk of breast cancer. <i>Cancer Causes and Control</i> , 2016 , 27, 1219-28	2.8	14
100	Genome-wide association studies in women of African ancestry identified 3q26.21 as a novel susceptibility locus for oestrogen receptor negative breast cancer. <i>Human Molecular Genetics</i> , 2016 , 25, 4835-4846	5.6	34
99	Evidence that the 5p12 Variant rs10941679 Confers Susceptibility to Estrogen-Receptor-Positive Breast Cancer through FGF10 and MRPS30 Regulation. <i>American Journal of Human Genetics</i> , 2016 , 99, 903-911	11	43
98	Polyunsaturated fatty acids and prostate cancer risk: a Mendelian randomisation analysis from the PRACTICAL consortium. <i>British Journal of Cancer</i> , 2016 , 115, 624-31	8.7	21

97	Telomere structure and maintenance gene variants and risk of five cancer types. <i>International Journal of Cancer</i> , 2016 , 139, 2655-2670	7.5	30
96	Inherited variants in the inner centromere protein (INCENP) gene of the chromosomal passenger complex contribute to the susceptibility of ER-negative breast cancer. <i>Carcinogenesis</i> , 2015 , 36, 256-71	4.6	12
95	Identification of six new susceptibility loci for invasive epithelial ovarian cancer. <i>Nature Genetics</i> , 2015 , 47, 164-71	36.3	177
94	Genome-wide association analysis of more than 120,000 individuals identifies 15 new susceptibility loci for breast cancer. <i>Nature Genetics</i> , 2015 , 47, 373-80	36.3	406
93	Prospective evaluation of the association of nut/peanut consumption with total and cause-specific mortality. <i>JAMA Internal Medicine</i> , 2015 , 175, 755-66	11.5	71
92	Whole-exome sequencing identifies OR2W3 mutation as a cause of autosomal dominant retinitis pigmentosa. <i>Scientific Reports</i> , 2015 , 5, 9236	4.9	20
91	Network-Based Integration of GWAS and Gene Expression Identifies a HOX-Centric Network Associated with Serous Ovarian Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 1574-84	4	24
90	Correlates of self-reported dietary cruciferous vegetable intake and urinary isothiocyanate from two cohorts in China. <i>Public Health Nutrition</i> , 2015 , 18, 1237-44	3.3	4
89	Genome-wide association study of colorectal cancer identifies six new susceptibility loci. <i>Nature Communications</i> , 2015 , 6, 7138	17.4	106
88	Integration of multiethnic fine-mapping and genomic annotation to prioritize candidate functional SNPs at prostate cancer susceptibility regions. <i>Human Molecular Genetics</i> , 2015 , 24, 5603-18	5.6	35
87	Disparities by Race, Age, and Sex in the Improvement of Survival for Major Cancers: Results From the National Cancer Institute Surveillance, Epidemiology, and End Results (SEER) Program in the United States, 1990 to 2010. <i>JAMA Oncology</i> , 2015 , 1, 88-96	13.4	207
86	Polymorphisms in a Putative Enhancer at the 10q21.2 Breast Cancer Risk Locus Regulate NRBF2 Expression. <i>American Journal of Human Genetics</i> , 2015 , 97, 22-34	11	26
85	On the loading mechanism of ssDNA into carbon nanotubes. <i>RSC Advances</i> , 2015 , 5, 56896-56903	3.7	14
84	Healthy Eating and Risks of Total and Cause-Specific Death among Low-Income Populations of African-Americans and Other Adults in the Southeastern United States: A Prospective Cohort Study. <i>PLoS Medicine</i> , 2015 , 12, e1001830; discussion e1001830	11.6	45
83	Cis-eQTL analysis and functional validation of candidate susceptibility genes for high-grade serous ovarian cancer. <i>Nature Communications</i> , 2015 , 6, 8234	17.4	40
82	Large-scale genomic analyses link reproductive aging to hypothalamic signaling, breast cancer susceptibility and BRCA1-mediated DNA repair. <i>Nature Genetics</i> , 2015 , 47, 1294-1303	36.3	226
81	Common variants at the CHEK2 gene locus and risk of epithelial ovarian cancer. <i>Carcinogenesis</i> , 2015 , 36, 1341-53	4.6	20
80	Dietary isoflavones, urinary isoflavonoids, and risk of ischemic stroke in women. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 680-6	7	28

79	Cohort Profile: The Shanghai Men's Health Study. <i>International Journal of Epidemiology</i> , 2015 , 44, 810-8	7.8	81
78	Predictors and long-term reproducibility of urinary phthalate metabolites in middle-aged men and women living in urban Shanghai. <i>Environment International</i> , 2015 , 84, 94-106	12.9	16
77	Height and Breast Cancer Risk: Evidence From Prospective Studies and Mendelian Randomization. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	74
76	Associations of body mass index, smoking, and alcohol consumption with prostate cancer mortality in the Asia Cohort Consortium. <i>American Journal of Epidemiology</i> , 2015 , 182, 381-9	3.8	37
75	Fine-scale mapping of the 4q24 locus identifies two independent loci associated with breast cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 1680-91	4	17
74	CysLT2 receptor mediates lipopolysaccharide-induced microglial inflammation and consequent neurotoxicity in vitro. <i>Brain Research</i> , 2015 , 1624, 433-445	3.7	9
73	Meta-analysis of genome-wide association studies of adult height in East Asians identifies 17 novel loci. <i>Human Molecular Genetics</i> , 2015 , 24, 1791-800	5.6	71
72	Identification and characterization of novel associations in the CASP8/ALS2CR12 region on chromosome 2 with breast cancer risk. <i>Human Molecular Genetics</i> , 2015 , 24, 285-98	5.6	35
71	Fine-mapping of the HNF1B multicancer locus identifies candidate variants that mediate endometrial cancer risk. <i>Human Molecular Genetics</i> , 2015 , 24, 1478-92	5.6	46
70	Pre-diagnostic cruciferous vegetables intake and lung cancer survival among Chinese women. <i>Scientific Reports</i> , 2015 , 5, 10306	4.9	8
69	Expression of focal adhesion kinase in the eutopic endometrium of women with adenomyosis varies with dysmenorrhea and pelvic pain. <i>Experimental and Therapeutic Medicine</i> , 2015 , 10, 1903-1907	2.1	4
68	PWE-180 Dietary magnesium, calcium:magnesium ratio and risk of reflux oesophagitis, barrett's oesophagus and oesophageal adenocarcinoma. <i>Gut</i> , 2015 , 64, A291.2-A291	19.2	
67	Epithelial-Mesenchymal Transition (EMT) Gene Variants and Epithelial Ovarian Cancer (EOC) Risk. <i>Genetic Epidemiology</i> , 2015 , 39, 689-97	2.6	18
66	Contraceptive methods and ovarian cancer risk among Chinese women: A report from the Shanghai Women's Health Study. <i>International Journal of Cancer</i> , 2015 , 137, 607-14	7.5	27
65	Soluble levels of CD27 and CD30 are associated with risk of non-Hodgkin lymphoma in three Chinese prospective cohorts. <i>International Journal of Cancer</i> , 2015 , 137, 2688-95	7.5	12
64	Whole-Exome Sequencing Identifies Novel Somatic Mutations in Chinese Breast Cancer Patients. <i>Journal of Molecular and Genetic Medicine: an International Journal of Biomedical Research</i> , 2015 , 9,	2.5	15
63	Energy-Related Indicators and Breast Cancer Risk among White and Black Women. <i>PLoS ONE</i> , 2015 , 10, e0125058	3.7	3
62	Common Genetic Variation In Cellular Transport Genes and Epithelial Ovarian Cancer (EOC) Risk. <i>PLoS ONE</i> , 2015 , 10, e0128106	3.7	15

61	Prospective Cohort Study of Central Adiposity and Risk of Death in Middle Aged and Elderly Chinese. <i>PLoS ONE</i> , 2015 , 10, e0138429	3.7	7
60	Genome-wide association meta-analysis identifies novel variants associated with fasting plasma glucose in East Asians. <i>Diabetes</i> , 2015 , 64, 291-8	0.9	43
59	Fine-mapping identifies two additional breast cancer susceptibility loci at 9q31.2. <i>Human Molecular Genetics</i> , 2015 , 24, 2966-84	5.6	36
58	Fine-scale mapping of the 5q11.2 breast cancer locus reveals at least three independent risk variants regulating MAP3K1. <i>American Journal of Human Genetics</i> , 2015 , 96, 5-20	11	59
57	Association of type 2 diabetes genetic variants with breast cancer survival among Chinese women. <i>PLoS ONE</i> , 2015 , 10, e0117419	3.7	6
56	Population attributable risks of cigarette smoking for deaths of all causes, all cancers and other chronic diseases among adults aged 40-74 years in urban Shanghai, China. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2015 , 27, 53-65	3.8	6
55	MCT1 promotes the cisplatin-resistance by antagonizing Fas in epithelial ovarian cancer. <i>International Journal of Clinical and Experimental Pathology</i> , 2015 , 8, 2710-8	1.4	8
54	Common Genetic Variation in Circadian Rhythm Genes and Risk of Epithelial Ovarian Cancer (EOC). <i>Journal of Genetics and Genome Research</i> , 2015 , 2,		22
53	Personalized Prevention of Colorectal Cancer Trial. <i>FASEB Journal</i> , 2015 , 29, 912.1	0.9	
52	Post-diagnosis BMI and physical activity in association with triple-negative breast cancer prognosis: Results from 5 prospective cohorts.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 1507-1507	2.2	1
51	Human metabolic correlates of body mass index. <i>Metabolomics</i> , 2014 , 10, 259-269	4.7	111
50	Large-scale genetic study in East Asians identifies six new loci associated with colorectal cancer risk. <i>Nature Genetics</i> , 2014 , 46, 533-42	36.3	175
49	Genome-wide association analysis in East Asians identifies breast cancer susceptibility loci at 1q32.1, 5q14.3 and 15q26.1. <i>Nature Genetics</i> , 2014 , 46, 886-90	36.3	110
48	Polymorphisms in the CISH gene are associated with susceptibility to tuberculosis in the Chinese Han population. <i>Infection, Genetics and Evolution</i> , 2014 , 28, 240-4	4.5	11
47	A meta-analysis of 87,040 individuals identifies 23 new susceptibility loci for prostate cancer. <i>Nature Genetics</i> , 2014 , 46, 1103-9	36.3	331
46	Urinary prostaglandin E2 metabolite and breast cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 2866-73	4	17
45	Evidence that breast cancer risk at the 2q35 locus is mediated through IGFBP5 regulation. <i>Nature Communications</i> , 2014 , 4, 4999	17.4	87
44	Telomere length in white blood cell DNA and lung cancer: a pooled analysis of three prospective cohorts. <i>Cancer Research</i> , 2014 , 74, 4090-8	10.1	88

43	Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. <i>Nature Genetics</i> , 2014 , 46, 234-44	36.3	784
42	Genome-wide scan of 29,141 African Americans finds no evidence of directional selection since admixture. <i>American Journal of Human Genetics</i> , 2014 , 95, 437-44	11	46
41	Genetic variation in mitotic regulatory pathway genes is associated with breast tumor grade. <i>Human Molecular Genetics</i> , 2014 , 23, 6034-46	5.6	11
40	Cruciferous vegetables, glutathione S-transferase polymorphisms, and the risk of colorectal cancer among Chinese men. <i>Annals of Epidemiology</i> , 2014 , 24, 44-9	6.4	13
39	Meta-analysis of loci associated with age at natural menopause in African-American women. <i>Human Molecular Genetics</i> , 2014 , 23, 3327-42	5.6	44
38	Associations of hormone-related factors with breast cancer risk according to hormone receptor status among white and African American women. <i>Clinical Breast Cancer</i> , 2014 , 14, 417-25	3	21
37	Regulation of rotenone-induced microglial activation by 5-lipoxygenase and cysteinyl leukotriene receptor 1. <i>Brain Research</i> , 2014 , 1572, 59-71	3.7	23
36	0346 Occupational Exposure to Lead and Cancer in Two Cohort Studies of Men and Women in Shanghai, China. <i>Occupational and Environmental Medicine</i> , 2014 , 71, A42.2-A42	2.1	2
35	Genetic variation at CYP3A is associated with age at menarche and breast cancer risk: a case-control study. <i>Breast Cancer Research</i> , 2014 , 16, R51	8.3	12
34	0324 Occupational exposure to benzene and risk of non-Hodgkin lymphoma in a population-based cohort study of Chinese women in Shanghai 0324 Occupational exposure to benzene and risk of non-Hodgkin lymphoma in a population-based cohort study of Chinese women in Shanghai. <i>Occupational and Environmental Medicine</i> , 2014 , 71, A40.3-A41	2.1	
33	Correlates of 25-hydroxyvitamin D among Chinese breast cancer patients. <i>PLoS ONE</i> , 2014 , 9, e86467	3.7	15
32	Age at menarche and natural menopause and number of reproductive years in association with mortality: results from a median follow-up of 11.2 years among 31,955 naturally menopausal Chinese women. <i>PLoS ONE</i> , 2014 , 9, e103673	3.7	42
31	Multiple nonglycemic genomic loci are newly associated with blood level of glycated hemoglobin in East Asians. <i>Diabetes</i> , 2014 , 63, 2551-62	0.9	46
30	Urinary isothiocyanates level and liver cancer risk: a nested case-control study in Shanghai, China. <i>Nutrition and Cancer</i> , 2014 , 66, 1023-1029	2.8	3
29	Meta-analysis of genome-wide association studies in East Asian-ancestry populations identifies four new loci for body mass index. <i>Human Molecular Genetics</i> , 2014 , 23, 5492-504	5.6	141
28	Adherence to dietary guidelines and mortality: a report from prospective cohort studies of 134,000 Chinese adults in urban Shanghai. <i>American Journal of Clinical Nutrition</i> , 2014 , 100, 693-700	7	88
27	Meta-analysis of genome-wide association studies in African Americans provides insights into the genetic architecture of type 2 diabetes. <i>PLoS Genetics</i> , 2014 , 10, e1004517	6	151
26	Burden of total and cause-specific mortality related to tobacco smoking among adults aged ≥45 years in Asia: a pooled analysis of 21 cohorts. <i>PLoS Medicine</i> , 2014 , 11, e1001631	11.6	76

25	Fruit and vegetable intake and risk of CHD: results from prospective cohort studies of Chinese adults in Shanghai. <i>British Journal of Nutrition</i> , 2014 , 111, 353-62	3.6	37
24	Higher dietary choline intake is associated with lower risk of nonalcoholic fatty liver in normal-weight Chinese women. <i>Journal of Nutrition</i> , 2014 , 144, 2034-40	4.1	37
23	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. <i>Human Molecular Genetics</i> , 2014 , 23, 6616-33	5.6	77
22	FTO genetic variants, dietary intake and body mass index: insights from 177,330 individuals. <i>Human Molecular Genetics</i> , 2014 , 23, 6961-72	5.6	120
21	One-carbon metabolism dietary factors and distal gastric cancer risk in chinese women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 1374-82	4	12
20	A comprehensive examination of breast cancer risk loci in African American women. <i>Human Molecular Genetics</i> , 2014 , 23, 5518-26	5.6	28
19	Improved variant calling accuracy by merging replicates in whole-exome sequencing studies. <i>BioMed Research International</i> , 2014 , 2014, 319534	3	9
18	Association of soy food intake with risk and biomarkers of coronary heart disease in Chinese men. <i>International Journal of Cardiology</i> , 2014 , 172, e285-7	3.2	27
17	Differences in DNA methylation signatures reveal multiple pathways of progression from adenoma to colorectal cancer. <i>Gastroenterology</i> , 2014 , 147, 418-29.e8	13.3	126
16	Systematic fine-mapping of association with BMI and type 2 diabetes at the FTO locus by integrating results from multiple ethnic groups. <i>PLoS ONE</i> , 2014 , 9, e101329	3.7	7
15	Genetic Susceptibility Markers of Multiple Myeloma in African-Americans. <i>Blood</i> , 2014 , 124, 2030-2030	2.2	
14	Common genetic determinants of breast-cancer risk in East Asian women: a collaborative study of 23 637 breast cancer cases and 25 579 controls. <i>Human Molecular Genetics</i> , 2013 , 22, 2539-50	5.6	75
13	Genetic and clinical predictors for breast cancer risk assessment and stratification among Chinese women. <i>Journal of the National Cancer Institute</i> , 2010 , 102, 972-81	9.7	73
12	Circulating 25-hydroxyvitamin D and risk of epithelial ovarian cancer: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. <i>American Journal of Epidemiology</i> , 2010 , 172, 70-80	3.8	48
11	Well-done meat intake, heterocyclic amine exposure, and cancer risk. <i>Nutrition and Cancer</i> , 2009 , 61, 437-46	2.8	180
10	Genome-wide association study identifies a new breast cancer susceptibility locus at 6q25.1. <i>Nature Genetics</i> , 2009 , 41, 324-8	36.3	434
9	Evaluation of 11 breast cancer susceptibility loci in African-American women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2761-4	4	71
8	Genetic polymorphisms in the transforming growth factor-beta signaling pathways and breast cancer risk and survival. <i>Methods in Molecular Biology</i> , 2009 , 472, 265-77	1.4	22

7	Role of TGF- β and its receptors in breast carcinogenesis: Evaluation of gene expression patterns and clinical implications. <i>Chinese Journal of Clinical Oncology</i> , 2007 , 4, 153-159		
6	Ovarian epithelial tumor growth promotion by follicle-stimulating hormone and inhibition of the effect by luteinizing hormone. <i>Gynecologic Oncology</i> , 2000 , 76, 80-8	4.9	121
5	Reduction of BRCA1 expression in sporadic ovarian cancer. <i>Gynecologic Oncology</i> , 2000 , 76, 294-300	4.9	50
4	Imbalanced expression of inhibin and activin subunits in primary epithelial ovarian cancer. <i>Gynecologic Oncology</i> , 1998 , 69, 23-31	4.9	61
3	A prospective cohort study of intake of calcium, vitamin D, and other micronutrients in relation to incidence of rectal cancer among postmenopausal women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 1998 , 7, 221-5	4	33
2	Early occurrence and prognostic significance of p53 alteration in primary carcinoma of the fallopian tube. <i>Gynecologic Oncology</i> , 1997 , 64, 38-48	4.9	38
1	Segregation analysis of breast cancer: a comparison of type-dependent age-at-onset versus type-dependent susceptibility models. <i>Genetic Epidemiology</i> , 1996 , 13, 317-28	2.6	4