

# Annalisa Schiepatti

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6460060/publications.pdf>

Version: 2024-02-01

44  
papers

590  
citations

567144

15  
h-index

642610

23  
g-index

45  
all docs

45  
docs citations

45  
times ranked

480  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence of Whipple's disease in north-western Italy. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2015, 34, 1347-1348.	1.3	53
2	Seronegative coeliac disease. <i>Current Opinion in Gastroenterology</i> , 2018, 34, 154-158.	1.0	53
3	Short article: Mortality and differential diagnoses of villous atrophy without coeliac antibodies. <i>European Journal of Gastroenterology and Hepatology</i> , 2017, 29, 572-576.	0.8	44
4	Risk of complications in coeliac patients depends on age at diagnosis and type of clinical presentation. <i>Digestive and Liver Disease</i> , 2018, 50, 549-552.	0.4	44
5	Overview in the clinical management of patients with seronegative villous atrophy. <i>European Journal of Gastroenterology and Hepatology</i> , 2019, 31, 409-417.	0.8	37
6	A multicentre case control study on complicated coeliac disease: two different patterns of natural history, two different prognoses. <i>BMC Gastroenterology</i> , 2014, 14, 139.	0.8	26
7	Pitfalls in the Diagnosis of Coeliac Disease and Gluten-Related Disorders. <i>Nutrients</i> , 2020, 12, 1711.	1.7	25
8	Comparative Study of Salivary, Duodenal, and Fecal Microbiota Composition Across Adult Celiac Disease. <i>Journal of Clinical Medicine</i> , 2020, 9, 1109.	1.0	25
9	PROgnosticating COeliac patieNts SURvival: The PROCONSUL Score. <i>PLoS ONE</i> , 2014, 9, e84163.	1.1	24
10	A second duodenal biopsy is necessary in the follow-up of adult coeliac patients. <i>Annals of Medicine</i> , 2014, 46, 430-433.	1.5	20
11	Nomenclature and diagnosis of seronegative coeliac disease and chronic non-coeliac enteropathies in adults: the Paris consensus. <i>Gut</i> , 2022, 71, 2218-2225.	6.1	20
12	Enteropathies with villous atrophy but negative coeliac serology in adults: current issues. <i>BMJ Open Gastroenterology</i> , 2021, 8, e000630.	1.1	19
13	Clinical classification and long-term outcomes of seronegative coeliac disease: a 20-year multicentre follow-up study. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 1278-1289.	1.9	18
14	The high mortality of patients with common variable immunodeficiency and small bowel villous atrophy. <i>Scandinavian Journal of Gastroenterology</i> , 2019, 54, 164-168.	0.6	17
15	Clinical phenotype and mortality in patients with idiopathic small bowel villous atrophy: a dual-centre international study. <i>European Journal of Gastroenterology and Hepatology</i> , 2020, 32, 938-949.	0.8	15
16	Olmesartan-associated enteropathy: new insights on the natural history? Report of two cases. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 152-156.	0.6	14
17	Determinants and Trends of Adherence to a Gluten-Free Diet in Adult Celiac Patients on a Long-term Follow-up (2000-2020). <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, e741-e749.	2.4	14
18	Prevalence, incidence and clinical features of SARS-CoV-2 infection in adult coeliac patients. <i>European Journal of Gastroenterology and Hepatology</i> , 2021, 33, 1361-1366.	0.8	14

#	ARTICLE	IF	CITATIONS
19	~295 T-to-C promoter region IL-16 gene polymorphism is associated with Whipple's disease. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2015, 34, 1919-1921.	1.3	11
20	Coeliac disease and obstetric and gynaecological disorders: where are we now?. <i>European Journal of Gastroenterology and Hepatology</i> , 2019, 31, 425-433.	0.8	11
21	Use of small-bowel capsule endoscopy in cases of equivocal celiac disease. <i>Gastrointestinal Endoscopy</i> , 2020, 91, 1312-1321.e2.	0.5	11
22	Clinical and gastro-duodenal histopathological features of enteropathy due to angiotensin II receptor blockers. <i>Digestive and Liver Disease</i> , 2021, 53, 1262-1267.	0.4	11
23	Relationship between duodenal microbiota composition, clinical features at diagnosis, and persistent symptoms in adult Coeliac disease. <i>Digestive and Liver Disease</i> , 2021, 53, 972-979.	0.4	10
24	Long-Term Adherence to a Gluten-Free Diet and Quality of Life of Celiac Patients After Transition to an Adult Referral Center. <i>Digestive Diseases and Sciences</i> , 2022, 67, 3955-3963.	1.1	9
25	Low prevalence of upper endoscopic gastrointestinal findings despite high frequency of alarm symptoms at the time of diagnosis in adult coeliac disease. <i>European Journal of Gastroenterology and Hepatology</i> , 2020, 32, 1447-1451.	0.8	8
26	Optimising the follow-up of adult coeliac disease with a clinical-based score to identify patients in need of a histological reassessment: a retrospective single centre study. <i>British Journal of Nutrition</i> , 2020, 123, 1159-1164.	1.2	8
27	The Relationship Between Child Mortality Rates and Prevalence of Celiac Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2018, 66, 289-294.	0.9	7
28	Is a detailed grading of villous atrophy necessary for the diagnosis of enteropathy?. <i>Journal of Clinical Pathology</i> , 2016, 69, 1051-1054.	1.0	6
29	Prevalence and clinical features of bile acid diarrhea in patients with chronic diarrhea. <i>Journal of Digestive Diseases</i> , 2021, 22, 108-112.	0.7	6
30	Long-term morbidity and mortality in Whipple's disease: a single-center experience over 20 years. <i>Future Microbiology</i> , 2020, 15, 847-854.	1.0	5
31	Seronegative Coeliac Disease Masquerading as Irritable Bowel Syndrome type Symptoms. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2020, 29, 111-113.	0.5	3
32	Inadvertent and minimal gluten intake has a negligible role in the onset of symptoms in patients with coeliac disease on a gluten-free diet. <i>British Journal of Nutrition</i> , 2019, 121, 576-581.	1.2	1
33	Nonresponsive and complicated coeliac disease. , 2022, , 87-100.		1
34	P.06.9 VILLOUS ATROPHY WITHOUT COELIAC ANTIBODIES. <i>Digestive and Liver Disease</i> , 2016, 48, e156.	0.4	0
35	P.03.2: Flow Cytometric Analysis of Intra-Epithelial Lymphocytes in Refractory Coeliac Disease. <i>Digestive and Liver Disease</i> , 2017, 49, e146.	0.4	0
36	P.06.3 CLINICAL FEATURES, GENETIC BACKGROUND AND NATURAL HISTORY OF PATIENTS WITH SERONEGATIVE VILLOUS ATROPHY OF UNKNOWN ORIGIN. <i>Digestive and Liver Disease</i> , 2019, 51, e213.	0.4	0

#	ARTICLE	IF	CITATIONS
37	P.06.8 EVALUATION OF ALARM SYMPTOMS AT TIME OF DIAGNOSIS OF COELIAC DISEASE IDENTIFIES PATIENTS ELIGIBLE TO A BIOPSY-AVOIDANCE DIAGNOSTIC STRATEGY. <i>Digestive and Liver Disease</i> , 2019, 51, e215.	0.4	0
38	OWE-18...Non-responsive and refractory coeliac disease: the largest UK experience from the NHS england national centre. , 2019, , .		0
39	OWE-21...Seronegative villous atrophy of unknown origin displays distinctive clinical and genetic features and natural history. , 2019, , .		0
40	O44...Time to redefine seronegative coeliac disease? The largest experience from two international centres over 19-years. , 2021, , .		0
41	The GLU-10: a validated ten-point score to identify poorly instructed celiac patients in need of dietary interventions. <i>Minerva Gastroenterology</i> , 2022, 68, .	0.3	0
42	Reply. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2020, 29, 272-273.	0.5	0
43	Seronegative villous atrophy. , 2022, , 69-87.		0
44	Is it time to rethink the burden of non-coeliac gluten sensitivity? A systematic review. <i>Minerva Gastroenterology</i> , 2021, , .	0.3	0