

Tanja Kortemme

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6460489/tanja-kortemme-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

93
papers

12,087
citations

46
h-index

105
g-index

105
ext. papers

15,249
ext. citations

11.5
avg, IF

6.22
L-index

#	Paper	IF	Citations
93	Advances in the Computational Design of Small-Molecule-Controlled Protein-Based Circuits for Synthetic Biology. <i>Proceedings of the IEEE</i> , 2022 , 1-16	14.3	2
92	Accurate positioning of functional residues with robotics-inspired computational protein design.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119, e2115480119	11.5	0
91	De novo protein fold families expand the designable ligand binding site space. <i>PLoS Computational Biology</i> , 2021 , 17, e1009620	5	1
90	Ensuring scientific reproducibility in bio-macromolecular modeling via extensive, automated benchmarks. <i>Nature Communications</i> , 2021 , 12, 6947	17.4	0
89	Systems-level effects of allosteric perturbations to a model molecular switch. <i>Nature</i> , 2021 , 599, 152-157	50.4	1
88	Reply to Liu et al.: Specific mutations matter in specificity and catalysis in ACE2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	1
87	CryoEM and AI reveal a structure of SARS-CoV-2 Nsp2, a multifunctional protein involved in key host processes 2021 ,		4
86	CryoEM and AI reveal a structure of SARS-CoV-2 Nsp2, a multifunctional protein involved in key host processes 2021 ,		10
85	Recent advances in de novo protein design: Principles, methods, and applications. <i>Journal of Biological Chemistry</i> , 2021 , 296, 100558	5.4	29
84	Design principles of protein switches. <i>Current Opinion in Structural Biology</i> , 2021 , 72, 71-78	8.1	4
83	Better together: Elements of successful scientific software development in a distributed collaborative community. <i>PLoS Computational Biology</i> , 2020 , 16, e1007507	5	15
82	Macromolecular modeling and design in Rosetta: recent methods and frameworks. <i>Nature Methods</i> , 2020 , 17, 665-680	21.6	165
81	The Global Phosphorylation Landscape of SARS-CoV-2 Infection. <i>Cell</i> , 2020 , 182, 685-712.e19	56.2	439
80	A SARS-CoV-2 protein interaction map reveals targets for drug repurposing. <i>Nature</i> , 2020 , 583, 459-468	50.4	2142
79	Altered expression of a quality control protease in reshapes the in vivo mutational landscape of a model enzyme. <i>ELife</i> , 2020 , 9,	8.9	8
78	A SARS-CoV-2-Human Protein-Protein Interaction Map Reveals Drug Targets and Potential Drug-Repurposing 2020 ,		133
77	Engineered ACE2 receptor traps potentially neutralize SARS-CoV-2 2020 ,		9

76	Engineered ACE2 receptor traps and potentially neutralizes SARS-CoV-2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 28046-28055	11.5	110
75	New computational protein design methods for de novo small molecule binding sites. <i>PLoS Computational Biology</i> , 2020 , 16, e1008178	5	9
74	Comparative host-coronavirus protein interaction networks reveal pan-viral disease mechanisms. <i>Science</i> , 2020 , 370,	33.3	261
73	Expanding the space of protein geometries by computational design of de novo fold families. <i>Science</i> , 2020 , 369, 1132-1136	33.3	28
72	Comparison of Rosetta flexible-backbone computational protein design methods on binding interactions. <i>Proteins: Structure, Function and Bioinformatics</i> , 2020 , 88, 206-226	4.2	20
71	Computational design of structured loops for new protein functions. <i>Biological Chemistry</i> , 2019 , 400, 275-288	4.5	16
70	Controlling CRISPR-Cas9 with ligand-activated and ligand-deactivated sgRNAs. <i>Nature Communications</i> , 2019 , 10, 2127	17.4	82
69	Quantitative mapping of protein-peptide affinity landscapes using spectrally encoded beads. <i>ELife</i> , 2019 , 8,	8.9	29
68	Computational design of a modular protein sense-response system. <i>Science</i> , 2019 , 366, 1024-1028	33.3	36
67	Flex ddG: Rosetta Ensemble-Based Estimation of Changes in Protein-Protein Binding Affinity upon Mutation. <i>Journal of Physical Chemistry B</i> , 2018 , 122, 5389-5399	3.4	80
66	Extending chemical perturbations of the ubiquitin fitness landscape in a classroom setting reveals new constraints on sequence tolerance. <i>Biology Open</i> , 2018 , 7,	2.2	11
65	The Rosetta All-Atom Energy Function for Macromolecular Modeling and Design. <i>Journal of Chemical Theory and Computation</i> , 2017 , 13, 3031-3048	6.4	486
64	Engineering a light-activated caspase-3 for precise ablation of neurons in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E8174-E8183	11.5	32
63	Deconstruction of the Ras switching cycle through saturation mutagenesis. <i>ELife</i> , 2017 , 6,	8.9	58
62	Author response: Deconstruction of the Ras switching cycle through saturation mutagenesis 2017 ,		2
61	A Model for the Molecular Mechanism of an Engineered Light-Driven Protein Machine. <i>Structure</i> , 2016 , 24, 576-584	5.2	6
60	Determination of ubiquitin fitness landscapes under different chemical stresses in a classroom setting. <i>ELife</i> , 2016 , 5,	8.9	44
59	Design of Light-Controlled Protein Conformations and Functions. <i>Methods in Molecular Biology</i> , 2016 , 1414, 197-211	1.4	3

58	A Web Resource for Standardized Benchmark Datasets, Metrics, and Rosetta Protocols for Macromolecular Modeling and Design. <i>PLoS ONE</i> , 2015 , 10, e0130433	3.7	58
57	Combined covalent-electrostatic model of hydrogen bonding improves structure prediction with Rosetta. <i>Journal of Chemical Theory and Computation</i> , 2015 , 11, 609-22	6.4	163
56	Coupling Protein Side-Chain and Backbone Flexibility Improves the Re-design of Protein-Ligand Specificity. <i>PLoS Computational Biology</i> , 2015 , 11, e1004335	5	46
55	Quantification of the transferability of a designed protein specificity switch reveals extensive epistasis in molecular recognition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 15426-31	11.5	16
54	Design of a phosphorylatable PDZ domain with peptide-specific affinity changes. <i>Structure</i> , 2013 , 21, 54-64	5.2	14
53	Design of a photoswitchable cadherin. <i>Journal of the American Chemical Society</i> , 2013 , 135, 12516-9	16.4	20
52	Reprogramming an ATP-driven protein machine into a light-gated nanocage. <i>Nature Nanotechnology</i> , 2013 , 8, 928-32	28.7	44
51	Scientific benchmarks for guiding macromolecular energy function improvement. <i>Methods in Enzymology</i> , 2013 , 523, 109-43	1.7	164
50	Flexible backbone sampling methods to model and design protein alternative conformations. <i>Methods in Enzymology</i> , 2013 , 523, 61-85	1.7	36
49	Computational protein design quantifies structural constraints on amino acid covariation. <i>PLoS Computational Biology</i> , 2013 , 9, e1003313	5	25
48	Serverification of molecular modeling applications: the Rosetta Online Server that Includes Everyone (ROSIE). <i>PLoS ONE</i> , 2013 , 8, e63906	3.7	230
47	Improvements to robotics-inspired conformational sampling in rosetta. <i>PLoS ONE</i> , 2013 , 8, e63090	3.7	115
46	Amino-acid site variability among natural and designed proteins. <i>PeerJ</i> , 2013 , 1, e211	3.1	13
45	In support of the BMRB. <i>Nature Structural and Molecular Biology</i> , 2012 , 19, 854-60	17.6	5
44	Prediction of mutational tolerance in HIV-1 protease and reverse transcriptase using flexible backbone protein design. <i>PLoS Computational Biology</i> , 2012 , 8, e1002639	5	17
43	Cost-benefit tradeoffs in engineered lac operons. <i>Science</i> , 2012 , 336, 911-5	33.3	74
42	Control of protein signaling using a computationally designed GTPase/GEF orthogonal pair. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 5277-82	11.5	67
41	Global landscape of HIV-human protein complexes. <i>Nature</i> , 2011 , 481, 365-70	50.4	507

40	ROSETTA3: an object-oriented software suite for the simulation and design of macromolecules. <i>Methods in Enzymology</i> , 2011 , 487, 545-74	1.7	1216
39	Assessment of flexible backbone protein design methods for sequence library prediction in the therapeutic antibody Herceptin-HER2 interface. <i>Protein Science</i> , 2011 , 20, 1082-9	6.3	27
38	Predicting the tolerated sequences for proteins and protein interfaces using RosettaBackrub flexible backbone design. <i>PLoS ONE</i> , 2011 , 6, e20451	3.7	73
37	SNX27 mediates PDZ-directed sorting from endosomes to the plasma membrane. <i>Journal of Cell Biology</i> , 2010 , 190, 565-74	7.3	193
36	RosettaBackrub--a web server for flexible backbone protein structure modeling and design. <i>Nucleic Acids Research</i> , 2010 , 38, W569-75	20.1	94
35	Structure-based prediction of the peptide sequence space recognized by natural and synthetic PDZ domains. <i>Journal of Molecular Biology</i> , 2010 , 402, 460-74	6.5	84
34	Designing ensembles in conformational and sequence space to characterize and engineer proteins. <i>Current Opinion in Structural Biology</i> , 2010 , 20, 377-84	8.1	22
33	A correspondence between solution-state dynamics of an individual protein and the sequence and conformational diversity of its family. <i>PLoS Computational Biology</i> , 2009 , 5, e1000393	5	60
32	Backbone flexibility in computational protein design. <i>Current Opinion in Biotechnology</i> , 2009 , 20, 420-8	11.4	84
31	Multi-constraint computational design suggests that native sequences of germline antibody H3 loops are nearly optimal for conformational flexibility. <i>Proteins: Structure, Function and Bioinformatics</i> , 2009 , 75, 846-58	4.2	45
30	Computer-aided design of functional protein interactions. <i>Nature Chemical Biology</i> , 2009 , 5, 797-807	11.7	131
29	Sub-angstrom accuracy in protein loop reconstruction by robotics-inspired conformational sampling. <i>Nature Methods</i> , 2009 , 6, 551-2	21.6	329
28	Prediction of protein-protein interface sequence diversity using flexible backbone computational protein design. <i>Structure</i> , 2008 , 16, 1777-88	5.2	69
27	A new twist in TCR diversity revealed by a forbidden alphabeta TCR. <i>Journal of Molecular Biology</i> , 2008 , 375, 1306-19	6.5	21
26	A simple model of backbone flexibility improves modeling of side-chain conformational variability. <i>Journal of Molecular Biology</i> , 2008 , 380, 757-74	6.5	60
25	Backrub-like backbone simulation recapitulates natural protein conformational variability and improves mutant side-chain prediction. <i>Journal of Molecular Biology</i> , 2008 , 380, 742-56	6.5	232
24	Mutations designed to destabilize the receptor-bound conformation increase MICA-NKG2D association rate and affinity. <i>Journal of Biological Chemistry</i> , 2007 , 282, 30658-66	5.4	23
23	Design of multi-specificity in protein interfaces. <i>PLoS Computational Biology</i> , 2007 , 3, e164	5	87

22	Rational design of intercellular adhesion molecule-1 (ICAM-1) variants for antagonizing integrin lymphocyte function-associated antigen-1-dependent adhesion. <i>Journal of Biological Chemistry</i> , 2006 , 281, 5042-9	5.4	49
21	Computational design of a new hydrogen bond network and at least a 300-fold specificity switch at a protein-protein interface. <i>Journal of Molecular Biology</i> , 2006 , 361, 195-208	6.5	119
20	Ca ²⁺ indicators based on computationally redesigned calmodulin-peptide pairs. <i>Chemistry and Biology</i> , 2006 , 13, 521-30		402
19	Potential functions for hydrogen bonds in protein structure prediction and design. <i>Advances in Protein Chemistry</i> , 2005 , 72, 1-38		38
18	Design of Multi-Specificity in Protein Interfaces. <i>PLoS Computational Biology</i> , 2005 , preprint, e164	5	
17	Close agreement between the orientation dependence of hydrogen bonds observed in protein structures and quantum mechanical calculations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 6946-51	11.5	211
16	A new hydrogen-bonding potential for the design of protein-RNA interactions predicts specific contacts and discriminates decoys. <i>Nucleic Acids Research</i> , 2004 , 32, 5147-62	20.1	62
15	Computational redesign of protein-protein interaction specificity. <i>Nature Structural and Molecular Biology</i> , 2004 , 11, 371-9	17.6	254
14	Computational design of protein-protein interactions. <i>Current Opinion in Chemical Biology</i> , 2004 , 8, 91-7	9.7	187
13	Computational alanine scanning of protein-protein interfaces. <i>Science Signaling</i> , 2004 , 2004, pl2	8.8	361
12	Symmetry recognizing asymmetry: analysis of the interactions between the C-type lectin-like immunoreceptor NKG2D and MHC class I-like ligands. <i>Structure</i> , 2003 , 11, 411-22	5.2	90
11	Evaluation of Models of Electrostatic Interactions in Proteins. <i>Journal of Physical Chemistry B</i> , 2003 , 107, 2075-2090	3.4	46
10	An orientation-dependent hydrogen bonding potential improves prediction of specificity and structure for proteins and protein-protein complexes. <i>Journal of Molecular Biology</i> , 2003 , 326, 1239-59	6.5	429
9	Convergent mechanisms for recognition of divergent cytokines by the shared signaling receptor gp130. <i>Molecular Cell</i> , 2003 , 12, 577-89	17.6	107
8	A simple physical model for binding energy hot spots in protein-protein complexes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 14116-21	11.5	656
7	Design, activity, and structure of a highly specific artificial endonuclease. <i>Molecular Cell</i> , 2002 , 10, 895-905	7.6	202
6	The design of linear peptides that fold as monomeric beta-sheet structures. <i>Current Opinion in Structural Biology</i> , 1999 , 9, 487-93	8.1	122
5	Flex ddG: Rosetta ensemble-based estimation of changes in protein-protein binding affinity upon mutation		2

- 4 Modulating the cellular context broadly reshapes the mutational landscape of a model enzyme 2
- 3 The Rosetta all-atom energy function for macromolecular modeling and design 3
- 2 Quantitative mapping of protein-peptide affinity landscapes using spectrally encoded beads 3
- 1 Ensuring scientific reproducibility in bio-macromolecular modeling via extensive, automated benchmarks 2