

# Mohd A Beg

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/6460865/mohd-a-beg-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

140  
papers

3,939  
citations

36  
h-index

54  
g-index

145  
ext. papers

4,251  
ext. citations

2.8  
avg, IF

5.39  
L-index

#	Paper	IF	Citations
140	Follicle selection in monovular species. <i>Biology of Reproduction</i> , <b>2001</b> , 65, 638-47	3.9	238
139	Mechanism of follicle deviation in monovular farm species. <i>Animal Reproduction Science</i> , <b>2003</b> , 78, 239-57.1	3.9	139
138	Temporal associations among pulses of 13,14-dihydro-15-keto-PGF <sub>2</sub> alpha, luteal blood flow, and luteolysis in cattle. <i>Biology of Reproduction</i> , <b>2007</b> , 76, 506-13	3.9	119
137	Follicle selection in cattle and horses: role of intrafollicular factors. <i>Reproduction</i> , <b>2006</b> , 132, 365-77	3.8	117
136	Systemic concentrations of hormones during the development of follicular waves in mares and women: a comparative study. <i>Reproduction</i> , <b>2005</b> , 130, 379-88	3.8	99
135	Follicle selection in cattle: role of luteinizing hormone. <i>Biology of Reproduction</i> , <b>2001</b> , 64, 197-205	3.9	93
134	Follicular-fluid factors and granulosa-cell gene expression associated with follicle deviation in cattle. <i>Biology of Reproduction</i> , <b>2001</b> , 64, 432-41	3.9	92
133	Necessity of sequential pulses of prostaglandin F <sub>2</sub> alpha for complete physiologic luteolysis in cattle. <i>Biology of Reproduction</i> , <b>2009</b> , 80, 641-8	3.9	85
132	Regulation of circulating gonadotropins by the negative effects of ovarian hormones in mares. <i>Biology of Reproduction</i> , <b>2005</b> , 73, 315-23	3.9	85
131	Follicle selection in cattle: dynamics of follicular fluid factors during development of follicle dominance. <i>Biology of Reproduction</i> , <b>2002</b> , 66, 120-6	3.9	78
130	Changes in vascular perfusion of the endometrium in association with changes in location of the embryonic vesicle in mares. <i>Biology of Reproduction</i> , <b>2005</b> , 72, 755-61	3.9	72
129	Role of follicular estradiol-17beta in timing of luteolysis in heifers. <i>Biology of Reproduction</i> , <b>2009</b> , 81, 426-37	3.9	70
128	Luteal blood flow and progesterone production in mares. <i>Animal Reproduction Science</i> , <b>2007</b> , 99, 213-20.1	3.9	68
127	In vivo effects of an intrafollicular injection of insulin-like growth factor 1 on the mechanism of follicle deviation in heifers and mares. <i>Biology of Reproduction</i> , <b>2004</b> , 70, 99-105	3.9	66
126	Intrapulse temporality between pulses of a metabolite of prostaglandin F <sub>2</sub> and circulating concentrations of progesterone before, during, and after spontaneous luteolysis in heifers. <i>Theriogenology</i> , <b>2010</b> , 74, 1179-86	2.8	63
125	Follicle Selection in Cattle: Relationships among Growth Rate, Diameter Ranking, and Capacity for Dominance. <i>Biology of Reproduction</i> , <b>2001</b> , 65, 345-50	3.9	59
124	Characteristics of pulses of 13,14-dihydro-15-keto-prostaglandin f <sub>2</sub> alpha before, during, and after spontaneous luteolysis and temporal intrapulse relationships with progesterone concentrations in cattle. <i>Biology of Reproduction</i> , <b>2010</b> , 82, 1049-56	3.9	56

123	Relationship of vascular perfusion of the wall of the preovulatory follicle to in vitro fertilisation and embryo development in heifers. <i>Reproduction</i> , <b>2009</b> , 137, 689-97	3.8	52
122	Follicle and hormone dynamics in single versus double ovulating heifers. <i>Reproduction</i> , <b>2009</b> , 138, 561-70,8	3.8	51
121	Temporal relationships and repeatability of follicle diameters and hormone concentrations within individuals in mares. <i>Reproduction in Domestic Animals</i> , <b>2009</b> , 44, 92-9	1.6	50
120	Characterisation of pulses of 13,14-dihydro-15-keto-PGF <sub>2</sub> α (PGFM) and relationships between PGFM pulses and luteal blood flow before, during, and after luteolysis in mares. <i>Reproduction, Fertility and Development</i> , <b>2008</b> , 20, 684-93	1.8	49
119	Controlling interrelationships of progesterone/LH and estradiol/LH in mares. <i>Animal Reproduction Science</i> , <b>2006</b> , 95, 144-50	2.1	47
118	Luteal blood flow and concentrations of circulating progesterone and other hormones associated with a simulated pulse of 13,14-dihydro-15-keto-prostaglandin F <sub>2</sub> α in heifers. <i>Reproduction</i> , <b>2010</b> , 139, 673-83	3.8	46
117	Incidence, Endocrinology, Vascularity, and Morphology of Hemorrhagic Anovulatory Follicles in Mares. <i>Journal of Equine Veterinary Science</i> , <b>2007</b> , 27, 130-139	1.2	44
116	Activin A, estradiol, and free insulin-like growth factor I in follicular fluid preceding the experimental assumption of follicle dominance in cattle. <i>Biology of Reproduction</i> , <b>2002</b> , 67, 14-9	3.9	41
115	Endocrine Disruption: Computational Perspectives on Human Sex Hormone-Binding Globulin and Phthalate Plasticizers. <i>PLoS ONE</i> , <b>2016</b> , 11, e0151444	3.7	41
114	Diurnal variation in LH and temporal relationships between oscillations in LH and progesterone during the luteal phase in heifers. <i>Theriogenology</i> , <b>2010</b> , 74, 1491-8	2.8	40
113	Differential blood flow changes between the future dominant and subordinate follicles precede diameter changes during follicle selection in mares. <i>Biology of Reproduction</i> , <b>2004</b> , 71, 502-7	3.9	39
112	Spontaneous preterm birth and single nucleotide gene polymorphisms: a recent update. <i>BMC Genomics</i> , <b>2016</b> , 17, 759	4.5	38
111	Androgen and Progesterone Receptors Are Targets for Bisphenol A (BPA), 4-Methyl-2,4-bis-(P-Hydroxyphenyl)Pent-1-Ene--A Potent Metabolite of BPA, and 4-Tert-Octylphenol: A Computational Insight. <i>PLoS ONE</i> , <b>2015</b> , 10, e0138438	3.7	38
110	Anticancer compound plumbagin and its molecular targets: a structural insight into the inhibitory mechanisms using computational approaches. <i>PLoS ONE</i> , <b>2014</b> , 9, e87309	3.7	38
109	Dynamics of circulating progesterone concentrations before and during luteolysis: a comparison between cattle and horses. <i>Biology of Reproduction</i> , <b>2012</b> , 86, 170	3.9	38
108	Follicle deviation and diurnal variation in circulating hormone concentrations in mares. <i>Animal Reproduction Science</i> , <b>2007</b> , 100, 197-203	2.1	38
107	Effect of prostaglandin F <sub>2</sub> α on ovarian, adrenal, and pituitary hormones and on luteal blood flow in mares. <i>Domestic Animal Endocrinology</i> , <b>2007</b> , 32, 315-28	2.3	38
106	Negative effect of estradiol on luteinizing hormone throughout the ovulatory luteinizing hormone surge in mares. <i>Biology of Reproduction</i> , <b>2007</b> , 77, 543-50	3.9	36

105	Possible Molecular Interactions of Bexarotene - A Retinoid Drug and Alzheimer's A $\beta$ Peptide: A Docking Study. <i>Current Alzheimer Research</i> , <b>2017</b> , 14, 327-334	3	36
104	Dose-response study of intrafollicular injection of insulin-like growth factor-I on follicular fluid factors and follicle dominance in mares. <i>Biology of Reproduction</i> , <b>2004</b> , 70, 1063-9	3.9	33
103	Effects of age on follicle and hormone dynamics during the oestrous cycle in mares. <i>Reproduction, Fertility and Development</i> , <b>2008</b> , 20, 955-63	1.8	32
102	Circulating hormone concentrations within a pulse of a metabolite of prostaglandin F <sub>2</sub> $\alpha$ during preluteolysis and early luteolysis in heifers. <i>Animal Reproduction Science</i> , <b>2010</b> , 122, 253-8	2.1	30
101	Critical role of insulin-like growth factor system in follicle selection and dominance in mares. <i>Biology of Reproduction</i> , <b>2004</b> , 70, 1374-9	3.9	30
100	Aberrant blood flow area and plasma gonadotropin concentrations during the development of dominant-sized transitional anovulatory follicles in mares. <i>Biology of Reproduction</i> , <b>2004</b> , 71, 637-42	3.9	30
99	Follicle and endocrine dynamics during experimental follicle deviation in mares. <i>Biology of Reproduction</i> , <b>2002</b> , 67, 862-7	3.9	30
98	Progesterone concentration when the future ovulatory follicle and corpus luteum are located in ipsilateral or contralateral ovaries in heifers. <i>Theriogenology</i> , <b>2013</b> , 79, 534-40	2.8	29
97	Computational insights into the molecular interactions of environmental xenoestrogens 4-tert-octylphenol, 4-nonylphenol, bisphenol A (BPA), and BPA metabolite, 4-methyl-2, 4-bis (4-hydroxyphenyl) pent-1-ene (MBP) with human sex hormone-binding globulin. <i>Ecotoxicology and Environmental Safety</i> , <b>2017</b> , 135, 284-291	7	29
96	The transition between preluteolysis and luteolysis in cattle. <i>Theriogenology</i> , <b>2011</b> , 75, 164-71	2.8	29
95	Physiologic and nonphysiologic effects of exogenous prostaglandin F <sub>2</sub> $\alpha$ on reproductive hormones in mares. <i>Theriogenology</i> , <b>2009</b> , 72, 417-24	2.8	29
94	Computational insights into the inhibitory mechanism of human AKT1 by an orally active inhibitor, MK-2206. <i>PLoS ONE</i> , <b>2014</b> , 9, e109705	3.7	29
93	Luteolysis and associated interrelationships among circulating PGF <sub>2</sub> $\alpha$ , progesterone, LH, and estradiol in mares. <i>Domestic Animal Endocrinology</i> , <b>2011</b> , 41, 174-84	2.3	28
92	Relationships of follicle versus oocyte maturity to ultrasound morphology, blood flow, and hormone concentrations of the preovulatory follicle in mares. <i>Biology of Reproduction</i> , <b>2007</b> , 77, 202-8	3.9	28
91	Structural characterization of potential endocrine disrupting activity of alternate plasticizers di-(2-ethylhexyl) adipate (DEHA), acetyl tributyl citrate (ATBC) and 2,2,4-trimethyl 1,3-pentanediol diisobutyrate (TPIB) with human sex hormone-binding globulin. <i>Reproductive Toxicology</i> , <b>2019</b> , 83, 46-53	3.4	28
90	Concomitance of luteinizing hormone and progesterone oscillations during the transition from preluteolysis to luteolysis in cattle. <i>Domestic Animal Endocrinology</i> , <b>2011</b> , 40, 77-86	2.3	27
89	Endocrinology of number of follicular waves per estrous cycle and contralateral or ipsilateral relationship between corpus luteum and preovulatory follicle in heifers. <i>Domestic Animal Endocrinology</i> , <b>2013</b> , 45, 64-71	2.3	25
88	Effect of luteinizing hormone oscillations on progesterone concentrations based on treatment with a gonadotropin-releasing hormone antagonist in heifers. <i>Domestic Animal Endocrinology</i> , <b>2011</b> , 40, 119-27 <sup>3</sup>	2.3	25

87	Temporal relationships of the LH surge and ovulation to echotexture and power Doppler signals of blood flow in the wall of the preovulatory follicle in heifers. <i>Reproduction, Fertility and Development</i> , <b>2010</b> , 22, 1110-7	1.8	25
86	Changes in steady-state concentrations of messenger ribonucleic acids in luteal tissue during prostaglandin F2alpha induced luteolysis in mares. <i>Animal Reproduction Science</i> , <b>2005</b> , 90, 273-85	2.1	25
85	Role of low circulating FSH concentrations in controlling the interval to emergence of the subsequent follicular wave in cattle. <i>Reproduction</i> , <b>2002</b> , 124, 475-482	3.8	25
84	Concentrations of circulating hormones normalized to pulses of a prostaglandin F2alpha metabolite during spontaneous luteolysis in mares. <i>Theriogenology</i> , <b>2009</b> , 72, 1111-9	2.8	24
83	Role of luteinizing hormone in changes in concentrations of progesterone and luteal blood flow during the hours of a simulated pulse of 13,14-dihydro-15-keto-prostaglandin F(2alpha) (PGFM) in heifers. <i>Biology of Reproduction</i> , <b>2011</b> , 85, 482-9	3.9	24
82	Pulsatility and interrelationships of 13,14-dihydro-15-keto-PGF2alpha (PGFM), luteinizing hormone, progesterone, and estradiol in heifers. <i>Biology of Reproduction</i> , <b>2011</b> , 84, 922-32	3.9	24
81	Dynamics of the Equine Preovulatory Follicle and Perioovulatory Hormones: What's New?. <i>Journal of Equine Veterinary Science</i> , <b>2008</b> , 28, 454-460	1.2	24
80	Follicle and systemic hormone interrelationships during spontaneous and ablation-induced ovulatory waves in mares. <i>Animal Reproduction Science</i> , <b>2008</b> , 106, 181-7	2.1	24
79	Follicle diameters and hormone concentrations in the development of single versus double ovulations in mares. <i>Theriogenology</i> , <b>2008</b> , 69, 583-90	2.8	24
78	Interrelationships among follicles during the common-growth phase of a follicular wave and capacity of individual follicles for dominance in mares. <i>Reproduction</i> , <b>2004</b> , 128, 417-22	3.8	24
77	Stimulation of pulses of 13,14-dihydro-15-keto-PGF2alpha (PGFM) with estradiol-17beta and changes in circulating progesterone concentrations within a PGFM pulse in heifers. <i>Theriogenology</i> , <b>2010</b> , 74, 384-92	2.8	23
76	Plasma clearance and half-life of prostaglandin F2alpha: a comparison between mares and heifers. <i>Biology of Reproduction</i> , <b>2012</b> , 87, 18, 1-6	3.9	23
75	Treatment with human chorionic gonadotropin (hCG) for ovulation induction is associated with an immediate 17beta-estradiol decrease and a more rapid LH increase in mares. <i>Animal Reproduction Science</i> , <b>2009</b> , 114, 311-7	2.1	22
74	Contralateral ovarian location between the future ovulatory follicle and extant corpus luteum increases the length of the luteal phase and number of follicular waves in heifers. <i>Theriogenology</i> , <b>2013</b> , 79, 1130-8	2.8	21
73	Effects of inhibition of prostaglandin F2biosynthesis during preluteolysis and luteolysis in heifers. <i>Theriogenology</i> , <b>2011</b> , 76, 640-51	2.8	21
72	Induction of haemorrhagic anovulatory follicles in mares. <i>Reproduction, Fertility and Development</i> , <b>2008</b> , 20, 947-54	1.8	21
71	Associated and independent comparisons between the two largest follicles preceding follicle deviation in cattle. <i>Biology of Reproduction</i> , <b>2003</b> , 68, 524-9	3.9	21
70	The hour of transition into luteolysis in horses and cattle: a species comparison. <i>Theriogenology</i> , <b>2012</b> , 77, 1731-40	2.8	20

69	Dynamic progesterone responses to simulation of a natural pulse of a metabolite of prostaglandin F(2alpha) in heifers. <i>Animal Reproduction Science</i> , <b>2010</b> , 118, 118-23	2.1	20
68	Follicle and systemic hormone interrelationships during induction of luteinized unruptured follicles with a prostaglandin inhibitor in mares. <i>Theriogenology</i> , <b>2011</b> , 76, 361-73	2.8	19
67	Age-related dynamics of follicles and hormones during an induced ovulatory follicular wave in mares. <i>Theriogenology</i> , <b>2009</b> , 71, 780-8	2.8	19
66	Progesterone responses to intravenous and intrauterine infusions of prostaglandin F2alpha in mares. <i>Reproduction, Fertility and Development</i> , <b>2009</b> , 21, 688-95	1.8	19
65	Effect of HCG in the presence of HCG antibodies on the follicle, hormone concentrations, and oocyte in mares. <i>Reproduction in Domestic Animals</i> , <b>2009</b> , 44, 474-9	1.6	18
64	Intrafollicular effect of IGF1 on development of follicle dominance in mares. <i>Animal Reproduction Science</i> , <b>2008</b> , 105, 417-23	2.1	17
63	Human sex hormone-binding globulin as a potential target of alternate plasticizers: an in silico study. <i>BMC Structural Biology</i> , <b>2016</b> , 16, 15	2.7	16
62	Induction of PGFM pulses and luteolysis by sequential estradiol-17 $\beta$ treatments in heifers. <i>Theriogenology</i> , <b>2012</b> , 77, 492-506	2.8	16
61	Intrapulse changes in progesterone and LH concentrations and luteal blood flow during an estradiol-induced pulse of a metabolite of prostaglandin F2alpha in heifers. <i>Animal Reproduction Science</i> , <b>2010</b> , 121, 34-8	2.1	16
60	Follicle deviation in ovulatory follicular waves with one or two dominant follicles in mares. <i>Reproduction in Domestic Animals</i> , <b>2009</b> , 44, 248-54	1.6	16
59	Temporal relationships among LH, estradiol, and follicle vascularization preceding the first compared with later ovulations during the year in mares. <i>Animal Reproduction Science</i> , <b>2007</b> , 102, 314-21 <sup>2.1</sup>	2.1	16
58	Endocrine disruption: In silico perspectives of interactions of di-(2-ethylhexyl)phthalate and its five major metabolites with progesterone receptor. <i>BMC Structural Biology</i> , <b>2016</b> , 16, 16	2.7	16
57	Follicular-phase concentrations of progesterone, estradiol-17 $\beta$ , LH, FSH, and a PGF2 $\beta$ metabolite and daily clustering of prolactin pulses, based on hourly blood sampling and hourly detection of ovulation in heifers. <i>Theriogenology</i> , <b>2013</b> , 79, 918-28	2.8	15
56	Role of LH in luteolysis and growth of the ovulatory follicle and estradiol regulation of LH secretion in heifers. <i>Theriogenology</i> , <b>2012</b> , 77, 1442-52	2.8	15
55	Hormonal mechanism of follicle deviation as indicated by major versus minor follicular waves during the transition into the anovulatory season in mares. <i>Reproduction</i> , <b>2003</b> , 126, 653-660	3.8	15
54	Concentrations of circulating hormones during the interval between pulses of a PGF2 $\beta$ metabolite in mares and heifers. <i>Animal Reproduction Science</i> , <b>2011</b> , 128, 22-8	2.1	14
53	Hormone concentration changes temporally associated with the hour of transition from preluteolysis to luteolysis in mares. <i>Animal Reproduction Science</i> , <b>2011</b> , 129, 67-72	2.1	14
52	In vivo effects of pregnancy-associated plasma protein-A, activin-A and vascular endothelial growth factor on other follicular-fluid factors during follicle deviation in mares. <i>Reproduction</i> , <b>2005</b> , 129, 489-96 <sup>3.8</sup>	3.8	14

51	Temporal relationships of a pulse of prolactin (PRL) to a pulse of a metabolite of PGF <sub>2</sub> in mares. <i>Theriogenology</i> , <b>2012</b> , 77, 99-107	2.8	13
50	Inhibition of prostaglandin biosynthesis during postluteolysis and effects on CL regression, prolactin, and ovulation in heifers. <i>Theriogenology</i> , <b>2012</b> , 78, 443-54	2.8	13
49	Calculated follicle deviation using segmented regression for modeling diameter differences in cattle. <i>Theriogenology</i> , <b>2003</b> , 59, 1811-25	2.8	13
48	Role of LH in the progesterone increase during the bromocriptine-induced prolactin decrease in heifers. <i>Theriogenology</i> , <b>2012</b> , 78, 1969-76	2.8	12
47	Effect of dose of estradiol-17 $\beta$ on prominence of an induced 13,14-dihydro-15-keto-PGF <sub>2</sub> (PGFM) pulse and relationship of prominence to progesterone, LH, and luteal blood flow in heifers. <i>Domestic Animal Endocrinology</i> , <b>2011</b> , 41, 98-109	2.3	12
46	Comparative study of fatty-acid composition of table eggs from the Jeddah food market and effect of value addition in omega-3 bio-fortified eggs. <i>Saudi Journal of Biological Sciences</i> , <b>2017</b> , 24, 929-935	4	11
45	Functional relationships among intrafollicular insulin-like growth factor 1, circulatory gonadotropins, and development of the dominant follicle in mares. <i>Animal Reproduction Science</i> , <b>2010</b> , 118, 270-8	2.1	11
44	Effect of suppression of FSH with a GnRH antagonist (acyline) before and during follicle deviation in the mare. <i>Reproduction in Domestic Animals</i> , <b>2009</b> , 44, 504-11	1.6	11
43	Role of PGF <sub>2</sub> in luteolysis based on inhibition of PGF <sub>2</sub> synthesis in the mare. <i>Theriogenology</i> , <b>2013</b> , 80, 812-20	2.8	10
42	Endocrine disruption: In silico interactions between phthalate plasticizers and corticosteroid binding globulin. <i>Journal of Applied Toxicology</i> , <b>2017</b> , 37, 1471-1480	4.1	10
41	Short-term feed restriction decreases the systemic and intrafollicular concentrations of leptin and increases the vascularity of the preovulatory follicle in mares. <i>Theriogenology</i> , <b>2010</b> , 73, 1202-9	2.8	10
40	Interrelationships among progesterone, LH, and luteal blood flow during a pulse of a PGF <sub>2</sub> metabolite and functional role of LH in the progesterone rebound in heifers. <i>Theriogenology</i> , <b>2013</b> , 79, 1110-9	2.8	9
39	Stimulation of the largest subordinate follicle by intrafollicular treatment with insulin-like growth factor 1 is associated with inhibition of the dominant follicle in heifers. <i>Theriogenology</i> , <b>2010</b> , 74, 194-201	2.8	9
38	Nuclear configuration, spindle morphology and cytoskeletal organization of in vivo maturing horse oocytes. <i>Reproduction in Domestic Animals</i> , <b>2009</b> , 44, 435-40	1.6	9
37	Development of one vs multiple ovulatory follicles and associated systemic hormone concentrations in mares. <i>Reproduction in Domestic Animals</i> , <b>2009</b> , 44, 441-9	1.6	9
36	Positive effect of FSH but not LH on early development of the dominant follicle in mares. <i>Reproduction, Fertility and Development</i> , <b>2010</b> , 22, 1092-9	1.8	9
35	Lactoperoxidase immobilization on silver nanoparticles enhances its antimicrobial activity. <i>Journal of Dairy Research</i> , <b>2018</b> , 85, 460-464	1.6	8
34	Relaxin: a hormonal aid to diagnose pregnancy status in wild mammalian species. <i>Theriogenology</i> , <b>2014</b> , 82, 1187-98	2.8	8

33	Direct effect of PGF <sub>2</sub> pulses on PRL pulses, based on inhibition of PRL or PGF <sub>2</sub> secretion in heifers. <i>Theriogenology</i> , <b>2012</b> , 78, 678-87	2.8	8
32	Pulses of prolactin before, during, and after luteolysis and synchrony with pulses of a metabolite of prostaglandin F <sub>2</sub> in heifers. <i>Animal Reproduction Science</i> , <b>2011</b> , 128, 29-36	2.1	8
31	Ovarian response and endocrine changes in buffalo superovulated at midluteal and late luteal stage of the estrous cycle: a preliminary report. <i>Theriogenology</i> , <b>1997</b> , 47, 423-32	2.8	8
30	Endocrine Disruption: Structural Interactions of Androgen Receptor against Di(2-ethylhexyl) Phthalate and Its Metabolites. <i>Toxics</i> , <b>2020</b> , 8,	4.7	7
29	Disruption of periovulatory FSH and LH surges during induced anovulation by an inhibitor of prostaglandin synthesis in mares. <i>Animal Reproduction Science</i> , <b>2011</b> , 126, 91-5	2.1	7
28	Disruption of the periovulatory LH surge by a transient increase in circulating 17beta-estradiol at the time of ovulation in mares. <i>Animal Reproduction Science</i> , <b>2010</b> , 117, 178-82	2.1	7
27	Trophoblast of domestic and companion animals: basic and applied clinical perspectives. <i>Animal Reproduction</i> , <b>2017</b> , 14, 1209-1224	1.7	7
26	Structural studies on the endocrine-disrupting role of polybrominated diphenyl ethers (PBDEs) in thyroid diseases. <i>Environmental Science and Pollution Research</i> , <b>2020</b> , 27, 37866-37876	5.1	7
25	Circadian influence on the preovulatory LH surge, ovulation, and prolactin concentrations in heifers. <i>Theriogenology</i> , <b>2013</b> , 79, 528-33	2.8	6
24	Stimulation of a pulse of LH and reduction in PRL concentration by a physiologic dose of GnRH before, during, and after luteolysis in heifers. <i>Animal Reproduction Science</i> , <b>2012</b> , 133, 52-62	2.1	6
23	Role of increased estradiol on altering the follicle diameters and gonadotropin concentrations that have been reported for double-ovulating heifers. <i>Animal Reproduction Science</i> , <b>2010</b> , 122, 335-41	2.1	6
22	Passage of postovulatory follicular fluid into the peritoneal cavity and the effect on concentrations of circulating hormones in mares. <i>Animal Reproduction Science</i> , <b>2008</b> , 107, 1-8	2.1	6
21	Elevated plasma testosterone concentrations during stallion-like sexual behavior in mares ( <i>Equus caballus</i> ). <i>Hormones and Behavior</i> , <b>2007</b> , 52, 205-10	3.7	6
20	Structural studies on inhibitory mechanisms of antibiotic, corticosteroid and catecholamine molecules on lactoperoxidase. <i>Life Sciences</i> , <b>2018</b> , 207, 412-419	6.8	6
19	Endocrine disruption: Molecular interactions of environmental bisphenol contaminants with thyroid hormone receptor and thyroxine-binding globulin. <i>Toxicology and Industrial Health</i> , <b>2020</b> , 36, 322-335	1.8	5
18	Temporal interrelationships at 15-min intervals among oxytocin, LH, and progesterone during a pulse of a prostaglandin F <sub>2</sub> metabolite in heifers. <i>Animal Reproduction Science</i> , <b>2012</b> , 133, 63-70	2.1	5
17	Miniature Ponies: Similarities and Differences from Larger Breeds in Follicles and Hormones during the Estrous Cycle. <i>Journal of Equine Veterinary Science</i> , <b>2008</b> , 28, 508-517	1.2	5
16	Miniature ponies: 2. Endocrinology of the oestrous cycle. <i>Reproduction, Fertility and Development</i> , <b>2008</b> , 20, 386-90	1.8	5



15	Genetic investigations on causes of male infertility in Western Saudi Arabia. <i>Andrologia</i> , <b>2019</b> , 51, e13272.	2.4	4
14	Ovarian and PGF <sub>2</sub> responses to stimulation of endogenous PRL pulses during the estrous cycle in mares. <i>Theriogenology</i> , <b>2012</b> , 78, 1252-61	2.8	4
13	Follicle suppression of circulating follicle-stimulating hormone and luteinizing hormone before versus after emergence of the ovulatory wave in mares. <i>Theriogenology</i> , <b>2009</b> , 72, 445-52	2.8	4
12	Stallion-like Behavior in Mares: Review of Incidence, Characteristics, Ovarian Activity, and Role of Testosterone. <i>Journal of Equine Veterinary Science</i> , <b>2007</b> , 27, 390-393	1.2	4
11	Stimulatory effect of PGF <sub>2</sub> on PRL based on experimental inhibition of each hormone in mares. <i>Theriogenology</i> , <b>2012</b> , 78, 1960-8	2.8	3
10	Peroxisome Proliferator-activated Receptors as Potential Targets for Carcinogenic Activity of Polychlorinated Biphenyls: A Computational Perspective. <i>Anticancer Research</i> , <b>2016</b> , 36, 6117-6124	2.3	3
9	Molecular Interactions of Carcinogenic Aromatic Amines, 4-Aminobiphenyl and 4,4'-Diaminobiphenyl, with Lactoperoxidase - Insight to Breast Cancer. <i>Anticancer Research</i> , <b>2017</b> , 37, 6245-6249	2.3	3
8	Structural binding interactions of tetrabromobisphenol A with sex steroid nuclear receptors and sex hormone-binding globulin. <i>Journal of Applied Toxicology</i> , <b>2020</b> , 40, 832-842	4.1	2
7	Structural binding perspectives of a major tobacco alkaloid, nicotine, and its metabolite cotinine with sex-steroid nuclear receptors. <i>Journal of Applied Toxicology</i> , <b>2020</b> , 40, 1410-1420	4.1	2
6	Unilateral ablation of follicles $\geq$ 4 mm leads to compensatory follicle response from the contralateral ovary in heifers. <i>Theriogenology</i> , <b>2012</b> , 77, 1605-14	2.8	2
5	Structural binding perspectives of common plasticizers and a flame retardant, BDE-153, against thyroxine-binding globulin: potential for endocrine disruption. <i>Journal of Applied Toxicology</i> , <b>2021</b> ,	4.1	2
4	Lactoperoxidase, an Antimicrobial Milk Protein, as a Potential Activator of Carcinogenic Heterocyclic Amines in Breast Cancer. <i>Anticancer Research</i> , <b>2017</b> , 37, 6415-6420	2.3	2
3	Steroid hormone profile and superovulatory response following priming and GnRH treatment in buffaloes. <i>Animal Reproduction Science</i> , <b>1996</b> , 44, 33-39	2.1	1
2	Insights into the Endocrine Disrupting Activity of Emerging Non-Phthalate Alternate Plasticizers against Thyroid Hormone Receptor: A Structural Perspective. <i>Toxics</i> , <b>2022</b> , 10, 263	4.7	1
1	In silico identification of genes involved in chronic metabolic acidosis. <i>Life Sciences</i> , <b>2018</b> , 192, 246-252	6.8	