

Steffen Rehbein

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6461536/publications.pdf>

Version: 2024-02-01

98
papers

2,030
citations

236833

25
h-index

315616

38
g-index

106
all docs

106
docs citations

106
times ranked

1599
citing authors

#	ARTICLE	IF	CITATIONS
1	World Association for the Advancement of Veterinary Parasitology (W.A.A.V.P.) guidelines for evaluating the efficacy of acaricides against ticks (Ixodidae) on ruminants. <i>Veterinary Parasitology</i> , 2006, 136, 29-43.	0.7	83
2	Parasitic infections of domestic cats, <i>Felis catus</i> , in western Hungary. <i>Veterinary Parasitology</i> , 2013, 192, 33-42.	0.7	75
3	Ectoparasites of dogs and cats in Albania. <i>Parasitology Research</i> , 2009, 105, 1577-1587.	0.6	71
4	Principal intestinal parasites of dogs in Tirana, Albania. <i>Parasitology Research</i> , 2011, 108, 341-353.	0.6	62
5	Genetic Variants of <i>Anaplasma phagocytophilum</i> in Wild Caprine and Cervid Ungulates from the Alps in Tyrol, Austria. <i>Vector-Borne and Zoonotic Diseases</i> , 2011, 11, 355-362.	0.6	61
6	Prevalence, intensity and seasonality of gastrointestinal parasites in abattoir horses in Germany. <i>Parasitology Research</i> , 2013, 112, 407-413.	0.6	60
7	Species of Flea (Siphonaptera) Infesting Pets and Hedgehogs in Germany. <i>Zoonoses and Public Health</i> , 2001, 48, 197-202.	1.4	57
8	International harmonisation of anthelmintic efficacy guidelines (Part 2). <i>Veterinary Parasitology</i> , 2002, 103, 277-297.	0.7	57
9	High-resolution phylogeography of zoonotic tapeworm <i>Echinococcus granulosus</i> sensu stricto genotype G1 with an emphasis on its distribution in Turkey, Italy and Spain. <i>Parasitology</i> , 2016, 143, 1790-1801.	0.7	51
10	Productivity effects of bovine mange and control with ivermectin. <i>Veterinary Parasitology</i> , 2003, 114, 267-284.	0.7	50
11	Survey of <i>Toxoplasma gondii</i> and <i>Neospora caninum</i> , haemotropic mycoplasmas and other arthropod-borne pathogens in cats from Albania. <i>Parasites and Vectors</i> , 2014, 7, 62.	1.0	50
12	Occurrence of <i>Dipylidium caninum</i> in fleas from client-owned cats and dogs in Europe using a new PCR detection assay. <i>Veterinary Parasitology</i> , 2014, 205, 300-306.	0.7	48
13	Endoparasites of cats from the Tirana area and the first report on <i>Aelurostrongylus abstrusus</i> (Railliet, 1898) in Albania. <i>Wiener Klinische Wochenschrift</i> , 2011, 123, 31-35.	1.0	47
14	Characterisation of ecto- and endoparasites in domestic cats from Tirana, Albania. <i>Parasitology Research</i> , 2014, 113, 3361-3371.	0.6	36
15	The efficacy of eprinomectin against induced infections of immature (fourth larval stage) and adult nematode parasites in cattle. <i>Veterinary Parasitology</i> , 1997, 73, 119-128.	0.7	34
16	Detection of <i>Babesia canis</i> subspecies and other arthropod-borne diseases in dogs from Tirana, Albania. <i>Wiener Klinische Wochenschrift</i> , 2009, 121, 42-5.	1.0	34
17	An eprinomectin extended-release injection formulation providing nematode control in cattle for up to 150 days. <i>Veterinary Parasitology</i> , 2013, 192, 313-320.	0.7	34
18	Nematode burdens of pastured cattle treated once at turnout with eprinomectin extended-release injection. <i>Veterinary Parasitology</i> , 2013, 192, 321-331.	0.7	32

#	ARTICLE	IF	CITATIONS
19	Efficacy against nematode and cestode infections and safety of a novel topical fipronil, (S)-methoprene, eprinomectin and praziquantel combination product in domestic cats under field conditions in Europe. <i>Veterinary Parasitology</i> , 2014, 202, 10-17.	0.7	32
20	Parasites and vector-borne pathogens in client-owned dogs in Albania. Blood pathogens and seroprevalences of parasitic and other infectious agents. <i>Parasitology Research</i> , 2016, 115, 489-499.	0.6	32
21	Efficacy of a novel topical combination of fipronil, (S)-methoprene, eprinomectin and praziquantel against larval and adult stages of the cat lungworm, <i>Aelurostrongylus abstrusus</i> . <i>Veterinary Parasitology</i> , 2014, 202, 64-68.	0.7	29
22	Persistent efficacy of topical eprinomectin against nematode parasites in cattle. <i>Parasitology Research</i> , 2000, 86, 944-946.	0.6	28
23	Multilocus sequence typing of canine <i>Giardia duodenalis</i> from South Eastern European countries. <i>Parasitology Research</i> , 2015, 114, 2165-2174.	0.6	28
24	The intravenous and oral pharmacokinetics of afoxolaner and milbemycin oxime when used as a combination chewable parasiticide for dogs. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2017, 40, 35-43.	0.6	28
25	World Association for the Advancement of Veterinary Parasitology (W.A.A.V.P.) guidelines for evaluating the efficacy of ectoparasiticides against biting lice, sucking lice and sheep keds on ruminants. <i>Veterinary Parasitology</i> , 2006, 136, 45-54.	0.7	26
26	World Association for the Advancement of Veterinary Parasitology (W.A.A.V.P.) guidelines for evaluating the efficacy of acaricides against (mange and itch) mites on ruminants. <i>Veterinary Parasitology</i> , 2006, 136, 55-66.	0.7	25
27	Chorioptic mange in dairy cattle: treatment with eprinomectin pour-on. <i>Parasitology Research</i> , 2005, 98, 21-25.	0.6	24
28	Transmission of Helminths between Species of Ruminants in Austria Appears More Likely to Occur than Generally Assumed. <i>Frontiers in Veterinary Science</i> , 2018, 5, 30.	0.9	23
29	Efficacy of eprinomectin against mange mites in cattle. <i>American Journal of Veterinary Research</i> , 1997, 58, 1257-9.	0.3	23
30	Evaluation of a double centrifugation technique for the detection of <i>Anoplocephala</i> eggs in horse faeces. <i>Journal of Helminthology</i> , 2011, 85, 409-414.	0.4	22
31	Pharmacokinetics and anthelmintic efficacy of topical eprinomectin in goats prevented from grooming. <i>Parasitology Research</i> , 2014, 113, 4039-4044.	0.6	22
32	World association for the advancement of veterinary parasitology (WAAVP): Third edition of guideline for evaluating the efficacy of equine anthelmintics. <i>Veterinary Parasitology</i> , 2022, 303, 109676.	0.7	22
33	Endoparasites of the fallow deer (<i>Dama dama</i>) of the Antheringer Au in Salzburg, Austria. <i>Wiener Klinische Wochenschrift</i> , 2014, 126, 37-41.	1.0	21
34	Eprinomectin pour-on (EPRINEXÂ® Pour-on, Merial): efficacy against gastrointestinal and pulmonary nematodes and pharmacokinetics in sheep. <i>BMC Veterinary Research</i> , 2017, 13, 148.	0.7	21
35	World Association for the Advancement of Veterinary Parasitology (W.A.A.V.P.) guidelines for evaluating the efficacy of ectoparasiticides against myiasis causing parasites on ruminants. <i>Veterinary Parasitology</i> , 2006, 136, 15-28.	0.7	20
36	Seroprevalence of canine heartworm (<i>Dirofilaria immitis</i>) infection in Albania. <i>Parasitology Research</i> , 2010, 107, 481-485.	0.6	20

#	ARTICLE	IF	CITATIONS
37	Efficacy of a novel topical combination of fipronil, (S)-methoprene, eprinomectin and praziquantel against feline urinary bladder worm (<i>Capillaria plica</i>) infection. <i>Veterinary Parasitology</i> , 2014, 202, 45-48.	0.7	20
38	Efficacy of Broadline [®] against <i>Capillaria aerophila</i> lungworm infection in cats. <i>Parasitology Research</i> , 2015, 114, 1971-1975.	0.6	20
39	Treatment of canine sarcoptic mange with afoxolaner (NexGard [®]) and afoxolaner plus milbemycin oxime (NexGard Spectra [®]) chewable tablets: efficacy under field conditions in Portugal and Germany. <i>Parasite</i> , 2018, 25, 63.	0.8	20
40	Parasites and vector-borne diseases in client-owned dogs in Albania. Intestinal and pulmonary endoparasite infections. <i>Parasitology Research</i> , 2015, 114, 4579-4590.	0.6	18
41	Efficacy of an ivermectin controlled-release capsule against nematode and arthropod endoparasites in sheep. <i>Veterinary Record</i> , 1998, 142, 331-334.	0.2	17
42	Efficacy of Ivermectin Delivered via a Controlled-Release Capsule against Small Lungworms (<i>Protostrongylidae</i>) in Sheep. <i>Zoonoses and Public Health</i> , 2002, 49, 313-316.	1.4	17
43	World Association for the Advancement of Veterinary Parasitology (W.A.A.V.P.) guidelines for evaluating the efficacy of ectoparasiticides against biting and nuisance flies on ruminants. <i>Veterinary Parasitology</i> , 2006, 136, 3-13.	0.7	17
44	Monthly administrations of milbemycin oxime plus afoxolaner chewable tablets to prevent <i>Angiostrongylus vasorum</i> infection in dogs. <i>Parasites and Vectors</i> , 2016, 9, 485.	1.0	17
45	Efficacy of a new long-acting formulation of ivermectin and other injectable avermectins against induced <i>Psoroptes ovis</i> infestations in cattle. <i>Parasitology Research</i> , 2002, 88, 1061-1065.	0.6	16
46	Tracing the genetic roots of the sika deer <i>Cervus nippon</i> naturalized in Germany and Austria. <i>European Journal of Wildlife Research</i> , 2005, 51, 237-241.	0.7	16
47	<i>Rickettsia felis</i> and <i>Bartonella</i> spp. in Fleas from Cats in Albania. <i>Vector-Borne and Zoonotic Diseases</i> , 2012, 12, 76-77.	0.6	16
48	Efficacy against nematode infections and safety of afoxolaner plus milbemycin oxime chewable tablets in domestic dogs under field conditions in Europe. <i>Parasitology Research</i> , 2017, 116, 259-269.	0.6	16
49	Efficacy of a combination ivermectin/praziquantel paste against nematodes, cestodes and bots in naturally infected ponies. <i>Veterinary Record</i> , 2007, 161, 722-724.	0.2	15
50	The efficacy of eprinomectin extended-release injection against <i>Hypoderma</i> spp. (Diptera: Oestridae) in cattle. <i>Veterinary Parasitology</i> , 2013, 192, 353-358.	0.7	15
51	Efficacy of a novel topical fipronil, (S)-methoprene, eprinomectin and praziquantel combination against naturally acquired intestinal nematode and cestode infections in cats. <i>Veterinary Parasitology</i> , 2014, 202, 18-25.	0.7	15
52	Therapeutic efficacy of eprinomectin extended-release injection against induced infections of developing (fourth-stage larvae) and adult nematode parasites of cattle. <i>Veterinary Parasitology</i> , 2013, 192, 338-345.	0.7	14
53	Anthelmintic efficacy and pharmacokinetics of pour-on eprinomectin (1mg/kg bodyweight) against gastrointestinal and pulmonary nematode infections in goats. <i>Small Ruminant Research</i> , 2015, 127, 74-79.	0.6	14
54	Effects of <i>Psoroptes ovis</i> infection and its control with an ivermectin controlled-release capsule on growing sheep. <i>Veterinary Parasitology</i> , 2000, 91, 107-118.	0.7	13

#	ARTICLE	IF	CITATIONS
55	The efficacy of eprinomectin extended-release injection against naturally acquired nematode parasites of cattle, with special regard to inhibited fourth-stage <i>Ostertagia</i> larvae. <i>Veterinary Parasitology</i> , 2013, 192, 346-352.	0.7	13
56	Treatment and control of bovine sarcoptic and psoroptic mange infestation with ivermectin long-acting injectable (IVOMECA® GOLD). <i>Parasitology Research</i> , 2015, 114, 535-542.	0.6	13
57	Parasites and vector-borne diseases in client-owned dogs in Albania: infestation with arthropod ectoparasites. <i>Parasitology Research</i> , 2017, 116, 399-407.	0.6	13
58	Reevaluation of efficacy against nematode parasites and pharmacokinetics of topical eprinomectin in cattle. <i>Parasitology Research</i> , 2012, 111, 1343-1347.	0.6	12
59	Pharmacokinetics and metabolism of eprinomectin in cats when administered in a novel topical combination of fipronil, (S)-methoprene, eprinomectin and praziquantel. <i>Veterinary Parasitology</i> , 2014, 202, 2-9.	0.7	12
60	Efficacy of afoxolaner plus milbemycin oxime chewable tablets against naturally acquired intestinal nematodes in dogs. <i>Veterinary Parasitology</i> , 2016, 217, 29-35.	0.7	12
61	<i>Anaplasma phagocytophilum</i> and <i>Babesia</i> Species of Sympatric Roe Deer (<i>Capreolus capreolus</i>), Fallow Deer (<i>Dama dama</i>), Sika Deer (<i>Cervus nippon</i>) and Red Deer (<i>Cervus elaphus</i>) in Germany. <i>Pathogens</i> , 2020, 9, 968.	1.2	12
62	World Association for the Advancement of Veterinary Parasitology (WAAVP) second edition: Guideline for evaluating the efficacy of parasiticides against ectoparasites of ruminants. <i>Veterinary Parasitology</i> , 2022, 302, 109613.	0.7	12
63	Efficacy of a novel topical combination of fipronil, (S)-methoprene, eprinomectin and praziquantel against adult and larval stages of <i>Toxocara cati</i> in cats. <i>Veterinary Parasitology</i> , 2014, 202, 34-39.	0.7	11
64	Efficacy of oral afoxolaner plus milbemycin oxime chewables against induced infestations with <i>Dermacentor reticulatus</i> in dogs. <i>Parasitology Research</i> , 2016, 115, 1845-1851.	0.6	11
65	Treatment and control of bovine hypodermosis with ivermectin long-acting injection (IVOMECA®) Tj ETQq1 1 0.784314 rgBT/Overlook	1.0	10
66	Therapeutic and prophylactic efficacy of the Ivomec SR Bolus against nematodes and <i>Psoroptes ovis</i> in cattle weighing more than 300 kg at the time of treatment. <i>Parasitology Research</i> , 1997, 83, 722-726.	0.6	9
67	Massive Infestation with fur mites (<i>Lynxacarus mustelae</i>) of a stone marten (<i>Martes foina</i>) from Tyrol. <i>Wiener Klinische Wochenschrift</i> , 2011, 123, 36-42.	1.0	9
68	Molecular identification of <i>Sarcocystis</i> species in diaphragm muscle tissue of European mouflon (<i>Ovis gmelini musimon</i>) from Austria. <i>Parasitology Research</i> , 2021, 120, 2695-2702.	0.6	9
69	<i>Fascioloides magna</i> -epizootiology in a deer farm in Germany. <i>Berliner Und Munchener Tierarztliche Wochenschrift</i> , 2015, 128, 177-82.	0.7	9
70	Effects of <i>Psoroptes ovis</i> infection and its control with an ivermectin controlled-release capsule on growing sheep. <i>Veterinary Parasitology</i> , 2000, 91, 119-128.	0.7	8
71	Efficacy of eprinomectin against <i>Linognathus vituli</i> and <i>Bovicola bovis</i> on calves. <i>Veterinary Record</i> , 2005, 156, 112-113.	0.2	8
72	The treatment of bovine sarcoptic mange (<i>Sarcoptes scabiei</i> var. <i>bovis</i>) using eprinomectin extended-release injection. <i>Veterinary Parasitology</i> , 2013, 192, 359-364.	0.7	8

#	ARTICLE	IF	CITATIONS
73	Pour-on administration of eprinomectin to lactating dairy goats: Pharmacokinetics and anthelmintic efficacy. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2021, 44, 952-960.	0.6	8
74	Occurrence of the giant liver fluke, <i>Fascioloides magna</i> , in sympatric wild ungulates in one area in the Upper Palatinate Forest (northeastern Bavaria, Germany). <i>Parasitology Research</i> , 2021, 120, 553-561.	0.6	8
75	Efficacy of ivermectin in a controlled release formulation against <i>Psoroptes ovis</i> (hering, 1838) gervais, 1841 (acar: psoroptidae) on sheep. <i>Veterinary Parasitology</i> , 1998, 78, 215-221.	0.7	7
76	Efficacy of a novel topical combination of fipronil, (S)-methoprene, eprinomectin and praziquantel against induced infections of <i>Ancylostoma</i> spp. nematodes of cats. <i>Veterinary Parasitology</i> , 2014, 202, 30-33.	0.7	7
77	Acaricide treatment prevents adrenocortical hyperplasia as a long-term stress reaction to psoroptic mange in cattle. <i>Veterinary Parasitology</i> , 2015, 207, 125-133.	0.7	7
78	Activity of ivermectin long-acting injectable (IVOMEC® GOLD) in first-season grazing cattle exposed to natural challenge conditions in Germany. <i>Parasitology Research</i> , 2015, 114, 47-54.	0.6	6
79	Efficacy of an ivermectin controlled-release capsule against some rarer nematode parasites of sheep. <i>Veterinary Parasitology</i> , 2000, 88, 293-298.	0.7	5
80	Efficacy of a novel topical combination of fipronil, (S)-methoprene, eprinomectin and praziquantel against adult and immature stages of the cat flea (<i>Ctenocephalides felis</i>) on cats. <i>Veterinary Parasitology</i> , 2014, 202, 54-58.	0.7	5
81	Control of parasitic infection with ivermectin long-acting injection (IVOMEC® GOLD) and production benefit in first-season grazing cattle facing a high-level larval challenge in Germany. <i>Parasitology Research</i> , 2016, 115, 4639-4648.	0.6	5
82	Efficacy of afoxolaner plus milbemycin oxime chewable tablets (NexGard Spectra®, Merial) against adult <i>Ancylostoma ceylanicum</i> hookworm, in dogs. <i>Veterinary Parasitology</i> , 2017, 238, 87-89.	0.7	5
83	Eprinomectin pour-on: Prevention of gastrointestinal and pulmonary nematode infections in sheep. <i>Veterinary Parasitology</i> , 2018, 264, 42-46.	0.7	4
84	LONGRANGE® (eprinomectin 5% w/v extended-release injection) efficacy against <i>Hypoderma lineatum</i> in an endemic area in southern Italy. <i>Parasites and Vectors</i> , 2019, 12, 231.	1.0	4
85	Efficacy of Broadline® in cats against induced infections with developing fourth-stage larval and adult <i>Ancylostoma ceylanicum</i> hookworms. <i>Veterinary Parasitology: X</i> , 2020, 3, 100025.	2.7	4
86	Distribution, prevalence, and intensity of <i>Sarcocystis</i> infections in sika deer (<i>Cervus nippon</i>) of free-ranging populations in Germany and Austria. <i>Parasitology Research</i> , 2022, 121, 2079-2086.	0.6	4
87	Efficacy of a novel topical combination of fipronil, (S)-methoprene, eprinomectin and praziquantel against experimental infections of <i>Toxascaris leonina</i> in cats. <i>Veterinary Parasitology</i> , 2014, 202, 40-44.	0.7	3
88	Police dogs from Albania as indicators of exposure risk to <i>Toxoplasma gondii</i> , <i>Neospora caninum</i> and vector-borne pathogens of zoonotic and veterinary concern. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2015, 1-2, 35-46.	0.3	3
89	Ivermectin treatment of bovine psoroptic mange: effects on serum chemistry, hematology, organ weights, and leather quality. <i>Parasitology Research</i> , 2016, 115, 1519-1528.	0.6	3
90	Mitochondrial genotyping of <i>Fascioloides magna</i> from Bavaria, Germany. <i>Acta Parasitologica</i> , 2017, 62, 870-874.	0.4	3

#	ARTICLE	IF	CITATIONS
91	Morphometric and Molecular Analyses of <i>Ostertagia leptospicularis</i> Assadov, 1953 from Ruminants: Species Diversity or Host Influence?. <i>Animals</i> , 2021, 11, 182.	1.0	3
92	Sika Deer (<i>Cervus nippon</i>) are not "Dead-End Hosts" of the Giant Liver Fluke, <i>Fascioloides magna</i> (Bassi, 1900) (Overl...	0.3	0
93	Treatment of natural <i>Protostrongylus rufescens</i> lungworm infection in sheep with eprinomectin 5 mg/mL topical solution. <i>Veterinary Parasitology</i> , 2022, 301, 109639.	0.7	3
94	Naturally acquired ovine-adapted nematode infections in young cattle and their treatment with eprinomectin 5% w/v extended-release injection. <i>Parasitology Research</i> , 2022, 121, 1811-1815.	0.6	1
95	Eprinomectin 5% w/v extended-release injection for the treatment of larval and/or adult <i>Bunostomum phlebotomum</i> , <i>Haemonchus contortus</i> , <i>H. placei</i> , <i>Nematodirus helvetianus</i> , <i>Oesophagostomum radiatum</i> , and <i>Trichostrongylus colubriformis</i> infections in cattle. <i>Parasitology Research</i> , 2022, , .	0.6	1
96	Pharmacokinetic-pharmacodynamic relationships of pour-on administered eprinomectin in nematode-infected lactating female and male castrated dairy breed goats. <i>Parasitology Research</i> , 2022, 121, 1533-1538.	0.6	0
97	A note on the relationship between fecal larval excretion and <i>Protostrongylus rufescens</i> lungworm burden in sheep. <i>Parasitology Research</i> , 2022, 121, 1539-1543.	0.6	0
98	Reflections and future directions for continued development and refinement of guidelines for anthelmintic efficacy studies. <i>Veterinary Parasitology</i> , 2022, 307-308, 109741.	0.7	0