
Jianzhong Shen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6464475/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Emergence of plasmid-mediated colistin resistance mechanism MCR-1 in animals and human beings in China: a microbiological and molecular biological study. Lancet Infectious Diseases, The, 2016, 16, 161-168.	4.6	4,130
2	Emergence of plasmid-mediated high-level tigecycline resistance genes in animals and humans. Nature Microbiology, 2019, 4, 1450-1456.	5.9	455
3	A novel gene, <i>optrA</i> , that confers transferable resistance to oxazolidinones and phenicols and its presence in <i>Enterococcus faecalis</i> and <i>Enterococcus faecium</i> of human and animal origin. Journal of Antimicrobial Chemotherapy, 2015, 70, 2182-2190.	1.3	450
4	Emergence of a novel mobile colistin resistance gene, <i>mcr-8</i> , in NDM-producing <i>Klebsiella pneumoniae</i> . Emerging Microbes and Infections, 2018, 7, 1-9.	3.0	404
5	Novel Plasmid-Mediated Colistin Resistance Gene <i>mcr-3</i> in <i>Escherichia coli</i> . MBio, 2017, 8, .	1.8	388
6	Comprehensive resistome analysis reveals the prevalence of NDM and MCR-1 in Chinese poultry production. Nature Microbiology, 2017, 2, 16260.	5.9	347
7	Prevalence, risk factors, outcomes, and molecular epidemiology of mcr-1 -positive Enterobacteriaceae in patients and healthy adults from China: an epidemiological and clinical study. Lancet Infectious Diseases, The, 2017, 17, 390-399.	4.6	298
8	A broad-spectrum antibiotic adjuvant reverses multidrug-resistant Gram-negative pathogens. Nature Microbiology, 2020, 5, 1040-1050.	5.9	236
9	Early emergence of mcr-1 in Escherichia coli from food-producing animals. Lancet Infectious Diseases, The, 2016, 16, 293.	4.6	230
10	Presence and dissemination of the multiresistance gene cfr in Gram-positive and Gram-negative bacteria. Journal of Antimicrobial Chemotherapy, 2013, 68, 1697-1706.	1.3	226
11	Changes in colistin resistance and mcr-1 abundance in Escherichia coli of animal and human origins following the ban of colistin-positive additives in China: an epidemiological comparative study. Lancet Infectious Diseases, The, 2020, 20, 1161-1171.	4.6	212
12	Epidemiology of mobile colistin resistance genes mcr-1 to mcr-9. Journal of Antimicrobial Chemotherapy, 2020, 75, 3087-3095.	1.3	163
13	Balancing mcr-1 expression and bacterial survival is a delicate equilibrium between essential cellular defence mechanisms. Nature Communications, 2017, 8, 2054.	5.8	157
14	Emergence of a Plasmid-Encoded Resistance-Nodulation-Division Efflux Pump Conferring Resistance to Multiple Drugs, Including Tigecycline, in Klebsiella pneumoniae. MBio, 2020, 11, .	1.8	153
15	Plant Natural Flavonoids Against Multidrug Resistant Pathogens. Advanced Science, 2021, 8, e2100749.	5.6	148
16	Anthropogenic and environmental factors associated with high incidence of mcr-1 carriage in humans across China. Nature Microbiology, 2018, 3, 1054-1062.	5.9	139
17	Genetic environment of the transferable oxazolidinone/phenicol resistance gene <i>optrA</i> in <i>Enterococcus faecalis</i> isolates of human and animal origin. Journal of Antimicrobial Chemotherapy, 2016, 71, 1466-1473.	1.3	134
18	Emergence of Multidrug-Resistant Campylobacter Species Isolates with a Horizontally Acquired rRNA Methylase. Antimicrobial Agents and Chemotherapy, 2014, 58, 5405-5412.	1.4	129

#	Article	IF	CITATIONS
19	Novel Plasmid-Mediated <i>tet</i> (X5) Gene Conferring Resistance to Tigecycline, Eravacycline, and Omadacycline in a Clinical Acinetobacter baumannii Isolate. Antimicrobial Agents and Chemotherapy, 2019, 64, .	1.4	124
20	First Report of the Multidrug Resistance Genecfrin Enterococcus faecalis of Animal Origin. Antimicrobial Agents and Chemotherapy, 2012, 56, 1650-1654.	1.4	118
21	Multiplex Lateral Flow Immunoassays Based on Amorphous Carbon Nanoparticles for Detecting Three <i>Fusarium</i> Mycotoxins in Maize. Journal of Agricultural and Food Chemistry, 2017, 65, 8063-8071.	2.4	114
22	Co-location of the oxazolidinone resistance genes <i>optrA</i> and <i>cfr</i> on a multiresistance plasmid from <i>Staphylococcus sciuri</i> . Journal of Antimicrobial Chemotherapy, 2016, 71, 1474-1478.	1.3	113
23	Determination of chloramphenicol, thiamphenicol, florfenicol, and florfenicol amine in poultry and porcine muscle and liver by gas chromatography-negative chemical ionization mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 1523-1529.	1.2	112
24	Insights into the Mechanistic Basis of Plasmid-Mediated Colistin Resistance from Crystal Structures of the Catalytic Domain of MCR-1. Scientific Reports, 2017, 7, 39392.	1.6	107
25	Nonribosomal antibacterial peptides that target multidrug-resistant bacteria. Natural Product Reports, 2019, 36, 573-592.	5.2	103
26	Proposal for assignment of allele numbers for mobile colistin resistance (mcr) genes. Journal of Antimicrobial Chemotherapy, 2018, 73, 2625-2630.	1.3	101
27	Mobile Oxazolidinone Resistance Genes in Gram-Positive and Gram-Negative Bacteria. Clinical Microbiology Reviews, 2021, 34, e0018820.	5.7	95
28	Emergence of carbapenem-resistant hypervirulent Klebsiella pneumoniae. Lancet Infectious Diseases, The, 2018, 18, 25.	4.6	94
29	Emergence of a Potent Multidrug Efflux Pump Variant That Enhances <i>Campylobacter</i> Resistance to Multiple Antibiotics. MBio, 2016, 7, .	1.8	91
30	T-2 toxin neurotoxicity: role of oxidative stress and mitochondrial dysfunction. Archives of Toxicology, 2019, 93, 3041-3056.	1.9	89
31	Inter-host Transmission of Carbapenemase-Producing <i>Escherichia coli</i> among Humans and Backyard Animals. Environmental Health Perspectives, 2019, 127, 107009.	2.8	85
32	Fluorescence Polarization Immunoassay Based on a New Monoclonal Antibody for the Detection of the Zearalenone Class of Mycotoxins in Maize. Journal of Agricultural and Food Chemistry, 2017, 65, 2240-2247.	2.4	83
33	Lincosamides, Streptogramins, Phenicols, and Pleuromutilins: Mode of Action and Mechanisms of Resistance. Cold Spring Harbor Perspectives in Medicine, 2016, 6, a027037.	2.9	79
34	Multiresidue analysis of sulfonamides, quinolones, and tetracyclines in animal tissues by ultra-high performance liquid chromatography–tandem mass spectrometry. Food Chemistry, 2016, 204, 252-262.	4.2	77
35	Multidrug resistance genes in staphylococci from animals that confer resistance to critically and highly important antimicrobial agents in human medicine. Trends in Microbiology, 2015, 23, 44-54.	3.5	76
36	A universal multi-wavelength fluorescence polarization immunoassay for multiplexed detection of mycotoxins in maize. Biosensors and Bioelectronics, 2016, 79, 258-265.	5.3	75

#	Article	IF	CITATIONS
37	Tracking Campylobacter contamination along a broiler chicken production chain from the farm level to retail in China. International Journal of Food Microbiology, 2014, 181, 77-84.	2.1	72
38	Prevalence and Abundance of Florfenicol and Linezolid Resistance Genes in Soils Adjacent to Swine Feedlots. Scientific Reports, 2016, 6, 32192.	1.6	70
39	Chromosome-Mediated <i>mcr-3</i> Variants in Aeromonas veronii from Chicken Meat. Antimicrobial Agents and Chemotherapy, 2017, 61, .	1.4	70
40	Identification of the novel tigecycline resistance gene tet(X6) and its variants in Myroides, Acinetobacter and Proteus of food animal origin. Journal of Antimicrobial Chemotherapy, 2020, 75, 1428-1431.	1.3	69
41	Farm animals and aquaculture: significant reservoirs of mobile colistin resistance genes. Environmental Microbiology, 2020, 22, 2469-2484.	1.8	68
42	Hapten synthesis, monoclonal antibody production and development of a competitive indirect enzyme-linked immunosorbent assay for erythromycin in milk. Food Chemistry, 2015, 171, 98-107.	4.2	67
43	Plasmid-Mediated Novel <i>bla</i> _{NDM-17} Gene Encoding a Carbapenemase with Enhanced Activity in a Sequence Type 48 Escherichia coli Strain. Antimicrobial Agents and Chemotherapy, 2017, 61,	1.4	67
44	Antimicrobial Resistance in <i>Campylobacter</i> spp. Microbiology Spectrum, 2018, 6, .	1.2	67
45	Species shift and multidrug resistance of <i>Campylobacter</i> from chicken and swine, China, 2008–14. Journal of Antimicrobial Chemotherapy, 2016, 71, 666-669.	1.3	66
46	Development of a multiplex flow-through immunoaffinity chromatography test for the on-site screening of 14 sulfonamide and 13 quinolone residues in milk. Biosensors and Bioelectronics, 2015, 66, 124-128.	5.3	64
47	Development of a highly sensitive and specific immunoassay for enrofloxacin based on heterologous coating haptens. Analytica Chimica Acta, 2014, 820, 152-158.	2.6	63
48	Generic Hapten Synthesis, Broad-Specificity Monoclonal Antibodies Preparation, and Ultrasensitive ELISA for Five Antibacterial Synergists in Chicken and Milk. Journal of Agricultural and Food Chemistry, 2018, 66, 11170-11179.	2.4	63
49	Nontargeted Detection Methods for Food Safety and Integrity. Annual Review of Food Science and Technology, 2019, 10, 429-455.	5.1	59
50	Serotype distribution and antibiotic resistance of Salmonella in food-producing animals in Shandong province of China, 2009 and 2012. International Journal of Food Microbiology, 2014, 180, 30-38.	2.1	58
51	Prevalence and Genetic Analysis of <i>mcr-3</i> -Positive Aeromonas Species from Humans, Retail Meat, and Environmental Water Samples. Antimicrobial Agents and Chemotherapy, 2018, 62, .	1.4	58
52	Plasmid-mediated tigecycline-resistant gene <i>tet</i> (X4) in <i>Escherichia coli</i> from food-producing animals, China, 2008–2018. Emerging Microbes and Infections, 2019, 8, 1524-1527.	3.0	58
53	Novel Variant of New Delhi Metallo-β-lactamase, NDM-20, in Escherichia coli. Frontiers in Microbiology, 2018, 9, 248.	1.5	57
54	Fluorescence immunoassay based on the inner-filter effect of carbon dots for highly sensitive amantadine detection in foodstuffs. Food Chemistry, 2019, 294, 347-354.	4.2	57

#	Article	IF	CITATIONS
55	Cloning, Up-Regulation, and Mitogenic Role of Porcine P2Y2 Receptor in Coronary Artery Smooth Muscle Cells. Molecular Pharmacology, 2004, 66, 1265-1274.	1.0	55
56	Identification of novel variants of the colistin resistance gene mcr-3 in Aeromonas spp. from the national resistance monitoring programme GERM-Vet and from diagnostic submissions. Journal of Antimicrobial Chemotherapy, 2018, 73, 1217-1221.	1.3	55
57	Inhibition of Oxidative Stress and ALOX12 and NF-κB Pathways Contribute to the Protective Effect of Baicalein on Carbon Tetrachloride-Induced Acute Liver Injury. Antioxidants, 2021, 10, 976.	2.2	55
58	The Natural Product Curcumin as an Antibacterial Agent: Current Achievements and Problems. Antioxidants, 2022, 11, 459.	2.2	55
59	Identification of the major metabolites of quinocetone in swine urine using ultraâ€performance liquid chromatography/electrospray ionization quadrupole timeâ€ofâ€flight tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2010, 24, 375-383.	0.7	54
60	Heterogeneous and Flexible Transmission of <i>mcr-1</i> in Hospital-Associated Escherichia coli. MBio, 2018, 9, .	1.8	54
61	Integrated aquaculture contributes to the transfer of mcr-1 between animals and humans via the aquaculture supply chain. Environment International, 2019, 130, 104708.	4.8	53
62	â€~Three-To-One' multi-functional nanocomposite-based lateral flow immunoassay for label-free and dual-readout detection of pathogenic bacteria. Biosensors and Bioelectronics, 2022, 204, 114093.	5.3	53
63	Simultaneous Determination of Aflatoxin B1 and Aflatoxin M1 in Food Matrices by Enzyme-Linked Immunosorbent Assay. Food Analytical Methods, 2013, 6, 767-774.	1.3	52
64	General Bioluminescence Resonance Energy Transfer Homogeneous Immunoassay for Small Molecules Based on Quantum Dots. Analytical Chemistry, 2016, 88, 3512-3520.	3.2	52
65	Molecularly Imprinted Polymer as an Antibody Substitution in Pseudo-immunoassays for Chemical Contaminants in Food and Environmental Samples. Journal of Agricultural and Food Chemistry, 2018, 66, 2561-2571.	2.4	52
66	A monoclonal antibody-based time-resolved fluoroimmunoassay for chloramphenicol in shrimp and chicken muscle. Analytica Chimica Acta, 2006, 575, 262-266.	2.6	51
67	Efficient Killing of Multidrugâ€Resistant Internalized Bacteria by AlEgens In Vivo. Advanced Science, 2021, 8, 2001750.	5.6	49
68	Development of a Screening Fluorescence Polarization Immunoassay for the Simultaneous Detection of Fumonisins B ₁ and B ₂ in Maize. Journal of Agricultural and Food Chemistry, 2015, 63, 4940-4946.	2.4	48
69	Association of colistin residues and manure treatment with the abundance of mcr-1 gene in swine feedlots. Environment International, 2019, 127, 361-370.	4.8	48
70	Multi-residue fluorescent microspheres immunochromatographic assay for simultaneous determination of macrolides in raw milk. Analytical and Bioanalytical Chemistry, 2015, 407, 9125-9133.	1.9	47
71	Portable Multiplex Immunochromatographic Assay for Quantitation of Two Typical Algae Toxins Based on Dual-Color Fluorescence Microspheres. Journal of Agricultural and Food Chemistry, 2019, 67, 6041-6047.	2.4	46
72	MCR-1-producing Klebsiella pneumoniae outbreak in China. Lancet Infectious Diseases, The, 2017, 17, 577.	4.6	45

#	Article	IF	CITATIONS
73	Molecular Mechanisms of Neurotoxicity Induced by Polymyxins and Chemoprevention. ACS Chemical Neuroscience, 2019, 10, 120-131.	1.7	45
74	Characterization and application of quantum dot nanocrystal–monoclonal antibody conjugates for the determination of sulfamethazine in milk by fluoroimmunoassay. Analytical and Bioanalytical Chemistry, 2007, 389, 2243-2250.	1.9	42
75	Chemiluminescence Resonance Energy Transfer Competitive Immunoassay Employing Hapten-Functionalized Quantum Dots for the Detection of Sulfamethazine. ACS Applied Materials & Interfaces, 2016, 8, 17745-17750.	4.0	42
76	Universal simultaneous multiplex ELISA of small molecules in milk based on dual luciferases. Analytica Chimica Acta, 2018, 1001, 125-133.	2.6	42
77	Emerging erm (B)-Mediated Macrolide Resistance Associated with Novel Multidrug Resistance Genomic Islands in Campylobacter. Antimicrobial Agents and Chemotherapy, 2019, 63, .	1.4	42
78	Pharmacokinetics of florfenicol in healthy and Escherichia coli-infected broiler chickens. Research in Veterinary Science, 2002, 73, 137-140.	0.9	41
79	Bioavailability and pharmacokinetics of florfenicol in healthy sheep*. Journal of Veterinary Pharmacology and Therapeutics, 2004, 27, 163-168.	0.6	41
80	Antimicrobial Resistance among Staphylococci of Animal Origin. Microbiology Spectrum, 2018, 6, .	1.2	41
81	Magnetic assisted fluorescence immunoassay for sensitive chloramphenicol detection using carbon dots@CaCO3 nanocomposites. Journal of Hazardous Materials, 2021, 402, 123942.	6.5	41
82	Cell-Signaling Evidence for Adenosine Stimulation of Coronary Smooth Muscle Proliferation via the A 1 Adenosine Receptor. Circulation Research, 2005, 97, 574-582.	2.0	40
83	Simultaneous Determination of Florfenicol and Florfenicol Amine in Fish, Shrimp, and Swine Muscle by Gas Chromatography with a Microcell Electron Capture Detector. Journal of AOAC INTERNATIONAL, 2006, 89, 1437-1442.	0.7	40
84	Toxins and mobile antimicrobial resistance genes in Bacillus probiotics constitute a potential risk for One Health. Journal of Hazardous Materials, 2020, 382, 121266.	6.5	40
85	Metagenomic insights into differences in environmental resistome profiles between integrated and monoculture aquaculture farms in China. Environment International, 2020, 144, 106005.	4.8	40
86	Fitness Cost of blaNDM-5-Carrying p3R-IncX3 Plasmids in Wild-Type NDM-Free Enterobacteriaceae. Microorganisms, 2020, 8, 377.	1.6	40
87	New haptens and antibodies for ractopamine. Food Chemistry, 2015, 183, 111-114.	4.2	39
88	Association of florfenicol residues with the abundance of oxazolidinone resistance genes in livestock manures. Journal of Hazardous Materials, 2020, 399, 123059.	6.5	39
89	Simultaneous determination of nitroimidazoles, benzimidazoles, and chloramphenicol components in bovine milk by ultra-high performance liquid chromatography–tandem mass spectrometry. Food Chemistry, 2016, 192, 280-287.	4.2	38
90	Design, synthesis and characterization of tracers and development of a fluorescence polarization immunoassay for the rapid detection of ractopamine in pork. Food Chemistry, 2019, 271, 9-17.	4.2	38

#	Article	IF	CITATIONS
91	Complete sequence of a plasmid from a bovine methicillin-resistant Staphylococcus aureus harbouring a novel ica-like gene cluster in addition to antimicrobial and heavy metal resistance genes. Veterinary Microbiology, 2017, 200, 95-100.	0.8	37
92	Homogeneous fluorescent immunoassay for the simultaneous detection of chloramphenicol and amantadine via the duplex FRET between carbon dots and WS2 nanosheets. Food Chemistry, 2020, 327, 127107.	4.2	37
93	Novel Mitogenic Effect of Adenosine on Coronary Artery Smooth Muscle Cells. Circulation Research, 2005, 96, 982-990.	2.0	36
94	Genetic environment of the multi-resistance gene cfr in methicillin-resistant coagulase-negative staphylococci from chickens, ducks, and pigs in China. International Journal of Medical Microbiology, 2014, 304, 257-261.	1.5	36
95	Class-Specific Monoclonal Antibodies and Dihydropteroate Synthase in Bioassays Used for the Detection of Sulfonamides: Structural Insights into Recognition Diversity. Analytical Chemistry, 2019, 91, 2392-2400.	3.2	36
96	Sublethal Levels of Antibiotics Promote Bacterial Persistence in Epithelial Cells. Advanced Science, 2020, 7, 1900840.	5.6	36
97	Genomic epidemiology of animal-derived tigecycline-resistant Escherichia coli across China reveals recent endemic plasmid-encoded tet(X4) gene. Communications Biology, 2020, 3, 412.	2.0	36
98	High prevalence and persistence of carbapenem and colistin resistance in livestock farm environments in China. Journal of Hazardous Materials, 2021, 406, 124298.	6.5	35
99	Characterization of a genomic island in Stenotrophomonas maltophilia that carries a novel floR gene variant. Journal of Antimicrobial Chemotherapy, 2014, 70, 1031-6.	1.3	34
100	An ultrasensitive chemiluminescent ELISA for determination of chloramphenicol in milk, milk powder, honey, eggs and chicken muscle. Food and Agricultural Immunology, 2014, 25, 137-148.	0.7	34
101	Prevalence, etiology, and economic impact of clinical mastitis on large dairy farms in China. Veterinary Microbiology, 2020, 242, 108570.	0.8	34
102	Distinct increase in antimicrobial resistance genes among Escherichia coli during 50 years of antimicrobial use in livestock production in China. Nature Food, 2022, 3, 197-205.	6.2	34
103	Molecular characterization of methicillin-resistant Staphylococcus aureus strains from pet animals and veterinary staff in China. Veterinary Journal, 2011, 190, e125-e129.	0.6	33
104	IMP-45-producing multidrug-resistant Pseudomonas aeruginosa of canine origin. Journal of Antimicrobial Chemotherapy, 2014, 69, 2579-2581.	1.3	33
105	New Hapten Synthesis, Antibody Production, and Indirect Competitive Enzyme-Linked Immnunosorbent Assay for Amantadine in Chicken Muscle. Food Analytical Methods, 2018, 11, 302-308.	1.3	32
106	Time-resolved fluoroimmunoassay for ractopamine in swine tissue. Analytical and Bioanalytical Chemistry, 2007, 387, 1561-1564.	1.9	31
107	Multiplex Immunogold Chromatographic Assay for Simultaneous Determination of Macrolide Antibiotics in Raw Milk. Food Analytical Methods, 2015, 8, 2368-2375.	1.3	30
108	Highly sensitive visual detection of amantadine residues in poultry at the ppb level: A colorimetric immunoassay based on a Fenton reaction and gold nanoparticles aggregation. Analytica Chimica Acta, 2018, 1027, 130-136.	2.6	30

#	Article	IF	CITATIONS
109	Small Antimicrobial Resistance Plasmids in Livestock-Associated Methicillin-Resistant Staphylococcus aureus CC398. Frontiers in Microbiology, 2018, 9, 2063.	1.5	30
110	Dihydropteroate synthase based sensor for screening multi-sulfonamides residue and its comparison with broad-specific antibody based immunoassay by molecular modeling analysis. Analytica Chimica Acta, 2019, 1050, 139-145.	2.6	30
111	Fluorescence polarisation immunoassay based on a monoclonal antibody for the detection of sulphamethazine in chicken muscle. International Journal of Food Science and Technology, 2007, 42, 36-44.	1.3	29
112	Curcumin Attenuates Colistin-Induced Peripheral Neurotoxicity in Mice. ACS Infectious Diseases, 2020, 6, 715-724.	1.8	29
113	Occurrence of pharmaceuticals and personal care products in bottled water and assessment of the associated risks. Environment International, 2021, 155, 106651.	4.8	29
114	Presence of NDM in non-E. coli Enterobacteriaceae in the poultry production environment. Journal of Antimicrobial Chemotherapy, 2019, 74, 2209-2213.	1.3	28
115	Determination of emerging chlorinated byproducts of diazepam in drinking water. Chemosphere, 2019, 218, 223-231.	4.2	28
116	Characterization of florfenicol resistance among calf pathogenic Escherichia coli. FEMS Microbiology Letters, 2004, 236, 183-189.	0.7	27
117	First report of multiresistance gene cfr in Enterococcus species casseliflavus and gallinarum of swine origin. Veterinary Microbiology, 2014, 170, 352-357.	0.8	27
118	Simultaneous determination of mequindox, quinocetone, and their major metabolites in chicken and pork by UPLC–MS/MS. Food Chemistry, 2014, 160, 171-179.	4.2	27
119	Comprehensive proteomic and metabolomic profiling of mcr-1-mediated colistin resistance in Escherichia coli. International Journal of Antimicrobial Agents, 2019, 53, 795-804.	1.1	27
120	Multiresidue Determination of Zeranol and Related Compounds in Bovine Muscle by Gas Chromatography/Mass Spectrometry with Immunoaffinity Cleanup. Journal of AOAC INTERNATIONAL, 2006, 89, 1677-1681.	0.7	26
121	Simultaneous Determination of Nitroimidazole Residues in Honey Samples by High-Performance Liquid Chromatography with Ultraviolet Detection. Journal of AOAC INTERNATIONAL, 2007, 90, 872-878.	0.7	26
122	Development and optimization of a fluorescence polarization immunoassay for orbifloxacin in milk. Analytical Methods, 2014, 6, 3849-3857.	1.3	26
123	A highly sensitive and class-specific fluorescence polarisation assay for sulphonamides based on dihydropteroate synthase. Biosensors and Bioelectronics, 2015, 70, 1-4.	5.3	26
124	Comparison of Fluorescent Microspheres and Colloidal Gold as Labels in Lateral Flow Immunochromatographic Assays for the Detection of T-2 Toxin. Molecules, 2016, 21, 27.	1.7	26
125	Design of Multifunctional Nanostructure for Ultrafast Extraction and Purification of Aflatoxins in Foodstuffs. Analytical Chemistry, 2017, 89, 10556-10564.	3.2	26
126	Ratiometric fluorescent sensing system for drug residue analysis: Highly sensitive immunosensor using dual-emission quantum dots hybrid and compact smartphone based-device. Analytica Chimica Acta, 2020, 1102, 91-98.	2.6	26

#	Article	IF	CITATIONS
127	Polymyxins–Curcumin Combination Antimicrobial Therapy: Safety Implications and Efficacy for Infection Treatment. Antioxidants, 2020, 9, 506.	2.2	26
128	Pharmacokinetics of tilmicosin after oral administration in swine. American Journal of Veterinary Research, 2005, 66, 1071-1074.	0.3	25
129	Highly Broad-Specific and Sensitive Enzyme-Linked Immunosorbent Assay for Screening Sulfonamides: Assay Optimization and Application to Milk Samples. Food Analytical Methods, 2014, 7, 1992-2002.	1.3	25
130	Production of monoclonal antibodies with broad specificity and development of an immunoassay for microcystins and nodularin in water. Analytical and Bioanalytical Chemistry, 2016, 408, 6037-6044.	1.9	25
131	Highly sensitive SERS immunosensor for the detection of amantadine in chicken based on flower-like gold nanoparticles and magnetic bead separation. Food and Chemical Toxicology, 2018, 118, 589-594.	1.8	25
132	Impact of carbapenem resistance on mortality in patients infected with <i>Enterobacteriaceae</i> : a systematic review and meta-analysis. BMJ Open, 2021, 11, e054971.	0.8	25
133	Plasmid-Mediated Antimicrobial Resistance in Staphylococci and Other <i>Firmicutes</i> . Microbiology Spectrum, 2014, 2, .	1.2	24
134	Development and Application of a Gel-Based Immunoassay for the Rapid Screening of Salbutamol and Ractopamine Residues in Pork. Journal of Agricultural and Food Chemistry, 2015, 63, 10556-10561.	2.4	24
135	Simultaneous Determination of Type A and B Trichothecenes and Their Main Metabolites in Food Animal Tissues by Ultraperformance Liquid Chromatography Coupled with Triple-Quadrupole Mass Spectrometry. Journal of Agricultural and Food Chemistry, 2015, 63, 8592-8600.	2.4	23
136	Hydrophobic Moiety of Capsaicinoids Haptens Enhancing Antibody Performance in Immunoassay: Evidence from Computational Chemistry and Molecular Recognition. Journal of Agricultural and Food Chemistry, 2021, 69, 9957-9967.	2.4	23
137	Constitutive and Inducible Expression of the rRNA Methylase Gene <i>erm</i> (B) in Campylobacter. Antimicrobial Agents and Chemotherapy, 2015, 59, 6661-6664.	1.4	22
138	Comprehensive Analysis of Tiamulin Metabolites in Various Species of Farm Animals Using Ultra-High-Performance Liquid Chromatography Coupled to Quadrupole/Time-of-Flight. Journal of Agricultural and Food Chemistry, 2017, 65, 199-207.	2.4	22
139	Development of an enzyme-linked immunosorbent assay for the detection of florfenicol in fish feed. Food and Agricultural Immunology, 2009, 20, 57-65.	0.7	21
140	Development of a rapid competitive indirect ELISA procedure for the determination of deoxynivalenol in cereals. Food and Agricultural Immunology, 2012, 23, 41-49.	0.7	21
141	Direct determination of fatty acid esters of 3-chloro-1, 2-propanediol in edible vegetable oils by isotope dilution - ultra high performance liquid chromatography - triple quadrupole mass spectrometry. Journal of Chromatography A, 2015, 1410, 99-109.	1.8	21
142	Comparative metabolism of Lappaconitine in rat and human liver microsomes and in vivo of rat using ultra high-performance liquid chromatography–quadrupole/time-of-flight mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2015, 110, 1-11.	1.4	21
143	Detection of the enterococcal oxazolidinone/phenicol resistance gene optrA in Campylobacter coli. Veterinary Microbiology, 2020, 246, 108731.	0.8	21
144	Hapten Design and Monoclonal Antibody to Fluoroacetamide, a Small and Highly Toxic Chemical. Biomolecules, 2020, 10, 986.	1.8	21

#	Article	IF	CITATIONS
145	Determination of Chloramphenicol Residue in Chicken Tissues by Immunoaffinity Chromatography Cleanup and Gas Chromatography with aMicrocell Electron Capture Detector. Journal of AOAC INTERNATIONAL, 2006, 89, 369-373.	0.7	20
146	A Marine Antibiotic Kills Multidrug-Resistant Bacteria without Detectable High-Level Resistance. ACS Infectious Diseases, 2021, 7, 884-893.	1.8	20
147	Determination of Nitroimidazoles and Their Metabolites in Swine Tissues by Liquid Chromatography. Journal of AOAC INTERNATIONAL, 2003, 86, 505-509.	0.7	19
148	Simultaneous Analysis of Avermectins in Bovine Tissues by LC-MS-MS with Immunoaffinity Chromatography Cleanup. Chromatographia, 2006, 63, 543-550.	0.7	19
149	A one-step chemiluminescence immunoassay for 20 fluoroquinolone residues in fish and shrimp based on a single chain Fv–alkaline phosphatase fusion protein. Analytical Methods, 2015, 7, 9032-9039.	1.3	19
150	An Aggregation-Induced Emission-Based Indirect Competitive Immunoassay for Fluorescence "Turn-On― Detection of Drug Residues in Foodstuffs. Frontiers in Chemistry, 2019, 7, 228.	1.8	19
151	Simultaneous determination of chloramphenicol and clenbuterol in milk with hybrid chemiluminescence immunoassays. Analytical Methods, 2014, 6, 1021.	1.3	18
152	Unraveling the in vitro and in vivo metabolism of diacetoxyscirpenol in various animal species and human using ultrahigh-performance liquid chromatography-quadrupole/time-of-flight hybrid mass spectrometry. Analytical and Bioanalytical Chemistry, 2015, 407, 8571-8583.	1.9	18
153	Building bridges to operationalise one health – A Sino-Swedish collaboration to tackle antibiotic resistance. One Health, 2016, 2, 139-143.	1.5	18
154	Multiresidue Analysis of Avermectins in Cattle Liver by Liquid Chromatography/Tandem Mass Spectrometry. Journal of AOAC INTERNATIONAL, 2006, 89, 1110-1115.	0.7	17
155	Simultaneous Determination of Florfenicol and Its Metabolite Florfenicol Amine in Swine Muscle Tissue by a Heterologous Enzyme-Linked Immunosorbent Assay. Journal of AOAC INTERNATIONAL, 2009, 92, 981-988.	0.7	17
156	Simultaneous Determination of Fluoroquinolones, Tetracyclines and Sulfonamides in Chicken Muscle by UPLC–MS–MS. Chromatographia, 2010, 71, 383-388.	0.7	17
157	Development and validation of a chemiluminescent ELISA for simultaneous determination of florfenicol and its metabolite florfenicol amine in chicken muscle. Analytical Methods, 2012, 4, 4083.	1.3	17
158	Influence of Small Molecular Property on Antibody Response. Journal of Agricultural and Food Chemistry, 2020, 68, 10944-10950.	2.4	17
159	Bisphenol A and Its Analogues in Chinese Total Diets: Contaminated Levels and Risk Assessment. Oxidative Medicine and Cellular Longevity, 2020, 2020, 1-14.	1.9	17
160	Synthesis of derivatives and production of antiserum for class specific detection of pyrethroids by indirect ELISA. International Journal of Environmental Analytical Chemistry, 2009, 89, 423-437.	1.8	16
161	GC–MS Method for Simultaneous Determination of Four Sedative Hypnotic Residues in Swine Tissues. Chromatographia, 2010, 71, 155-158.	0.7	16
162	Determination of Ochratoxin A in Cereals and Feeds by Ultra-performance Liquid Chromatography Coupled to Tandem Mass Spectrometry with Immunoaffinity Column Clean-up. Food Analytical Methods, 2014, 7, 854-864.	1.3	16

#	Article	IF	CITATIONS
163	Programmable antibiotic delivery to combat methicillin-resistant Staphylococcus aureus through precision therapy. Journal of Controlled Release, 2020, 321, 710-717.	4.8	16
164	Prevalence and risk analysis of mobile colistin resistance and extended-spectrum <i>β</i> -lactamase genes carriage in pet dogs and their owners: a population based cross-sectional study. Emerging Microbes and Infections, 2021, 10, 242-251.	3.0	16
165	Detection of Ultratrace Chloramphenicol Residues in Milk and Chicken Muscle Samples Using a Chemiluminescent ELISA. Analytical Letters, 2012, 45, 1254-1263.	1.0	15
166	Forcing immunoassay for sulfonamides to higher sensitivity and broader detection spectrum by site heterologous hapten inducing affinity improvement. Analytical Methods, 2013, 5, 6990.	1.3	15
167	Intracellular Accumulation of Linezolid and Florfenicol in OptrA-Producing Enterococcus faecalis and Staphylococcus aureus. Molecules, 2018, 23, 3195.	1.7	15
168	Adsorption and convenient ELISA detection of sulfamethazine in milk based on MOFs pretreatment. Food Chemistry, 2022, 374, 131712.	4.2	15
169	Determination of the veterinary drug maduramicin in food by fluorescence polarisation immunoassay. International Journal of Food Science and Technology, 2008, 43, 114-122.	1.3	14
170	Simultaneous Determination of Five Benzimidazoles in Feeds Using High-Performance Capillary Electrophoresis. Journal of AOAC INTERNATIONAL, 2009, 92, 1009-1015.	0.7	14
171	Identification of a Novel G2073A Mutation in 23S rRNA in Amphenicol-Selected Mutants of Campylobacter jejuni. PLoS ONE, 2014, 9, e94503.	1.1	14
172	Fluorescence polarization immunoassay using IgY antibodies for detection of valnemulin in swine tissue. Analytical and Bioanalytical Chemistry, 2015, 407, 7843-7848.	1.9	14
173	Molecular basis of rifampicin resistance in multiresistant porcine livestock-associated MRSA: TableÂ1 Journal of Antimicrobial Chemotherapy, 2016, 71, 3313-3315.	1.3	14
174	Binding affinity-guided design of a highly sensitive noncompetitive immunoassay for small molecule detection. Food Chemistry, 2021, 351, 129270.	4.2	14
175	Multi-Residue Analysis of Avermectins in Bovine Liver and Muscle by Liquid Chromatography–Fluorescence Detector. Chromatographia, 2006, 65, 77-80.	0.7	13
176	Development of a chemiluminescent competitive indirect ELISA method procedure for the determination of gentamicin in milk. Analytical Methods, 2012, 4, 2151.	1.3	13
177	Proteomics study unveils ROS balance in acid-adapted Salmonella Enteritidis. Food Microbiology, 2020, 92, 103585.	2.1	13
178	Portable Magnetofluidic Device for Point-of-Need Detection of African Swine Fever. Analytical Chemistry, 2021, 93, 10940-10946.	3.2	13
179	Simultaneous Determination of Avermectin and Milbemycin Residues in Bovine Tissue by Pressurized Solvent Extraction and LC with Fluorescence Detection. Chromatographia, 2010, 72, 1089-1095.	0.7	12
180	Dissemination of erm (B) and its associated multidrug-resistance genomic islands in Campylobacter from 2013 to 2015. Veterinary Microbiology, 2017, 204, 20-24.	0.8	12

#	Article	IF	CITATIONS
181	Integrated Genomic and Proteomic Analyses of High-level Chloramphenicol Resistance in Campylobacter jejuni. Scientific Reports, 2017, 7, 16973.	1.6	12
182	Reply to Cabello et al., "Aquaculture and <i>mcr</i> Colistin Resistance Determinants― MBio, 2018, 9, .	1.8	12
183	MCR Expression Conferring Varied Fitness Costs on Host Bacteria and Affecting Bacteria Virulence. Antibiotics, 2021, 10, 872.	1.5	12
184	Antibacterial activities of plant-derived xanthones. RSC Medicinal Chemistry, 2022, 13, 107-116.	1.7	12
185	Host-acting antibacterial compounds combat cytosolic bacteria. Trends in Microbiology, 2022, 30, 761-777.	3.5	12
186	Collateral sensitivity to pleuromutilins in vancomycin-resistant Enterococcus faecium. Nature Communications, 2022, 13, 1888.	5.8	12
187	Clonal and Horizontal Transmission of <i>bla</i> _{NDM} among Klebsiella pneumoniae in Children's Intensive Care Units. Microbiology Spectrum, 2022, 10, .	1.2	12
188	Fluorescence polarization immunoassay for salinomycin based on monoclonal antibodies. Science China Chemistry, 2010, 53, 553-555.	4.2	11
189	Analysis of mequindox and its two metabolites in swine liver by UPLC-MS/MS. Analytical Methods, 2012, 4, 859.	1.3	11
190	Simultaneous determination of type-A and type-B trichothecenes in rice by UPLC-MS/MS. Analytical Methods, 2012, 4, 4077.	1.3	11
191	Preparation of high affinity antibody for ribavirin with new haptens and residue analysis in chicken muscle, eggs and duck muscle. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2018, 35, 1247-1256.	1.1	11
192	Emergence of the Phenicol Exporter Gene fexA in Campylobacter coli and Campylobacter jejuni of Animal Origin. Antimicrobial Agents and Chemotherapy, 2020, 64, .	1.4	11
193	Comparative analysis of genomic characteristics, fitness and virulence of MRSA ST398 and ST9 isolated from China and Germany. Emerging Microbes and Infections, 2021, 10, 1481-1494.	3.0	11
194	Prevalence and risk factors of mcr-1-positive volunteers after colistin banning as animal growth promoter in China: a community-based case–control study. Clinical Microbiology and Infection, 2022, 28, 267-272.	2.8	11
195	Mobile Colistin Resistance Enzyme MCRâ€3 Facilitates Bacterial Evasion of Host Phagocytosis. Advanced Science, 2021, 8, e2101336.	5.6	11
196	A specific UPLC-ESI-MS/MS method for analysis of cyadox and its three main metabolites in fish samples. Analytical Methods, 2012, 4, 217-221.	1.3	10
197	Antibody purification using affinity chromatography: A case study with a monoclonal antibody to ractopamine. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 971, 10-13.	1.2	10
198	An Enzyme-Linked Immunosorbent Assay to Detect Salinomycin Residues Based on Immunomagnetic Bead Clean-up. Food Analytical Methods, 2017, 10, 3042-3051.	1.3	10

#	Article	IF	CITATIONS
199	Deciphering the Role of V88L Substitution in NDM-24 metallo- $\hat{1}^2$ -lactamase. Catalysts, 2019, 9, 744.	1.6	10
200	Advances in Chicken IgY-Based Immunoassays for the Detection of Chemical and Biological Hazards in Food Samples. Journal of Agricultural and Food Chemistry, 2022, 70, 976-991.	2.4	10
201	LC-Fluorescence Detection of Abamectin, Ivermectin, Doramectin, and Eprinomectin in Rabbit Feces. Chromatographia, 2008, 68, 259-262.	0.7	9
202	Determination of Six Resorcylic Acid Lactones in Feed by GC–MS. Chromatographia, 2010, 71, 163-165.	0.7	9
203	Heterologous structure of coating antigen on sensitivity of ELISA for sulfamethazine: evidence from molecular similarity analysis. Food and Agricultural Immunology, 2011, 22, 115-124.	0.7	9
204	Micro-Plate Chemiluminescence Enzyme Immunoassay for Determination of Zeranol in Bovine Milk and Urine. Analytical Letters, 2012, 45, 2538-2548.	1.0	9
205	Development of a Monoclonal Antibody-Based Enzyme-Linked Immunosorbent Assay for the Analysis of Diclazuril in Chicken Tissues. Food Analytical Methods, 2013, 6, 1685-1692.	1.3	9
206	Rapid detection of human origin colistin-resistance genes mcr-1, mcr-3, mcr-8, mcr-10 in clinical fecal samples. Archives of Microbiology, 2021, 203, 4405-4417.	1.0	9
207	Determination of Eprinomectin in Bovine Urine and Feces Using HPLC with Fluorescence Detection. Chromatographia, 2007, 66, 411-414.	0.7	8
208	Determination of T-2 Toxin and HT-2 Toxin in Milk: A Comparison of Three Formats of Immunoassays. Analytical Letters, 2012, 45, 2425-2435.	1.0	8
209	Simultaneous Determination of Three Tranquillizers in Lamb Liver by Ultra-Performance Liquid Chromatography–Tandem Mass Spectrometry. Food Analytical Methods, 2015, 8, 1876-1882.	1.3	8
210	Production of a specific monoclonal antibody and a sensitive immunoassay for the detection of diphacinone in biological samples. Analytical and Bioanalytical Chemistry, 2019, 411, 6755-6765.	1.9	8
211	Toxicologic effect and transcriptome analysis for short-term orally dosed enrofloxacin combined with two veterinary antimicrobials on rat liver. Ecotoxicology and Environmental Safety, 2021, 220, 112398.	2.9	8
212	BIOCONCENTRATION AND ELIMINATION OF AVERMECTIN B1 IN STURGEON. Environmental Toxicology and Chemistry, 2005, 24, 396.	2.2	7
213	Amino acid changes at the VIM-48 C-terminus result in increased carbapenem resistance, enzyme activity and protein stability. Journal of Antimicrobial Chemotherapy, 2019, 74, 885-893.	1.3	7
214	Nerve Growth Factor Confers Neuroprotection against Colistin-Induced Peripheral Neurotoxicity. ACS Infectious Diseases, 2020, 6, 1451-1459.	1.8	7
215	A public health concern: emergence of carbapenem-resistant Klebsiella pneumoniae in a public transportation environment. Journal of Antimicrobial Chemotherapy, 2020, 75, 2769-2772.	1.3	7
216	Engineering of Organic Solvent-Tolerant Antibody to Sulfonamides by CDR Grafting for Analytical Purposes. Analytical Chemistry, 2021, 93, 6008-6012.	3.2	7

#	Article	IF	CITATIONS
217	Comparison of two fluorescence quantitative immunochromatographic assays for the detection of amantadine in chicken muscle. Food Chemistry, 2022, 377, 131931.	4.2	7
218	Determination of Nitroimidazole Residues in Porcine Urine by Liquid Chromatography/TandemMass Spectrometry. Journal of AOAC INTERNATIONAL, 2006, 89, 1116-1119.	0.7	6
219	Purification of Nine Sulfonamides from Chicken Tissues by Immunoaffinity Chromatography Using Two Monoclonal Antibodies. Journal of AOAC INTERNATIONAL, 2008, 91, 1488-1493.	0.7	6
220	Validation of a Method for the Determination of Chloramphenicol in Poultry and Swine Liver by Ultra-Performance Liquid Chromatography Coupled with Tandem Mass Spectrometry. Journal of AOAC INTERNATIONAL, 2010, 93, 1666-1671.	0.7	6
221	Rapid Screening of Quinoxaline Antimicrobial Growth Promoters and Their Metabolites in Swine Liver by Indirect Competitive Enzyme-Linked Immunosorbent Assay. Food Analytical Methods, 2013, 6, 1583-1591.	1.3	6
222	Development of a highly sensitive real-time immuno-PCR for the measurement of chloramphenicol in milk based on magnetic bead capturing. Analytical Methods, 2014, 6, 9340-9347.	1.3	6
223	Proteomic analysis of tylosin-resistant Mycoplasma gallisepticum reveals enzymatic activities associated with resistance. Scientific Reports, 2015, 5, 17077.	1.6	6
224	Antibody engineering-driven controllable chemiluminescence resonance energy transfer for immunoassay with tunable dynamic range. Analytica Chimica Acta, 2021, 1152, 338231.	2.6	6
225	Plasmid-Mediated Antimicrobial Resistance in Staphylococci and Other Firmicutes. , 0, , 421-444.		6
226	Colistin-induced pulmonary toxicity involves the activation of NOX4/TGF-β/mtROS pathway and the inhibition of Akt/mTOR pathway. Food and Chemical Toxicology, 2022, 163, 112966.	1.8	6
227	Identification of Functional Interactome of Colistin Resistance Protein MCR-1 in Escherichia coli. Frontiers in Microbiology, 2020, 11, 583185.	1.5	5
228	Production of highly sensitive monoclonal antibody and development of lateral flow assays for phallotoxin detection in urine. Analytical and Bioanalytical Chemistry, 2021, 413, 4979-4987.	1.9	5
229	Synthesis and characterization of tracers and development of a fluorescence polarization immunoassay for amantadine with high sensitivity in chicken. Journal of Food Science, 2021, 86, 4754-4767.	1.5	5
230	Simultaneous Detection of Forbidden Chemical Residues in Milk Using Dual-Label Time-Resolved Reverse Competitive Chemiluminescent Immunoassay Based on Amine Group Functionalized Surface. PLoS ONE, 2014, 9, e109509.	1.1	5
231	Highly efficient and precise two-step cell selection method for tetramethylenedisulfotetramine-specific monoclonal antibody production. Journal of Hazardous Materials, 2022, 424, 127689.	6.5	5
232	Enantioselective determination of cypermethrin in pig muscle tissue by immunoaffinity extraction and high performance liquid chromatography. International Journal of Food Science and Technology, 2010, 45, 656-660.	1.3	4
233	Comparative Metabolism of Mequindox in Liver Microsomes, Hepatocytes, and Intestinal Microflora of Chicken. Analytical Letters, 2012, 45, 1749-1763.	1.0	4
234	Metabolomic profiling of Campylobacter jejuni with resistance gene ermB by ultra-high performance liquid chromatography-quadrupole time-of-flight mass spectrometry and tandem quadrupole mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1079, 62-68.	1.2	4

#	Article	IF	CITATIONS
235	Development of a validated direct injection-liquid chromatographic tandem mass spectrometric method under negative electrospray ionization for quantitation of nine microcystins and nodularin-R in lake water. Journal of Chromatography A, 2020, 1609, 460432.	1.8	4
236	Active surveillance of the spread of mcr-1-positive E coli. Lancet Microbe, The, 2020, 1, e4-e5.	3.4	4
237	Monoclonal Antibody Discovery Based on Precise Selection of Single Transgenic Hybridomas with an On-Cell-Surface and Antigen-Specific Anchor. ACS Applied Materials & Interfaces, 2022, 14, 17128-17141.	4.0	4
238	LC Determination of Nosiheptide in Swine Kidney and Liver. Chromatographia, 2010, 71, 131-134.	0.7	3
239	Simultaneous determination of five benzimidazoles in feeds using high-performance capillary electrophoresis. Journal of AOAC INTERNATIONAL, 2009, 92, 1009-15.	0.7	3
240	Transmission of carbapenem resistance between human and animal NDM-positive Escherichia coli strains. Engineering, 2022, , .	3.2	3
241	Antimicrobial Resistance among Staphylococci of Animal Origin. , 0, , 127-157.		2
242	Antimicrobial Resistance inCampylobacterspp , 2018, , 317-330.		2
243	Novel Quadruplex PCR for detecting and genotyping mobile colistin resistance genes in human samples. Diagnostic Microbiology and Infectious Disease, 2021, 101, 115419.	0.8	2
244	Dietary Factors of blaNDM Carriage in Health Community Population: A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2021, 18, 5959.	1.2	2
245	Anti-Metatype Antibody Screening, Sandwich Immunoassay Development, and Structural Insights for β-Lactams Based on Penicillin Binding Protein. Molecules, 2021, 26, 5569.	1.7	2
246	Prevalence of <i>Salmonella</i> and Antimicrobial Resistance in Isolates from Food Animals — Six PLADs, China, 2019. China CDC Weekly, 2021, 3, 514-517.	1.0	2
247	Preparation of Ractopamine Single-Chain Variable Fragment and Development of icELISA Based on Immunomagnetic Beads. ACS Food Science & Technology, 2022, 2, 521-531.	1.3	2
248	Simultaneous determination of 13 quinolones in eggs using column high-performance liquid chromatography/electrospray ionization-tandem mass spectrometry and depletion of pefloxacin methanesulfonate in eggs. Journal of AOAC INTERNATIONAL, 2008, 91, 1499-506.	0.7	2
249	Development of Fluorescence Polarization Immunoassay With scFv to Detect Fumonisin Bs in Maize and Simultaneous Study of Their Molecular Recognition Mechanism. Frontiers in Chemistry, 2022, 10, 829038.	1.8	2
250	A rare monoclonal antibody discovery based on indirect competitive screening of a single hapten-specific rabbit antibody secreting cell. Analyst, The, 2022, 147, 2942-2952.	1.7	2
251	Three Dimensional Quantitative Structure-Activity Relationships of Sulfonamides Binding Monoclonal Antibody by Comparative Molecular Field Analysis. Nature Precedings, 2008, , .	0.1	1
252	Determination of nitroimidazoles and their metabolites in swine tissues by liquid chromatography. Journal of AOAC INTERNATIONAL, 2003, 86, 505-9.	0.7	1

#	Article	IF	CITATIONS
253	Development of a Highly Sensitive and Specific ic-ELISA and Lateral Flow Immunoassay for Diacetoxyscirpenol. Foods, 2022, 11, 1548.	1.9	1
254	Residue Depletion of Doramectin in Rabbit Tissues after Subcutaneous Administration. Journal of Food Protection, 2009, 72, 2189-2194.	0.8	0
255	Development of a GC-MS/MS method for determination of organochlorine pesticide residues in wild Ligusticum chuanxiong and chestnut. Journal of Analytical Chemistry, 2013, 68, 275-282.	0.4	Ο