

Istvan Palinko

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6467095/istvan-palinko-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

287
papers

2,869
citations

24
h-index

36
g-index

307
ext. papers

3,174
ext. citations

3.9
avg, IF

5.03
L-index

#	Paper	IF	Citations
287	EDTA analogues [Unconventional inhibitors of gypsum precipitation. <i>Journal of Molecular Structure</i> , 2022 , 1256, 132491	3.4	1
286	Morphological aspects determine the catalytic activity of porous hydrocalumites: the role of the sacrificial templates. <i>Materials Today Chemistry</i> , 2022 , 23, 100682	6.2	1
285	Mechanochemical preparation of NiCuSn nanoparticles and composites in presence of cetyltrimethylammonium bromide (CTAB) and the catalytic application of the products in homocoupling and hydration of terminal alkynes. <i>Journal of Molecular Structure</i> , 2022 , 132948	3.4	
284	Preparation and characterization of MnIn-layered double hydroxides (LDHs), extension of the synthesis to fabricate MnM(III)-LDHs (M=Al, Sc, Cr, Fe, Ga), and the comparison of their photocatalytic and catalytic activities in the oxidation of hydroquinone. <i>Journal of Molecular Structure</i> , 2022 , 1261, 132966	3.4	1
283	Niacin and niacin-pillared layered double hydroxides [Novel organocatalysts based on pyridine. <i>Journal of Molecular Structure</i> , 2022 , 1261, 132868	3.4	0
282	A colloid chemistry route for the preparation of hierarchically ordered mesoporous layered double hydroxides using surfactants as sacrificial templates. <i>Journal of Colloid and Interface Science</i> , 2021 , 581, 928-938	9.3	8
281	Catalytic antioxidant nanocomposites based on sequential adsorption of redox active metal complexes and polyelectrolytes on nanoclay particles. <i>Dalton Transactions</i> , 2021 , 50, 2426-2435	4.3	3
280	Exploiting a silverBismuth hybrid material as heterogeneous noble metal catalyst for decarboxylations and decarboxylative deuterations of carboxylic acids under batch and continuous flow conditions. <i>Green Chemistry</i> , 2021 , 23, 4685-4696	10	1
279	Application of mechanochemical activation in synthetic organic chemistry 2021 , 453-466		0
278	Formation of mono- and binuclear complexes of Nd ³⁺ with d-gluconate ions in hyperalkaline solutions [Composition, equilibria and structure. <i>Journal of Molecular Liquids</i> , 2021 , 346, 117047	6	1
277	Copper-Loaded Layered Bismuth Subcarbonate-Efficient Multifunctional Heterogeneous Catalyst for Concerted C-S/C-N Heterocyclization. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 42650-42661	9.5	1
276	Conventional or mechanochemically-aided intercalation of diclofenac and naproxen anions into the interlamellar space of CaFe-layered double hydroxides and their application as dermal drug delivery systems. <i>Applied Clay Science</i> , 2021 , 212, 106233	5.2	3
275	Differential Precipitation of Mg(OH) from CaSO ₄ ·2H ₂ O Using Citrate as Inhibitor-A Promising Concept for Reagent Recovery from MgSO ₄ Waste Streams. <i>Molecules</i> , 2020 , 25,	4.8	2
274	CuI/BiOI is an efficient novel catalyst in Ullmann-type CN couplings with wide scope [A rare non-photocatalytic application. <i>Molecular Catalysis</i> , 2020 , 493, 111072	3.3	2
273	Structural insight into the photoinduced E-Z isomerisation of cinnamate embedded in ZnAl and MgAl layered double hydroxides. <i>Journal of Molecular Structure</i> , 2020 , 1219, 128561	3.4	1
272	Stability and structural aspects of complexes forming between aluminum(III) and D-heptagluconate in acidic to strongly alkaline media: An unexpected diversity. <i>Journal of Molecular Liquids</i> , 2020 , 314, 113645	6	4
271	Ultrasound-Assisted Hydrazine Reduction Method for the Preparation of Nickel Nanoparticles, Physicochemical Characterization and Catalytic Application in Suzuki-Miyaura Cross-Coupling Reaction. <i>Nanomaterials</i> , 2020 , 10,	5.4	8

270	Recent advances in the aqueous chemistry of the calcium(II)-gluconate system [Equilibria, structure and composition of the complexes forming in neutral and in alkaline solutions. <i>Coordination Chemistry Reviews</i> , 2020 , 417, 213337	23.2	6
269	The structure and composition of solid complexes comprising of Nd(III), Ca(II) and D-gluconate isolated from solutions relevant to radioactive waste disposal. <i>Pure and Applied Chemistry</i> , 2020 , 92, 1709-1715	2.1	3
268	β-socupreidinate-CaAl-layered double hydroxide composites [heterogenized catalysts for asymmetric Michael addition. <i>Molecular Catalysis</i> , 2020 , 482, 110675	3.3	3
267	Layered double alkoxides a novel group of layered double hydroxides without water content. <i>Materials Research Letters</i> , 2020 , 8, 68-74	7.4	2
266	Equilibria and Dynamics of Sodium Citrate Aqueous Solutions: The Hydration of Citrate and Formation of the NaCit Ion Aggregate. <i>Journal of Physical Chemistry B</i> , 2020 , 124, 9604-9614	3.4	1
265	Mechanochemical and wet chemical syntheses of CaIn-layered double hydroxide and its performance in a transesterification reaction compared to those of other Ca ₂ M(III) hydrocalumites (M: Al, Sc, V, Cr, Fe, Ga) and Mg(II)-, Ni(II)-, Co(II)- or Zn(II)-based hydrotalcites. <i>Journal of Catalysis</i> , 2020 , 391, 222-237	7.3	14
264	A mineralogically-inspired silver-Bismuth hybrid material: Structure, stability and application for catalytic benzyl alcohol dehydrogenations under continuous flow conditions. <i>Molecular Catalysis</i> , 2020 , 498, 111263	3.3	2
263	The kinetics of the precipitation of gypsum, CaSO ₄ ·2H ₂ O, over a wide range of reactant concentrations. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2020 , 131, 75-88	1.6	7
262	Catalytic use of layered materials for fine chemical syntheses. <i>Catalysis Science and Technology</i> , 2019 , 9, 47-60	5.5	13
261	Calcium complexing behaviour of lactate in neutral to highly alkaline medium. <i>Journal of Molecular Structure</i> , 2019 , 1180, 491-498	3.4	0
260	Magnesium(II) d-Gluconate Complexes Relevant to Radioactive Waste Disposals: Metal-Ion-Induced Ligand Deprotonation or Ligand-Promoted Metal-Ion Hydrolysis?. <i>Inorganic Chemistry</i> , 2019 , 58, 6832-6844	5.1	4
259	Influencing the texture and morphological properties of layered double hydroxides with the most diluted solvent mixtures [The effect of 6B carbon alcohols and temperature. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019 , 574, 146-153	5.1	4
258	Effects of ultrasonic irradiation on the synthesis, crystallization, thermal and dissolution behaviour of chloride-intercalated, co-precipitated CaFe-layered double hydroxide. <i>Ultrasonics Sonochemistry</i> , 2019 , 55, 165-173	8.9	10
257	Esterification reactions with acetate- or benzoate-containing CaAl-layered double hydroxide samples. <i>Journal of Molecular Structure</i> , 2019 , 1186, 303-306	3.4	1
256	Placing Ni(II) Ions in Various Positions In/On Layered Double Hydroxides: Synthesis, Characterization and Testing in C-C Coupling Reactions. <i>Catalysis Letters</i> , 2019 , 149, 2899-2905	2.8	1
255	Structural reconstruction of mechanochemically disordered CaFe-layered double hydroxide. <i>Applied Clay Science</i> , 2019 , 174, 138-145	5.2	13
254	Ultrasonically-assisted mechanochemical synthesis of zinc aluminate spinel from aluminium-rich layered double hydroxide. <i>Journal of Solid State Chemistry</i> , 2019 , 272, 227-233	3.3	5
253	Novel route to synthesize CaAl- and MgAl-layered double hydroxides with highly regular morphology. <i>Journal of Sol-Gel Science and Technology</i> , 2019 , 89, 844-851	2.3	4

252	Mechanochemically modified hydrazine reduction method for the synthesis of nickel nanoparticles and their catalytic activities in the Suzuki-Miyaura cross-coupling reaction. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2019 , 126, 857-868	1.6	5
251	Co(II)-amino acid@CaAl-layered double hydroxide composites: Construction and characterization. <i>Journal of Molecular Structure</i> , 2019 , 1179, 263-268	3-4	3
250	Effects of medium and nickel salt source in the synthesis and catalytic performance of nano-sized nickel in the Suzuki-Miyaura cross-coupling reaction. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2019 , 126, 841-855	1.6	1
249	The aggregation behaviour of 2H-imidazole-2-thione derivatives in solution, the solid state and over polycrystalline gold surface. <i>Journal of Molecular Structure</i> , 2019 , 1180, 26-30	3-4	
248	Temperature dependence of the acid-base and Ca ²⁺ -complexation equilibria of d-gluconate in hyperalkaline aqueous solutions. <i>Polyhedron</i> , 2019 , 158, 117-124	2-7	5
247	Ball Milling of Copper Powder Under Dry and Surfactant-Assisted Conditions-On the Way Towards Cu/Cu ₂ O Nanocatalyst. <i>Journal of Nanoscience and Nanotechnology</i> , 2019 , 19, 389-394	1-3	6
246	The Synthesis and Use of Nano Nickel Catalysts. <i>Journal of Nanoscience and Nanotechnology</i> , 2019 , 19, 453-458	1-3	3
245	Configuration-dependent complex formation between Ca(II) and sugar carboxylate ligands in alkaline medium: Comparison of L-gulonate with D-gluconate and D-heptaguconate. <i>Carbohydrate Research</i> , 2018 , 460, 34-40	2-9	6
244	A mineralogically-inspired silver-bismuth hybrid material: an efficient heterogeneous catalyst for the direct synthesis of nitriles from terminal alkynes. <i>Green Chemistry</i> , 2018 , 20, 1007-1019	10	11
243	As-prepared and intercalated layered double hydroxides of the hydrocalumite type as efficient catalysts in various reactions. <i>Catalysis Today</i> , 2018 , 306, 32-41	5-3	27
242	Syntheses, characterization and catalytic activities of CaAl-layered double hydroxide intercalated Fe(III)-amino acid complexes. <i>Catalysis Today</i> , 2018 , 306, 42-50	5-3	8
241	The acidity and self-catalyzed lactonization of l-gulonic acid: Thermodynamic, kinetic and computational study. <i>Carbohydrate Research</i> , 2018 , 467, 14-22	2-9	3
240	Ultrasonically-enhanced preparation, characterization of CaFe-layered double hydroxides with various interlayer halide, azide and oxo anions (CO, NO, ClO). <i>Ultrasonics Sonochemistry</i> , 2018 , 40, 853-860	8-9	17
239	Cu(II)Cr(III)-LDH: synthesis, characterization, intercalation properties and a catalytic application. <i>Chemical Papers</i> , 2018 , 72, 897-902	1-9	2
238	Effect of Polyelectrolyte Mono- and Bilayer Formation on the Colloidal Stability of Layered Double Hydroxide Nanoparticles. <i>Nanomaterials</i> , 2018 , 8,	5-4	13
237	Crystal and solution structures of calcium complexes relevant to problematic waste disposal: calcium gluconate and calcium isosaccharinate. <i>Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials</i> , 2018 , 74, 598-609	1-8	7
236	The formation of Ca(II) enolato complexes with β - and ϵ -ketoglutarate in strongly alkaline solutions. <i>Polyhedron</i> , 2018 , 156, 89-97	2-7	
235	Potential solvents in coupling reactions catalyzed by Cu(II)Fe(III)-layered double hydroxide in a continuous-flow reactor. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2017 , 121, 345-351	1.6	2

234	Borate-containing layered double hydroxide composites: synthesis, characterization and application as catalysts in the Beckmann rearrangement reaction of cyclohexanone oxime. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2017 , 121, 241-254	1.6	2
233	Continuous-flow oxidative homocouplings without auxiliary substances: Exploiting a solid base catalyst. <i>Journal of Catalysis</i> , 2017 , 348, 90-99	7.3	20
232	Mn(II)-containing layered double hydroxide composites: synthesis, characterization and an application in Ullmann diaryl etherification. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2017 , 121, 175-184	1.6	2
231	Design of nucleic acid-layered double hydroxide nanohybrids. <i>Colloid and Polymer Science</i> , 2017 , 295, 1463-1473	2.4	5
230	Formation of mono- and binuclear neodymium(iii)-gluconate complexes in aqueous solutions in the pH range of 2-8. <i>Dalton Transactions</i> , 2017 , 46, 6049-6058	4.3	10
229	ML and ML complex formation between Ca(ii) and d-glucose derivatives in aqueous solutions. <i>Dalton Transactions</i> , 2017 , 46, 1065-1074	4.3	12
228	From nicotinate-containing layered double hydroxides (LDHs) to NAD coenzyme II DH nanocomposites Syntheses and structural characterization by various spectroscopic methods. <i>Journal of Molecular Structure</i> , 2017 , 1140, 39-45	3.4	1
227	Synthesis, characterization and photocatalytic activity of crystalline Mn(II)Cr(III)-layered double hydroxide. <i>Catalysis Today</i> , 2017 , 284, 195-201	5.3	17
226	Mixed Oxides Without Added Noble Metals Derived from Layered Double Hydroxides of the Hydrotalcite Type in the Hydrodechlorination Reaction of Trichloroethylene. <i>Catalysis Letters</i> , 2017 , 147, 2910-2919	2.8	1
225	Comparison of the Ca complexing properties of isosaccharinate and gluconate - is gluconate a reliable structural and functional model of isosaccharinate?. <i>Dalton Transactions</i> , 2017 , 46, 13888-13896	4.3	9
224	Hydroxyapatite-enhanced structural, photocatalytic and antibacterial properties of photoreactive TiO ₂ /HAp/polyacrylate hybrid thin films. <i>Surface and Coatings Technology</i> , 2017 , 326, 316-326	4.4	21
223	Ni-Amino Acid CaAl-Layered Double Hydroxide Composites: Construction, Characterization and Catalytic Properties in Oxidative Transformations. <i>Topics in Catalysis</i> , 2017 , 60, 1429-1438	2.3	7
222	Thionation of a cyanoxime derivative to form the sulphur-containing derivative, a novel ligand for complexation with transitional metal ions. <i>Structural Chemistry</i> , 2017 , 28, 475-478	1.8	1
221	Delaminating and restacking MgAl-layered double hydroxide monitored and characterized by a range of instrumental methods. <i>Journal of Molecular Structure</i> , 2017 , 1140, 77-82	3.4	9
220	Layered double oxide (LDO) particle containing photoreactive hybrid layers with tunable superhydrophobic and photocatalytic properties. <i>Applied Surface Science</i> , 2016 , 389, 294-302	6.7	25
219	Estimation of the solubility product of hydrocalumite hydroxide, a layered double hydroxide with the formula of [Ca ₂ Al(OH) ₆ OH]·H ₂ O. <i>Journal of Physics and Chemistry of Solids</i> , 2016 , 98, 167-173	3.9	8
218	Calcium complexation and acid-base properties of l-gulonate, a diastereomer of d-gluconate. <i>Dalton Transactions</i> , 2016 , 45, 18281-18291	4.3	5
217	Cu(II)-amino acid CaAl-layered double hydroxide complexes, recyclable, efficient catalysts in various oxidative transformations. <i>Journal of Molecular Catalysis A</i> , 2016 , 423, 49-60		17

216	Goldanskii-Karyagin effect on hyperalkaline tin(II)-hydroxide. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2016 , 307, 1195-1201	1.5	2
215	A comprehensive study on the dominant formation of the dissolved Ca(OH) ₂ (aq) in strongly alkaline solutions saturated by Ca(II). <i>RSC Advances</i> , 2016 , 6, 45231-45240	3.7	27
214	Mn(II)-amino acid complexes intercalated in CaAl-layered double hydroxide [Well-characterized, highly efficient, recyclable oxidation catalysts. <i>Journal of Catalysis</i> , 2016 , 335, 125-134	7.3	32
213	Mechanochemical synthesis and intercalation of Ca(II)Fe(III)-layered double hydroxides. <i>Journal of Solid State Chemistry</i> , 2016 , 233, 236-243	3.3	24
212	Ultrasonically-enhanced mechanochemical synthesis of CaAl-layered double hydroxides intercalated by a variety of inorganic anions. <i>Ultrasonics Sonochemistry</i> , 2016 , 31, 409-16	8.9	30
211	Ultrasound-enhanced milling in the synthesis of phase-pure, highly crystalline ZnAl-layered double hydroxide of low Zn(II) content. <i>Particuology</i> , 2016 , 27, 29-33	2.8	15
210	Some aspects of the aqueous solution chemistry of the Na ⁺ /Ca ²⁺ /OH ⁻ /Cit ³⁻ system: The structure of a new calcium citrate complex forming under hyperalkaline conditions. <i>Journal of Molecular Structure</i> , 2016 , 1118, 110-116	3.4	5
209	Synthesis of high-quality, well-characterized CaAlFe-layered triple hydroxide with the combination of dry-milling and ultrasonic irradiation in aqueous solution at elevated temperature. <i>Ultrasonics Sonochemistry</i> , 2016 , 32, 173-180	8.9	11
208	Calcium l-tartrate complex formation in neutral and in hyperalkaline aqueous solutions. <i>Dalton Transactions</i> , 2016 , 45, 17296-17303	4.3	4
207	Optimisation of the synthesis parameters of mechanochemically prepared CaAl-layered double hydroxide. <i>Applied Clay Science</i> , 2015 , 112-113, 94-99	5.2	29
206	Structural features of intercalated CaFe-layered double hydroxides studied by X-ray diffractometry, infrared spectroscopy and computations. <i>Journal of Molecular Structure</i> , 2015 , 1090, 14-18	3.4	3
205	Building, characterising and catalytic activity testing of Co ^{II} -protected amino acid complexes covalently grafted onto chloropropylated silica gel. <i>Journal of Molecular Structure</i> , 2015 , 1090, 138-143	3.4	2
204	A layered double hydroxide, a synthetically useful heterogeneous catalyst for azide-alkyne cycloadditions in a continuous-flow reactor. <i>Applied Catalysis A: General</i> , 2015 , 501, 63-73	5.1	18
203	Bioinspired covalently grafted Cu(II)-protected amino acid complexes: selective catalysts in the epoxidation of cyclohexene. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2015 , 115, 33-43	1.6	
202	Thermal decomposition and reconstruction of CaFe-layered double hydroxide studied by X-ray diffractometry and ⁵⁷ Fe Mössbauer spectroscopy. <i>Journal of Molecular Structure</i> , 2015 , 1090, 19-24	3.4	9
201	The catalytic epoxidation of 2-cyclohexen-1-one over uncalcined layered double hydroxides using various solvents. <i>Catalysis Today</i> , 2015 , 241, 231-236	5.3	12
200	Synthesis, structural characterisation, and catalytic activity of Mn(II)-protected amino acid complexes covalently immobilised on chloropropylated silica gel. <i>Catalysis Today</i> , 2015 , 241, 264-269	5.3	4
199	Diterpene Constituents of <i>Euphorbia exigua</i> L. and Multidrug Resistance Reversing Activity of the Isolated Diterpenes. <i>Chemistry and Biodiversity</i> , 2015 , 12, 1214-21	2.5	5

198	Structural features of pyridylcinnamic acid dimers and their extended hydrogen-bonded aggregations. <i>Journal of Molecular Structure</i> , 2015 , 1090, 25-33	3.4	
197	Spherical LDH-Ag ⁺ /montmorillonite heterocoagulated system with a pH-dependent sol-gel structure for controlled accessibility of AgNPs immobilized on the clay lamellae. <i>Langmuir</i> , 2015 , 31, 2019-27	4	18
196	Fe-amino acid complexes immobilized on silica gel as active and highly selective catalysts in cyclohexene epoxidation. <i>Research on Chemical Intermediates</i> , 2015 , 41, 9155-9169	2.8	
195	Mössbauer, XRD and TEM Study on the Intercalation and the Release of Drugs in/from Layered Double Hydroxides. <i>Croatica Chemica Acta</i> , 2015 , 88, 369-376	0.8	4
194	Mössbauer and XRD study of intercalated CaFe-layered double hydroxides. <i>Hyperfine Interactions</i> , 2014 , 226, 171-179	0.8	4
193	Search for a Raney-Ni type catalyst efficient in the transformation of excess glycerol into more valuable products. <i>Catalysis Communications</i> , 2014 , 43, 116-120	3.2	8
192	Carbon nanotube-layered double hydroxide nanocomposites. <i>Chemical Papers</i> , 2014 , 68,	1.9	4
191	Synthesis and properties of CaAl-layered double hydroxides of hydrocalumite-type. <i>Chemical Papers</i> , 2014 , 68,	1.9	17
190	Speciation and the structure of lead(II) in hyper-alkaline aqueous solution. <i>Dalton Transactions</i> , 2014 , 43, 17539-43	4.3	7
189	Speciation and structure of tin(II) in hyper-alkaline aqueous solution. <i>Dalton Transactions</i> , 2014 , 43, 17974-9	4.9	9
188	The structure of hyperalkaline aqueous solutions containing high concentrations of gallium--a solution X-ray diffraction and computational study. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 4023-32	3.6	6
187	Multinuclear complex formation between Ca(II) and gluconate ions in hyperalkaline solutions. <i>Environmental Science & Technology</i> , 2014 , 48, 6604-11	10.3	25
186	On the lack of capillary Mössbauer spectroscopic effect for SnII-containing aqueous solutions trapped in corning Vycor Thirsty glass. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2014 , 302, 695-700	1.5	3
185	Superoxide dismutase inspired immobilised Ni(II)-protected amino acid catalysts Synthesis, characterisation, and catalytic activity. <i>Journal of Molecular Catalysis A</i> , 2014 , 395, 93-99		
184	Using low-frequency IR spectra for the unambiguous identification of metal ion-ligand coordination sites in purpose-built complexes. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2014 , 122, 257-9	4.4	10
183	Mechanochemically assisted synthesis of pristine Ca(II)Sn(IV)-layered double hydroxides and their amino acid intercalated nanocomposites. <i>Journal of Materials Science</i> , 2014 , 49, 8478-8486	4.3	31
182	Complexation of Al(III) with gluconate in alkaline to hyperalkaline solutions: formation, stability and structure. <i>Dalton Transactions</i> , 2013 , 42, 13470-6	4.3	8
181	Self-assembling of 2,3-phenyl/thienyl-substituted acrylic acids over polycrystalline gold. <i>Journal of Molecular Structure</i> , 2013 , 1044, 32-38	3.4	3

180	Radiation induced topotactic [2+2] dimerisation of acrylate derivatives among the layers of a CaFe layered double hydroxide followed by IR spectroscopy. <i>Journal of Molecular Structure</i> , 2013 , 1044, 279-285	3.4	4
179	Water types and their relaxation behavior in partially rehydrated CaFe-mixed binary oxide obtained from CaFe-layered double hydroxide in the 155-298 K temperature range. <i>Langmuir</i> , 2013 , 29, 13315-21	4	13
178	Superoxide dismutase inspired Fe(III)-Amino acid complexes covalently grafted onto chloropropylated silica gel. Syntheses, structural characterisation and catalytic activity. <i>Journal of Molecular Structure</i> , 2013 , 1044, 39-45	3.4	12
177	Rehydration of dehydrated CaFe-Layered Double Hydroxide followed by thermogravimetry, X-ray diffractometry and dielectric relaxation spectroscopy. <i>Journal of Molecular Structure</i> , 2013 , 1044, 26-31	3.4	11
176	The structure and stability of CaFe layered double hydroxides with various Ca:Fe ratios studied by Mössbauer spectroscopy, X-ray diffractometry and microscopic analysis. <i>Journal of Molecular Structure</i> , 2013 , 1044, 116-120	3.4	16
175	Multinuclear complex formation in aqueous solutions of Ca(II) and heptagluconate ions. <i>Dalton Transactions</i> , 2013 , 42, 8460-7	4.3	14
174	Reconstruction of calcined MgAl- and NiMgAl-layered double hydroxides during glycerol dehydration and their recycling characteristics. <i>Applied Clay Science</i> , 2013 , 80-81, 245-248	5.2	22
173	Conformational properties of a pyridyl-substituted cinnamic acid studied by NMR measurements and computations. <i>Journal of Molecular Structure</i> , 2013 , 1044, 286-289	3.4	1
172	Mössbauer and XRD investigations of layered double hydroxides (LDHs) with varying Mg/Fe ratios. <i>Hyperfine Interactions</i> , 2013 , 217, 145-149	0.8	3
171	Ni-SuperOxide Dismutase Inspired Ni(II)-Amino Acid Complexes Covalently Grafted onto Merrifield Resin - Synthesis, Structure and Catalytic Activity. <i>Materials Science Forum</i> , 2012 , 730-732, 1012-1017	0.4	
170	Hydrodechlorination Reactions of CCl ₄ Over HZSM-5- and HY-Supported Pt and Pd Catalysts. <i>Topics in Catalysis</i> , 2012 , 55, 853-857	2.3	6
169	Preparation, Characterisation and Some Reactions of Organocatalysts Immobilised Between the Layers of a CaFe-Layered Double Hydroxide. <i>Topics in Catalysis</i> , 2012 , 55, 858-864	2.3	8
168	The solubility of Ca(OH) ₂ in extremely concentrated NaOH solutions at 25°C. <i>Open Chemistry</i> , 2012 , 10, 332-337	1.6	3
167	A Possible Nanoreactor: CaFe-Layered Double Hydroxide with Intercalated Cinnamate Derivatives. <i>Materials Science Forum</i> , 2012 , 730-732, 65-70	0.4	1
166	Monometallic Supported Gold Catalysts in Organic Transformations: Ring Making and Ring Breaking. <i>Catalysts</i> , 2012 , 2, 101-120	4	2
165	Mössbauer and XRD investigations of layered double hydroxides (LDHs) with varying Mg/Fe ratios 2012 , 145-149		
164	Comments on Shape-selective diisopropylation of naphthalene in H-mordenite: Myth or reality? <i>Journal of Catalysis</i> , 2011 , 279, 229-230	7.3	1
163	Synthesis and characterisation of alkaline earth-iron(III) double hydroxides. <i>Chemical Papers</i> , 2011 , 65,	1.9	10

162	CH ₂ S hydrogen bonds as the organising force in 2,3-thienyl- and phenyl- or 2,3-dithienyl-substituted propenoic acid aggregates studied by the combination of FT-IR spectroscopy and computations. <i>Journal of Molecular Structure</i> , 2011 , 993, 259-263	3.4	9
161	A SEM, EDX and XAS characterization of Ba(II)Fe(III) layered double hydroxides. <i>Journal of Molecular Structure</i> , 2011 , 993, 62-66	3.4	10
160	The influence of the local structure of Fe(III) on the photocatalytic activity of doped TiO ₂ photocatalysts: An EXAFS, XPS and Mössbauer spectroscopic study. <i>Applied Catalysis B: Environmental</i> , 2011 , 103, 232-239	21.8	47
159	Covalently grafted, silica gel supported mixed amino acid iron complexes: Syntheses, structural characterization and catalytic testing. <i>Journal of Molecular Structure</i> , 2011 , 993, 203-207	3.4	6
158	Self-assembling of Z-pyridylcinnamic acid molecules over polycrystalline Ag and Au surfaces followed by FT-IR and atomic force microscopies. <i>Journal of Molecular Structure</i> , 2011 , 993, 67-72	3.4	
157	Structure and equilibria of Ca ²⁺ -complexes of glucose and sorbitol from multinuclear (¹ H, ¹³ C and ⁴³ Ca) NMR measurements supplemented with molecular modelling calculations. <i>Journal of Molecular Structure</i> , 2011 , 993, 336-340	3.4	13
156	Effect of fluorine position on the coordinating ability of fluorosalicylic acids--an experimental study complemented with computations. <i>Journal of Inorganic Biochemistry</i> , 2011 , 105, 75-83	4.2	7
155	Synthesis and spectroscopic and computational characterization of Zn ₄ O(alicyclic or aromatic carboxylate) ₆ complexes as potential MOF precursors. <i>Inorganic Chemistry</i> , 2010 , 49, 4620-5	5.1	10
154	Synthesis and properties of novel Ba(II)Fe(III) layered double hydroxides. <i>Applied Clay Science</i> , 2010 , 48, 214-217	5.2	23
153	Superoxide dismutase mimicking Cu(II)-mixed amino acid complexes covalently grafted onto silica gel--an FT-IR study. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 397, 549-55	4.4	7
152	Structural characterisation of silica gel anchored, biomimetic, mixed-ligand Co(II)-amino acid complexes. <i>Vibrational Spectroscopy</i> , 2010 , 53, 132-135	2.1	5
151	Multinuclear NMR and molecular modelling investigations on the structure and equilibria of complexes that form in aqueous solutions of Ca(2+) and gluconate. <i>Carbohydrate Research</i> , 2010 , 345, 1856-64	2.9	30
150	CH ₂ hydrogen bonds as the organising force in F-substituted p-phenyl cinnamic acid aggregates studied by the combination of FTIR spectroscopy and computations. <i>Journal of Molecular Structure</i> , 2009 , 924-926, 27-31	3.4	8
149	Preparation, Characterization and Catalytic Activities of Immobilized Enzyme Mimics. <i>Catalysis Letters</i> , 2009 , 127, 239-247	2.8	13
148	Covalently grafted, silica gel supported C-protected cysteine or cystine copper complexes: Syntheses, structure and possible surface reactions studied by FT-IR spectroscopy. <i>Journal of Molecular Structure</i> , 2009 , 924-926, 166-169	3.4	4
147	Theoretical characterization of gas-liquid chromatographic stationary phases with quantum chemical descriptors. <i>Journal of Chromatography A</i> , 2009 , 1216, 2540-7	4.5	12
146	Thermal stabilities of nanocomposites: Mono- or binuclear Cu complexes intercalated or immobilised in/on siliceous materials. <i>Nanopages</i> , 2009 , 4, 1-12	0	1
145	Application of sulfonic acid functionalized MCM-41 materials: Selectivity changes in various probe reactions. <i>Applied Catalysis A: General</i> , 2007 , 316, 152-159	5.1	30

144	Amino acids and their Cu complexes covalently grafted onto a polystyrene resin – A vibrational spectroscopic study. <i>Journal of Molecular Structure</i> , 2007 , 834-836, 345-348	3-4	4
143	Conformational behaviour of acetamide derivatives studied by NMR spectroscopic and computational methods. <i>Journal of Molecular Structure</i> , 2007 , 834-836, 349-354	3-4	4
142	Hydrolysis of dinucleoside phosphates - mRNA 5' cap analogues - promoted by a binuclear copper(II)-zinc(II) complex. <i>Journal of Inorganic Biochemistry</i> , 2007 , 101, 1400-3	4-2	6
141	Preparation of 3-substituted and 2,3-disubstituted-4,4,4-trifluoro-2-butenoic acids – Perkin condensation of activated aromatic ketones. <i>Journal of Fluorine Chemistry</i> , 2006 , 127, 850-853	2-1	6
140	Mimicking catalase and catecholase enzymes by copper(II)-containing complexes. <i>Open Chemistry</i> , 2006 , 4, 118-134	1-6	6
139	The cis-trans Isomerisation of Homologous 2-Hydroxycycloalkancarboxylic Acids under Basic Conditions. <i>Chinese Journal of Chemistry</i> , 2006 , 24, 1792-1795	4-9	1
138	Organic-Inorganic Nanohybrids of Biologically Important Molecules and Layered Double Hydroxides. <i>Nanopages</i> , 2006 , 1, 295-314	0	7
137	Formation of Au nanorods and nanoforks over MgO support. <i>Reaction Kinetics and Catalysis Letters</i> , 2006 , 87, 263-268		3
136	The activity of Au supported on various types of carbon in the ring transformation reactions of methyloxirane. <i>Reaction Kinetics and Catalysis Letters</i> , 2006 , 87, 343-348		4
135	Combinatorial synthesis of carbon nanotubes by the catalytic chemical vapor deposition method. <i>Reaction Kinetics and Catalysis Letters</i> , 2006 , 87, 349-357		1
134	Superoxide dismutase activity of a Cu/Zn complex – Bare and immobilised. <i>New Journal of Chemistry</i> , 2005 , 29, 740	3-6	27
133	Transformations of ethyl- or vinylloxirane over mesoporous aluminosilicates – comparative study. <i>Studies in Surface Science and Catalysis</i> , 2005 , 158, 1303-1310	1-8	
132	Covalent grafting of copper – amino acid complexes onto chloropropylated silica gel – FT-IR study. <i>Journal of Molecular Structure</i> , 2005 , 744-747, 487-494	3-4	7
131	Changes in the aggregation patterns of Z-2,3-diphenylpropenoic acid and its methyl ester on substituting the olefinic hydrogen with CF ₃ group – FT-IR study. <i>Journal of Molecular Structure</i> , 2005 , 744-747, 207-210	3-4	8
130	Synthesis and IR spectroscopic characterisation of immobilised superoxide dismutase (SOD) mimicking complexes. <i>Journal of Molecular Structure</i> , 2005 , 744-747, 495-500	3-4	5
129	Conformations of E-2-phenyl-3-(2-furyl)propenoic acid and its methyl ester in various solvents – NMR study. <i>Journal of Molecular Structure</i> , 2005 , 744-747, 273-276	3-4	6
128	Conformations of stereoisomer furyl- and/or phenyl-substituted propenoic acid methyl esters – computational study. <i>Computational and Theoretical Chemistry</i> , 2005 , 715, 143-149		1
127	Unexpected nonplanar quinoidal substructure in an abietane terpene from <i>Salvia candelabrum</i> – ab initio computational search for the simplest substitution pattern causing the nonplanarity. <i>Computational and Theoretical Chemistry</i> , 2005 , 717, 153-155		1

126	The ring opening and oligomerisation reactions of an epoxide and an episulfide on aluminosilicates in the liquid phase. <i>Open Chemistry</i> , 2005 , 3, 230-244	1.6	1
125	Speciation study of an imidazolate-bridged copper(II)-zinc(II) complex in aqueous solution. <i>Journal of Inorganic Biochemistry</i> , 2005 , 99, 1619-29	4.2	35
124	Effect of heat treatment on amino acid intercalated in montmorillonite. <i>Journal of Thermal Analysis and Calorimetry</i> , 2005 , 79, 533-535	4.1	10
123	The ring transformations of 1,2,3,4-diepoxybutane (2,2?-bioxirane) catalysed by various aluminosilicates. <i>Catalysis Letters</i> , 2005 , 101, 105-107	2.8	2
122	Electrospray ionization and matrix-assisted laser desorption/ionization mass spectrometric investigation of an imidazolato-bridged Cu-Zn complex that mimics superoxide dismutase. <i>Rapid Communications in Mass Spectrometry</i> , 2005 , 19, 2878-82	2.2	1
121	Montmorillonite intercalated Cu(II)-histidine complex [synthesis, characterisation and superoxide dismutase activity. <i>Studies in Surface Science and Catalysis</i> , 2005 , 1011-1018	1.8	11
120	Preparation of new 2,3-diphenylpropenoic acid esters - good yields even for the more hindered Z isomers. <i>Molecules</i> , 2004 , 9, 256-63	4.8	3
119	Hydrogen bonding interactions in E- or Z-2-phenyl-3-(X'-pyridyl)propenoic acid (X=2, 3 or 4) assemblies--a molecular modeling study. <i>Journal of Molecular Modeling</i> , 2004 , 10, 151-4	2	5
118	Ring opening, dimerisation and oligomerisation reactions of methyloxirane on solid acid and base catalysts. <i>Journal of Molecular Catalysis A</i> , 2004 , 208, 307-311		9
117	Transformation pathways of 2,2-dimethyloxirane on aluminosilicates: The effects of catalyst structure and reaction conditions. <i>Studies in Surface Science and Catalysis</i> , 2004 , 2711-2716	1.8	1
116	Sonication assisted gold deposition on multiwall carbon nanotubes. <i>Chemical Physics Letters</i> , 2003 , 372, 848-852	2.5	26
115	l-2-Hydroxypropionic acid in aqueous solution [vibrational spectroscopic and computational study. <i>Computational and Theoretical Chemistry</i> , 2003 , 666-667, 159-162		7
114	Intra- and intermolecular hydrogen bondings in steroids [combined experimental and theoretical study. <i>Computational and Theoretical Chemistry</i> , 2003 , 666-667, 163-168		6
113	Modeling copper-containing enzyme mimics. <i>Computational and Theoretical Chemistry</i> , 2003 , 666-667, 451-453		3
112	Molecular shape, dimensions, and shape selective catalysis. <i>Computational and Theoretical Chemistry</i> , 2003 , 666-667, 69-77		12
111	An UV [is spectroscopic study on carbenium ions formed on HY [A U zeolite upon the adsorption of various hydrocarbons. <i>Journal of Molecular Structure</i> , 2003 , 651-653, 331-334	3.4	4
110	Anchoring copper [amino acid complexes on silica or in montmorillonite [n FT-IR study. <i>Journal of Molecular Structure</i> , 2003 , 651-653, 109-114	3.4	8
109	Structure-forming properties of 3-furylpropenoic acid derivatives in solution and in the solid state. <i>Journal of Molecular Structure</i> , 2003 , 651-653, 253-258	3.4	10

108	Intercalating amino acid guests into montmorillonite host. <i>Journal of Molecular Structure</i> , 2003 , 651-653, 335-340	3.4	55
107	Intermolecular hydrogen bonding interactions between β -phenyl furylcinnamic acid stereoisomers studied by semiempirical quantum chemical method. <i>Computational and Theoretical Chemistry</i> , 2003 , 620, 37-41		1
106	Building dendrimer-like structures from β -phenyl pyrimidylcinnamic acid – molecular modeling approach. <i>Computational and Theoretical Chemistry</i> , 2003 , 623, 11-15		2
105	Comments on Catalytic Probe of the Surface Statistics of Palladium Crystallites Deposited on Montmorillonite. <i>Chemistry of Materials</i> , 2003 , 15, 606-606	9.6	
104	Hydrogen bonding interactions of benzylidene type Schiff bases studied by vibrational spectroscopic and computational methods. <i>Physical Chemistry Chemical Physics</i> , 2003 , 5, 2009-2014	3.6	29
103	Ring-Opening Reactions of Propylene Oxide (Methyloxirane) over Au/MgO and Unsupported Au Catalysts. <i>Catalysis Letters</i> , 2002 , 81, 237-240	2.8	11
102	Modeling superoxide dismutase: Immobilizing a Cu/Zn complex in porous matrices and activity testing in H ₂ O ₂ decomposition. <i>Studies in Surface Science and Catalysis</i> , 2002 , 142, 85-92	1.8	4
101	Modifying the acidic properties of PtZSM-5 and PtY zeolites by appropriately varying reduction methods. <i>Studies in Surface Science and Catalysis</i> , 2002 , 1801-1808	1.8	3
100	Ab initio studies on the H-bonding of hypoxanthine and DNA bases. <i>New Journal of Chemistry</i> , 2002 , 26, 1503-1506	3.6	13
99	23-P-15 - Ring opening reactions of methyloxirane over DZSM-5 and DAIMCM-41 molecular sieves-A mechanistic study. <i>Studies in Surface Science and Catalysis</i> , 2001 , 233	1.8	3
98	Hydrogen bonding networks in E- or Z-2-(3'-pyridyl)-3-phenylpropenoic (β -pyridylcinnamic) acid assemblies – a molecular modeling study. <i>Journal of Molecular Modeling</i> , 2001 , 7, 408-412	2	7
97	Characterization and catalytic activity of NiAl and ZnCr mixed oxides obtained from layered double hydroxides. <i>Solid State Ionics</i> , 2001 , 141-142, 259-263	3.3	7
96	Intercalation of various oxide species in-between Laponite layers studied by spectroscopic methods. <i>Journal of Molecular Structure</i> , 2001 , 563-564, 417-420	3.4	5
95	Hydrogen bonded networks of methoxy-substituted β -phenylcinnamic acids studied by spectroscopic and computational methods. <i>Journal of Molecular Structure</i> , 2001 , 565-566, 463-468	3.4	11
94	Combined computational and experimental investigations on the diastereoselective hydrogenation of steroids by chiral oxazaborolidine. <i>International Journal of Quantum Chemistry</i> , 2001 , 84, 253-258	2.1	2
93	Structural motifs in β -pyridyl- and β -furylcinnamic acid assemblies – a molecular modeling study. <i>International Journal of Quantum Chemistry</i> , 2001 , 84, 269-275	2.1	7
92	Isomerization and Dimerization Reactions of Methyloxirane over Various Types of Zeolite and Zeotype. <i>Journal of Catalysis</i> , 2001 , 200, 340-344	7.3	15
91	Cyclodimerisation and Cyclotrimerisation During the Ring-Opening Reactions of Ethylene Sulfide (Thiirane) over Acidic Molecular Sieves and Alumina. <i>Catalysis Letters</i> , 2001 , 76, 95-98	2.8	5

90	Decomposition of H ₂ O ₂ by Fe Imidazole or Fe Histidine Complexes Immobilized in Porous Matrices. <i>Reaction Kinetics and Catalysis Letters</i> , 2001 , 74, 195-200			1
89	Shape-Selective Alkylation of Isopropyl-naphthalene over HM Zeolite. A Theoretical Study. <i>Reaction Kinetics and Catalysis Letters</i> , 2001 , 74, 317-322			9
88	Effects of Substituents on the Ring-Opening Pathways of Oxiranes on ZSM-5 Zeolites. <i>Reaction Kinetics and Catalysis Letters</i> , 2001 , 74, 187-194			4
87	Intramolecular hydrogen bonding in α -phenylcinnamic acids and their heteroatom-containing derivatives studied by ab initio quantum chemical methods. <i>Computational and Theoretical Chemistry</i> , 2001 , 535, 139-149			3
86	Surface Fractal Properties of Morphologically Different Sol-Gel Derived Silicates. <i>Chemistry of Materials</i> , 2001 , 13, 345-349	9.6		11
85	Positional Isomerization of Dialkyl-naphthalenes: A Comprehensive Interpretation of the Selective Formation of 2,6-DIPN over HM Zeolite. <i>Journal of Physical Chemistry A</i> , 2001 , 105, 6513-6518	2.8		22
84	Hydrogen bonding interactions in β -substituted cinnamic acid ester derivatives studied by FTIR spectroscopy and calculations. <i>Vibrational Spectroscopy</i> , 2000 , 22, 63-73	2.1		21
83	The selectivity and activity determining roles of carbonaceous species and metal-metal oxide interface in metal-catalyzed hydrogenation and isomerization reactions. <i>Applied Catalysis A: General</i> , 2000 , 200, 189-200	5.1		11
82	Interactions between solvent molecules and the reduced or unreduced forms of silico-molybdic acid studied by ESR and NMR spectroscopies and molecular modelling. <i>Inorganica Chimica Acta</i> , 2000 , 298, 77-83	2.7		9
81	Modeling hydrogen bonding interactions in β -substituted cinnamic acid ester derivatives by semiempirical quantum chemical calculations. <i>Computational and Theoretical Chemistry</i> , 2000 , 531, 99-103			4
80	The triplex forming ability of nonnatural nucleobases: a computational approach. <i>Computational and Theoretical Chemistry</i> , 2000 , 496, 101-105			3
79	Quantum algebraic-combinatoric study of the conformational properties of n-alkanes. II. <i>Journal of Mathematical Chemistry</i> , 2000 , 27, 191-199	2.1		20
78	On the Mechanism of a Modified Perkin Condensation Leading to α -Phenylcinnamic Acid Stereoisomers: Experiments and Molecular Modelling. <i>Monatshefte für Chemie</i> , 2000 , 131, 1097-1104	1.4		11
77	Ring-opening reactions of ethyl- and vinyl-oxirane on HZSM-5 and CuZSM-5 catalysts. <i>Studies in Surface Science and Catalysis</i> , 2000 , 839-844	1.8		6
76	Molecular Electrostatics, Energetics, and Dynamics of the Alkylation of Naphthalene: Positional Isomerization of Monoalkyl-naphthalenes at Hartree-Fock and Correlated Levels with BSSE Corrections. <i>Journal of Physical Chemistry A</i> , 2000 , 104, 1337-1345	2.8		10
75	The role of onium salts in the oxidation of hydrocarbons by O ₂ catalysed by cationic phase-transfer reagents. <i>Physical Chemistry Chemical Physics</i> , 2000 , 2, 3801-3805	3.6		17
74	Synthesis of E- and Z- α -Methoxy-Substituted 2,3-Diphenyl Propenoic Acids and Its Methyl Esters. <i>Synthetic Communications</i> , 2000 , 30, 1543-1553	1.7		20
73	Computer Aided Design of Triplet Forming Artificial Nucleobases. <i>Nucleosides & Nucleotides</i> , 1999 , 18, 1127-1129			

72	Dehydration characteristics of Nafion-H, Nafion-H supported on silica and Nafion-H silica nanocomposite catalysts studied by Infrared Microscopy. <i>Journal of Molecular Structure</i> , 1999 , 482-483, 29-32	3-4	7
71	Amino acids, precursors for cationic and anionic intercalation synthesis and characterization of amino acid pillared materials. <i>Journal of Molecular Structure</i> , 1999 , 482-483, 33-37	3-4	18
70	Multinuclear MAS NMR characterization of heteropoly acids and their interaction with 2,3-butanediol. <i>Journal of Molecular Structure</i> , 1999 , 482-483, 329-332	3-4	2
69	Calculated vs. measured IR characteristics of β -phenylcinnamic acid stereoisomers β structural consequences. <i>Journal of Molecular Structure</i> , 1999 , 482-483, 463-467	3-4	11
68	Layered double hydroxides and their pillared derivatives β materials for solid base catalysis; synthesis and characterization. <i>Applied Catalysis A: General</i> , 1999 , 182, 237-247	5-1	56
67	Activity and regioselectivity in the ring-opening reaction of methyloxirane at metal-metal oxide interfaces. <i>Journal of Molecular Catalysis A</i> , 1999 , 140, 195-198		4
66	Hydrogen-bonding interactions in the crystalline-phase structures of cinnamic acid derivatives. <i>Acta Crystallographica Section B: Structural Science</i> , 1999 , 55, 216-220		24
65	Transformations of Cyclohexene Oxide over Silica-Supported Cu, Pd, and Rh Catalysts in H ₂ /D ₂ Atmosphere. <i>Journal of Catalysis</i> , 1999 , 181, 28-36	7-3	7
64	Ring-Opening and Dimerization Reactions of Methyl- and Dimethyloxiranes on HZSM-5 and CuZSM-5 Zeolites. <i>Journal of Catalysis</i> , 1999 , 188, 385-392	7-3	10
63	Behaviour of Hydrotalcite and Its Fe (CN) ₆ - Pillared Derivative on Heat Treatment. <i>Magyar Árvad Kéleméyek</i> , 1999 , 56, 311-316	0	3
62	Amino Acid-Pillared Layered Double Hydroxide and Montmorillonite Thermal Characteristics. <i>Magyar Árvad Kéleméyek</i> , 1999 , 56, 317-322	0	14
61	Changes in the hydrogenative ring-opening mechanism of cyclohexene oxide over Cu/SiO ₂ resulting from the addition of cyclohexene, a major product. <i>Catalysis Letters</i> , 1999 , 58, 103-106	2-8	2
60	The C-H...Cl hydrogen bond: does it exist?. <i>New Journal of Chemistry</i> , 1999 , 23, 145-152	3-6	276
59	Preparation and Characterization of Hybrid Organic-Inorganic Composite Materials Using the Amphoteric Property of Amino Acids: Amino Acid Intercalated Layered Double Hydroxide and Montmorillonite. <i>Inorganic Chemistry</i> , 1999 , 38, 4653-4658	5-1	118
58	Ring-opening and dimerization reactions of methyl-substituted oxiranes on HZSM-5 zeolite. <i>Studies in Surface Science and Catalysis</i> , 1999 , 391-398	1-8	1
57	Deactivation of Pt/Al ₂ O ₃ in the catalytic combustion of hydrogen with air under iodine flow. <i>Studies in Surface Science and Catalysis</i> , 1999 , 126, 415-418	1-8	
56	Polymorphic Transitions in Crystalline E- and Z- β -Phenylcinnamic acids followed by DSC. <i>Magyar Árvad Kéleméyek</i> , 1998 , 53, 317-322	0	1
55	Fragmentation of cyclobutane derivatives upon electron impact: transformation pathways elucidated by mass spectrometric methods and semiempirical quantum chemical calculations. <i>Rapid Communications in Mass Spectrometry</i> , 1998 , 12, 1771-1776	2-2	0

54	Characterization of cationic pillared layer clays. <i>Reaction Kinetics and Catalysis Letters</i> , 1998 , 64, 317-323		1
53	The active surface of silica-supported copper in the hydrogenative transformations of cyclohexene: The role and state of carbonaceous deposits. <i>Applied Catalysis A: General</i> , 1998 , 166, 185-190	5.1	1
52	Surface characterization of variously treated Nafion-H, Nafion-H supported on silica and Nafion-H silica nanocomposite catalysts by infrared microscopy. <i>Applied Catalysis A: General</i> , 1998 , 174, 147-153	5.1	26
51	Enumeration of the Conformers of Unbranched Aliphatic Alkanes. <i>Journal of Physical Chemistry A</i> , 1998 , 102, 7698-7703	2.8	41
50	Protonation and ring closure of stereoisomeric β -substituted cinnamic acids in superacidic media studied by ^{13}C NMR spectroscopy and computations ¹ . <i>Journal of the Chemical Society Perkin Transactions II</i> , 1998 , 379-386		8
49	From the keggin complex containing solution to pillared layer clays β a comprehensive NMR study. <i>Studies in Surface Science and Catalysis</i> , 1997 , 1957-1964	1.8	3
48	Mixed-metal pillared layer clays and their pillaringprecursors. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1997 , 93, 1591-1599		23
47	Structure and isomerization of β -phenylcinnamic acid stereoisomers β reaction pathway and transition-state structure by semiempirical methods. <i>Computational and Theoretical Chemistry</i> , 1997 , 391, 189-192		1
46	Analysis of permanent electric dipole moments of aliphatic hydrocarbon molecules. <i>Computational and Theoretical Chemistry</i> , 1997 , 401, 21-27		12
45	Transformations of Cyclohexene over Silica-Supported Copper in the Presence of Deuterium. <i>Journal of Catalysis</i> , 1997 , 167, 215-223	7.3	7
44	Multiple steady state in the hydrogenative ring opening of propylcyclobutane over Rh/SiO ₂ . <i>Catalysis Letters</i> , 1997 , 45, 193-195	2.8	3
43	Homogeneous catalysis by heteropoly acids: A redox transformation of H ₄ [SiMo ₁₂ O ₄₀] in electrophilic reactions. <i>Applied Catalysis A: General</i> , 1997 , 158, L17-L25	5.1	6
42	Adsorbed species in transition metal catalyzed transformations studied by IR spectroscopy. <i>Journal of Molecular Catalysis A</i> , 1997 , 115, 297-303		4
41	A new program for effective one-electron (EHMO-ASED) calculations. <i>Computers & Chemistry</i> , 1997 , 21, 319-325		6
40	Cationic mixed pillared layer clays: infrared and M β sbauer characteristics of the pillaring agents and pillared structures in Fe,Al and Cr,Al pillared montmorillonites. <i>Journal of Molecular Structure</i> , 1997 , 410-411, 547-550	3.4	18
39	Multimerization of Z- β -phenylcinnamic acid in solution: analysis via deconvoluted FTIR spectra. <i>Journal of Molecular Structure</i> , 1997 , 408-409, 325-327	3.4	12
38	Dehydration-rehydration behaviour of layered double hydroxides: a study by X-ray diffractometry and MAS NMR spectroscopy. <i>Journal of Molecular Structure</i> , 1997 , 410-411, 13-16	3.4	9
37	IR characterization of adsorbed species over supported transition metals; relevance to catalytic transformations. <i>Journal of Molecular Structure</i> , 1997 , 410-411, 99-102	3.4	

- 36 Local and Long-range Ordering of β -Phenylcinnamic Acid Stereoisomers by Mid and Far FT-IR Spectroscopic Investigation **1997**, 253-255
- 35 Characteristics of Alkali-Exchanged Y Zeolites, Montmorillonite, and Al-Pillared Montmorillonite, Studied by Physical and Chemical Methods. *Bulletin of the Chemical Society of Japan*, **1996**, 69, 1429-1435⁵⁻¹ 4
- 34 Modified montmorillonites as potential NO decomposition catalysts: Characterization by temperature-programmed reduction. *Reaction Kinetics and Catalysis Letters*, **1996**, 58, 249-253 3
- 33 Synthesis of layered double hydroxides and their reactivities in 1-butene isomerization after calcination. *Reaction Kinetics and Catalysis Letters*, **1996**, 59, 47-52 6
- 32 Hydrogen Pressure Dependence in the Ring-Opening Reactions of Substituted Cyclobutanes over Rh/SiO₂ Catalyst at Various Temperatures. *Journal of Catalysis*, **1996**, 159, 500-503 7-3 6
- 31 Hydrogen pressure dependence in the ring opening of methyloxirane over silica-supported Pd and Rh catalysts: effect of high temperature on ring-opening routes. *Journal of Molecular Catalysis A*, **1996**, 104, 261-265 8
- 30 Step towards nanoscale Fe moieties: Intercalation of simple and keggin-type iron-containing ions in-between the layers of Na-montmorillonite. *Journal of Physics and Chemistry of Solids*, **1996**, 57, 1067-1072³⁻⁹ 14
- 29 Rearrangement Reactions of β -Phenylcinnamic Acid Trimethylsilyl Esters Upon Electron Impact Ionization: Practical and Theoretical Aspects. *Journal of Mass Spectrometry*, **1996**, 31, 823-824 2.2 3
- 28 Surface properties of silica gel and silica gel-supported ion-exchanged copper in transformations of various molecular probes: an infrared study. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, **1996**, 52, 185-189 4.4 4
- 27 Effects of surface modifiers on the liquid-phase hydrogenation of alkenes over silica-supported platinum, palladium and rhodium catalysts I. Quinoline and carbon tetrachloride. *Applied Catalysis A: General*, **1995**, 126, 39-49 5.1 24
- 26 Hydrogen bonding interactions of β -phenylcinnamic acid isomers in the liquid phase studied by IR and NMR spectroscopies and computational methods. *Journal of Molecular Structure*, **1995**, 348, 57-60 3-4 19
- 25 Interactions of methyloxirane with silica-supported Pd and Rh catalysts and its adsorption induced surface oxidation studied by IR spectroscopy. *Journal of Molecular Structure*, **1995**, 349, 81-84 3-4 1
- 24 The chemical state of Sn in Sn-montmorillonite; A multinuclear MAS NMR and ¹¹⁹Sn Mössbauer spectroscopic study. *Journal of Molecular Structure*, **1995**, 349, 179-182 3-4 9
- 23 Adsorption-induced Fermi resonance among the vibrations of intermediates formed on Brønsted acidic zeolites. Spectroscopic and theoretical description. *Journal of Molecular Structure*, **1995**, 351, 1-5 3-4 7
- 22 Hydrogen pressure dependence in the ring-opening reactions of propylcyclobutane over Pd/SiO₂ catalyst. *Catalysis Letters*, **1995**, 31, 421-429 2.8 10
- 21 Synthesis of iron-containing montmorillonite by various methods. Characterization of the intercalants and the behaviour of the intercalated substances in acid-catalyzed reactions. *Studies in Surface Science and Catalysis*, **1995**, 94, 63-70 1.8 8
- 20 Using molecular electrostatic potential maps for similarity studies. *Topics in Current Chemistry*, **1995**, 45-71 22
- 19 On the feasibility of iron or chromium substitution for aluminium in the Al¹³-Keggin ion. *Journal of the Chemical Society Chemical Communications*, **1995**, 2269-2270 8

18	Effects of Surface Modifiers in the Liquid-Phase Hydrogenation of Olefins over Silica-Supported Pt, Pd and Rh Catalysts II. Thiophene and CS ₂ . <i>Studies in Surface Science and Catalysis</i> , 1994 , 603-608	1.8	4
17	Ring enlargement and aromatization of propylcyclobutane over silica-supported Pt, Pd and Rh in hydrogen atmosphere. <i>Journal of Molecular Catalysis</i> , 1994 , 91, 61-69		7
16	Gas chromatographic-mass spectrometric determination of a phenylcinnamic acid isomers: Practical and theoretical aspects. <i>Journal of Chromatography A</i> , 1994 , 668, 353-358	4.5	
15	Surface Carbonaceous Deposits as Activity and Selectivity Influencing Species in Ring-Opening Reactions of Propylcyclobutane Catalyzed by Pt/SiO ₂ . <i>Journal of Catalysis</i> , 1994 , 145, 295-299	7.3	16
14	Incorporating SnO ₂ .xH ₂ O into the Interlayer Spacings of Montmorillonite. <i>Molecular Crystals and Liquid Crystals</i> , 1994 , 244, 149-154		9
13	Calculation of electrostatic potential maps and atomic charges for large molecules. <i>Journal of Chemical Information and Computer Sciences</i> , 1993 , 33, 296-299		22
12	Hydrogen Pressure Dependence of the Ring-Opening Reactions of Propylcyclobutane over Pt/SiO ₂ Catalyst at Different Temperatures. <i>Journal of Catalysis</i> , 1993 , 143, 111-121	7.3	19
11	Surface properties of fumed silica (Cab-O-Sil) and Cab-O-Sil-supported Pt and Cu catalysts, studied by ir spectroscopy. <i>Journal of Molecular Structure</i> , 1993 , 293, 273-278	3.4	5
10	Thermal behaviour of montmorillonite pillared with different metal oxides. <i>Journal of Thermal Analysis</i> , 1993 , 39, 197-205		12
9	Hydrogenative ring-opening reactions of alkyl-substituted cyclopropanes over Pt/SiO ₂ catalyst. <i>Journal of Molecular Catalysis</i> , 1992 , 77, 313-319		12
8	Ni-catalyzed ring-opening reactions of alkyl-substituted cyclopropanes; role of unreduced Ni species. <i>Journal of Molecular Catalysis</i> , 1991 , 68, 237-241		10
7	Hydrogen pressure-dependence in the ring-opening reactions of substituted cyclopropanes over Rh/SiO ₂ catalyst. <i>Catalysis Letters</i> , 1990 , 5, 229-235	2.8	13
6	Activity, selectivity, and stereochemical features in the copper-catalyzed hydrogenative ring-opening of alkyl-substituted cyclopropanes-nature of active sites. <i>Journal of Catalysis</i> , 1990 , 121, 396-407	7.3	16
5	Self-recognition in the liquid-phase hydrogenation of an optically active compound over Pd/SiO ₂ catalysts. <i>Journal of Molecular Catalysis</i> , 1990 , 57, 353-359		4
4	Low- and high-temperature hydrogenative ring-opening of alkyl-substituted cyclopropanes and methyloxirane over Pd/SiO ₂ catalyst: detection of Ehydride by a chemical method. <i>Journal of Molecular Catalysis</i> , 1990 , 63, 43-54		17
3	A Competitive Reaction which is Able to Make Fine Distinctions Between Reacting Surfaces. <i>Studies in Surface Science and Catalysis</i> , 1989 , 48, 729-737	1.8	3
2	The role of the carbonaceous overlayer in the competitive hydrogenation of cyclopropanes and olefins. <i>Catalysis Letters</i> , 1988 , 1, 127-131	2.8	8
1	Ring-opening of alkyl-substituted cyclopropanes in the presence of hydrogen on copper. <i>Journal of the Chemical Society Chemical Communications</i> , 1987 , 953-954		6

