

# Hiroshi Seno

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6467823/publications.pdf>

Version: 2024-02-01

158  
papers

5,662  
citations

116194

36  
h-index

100535

70  
g-index

161  
all docs

161  
docs citations

161  
times ranked

10203  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Unusual case of severe diarrhoea. <i>Gut</i> , 2023, 72, 48-152.  | 6.1 | 0         |
| 2  | Whole-exome sequencing for a more accurate diagnosis of intraductal papillary neoplasms of the bile duct. <i>Gastroenterology Report</i> , 2022, 10, goab014.   | 0.6 | 0         |
| 3  | Mapping biopsy for bile duct cancer using a novel device delivery system. <i>Endoscopy</i> , 2022, 54, E217-E219.   | 1.0 | 13        |
| 4  | Does immune checkpoint inhibitor exhibit limited efficacy against non-viral hepatocellular carcinoma?: A review of clinical trials. <i>Hepatology Research</i> , 2022, 52, 67-74.                             | 1.8 | 9         |
| 5  | Genetic Landscape of Multistep Hepatocarcinogenesis. <i>Cancers</i> , 2022, 14, 568.  | 1.7 | 7         |
| 6  | Group Cognitive-Behavioral Therapy With Interoceptive Exposure for Drug-Refractory Irritable Bowel Syndrome: A Randomized Controlled Trial. <i>American Journal of Gastroenterology</i> , 2022, 117, 668-677. | 0.2 | 2         |
| 7  | In situ vaccination using unique TLR9 ligand K3-SPG induces long-lasting systemic immune response and synergizes with systemic and local immunotherapy. <i>Scientific Reports</i> , 2022, 12, 2132.           | 1.6 | 8         |
| 8  | Ultrasound-guided polidocanol foam sclerotherapy for symptomatic giant hepatic cyst: A single-center experience. <i>Hepatology Research</i> , 2022, 52, 557-565.  | 1.8 | 2         |
| 9  | Expansion of Gastric Intestinal Metaplasia with Copy Number Aberrations Contributes to Field Cancerization. <i>Cancer Research</i> , 2022, 82, 1712-1723.   | 0.4 | 7         |
| 10 | Concurrent Activation of Kras and Canonical Wnt Signaling Induces Premalignant Lesions That Progress to Extrahepatic Biliary Cancer in Mice. <i>Cancer Research</i> , 2022, 82, 1803-1817.                    | 0.4 | 7         |
| 11 | Mutational spectrum of hepatitis C virus in patients with chronic hepatitis C determined by single molecule real-time sequencing. <i>Scientific Reports</i> , 2022, 12, 7083.                                 | 1.6 | 3         |
| 12 | Establishment of patient-derived organoids and a characterization-based drug discovery platform for treatment of pancreatic cancer. <i>BMC Cancer</i> , 2022, 22, 489.  | 1.1 | 6         |
| 13 | Usefulness of a circumferential argon plasma coagulation probe in trimming a dislocated distal biliary metal stent. <i>Endoscopy</i> , 2022, , .  | 1.0 | 0         |
| 14 | Abstract 6198: Genetic analysis of synchronous or metachronous multiple pancreatic cancers. <i>Cancer Research</i> , 2022, 82, 6198-6198.   | 0.4 | 0         |
| 15 | Portal vein thrombosis due to essential thrombocythemia with limited cutaneous systemic sclerosis. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 293-296.   | 0.4 | 1         |
| 16 | SNAIL regulates gastric carcinogenesis through CCN3 and NEFL. <i>Carcinogenesis</i> , 2021, 42, 190-201.  | 1.3 | 12        |
| 17 | Phenotyping of IgG4-related diseases based on affected organ pattern: A multicenter cohort study using cluster analysis. <i>Modern Rheumatology</i> , 2021, 31, 235-240.                                      | 0.9 | 14        |
| 18 | Oncogenic transcriptomic profile is sustained in the liver after the eradication of the hepatitis C virus. <i>Carcinogenesis</i> , 2021, 42, 672-684.   | 1.3 | 6         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Laparoscopic liver resection versus percutaneous radiofrequency ablation for small hepatocellular carcinoma. <i>Hpb</i> , 2021, 23, 533-537.   | 0.1 | 15        |
| 20 | Synergistic effects of anti-angiogenesis and immune checkpoint blockade - a new era of systemic chemotherapy for hepatocellular carcinoma. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2021, 20, 493-495.                               | 0.6 | 4         |
| 21 | Mac $\alpha$ 2 binding protein glycosylation isomer predicts tolerability and clinical outcome of lenvatinib therapy for hepatocellular carcinoma. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021, 28, 498-507.                             | 1.4 | 3         |
| 22 | Visceral fat obesity is the key risk factor for the development of reflux erosive esophagitis in 40-69-years subjects. <i>Esophagus</i> , 2021, 18, 889-899.   | 1.0 | 3         |
| 23 | Pyoderma gangrenosum with primary sclerosing cholangitis-associated colitis successfully treated with concomitant granulocyte and monocyte adsorption apheresis with corticosteroids. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 1561-1566. | 0.4 | 4         |
| 24 | A simplified method to quantitatively predict the effect of lenvatinib on hepatocellular carcinoma using contrast-enhanced ultrasound with perfluorobutane microbubbles. <i>Quantitative Imaging in Medicine and Surgery</i> , 2021, 11, 2766-2774.      | 1.1 | 4         |
| 25 | Reducing the risk of developing walled-off necrosis in patients with acute necrotic collection using recombinant human soluble thrombomodulin. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021, 28, 788-797.                                 | 1.4 | 3         |
| 26 | Self-expandable metallic stent placement for malignant biliary stricture using a novel device delivery system. <i>VideoGIE</i> , 2021, 6, 468-471.   | 0.3 | 2         |
| 27 | Brg1 is required to maintain colorectal cancer stem cells. <i>Journal of Pathology</i> , 2021, 255, 257-269.   | 2.1 | 7         |
| 28 | Reply. <i>Gastroenterology</i> , 2021, 161, 1725-1726.   | 0.6 | 0         |
| 29 | Real-world outcome of universal screening for Lynch syndrome in Japanese patients with colorectal cancer highlights the importance of targeting patients with young-onset disease. <i>Molecular and Clinical Oncology</i> , 2021, 15, 247.               | 0.4 | 7         |
| 30 | Optimization of immunotherapy for patients with hepatobiliary cancer. <i>Hepatobiliary Surgery and Nutrition</i> , 2021, 10, 717-719.  | 0.7 | 2         |
| 31 | SNAIL2 contributes to tumorigenicity and chemotherapy resistance in pancreatic cancer by regulating IGFBP2. <i>Cancer Science</i> , 2021, 112, 4987-4999.  | 1.7 | 22        |
| 32 | A unique technique for the removal of threaded biliary inside plastic stents. <i>Endoscopy</i> , 2021, , .   | 1.0 | 0         |
| 33 | Pretreatment Neutrophil-to-Lymphocyte Ratio as a Predictive Marker of Response to Atezolizumab Plus Bevacizumab for Hepatocellular Carcinoma. <i>Current Oncology</i> , 2021, 28, 4157-4166.   | 0.9 | 30        |
| 34 | Current Topics of the Mechanism of Intestinal Fibrosis in Crohn's Disease. <i>Immuno</i> , 2021, 1, 574-582.   | 0.6 | 2         |
| 35 | Protective effects of Alda-1, an ALDH2 activator, on alcohol-derived DNA damage in the esophagus of human ALDH2*2 (Glu504Lys) knock-in mice. <i>Carcinogenesis</i> , 2020, 41, 194-202.  | 1.3 | 12        |
| 36 | Qualitative and Quantitative Analysis of Posttreatment Strategy After Endoscopic Resection for Patients with T1 Colorectal Cancer at High Risk of Lymph Node Metastasis. <i>Journal of Gastrointestinal Cancer</i> , 2020, 51, 242-249.                  | 0.6 | 9         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Frequent mutations that converge on the NFKBIZ pathway in ulcerative colitis. <i>Nature</i> , 2020, 577, 260-265.  | 13.7 | 168       |
| 38 | Hepatitis-associated Aplastic Anemia with Rapid Progression of Liver Fibrosis Due to Repeated Hepatitis. <i>Internal Medicine</i> , 2020, 59, 1035-1040.   | 0.3  | 1         |
| 39 | Dose Intensity/Body Surface Area Ratio is a Novel Marker Useful for Predicting Response to Lenvatinib against Hepatocellular Carcinoma. <i>Cancers</i> , 2020, 12, 49.   | 1.7  | 23        |
| 40 | <i>Hes1</i> Is Essential in Proliferating Ductal Cell-Mediated Development of Intrahepatic Cholangiocarcinoma. <i>Cancer Research</i> , 2020, 80, 5305-5316.   | 0.4  | 11        |
| 41 | Endoscopic stone extraction for choledocholithiasis with an ultra-slim endoscope via a gastrostomy after esophagectomy. <i>VideoGIE</i> , 2020, 5, 404-406.  | 0.3  | 0         |
| 42 | Multiregional whole-genome sequencing of hepatocellular carcinoma with nodule-in-a-nodule appearance reveals stepwise cancer evolution. <i>Journal of Pathology</i> , 2020, 252, 398-410.  | 2.1  | 15        |
| 43 | A case of a malignant serous neoplasm of the pancreas with synchronous vascular invasion and metachronous metastases. <i>Clinical Journal of Gastroenterology</i> , 2020, 13, 1347-1354.   | 0.4  | 2         |
| 44 | Current status of treatment with immune checkpoint inhibitors for gastrointestinal, hepatobiliary, and pancreatic cancers. <i>Therapeutic Advances in Gastroenterology</i> , 2020, 13, 175628482094877.  | 1.4  | 45        |
| 45 | Branched-chain amino acid to tyrosine ratio is an essential pre-treatment factor for maintaining sufficient treatment intensity of lenvatinib in patients with hepatocellular carcinoma. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020, 27, 913-921. | 1.4  | 5         |
| 46 | DNA methyltransferase 3B plays a protective role against hepatocarcinogenesis caused by chronic inflammation via maintaining mitochondrial homeostasis. <i>Scientific Reports</i> , 2020, 10, 21268.   | 1.6  | 7         |
| 47 | Recent Advances in Immunotherapy for Hepatocellular Carcinoma. <i>Cancers</i> , 2020, 12, 775.   | 1.7  | 70        |
| 48 | Single-molecular real-time deep sequencing reveals the dynamics of multi-drug resistant haplotypes and structural variations in the hepatitis C virus genome. <i>Scientific Reports</i> , 2020, 10, 2651.  | 1.6  | 14        |
| 49 | A novel technique for performing gallbladder tumor biopsy using a stent delivery system and biopsy forceps. <i>Endoscopy</i> , 2020, 52, E415-E417.  | 1.0  | 6         |
| 50 | Promoter-Level Transcriptome Identifies Stemness Associated With Relatively High Proliferation in Pancreatic Cancer Cells. <i>Frontiers in Oncology</i> , 2020, 10, 316.   | 1.3  | 1         |
| 51 | Usefulness of dose intensity/body surface area ratio (DI/BSA ratio; DBR) rather than relative dose intensity in the lenvatinib treatment for hepatocellular carcinoma. <i>Acta Hepatologica Japonica</i> , 2020, 61, 129-132.                                      | 0.0  | 0         |
| 52 | Nardilysin inhibits pancreatitis and suppresses pancreatic ductal adenocarcinoma initiation in mice. <i>Gut</i> , 2019, 68, 882-892.   | 6.1  | 6         |
| 53 | Epithelial EP4 plays an essential role in maintaining homeostasis in colon. <i>Scientific Reports</i> , 2019, 9, 15244.  | 1.6  | 13        |
| 54 | Identification of modules and functional analysis in CRC subtypes by integrated bioinformatics analysis. <i>PLoS ONE</i> , 2019, 14, e0221772.   | 1.1  | 6         |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Association Between Preanalytical Factors and Tumor Mutational Burden Estimated by Next-Generation Sequencing-Based Multiplex Gene Panel Assay. <i>Oncologist</i> , 2019, 24, e1401-e1408.  | 1.9  | 9         |
| 56 | Combination of Mac-2 Binding Protein Glycosylation Isomer and Up-To-Seven Criteria as a Useful Predictor for Child-Pugh Grade Deterioration after Transarterial Chemoembolization for Hepatocellular Carcinoma. <i>Cancers</i> , 2019, 11, 405. | 1.7  | 22        |
| 57 | Efficacy and safety of glecaprevir and pibrentasvir treatment for 8 or 12 weeks in patients with recurrent hepatitis C after liver transplantation: a Japanese multicenter experience. <i>Journal of Gastroenterology</i> , 2019, 54, 660-666.  | 2.3  | 16        |
| 58 | Comprehensive analysis of genetic aberrations linked to tumorigenesis in regenerative nodules of liver cirrhosis. <i>Journal of Gastroenterology</i> , 2019, 54, 628-640.   | 2.3  | 33        |
| 59 | Age-related remodelling of oesophageal epithelia by mutated cancer drivers. <i>Nature</i> , 2019, 565, 312-317.   | 13.7 | 476       |
| 60 | Segmental Xanthomatosis of the Ileum. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, e18.  | 2.4  | 0         |
| 61 | Arid1a is essential for intestinal stem cells through Sox9 regulation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 1704-1713.   | 3.3  | 26        |
| 62 | Utility of ultrasound-guided liver tumor biopsy for next-generation sequencing-based clinical sequencing. <i>Hepatology Research</i> , 2019, 49, 579-589.   | 1.8  | 6         |
| 63 | Genetic analysis of a case of <i>Helicobacter pylori</i> -uninfected intramucosal gastric cancer in a family with hereditary diffuse gastric cancer. <i>Gastric Cancer</i> , 2019, 22, 892-898.   | 2.7  | 22        |
| 64 | Association of Mac-2 binding protein glycosylation isomer level with nutritional status in chronic liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 1649-1658.  | 1.4  | 6         |
| 65 | Glucocorticoid receptor expression in resident and hematopoietic cells in IgG4-related disease. <i>Modern Pathology</i> , 2018, 31, 890-899.  | 2.9  | 8         |
| 66 | Updated Trends in Gallbladder and Other Biliary Tract Cancers Worldwide. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 339-340.   | 2.4  | 3         |
| 67 | A case of cecocolonic intussusception after endoscopic submucosal dissection of a cecal adenoma. <i>Gastrointestinal Endoscopy</i> , 2018, 87, 1589-1590.   | 0.5  | 3         |
| 68 | Genetic features of multicentric/multifocal intramucosal gastric carcinoma. <i>International Journal of Cancer</i> , 2018, 143, 1923-1934.  | 2.3  | 20        |
| 69 | Pulmonary actinomycosis mimicking a lung metastasis from esophageal cancer; a case report. <i>BMC Pulmonary Medicine</i> , 2018, 18, 39.  | 0.8  | 5         |
| 70 | Multiple roles of single-minded 2 in esophageal squamous cell carcinoma and its clinical implications. <i>Cancer Science</i> , 2018, 109, 1121-1134.  | 1.7  | 20        |
| 71 | Tumor invasion to the arteries feeding the gallbladder as a novel risk factor for cholecystitis after metallic stent placement in distal malignant biliary obstruction. <i>Digestive Endoscopy</i> , 2018, 30, 380-387.                         | 1.3  | 14        |
| 72 | Expansion of viral variants associated with immune escape and impaired virion secretion in patients with HBV reactivation after resolved infection. <i>Scientific Reports</i> , 2018, 8, 18070.   | 1.6  | 14        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Twelve-year natural history of early esophagogastric junction cancer in an extremely old patient. <i>Geriatrics and Gerontology International</i> , 2018, 18, 1648-1649.   | 0.7 | 1         |
| 74 | The pathogenicity of IgG in patients with IgG4-related disease. <i>Suizo</i> , 2018, 33, 743-751.  | 0.1 | 0         |
| 75 | Acute Anorectal Thrombophlebitis Caused by a Protein C Deficiency. <i>Internal Medicine</i> , 2018, 57, 209-212.   | 0.3 | 1         |
| 76 | Gene expression profile of Dclk1+ cells in intestinal tumors. <i>Digestive and Liver Disease</i> , 2018, 50, 1353-1361.  | 0.4 | 10        |
| 77 | Successful endoscopic removal of fractured guidewire fragments from a peripheral bile duct using a biliary stent delivery system and biopsy forceps. <i>Endoscopy</i> , 2018, 50, E279-E280.                               | 1.0 | 6         |
| 78 | Laminin 511 is a target antigen in autoimmune pancreatitis. <i>Science Translational Medicine</i> , 2018, 10, .  | 5.8 | 151       |
| 79 | Cholechooduodenal Fistula during Chemotherapy with Brentuximab Vedotin for Methotrexate-associated Lymphoproliferative Disorder. <i>Internal Medicine</i> , 2018, 57, 2203-2207.   | 0.3 | 3         |
| 80 | Composite regulation of ERK activity dynamics underlying tumour-specific traits in the intestine. <i>Nature Communications</i> , 2018, 9, 2174.  | 5.8 | 42        |
| 81 | Ultrasound-guided microfoam sclerotherapy with polidocanol for symptomatic giant hepatic cyst: Initial experience. <i>Hepatology Research</i> , 2018, 48, 1055-1063.   | 1.8 | 3         |
| 82 | Chemokine CXCL16 mediates acinar cell necrosis in cerulein induced acute pancreatitis in mice. <i>Scientific Reports</i> , 2018, 8, 8829.  | 1.6 | 11        |
| 83 | Nardilysin controls intestinal tumorigenesis through HDAC1/p53-dependent transcriptional regulation. <i>JCI Insight</i> , 2018, 3, .   | 2.3 | 10        |
| 84 | Role of chemokines in the progression of severe acute pancreatitis. <i>Suizo</i> , 2018, 33, 730-736.  | 0.1 | 0         |
| 85 | Activation of TNF- $\alpha$ -AID axis and co-inhibitory signals in coordination with Th1-type immunity in a mouse model recapitulating hepatitis B. <i>Antiviral Research</i> , 2017, 139, 138-145.                        | 1.9 | 4         |
| 86 | Nardilysin regulates inflammation, metaplasia, and tumors in murine stomach. <i>Scientific Reports</i> , 2017, 7, 43052.   | 1.6 | 13        |
| 87 | Skull metastasis from cholangiolocellular carcinoma. <i>Digestive and Liver Disease</i> , 2017, 49, 1057.  | 0.4 | 1         |
| 88 | Distinct Roles of HES1 in Normal Stem Cells and Tumor Stem-like Cells of the Intestine. <i>Cancer Research</i> , 2017, 77, 3442-3454.  | 0.4 | 23        |
| 89 | Clinical sequencing using a next-generation sequencing-based multiplex gene assay in patients with advanced solid tumors. <i>Cancer Science</i> , 2017, 108, 1440-1446.  | 1.7 | 57        |
| 90 | Evolution of multi-drug resistant HCV clones from pre-existing resistant-associated variants during direct-acting antiviral therapy determined by third-generation sequencing. <i>Scientific Reports</i> , 2017, 7, 45605. | 1.6 | 20        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Induced Quiescence of Lgr5+ Stem Cells in Intestinal Organoids Enables Differentiation of Hormone-Producing Enteroendocrine Cells. <i>Cell Stem Cell</i> , 2017, 20, 177-190.e4.                                    | 5.2 | 255       |
| 92  | Proliferating EpCAM-Positive Ductal Cells in the Inflamed Liver Give Rise to Hepatocellular Carcinoma. <i>Cancer Research</i> , 2017, 77, 6131-6143.  | 0.4 | 41        |
| 93  | Diagnostic performance of a new endoscopic scraper for malignant biliary strictures: a multicenter prospective study. <i>Gastrointestinal Endoscopy</i> , 2017, 85, 371-379.  | 0.5 | 24        |
| 94  | Utility of KRAS mutational analysis in the preoperative diagnosis of synchronous pancreatic cancer and intrahepatic cholangiocarcinoma. <i>Medicine (United States)</i> , 2017, 96, e9217.                          | 0.4 | 3         |
| 95  | Two cases of granulomatous hepatitis due to disseminated bacillus Calmette-Guérin (BCG) disease. <i>Acta Hepatologica Japonica</i> , 2017, 58, 406-414.   | 0.0 | 2         |
| 96  | Long-term Prognosis and Recurrence of Primary Sclerosing Cholangitis After Liver Transplantation: A Single-Center Experience. <i>Transplantation Direct</i> , 2017, 3, e334.  | 0.8 | 30        |
| 97  | Distinct effects of EGFR inhibitors on epithelial- and mesenchymal-like esophageal squamous cell carcinoma cells. <i>Journal of Experimental and Clinical Cancer Research</i> , 2017, 36, 101.                      | 3.5 | 27        |
| 98  | Sonazoid-enhanced ultrasonography guidance improves the quality of pathological diagnosis in the biopsy of focal hepatic lesions. <i>European Journal of Gastroenterology and Hepatology</i> , 2016, 28, 1462-1467. | 0.8 | 19        |
| 99  | Pathogenicity of IgG in patients with IgG4-related disease. <i>Gut</i> , 2016, 65, 1322-1332.   | 6.1 | 169       |
| 100 | Brg1 plays an essential role in development and homeostasis of the duodenum through regulation of Notch signaling. <i>Development (Cambridge)</i> , 2016, 143, 3532-3539.   | 1.2 | 20        |
| 101 | EP4 Receptor-Associated Protein in Macrophages Ameliorates Colitis and Colitis-Associated Tumorigenesis. <i>PLoS Genetics</i> , 2015, 11, e1005542.   | 1.5 | 23        |
| 102 | Images of the Month. <i>American Journal of Gastroenterology</i> , 2015, 110, 798.  | 0.2 | 0         |
| 103 | Endoscopic intraluminal cutting technique for indwelling devices using a lithotripter handle and guidewire. <i>Endoscopy</i> , 2015, 47, E251-E252.   | 1.0 | 3         |
| 104 | Deletion of Nardilysin Prevents the Development of Steatohepatitis and Liver Fibrotic Changes. <i>PLoS ONE</i> , 2014, 9, e98017.   | 1.1 | 16        |
| 105 | An Irregular-Shaped Stenosis of the Sigmoid Colon. <i>Gastroenterology</i> , 2014, 146, e5-e6.  | 0.6 | 10        |
| 106 | Molecular Changes Leading to Gastric Cancer: A Suggestion From Rare-Type Gastric Tumors With GNAS Mutations. <i>Gastroenterology</i> , 2014, 146, 1417-1418.  | 0.6 | 5         |
| 107 | Exposure-Toxicity Relationship of Sorafenib in Japanese Patients with Renal Cell Carcinoma and Hepatocellular Carcinoma. <i>Clinical Pharmacokinetics</i> , 2014, 53, 185-196.                                      | 1.6 | 73        |
| 108 | A case of acute necrotizing esophagitis. <i>Gastrointestinal Endoscopy</i> , 2014, 80, 525-526.   | 0.5 | 10        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Esophageal Ulcer due to Lymphoma. <i>Internal Medicine</i> , 2014, 53, 2649-2650.  | 0.3 | 1         |
| 110 | Primary Splenic Angiosarcoma. <i>Internal Medicine</i> , 2014, 53, 1717-1719.  | 0.3 | 2         |
| 111 | The role of CXCR3 and CXCR4 in colorectal cancer metastasis. <i>International Journal of Cancer</i> , 2013, 132, 276-287.  | 2.3 | 119       |
| 112 | Dclk1 distinguishes between tumor and normal stem cells in the intestine. <i>Nature Genetics</i> , 2013, 45, 98-103.   | 9.4 | 358       |
| 113 | Proton Pump Inhibitors and Gastrointestinal Side Effects. <i>Frontiers of Gastrointestinal Research</i> , 2013, , 92-101.  | 0.1 | 1         |
| 114 | Inhibitory role of Gas6 in intestinal tumorigenesis. <i>Carcinogenesis</i> , 2013, 34, 1567-1574.  | 1.3 | 32        |
| 115 | The role of Hes genes in intestinal development, homeostasis and tumor formation. <i>Development (Cambridge)</i> , 2012, 139, 1071-1082.   | 1.2 | 107       |
| 116 | Colonic epithelial response to injury requires Myd88 signaling in myeloid cells. <i>Mucosal Immunology</i> , 2012, 5, 194-206.   | 2.7 | 46        |
| 117 | Nardilysin and ADAM proteases promote gastric cancer cell growth by activating intrinsic cytokine signalling via enhanced ectodomain shedding of TNF $\alpha$ . <i>EMBO Molecular Medicine</i> , 2012, 4, 396-411. | 3.3 | 40        |
| 118 | Indigenous Clostridium Species Regulate Systemic Immune Responses by Induction of Colonic Regulatory T Cells. <i>Gastroenterology</i> , 2011, 141, 1114-1116.  | 0.6 | 29        |
| 119 | COX-2 inhibition alters the phenotype of tumor-associated macrophages from M2 to M1 in ApcMin/+ mouse polyps. <i>Carcinogenesis</i> , 2011, 32, 1333-1339.   | 1.3 | 173       |
| 120 | Vav proteins are necessary for correct differentiation of mouse cecal and colonic enterocytes. <i>Journal of Cell Science</i> , 2009, 122, 324-334.  | 1.2 | 23        |
| 121 | Efficient colonic mucosal wound repair requires Trem2 signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 256-261.                                      | 3.3 | 248       |
| 122 | Perivascular Epithelioid Cell Tumor (PEComa) of the Liver Diagnosed by Contrast-enhanced Ultrasonography. <i>Internal Medicine</i> , 2009, 48, 2083-2086.  | 0.3 | 29        |
| 123 | Mechanism for gastric cancer development by <i>Helicobacter pylori</i> infection. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008, 23, 1175-1181.   | 1.4 | 77        |
| 124 | Repeated administration of ghrelin to patients with functional dyspepsia: its effects on food intake and appetite. <i>European Journal of Endocrinology</i> , 2008, 158, 491-498.                                  | 1.9 | 73        |
| 125 | Conversion from Latent to Symptomatic Sheehan's Syndrome by Pegylated Interferon Therapy for Chronic Hepatitis C. <i>Internal Medicine</i> , 2008, 47, 939-941.  | 0.3 | 2         |
| 126 | Growth arrest-specific gene 6 and Axl signaling enhances gastric cancer cell survival via Akt pathway. <i>Molecular Carcinogenesis</i> , 2007, 46, 155-164.  | 1.3 | 94        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Expression of the REG IV gene in ulcerative colitis. <i>Laboratory Investigation</i> , 2007, 87, 304-314.  | 1.7 | 62        |
| 128 | Novel interleukin-4 and interleukin-1 receptor antagonist gene variations associated with non-cardia gastric cancer in Japan: Comprehensive analysis of 207 polymorphisms of 11 cytokine genes. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007, 22, 729-737. | 1.4 | 46        |
| 129 | Anti-viral protein APOBEC3G is induced by interferon- $\lambda$ stimulation in human hepatocytes. <i>Biochemical and Biophysical Research Communications</i> , 2006, 341, 314-319.   | 1.0 | 127       |
| 130 | Endoscopic ultrasonograph evaluation of vascular structures in the gastric cardia predicts esophageal variceal recurrence following endoscopic treatment. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2006, 21, 227-231.                                       | 1.4 | 15        |
| 131 | Host factors are important in determining clinical outcomes of <i>Helicobacter pylori</i> infection. <i>Journal of Gastroenterology</i> , 2006, 41, 1-9.   | 2.3 | 47        |
| 132 | Involvement of cyclooxygenase-2 in gastric mucosal hypertrophy in gastrin transgenic mice. <i>American Journal of Physiology - Renal Physiology</i> , 2006, 290, G519-G527.  | 1.6 | 16        |
| 133 | Signal Transducers and Activators of Transcription 3 Activation Is Involved in Nuclear Accumulation of $\beta$ -Catenin in Colorectal Cancer. <i>Cancer Research</i> , 2006, 66, 2913-2917.  | 0.4 | 69        |
| 134 | Rapid Development of Diffuse Large B-Cell Lymphoma After Successful Eradication of <i>Helicobacter pylori</i> for Gastric MALT Lymphoma. <i>American Journal of Gastroenterology</i> , 2006, 101, 2878-2883.   | 0.2 | 14        |
| 135 | Colonoscopic classification of internal hemorrhoids: Usefulness in endoscopic band ligation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2005, 20, 46-50.  | 1.4 | 22        |
| 136 | Two cases of acute necrotizing pancreatitis complicating after transcatheter arterial embolization for hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , 2005, 40, 107-108.   | 2.3 | 14        |
| 137 | Refractory enterovesical and duodenocolic fistulas in Crohn's disease successfully managed with tacrolimus. <i>Journal of Gastroenterology</i> , 2005, 40, 433-435.  | 2.3 | 14        |
| 138 | Adenomyoma of the minor duodenal papilla. <i>Gastrointestinal Endoscopy</i> , 2005, 61, 475-479.   | 0.5 | 11        |
| 139 | The response to <i>Helicobacter pylori</i> differs between patients with gastric ulcer and duodenal ulcer. <i>Scandinavian Journal of Gastroenterology</i> , 2005, 40, 641-647.  | 0.6 | 16        |
| 140 | Hepatitis B virus infection in lymphatic tissues in inactive hepatitis B carriers. <i>Journal of Hepatology</i> , 2005, 42, 806-812.   | 1.8 | 62        |
| 141 | Hes1-deficient mice show precocious differentiation of Paneth cells in the small intestine. <i>Biochemical and Biophysical Research Communications</i> , 2005, 328, 348-352.   | 1.0 | 62        |
| 142 | REG $\beta$ protein may function as a trophic and/or anti-apoptotic factor in the development of gastric cancer. <i>Gastroenterology</i> , 2005, 128, 642-653.   | 0.6 | 94        |
| 143 | Expression of Reg $\beta$ Protein in Human Gastric Cancers. <i>Digestion</i> , 2004, 69, 177-184.  | 1.2 | 44        |
| 144 | EOSINOPHILIC GASTROENTERITIS WITH PREDOMINANT MUSCULAR LAYER DISEASE: FEATURE OF ENDOSCOPIC ULTRASONOGRAPHY. <i>Digestive Endoscopy</i> , 2004, 16, 368-371.   | 1.3 | 3         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | STAT3 is constitutively activated and supports cell survival in association with survivin expression in gastric cancer cells. <i>Oncogene</i> , 2004, 23, 4921-4929.   | 2.6 | 282       |
| 146 | Improvement of collateral vessels in the vicinity of gastric cardia after endoscopic variceal ligation therapy for esophageal varices. <i>Clinical Gastroenterology and Hepatology</i> , 2004, 2, 400-404.                                 | 2.4 | 5         |
| 147 | Growth promoting effect of thioredoxin on intestinal epithelial cells. <i>Digestive Diseases and Sciences</i> , 2003, 48, 379-385.   | 1.1 | 9         |
| 148 | Comparison of histological analysis and endosonographic features in esophageal granular cell tumors. <i>Digestive Endoscopy</i> , 2003, 15, 284-288.   | 1.3 | 4         |
| 149 | Identification of GM-CSF in Paneth cells using single-cell RT-PCR. <i>Biochemical and Biophysical Research Communications</i> , 2003, 312, 897-902.  | 1.0 | 49        |
| 150 | Candidate markers for stem and early progenitor cells, Musashi-1 and Hes1, are expressed in crypt base columnar cells of mouse small intestine. <i>FEBS Letters</i> , 2003, 535, 131-135.  | 1.3 | 270       |
| 151 | Cyclooxygenase-2 Expression and Angiogenesis in Gastric Hyperplastic Polyp Association with Polyp Size. <i>Digestion</i> , 2003, 67, 20-24.  | 1.2 | 19        |
| 152 | Catheter US probe EUS evaluation of gastric cardia and perigastric vascular structures to predict esophageal variceal recurrence. <i>Gastrointestinal Endoscopy</i> , 2002, 55, 197-203.   | 0.5 | 69        |
| 153 | Key molecules in metaplastic gastritis: sequential analysis of CDX1/2 homeobox gene expression. <i>Journal of Gastroenterology</i> , 2002, 37, 147-148.  | 2.3 | 4         |
| 154 | Cyclooxygenase 2- and prostaglandin E(2) receptor EP(2)-dependent angiogenesis in Apc(Delta716) mouse intestinal polyps. <i>Cancer Research</i> , 2002, 62, 506-11.  | 0.4 | 249       |
| 155 | Identification of xanthine dehydrogenase/xanthine oxidase as a rat Paneth cell zinc-binding protein. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2001, 1540, 43-49.   | 1.9 | 20        |
| 156 | Enhanced expression of transforming growth factor (TGF) -alpha precursor and TGF-beta1 during Paneth cell regeneration. <i>Digestive Diseases and Sciences</i> , 2001, 46, 1004-1010.  | 1.1 | 14        |
| 157 | Identification of a Novel Alternative Splicing of Human FGF Receptor 4: Soluble-Form Splice Variant Expressed in Human Gastrointestinal Epithelial Cells. <i>Biochemical and Biophysical Research Communications</i> , 2000, 267, 658-662. | 1.0 | 45        |
| 158 | Efficacy of an implanted drug delivery system for advanced hepatocellular carcinoma using 5-fluorouracil, epirubicin and mitomycin C. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1999, 14, 811-816.                   | 1.4 | 23        |