

Ping Bie

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6468996/publications.pdf>

Version: 2024-02-01

55
papers

2,374
citations

279701

23
h-index

223716

46
g-index

56
all docs

56
docs citations

56
times ranked

3515
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Guidelines for the Diagnosis and Treatment of Hepatocellular Carcinoma (2019 Edition). <i>Liver Cancer</i> , 2020, 9, 682-720. | 4.2 | 427 |
| 2 | Guidelines for Diagnosis and Treatment of Primary Liver Cancer in China (2017 Edition). <i>Liver Cancer</i> , 2018, 7, 235-260. | 4.2 | 426 |
| 3 | Phase I Escalating-Dose Trial of CAR-T Therapy Targeting CEA+ Metastatic Colorectal Cancers. <i>Molecular Therapy</i> , 2017, 25, 1248-1258. | 3.7 | 305 |
| 4 | Transarterial Chemoembolization (TACE) plus Sorafenib Versus TACE for Intermediate or Advanced Stage Hepatocellular Carcinoma: A Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e100305. | 1.1 | 91 |
| 5 | miR-15a inhibits cell proliferation and epithelial to mesenchymal transition in pancreatic ductal adenocarcinoma by down-regulating Bmi-1 expression. <i>Cancer Letters</i> , 2014, 344, 40-46. | 3.2 | 78 |
| 6 | ANLN-induced EZH2 upregulation promotes pancreatic cancer progression by mediating miR-218-5p/LASP1 signaling axis. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 347. | 3.5 | 73 |
| 7 | Sympathetic nervous system promotes hepatocarcinogenesis by modulating inflammation through activation of alpha1-adrenergic receptors of Kupffer cells. <i>Brain, Behavior, and Immunity</i> , 2017, 59, 118-134. | 2.0 | 61 |
| 8 | 42,573 cases of hepatectomy in China: a multicenter retrospective investigation. <i>Science China Life Sciences</i> , 2018, 61, 660-670. | 2.3 | 51 |
| 9 | A double blinded prospective randomized trial comparing the effect of anatomic versus non-anatomic resection on hepatocellular carcinoma recurrence. <i>Hpb</i> , 2017, 19, 667-674. | 0.1 | 45 |
| 10 | siRNA-mediated knockdown against NUF2 suppresses pancreatic cancer proliferation <i>in vitro</i> and <i>in vivo</i> . <i>Bioscience Reports</i> , 2015, 35, . | 1.1 | 44 |
| 11 | MicroRNA-216b-5p Functions as a Tumor-suppressive RNA by Targeting TPT1 in Pancreatic Cancer Cells. <i>Journal of Cancer</i> , 2017, 8, 2854-2865. | 1.2 | 43 |
| 12 | Adjuvant sorafenib after hepatectomy for Barcelona Clinic Liver Cancer-stage C hepatocellular carcinoma patients. <i>World Journal of Gastroenterology</i> , 2016, 22, 5384. | 1.4 | 40 |
| 13 | Classification and management of hepatolithiasis: A high-volume, single-center's experience. <i>Intractable and Rare Diseases Research</i> , 2012, 1, 151-6. | 0.3 | 39 |
| 14 | HOXB7 accelerates the malignant progression of hepatocellular carcinoma by promoting stemness and epithelial-mesenchymal transition. <i>Journal of Experimental and Clinical Cancer Research</i> , 2017, 36, 86. | 3.5 | 39 |
| 15 | MiRNA-22 inhibits oncogene galectin-1 in hepatocellular carcinoma. <i>Oncotarget</i> , 2016, 7, 57099-57116. | 0.8 | 39 |
| 16 | Laparoscopic hepatectomy versus radiofrequency ablation for minimally invasive treatment of single, small hepatocellular carcinomas. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 4249-4257. | 1.3 | 37 |
| 17 | Increased semaphorin 3c expression promotes tumor growth and metastasis in pancreatic ductal adenocarcinoma by activating the ERK1/2 signaling pathway. <i>Cancer Letters</i> , 2017, 397, 12-22. | 3.2 | 36 |
| 18 | Positive Lymph Node Metastasis Has a Marked Impact on the Long-Term Survival of Patients with Hepatocellular Carcinoma with Extrahepatic Metastasis. <i>PLoS ONE</i> , 2014, 9, e95889. | 1.1 | 34 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | PUM1 knockdown prevents tumor progression by activating the PERK/eIF2/ATF4 signaling pathway in pancreatic adenocarcinoma cells. <i>Cell Death and Disease</i> , 2019, 10, 595. | 2.7 | 34 |
| 20 | C/EBP β Short-Activating RNA Suppresses Metastasis of Hepatocellular Carcinoma through Inhibiting EGFR/ β -Catenin Signaling Mediated EMT. <i>PLoS ONE</i> , 2016, 11, e0153117. | 1.1 | 30 |
| 21 | Prophylactic somatostatin can reduce incidence of post-ERCP pancreatitis: multicenter randomized controlled trial. <i>Endoscopy</i> , 2015, 47, 415-420. | 1.0 | 28 |
| 22 | Surgical Treatment of Giant Liver Hemangiomas: Enucleation with Continuous Occlusion of Hepatic Artery Proper and Intermittent Pringle Maneuver. <i>World Journal of Surgery</i> , 2010, 34, 2162-2167. | 0.8 | 27 |
| 23 | miR-208-3p promotes hepatocellular carcinoma cell proliferation and invasion through regulating ARID2 expression. <i>Experimental Cell Research</i> , 2015, 336, 232-241. | 1.2 | 27 |
| 24 | Does Hepatic Ischemia Reperfusion Injury Induced by Hepatic Pedicle Clamping Affect Survival after Partial Hepatectomy for Hepatocellular Carcinoma?. <i>World Journal of Surgery</i> , 2013, 37, 192-201. | 0.8 | 21 |
| 25 | A novel bioscaffold with naturally-occurring extracellular matrix promotes hepatocyte survival and vessel patency in mouse models of heterologous transplantation. <i>Biomaterials</i> , 2018, 177, 52-66. | 5.7 | 19 |
| 26 | Triptolide enhances TRAIL sensitivity of pancreatic cancer cells by activating autophagy via downregulation of PUM1. <i>Phytomedicine</i> , 2019, 62, 152953. | 2.3 | 19 |
| 27 | LNC00673 suppresses proliferation and metastasis of pancreatic cancer via target miR-504/ HNF1A. <i>Journal of Cancer</i> , 2020, 11, 940-948. | 1.2 | 19 |
| 28 | Safety and efficacy of sorafenib therapy in patients with hepatocellular carcinoma: final outcome from the Chinese patient subset of the GIDEON study. <i>Oncotarget</i> , 2016, 7, 6639-6648. | 0.8 | 18 |
| 29 | Insufficient radiofrequency ablation promotes hepatocellular carcinoma cell progression via autophagy and the CD133 feedback loop. <i>Oncology Reports</i> , 2018, 40, 241-251. | 1.2 | 17 |
| 30 | Continuous Occlusion of Hepatic Artery Proper for Prevention of Blood Loss in Partial Hepatectomy for Ruptured Hepatocellular Carcinoma: A Case-Matched Comparative Study. <i>Annals of Surgical Oncology</i> , 2011, 18, 1638-1643. | 0.7 | 16 |
| 31 | Double common bile duct with choledochal cyst and cholelithiasis: report of a case. <i>Surgery Today</i> , 2014, 44, 778-782. | 0.7 | 14 |
| 32 | Effects of Raf kinase inhibitor protein expression on pancreatic cancer cell growth and motility: an in vivo and in vitro study. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 2107-2117. | 1.2 | 14 |
| 33 | Inhibition of neddylation modification by MLN4924 sensitizes hepatocellular carcinoma cells to sorafenib. <i>Oncology Reports</i> , 2019, 41, 3257-3269. | 1.2 | 14 |
| 34 | Robotic-assisted laparoscopic surgery for complex hepatolithiasis: a propensity score matching analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2019, 33, 2539-2547. | 1.3 | 13 |
| 35 | Safety and efficacy of radiofrequency-assisted ALPPS (RALPPS) in patients with cirrhosis-related hepatocellular carcinoma. <i>International Journal of Hyperthermia</i> , 2017, 33, 1-7. | 1.1 | 12 |
| 36 | Exosomal miR-29b from cancer-associated fibroblasts inhibits the migration and invasion of hepatocellular carcinoma cells. <i>Translational Cancer Research</i> , 2020, 9, 2576-2587. | 0.4 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Evaluation of sorafenib in Chinese unresectable hepatocellular carcinoma patients with prior surgery and portal vein tumor thrombosis: A subset analysis of GIDEON study data. <i>Tumor Biology</i> , 2017, 39, 101042831769503. | 0.8 | 11 |
| 38 | Long noncoding RNA expression profiles in sub-lethal heat-treated hepatoma carcinoma cells. <i>World Journal of Surgical Oncology</i> , 2017, 15, 136. | 0.8 | 11 |
| 39 | FBXW10 promotes hepatocarcinogenesis in male patients and mice. <i>Carcinogenesis</i> , 2020, 41, 689-698. | 1.3 | 11 |
| 40 | Safety assessment of sorafenib in Chinese patients with unresectable hepatocellular carcinoma: subgroup analysis of the GIDEON study. <i>BMC Cancer</i> , 2018, 18, 247. | 1.1 | 10 |
| 41 | Ex vivo hepatectomy and partial liver autotransplantation for hepatoid adenocarcinoma: A case report. <i>Oncology Letters</i> , 2015, 9, 2199-2204. | 0.8 | 9 |
| 42 | Radiofrequency ablation using a multiple-electrode switching system for hepatocellular carcinoma within the Milan criteria: long-term results. <i>International Journal of Hyperthermia</i> , 2018, 34, 298-305. | 1.1 | 9 |
| 43 | Efficiency and safety of radiofrequency-assisted hepatectomy for hepatocellular carcinoma with cirrhosis: A single-center retrospective cohort study. <i>World Journal of Gastroenterology</i> , 2015, 21, 10159-10165. | 1.4 | 9 |
| 44 | Complete response to sorafenib in a patient with recurrent hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2014, 20, 14505. | 1.4 | 7 |
| 45 | Impact of iatrogenic biliary injury during laparoscopic cholecystectomy on surgeon's mental distress: a nationwide survey from China. <i>Hpb</i> , 2020, 22, 1722-1731. | 0.1 | 6 |
| 46 | Post-operative pericardial effusion following treatment of small hepatocellular carcinoma with radiofrequency ablation: A case report. <i>Oncology Letters</i> , 2014, 7, 345-348. | 0.8 | 5 |
| 47 | Modified conventional clamp-crushing technique in liver parenchymal transection. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2012, 11, 442-445. | 0.6 | 4 |
| 48 | Intrahepatic Glissonian approach and outflow vascular occlusion during partial hepatectomy. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2014, 13, 101-104. | 0.6 | 4 |
| 49 | Different roles of hepatic hypothermic ischemia and ischemic preconditioning in chemically induced hepatocarcinogenesis in rats. <i>Journal of Surgical Research</i> , 2014, 189, 213-221. | 0.8 | 4 |
| 50 | Prognostic and predicted significance of Ubqln2 in patients with hepatocellular carcinoma. <i>Cancer Medicine</i> , 2020, 9, 4083-4094. | 1.3 | 4 |
| 51 | Successful treatment of gastrointestinal stromal tumor with multiple liver metastases with radiofrequency ablation and imatinib: A case report. <i>Oncology Letters</i> , 2015, 10, 875-878. | 0.8 | 3 |
| 52 | Surrogate endpoint for overall survival in assessment of adjuvant therapies after curative treatment for hepatocellular carcinoma: a re-analysis of meta-analyses of individual patients' data. <i>Oncotarget</i> , 2017, 8, 90291-90300. | 0.8 | 2 |
| 53 | Reduced κ B α promotes hepatocellular carcinoma cell proliferation and migration via regulation of NF κ B/Erbin axis. <i>Oncology Letters</i> , 2020, 20, 1-1. | 0.8 | 2 |
| 54 | Unscheduled screening tests cannot be termed as surveillance. <i>Hepatology</i> , 2017, 66, 1001-1002. | 3.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Reduced β -catenin promotes hepatocellular carcinoma cell proliferation and migration via regulation of NF- κ B/Erbin axis. <i>Oncology Letters</i> , 2020, 20, 216. | 0.8 | 0 |