

JosÃ© A Orden

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/646912/publications.pdf>

Version: 2024-02-01

44
papers

1,075
citations

516710

16
h-index

414414

32
g-index

44
all docs

44
docs citations

44
times ranked

1269
citing authors

#	ARTICLE	IF	CITATIONS
1	Analysis of monoclonal antibodies specific for the $\hat{\beta}$ TcR. <i>Veterinary Immunology and Immunopathology</i> , 1996, 52, 275-283.	1.2	112
2	Mechanisms of resistance and susceptibility to experimental visceral leishmaniosis: BALB/c mouse versus syrian hamster model. <i>Veterinary Research</i> , 2011, 42, 39.	3.0	82
3	Cryptosporidium and concurrent infections with other major enteropathogens in 1 to 30-day-old diarrheic dairy calves in central Spain. <i>Veterinary Parasitology</i> , 1999, 80, 179-185.	1.8	81
4	Serotypes, virulence genes and intimin types of verotoxin-producing <i>Escherichia coli</i> and enteropathogenic <i>E. coli</i> isolated from healthy dairy goats in Spain. <i>Veterinary Microbiology</i> , 2005, 110, 67-76.	1.9	79
5	Verotoxin-producing <i>Escherichia coli</i> (VTEC), enteropathogenic <i>E. coli</i> (EPEC) and necrotoxicogenic <i>E. coli</i> (NTEC) isolated from healthy cattle in Spain. <i>Journal of Applied Microbiology</i> , 2002, 93, 29-35.	3.1	73
6	Rotavirus and concurrent infections with other enteropathogens in neonatal diarrheic dairy calves in Spain. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2000, 23, 175-183.	1.6	66
7	Verotoxin-producing <i>Escherichia coli</i> (VTEC) and eae-positive non-VTEC in 30-days-old diarrhoeic dairy calves. <i>Veterinary Microbiology</i> , 1998, 63, 239-248.	1.9	65
8	Prevalence and characterization of Vero cytotoxin-producing <i>Escherichia coli</i> isolated from diarrhoeic and healthy sheep and goats. <i>Epidemiology and Infection</i> , 2003, 130, 313-321.	2.1	47
9	In Vitro Susceptibility of <i>Escherichia coli</i> Strains Isolated from Diarrhoeic Dairy Calves to 15 Antimicrobial Agents. <i>Zoonoses and Public Health</i> , 2000, 47, 329-335.	1.4	39
10	Phenotypic and Genotypic Characterization of Antimicrobial Resistance in Enterohemorrhagic <i>Escherichia Coli</i> and Atypical Enteropathogenic <i>E. Coli</i> Strains from Ruminants. <i>Journal of Veterinary Diagnostic Investigation</i> , 2011, 23, 91-95.	1.1	34
11	Prevalence and characteristics of necrotoxicogenic <i>Escherichia coli</i> (NTEC) strains isolated from diarrhoeic dairy calves. <i>Veterinary Microbiology</i> , 1999, 66, 265-273.	1.9	32
12	Detection and linkage to mobile genetic elements of tetracycline resistance gene tet(M) in <i>Escherichia coli</i> isolates from pigs. <i>BMC Veterinary Research</i> , 2014, 10, 155.	1.9	31
13	Typing of the eae and espB genes of attaching and effacing <i>Escherichia coli</i> isolates from ruminants. <i>Veterinary Microbiology</i> , 2003, 96, 203-215.	1.9	28
14	Simultaneous lack of catalase and beta-toxin in <i>Staphylococcus aureus</i> leads to increased intracellular survival in macrophages and epithelial cells and to attenuated virulence in murine and ovine models. <i>Microbiology (United Kingdom)</i> , 2009, 155, 1505-1515.	1.8	27
15	A longitudinal study of verotoxin-producing <i>Escherichia coli</i> in two dairy goat herds. <i>Veterinary Microbiology</i> , 2008, 132, 428-434.	1.9	25
16	HisAK70: progress towards a vaccine against different forms of leishmaniosis. <i>Parasites and Vectors</i> , 2015, 8, 629.	2.5	19
17	<i>Salmonella enterica</i> serovar Choleraesuis derivatives harbouring deletions in rpoS and phoP regulatory genes are attenuated in pigs, and survive and multiply in porcine intestinal macrophages and fibroblasts, respectively. <i>Veterinary Microbiology</i> , 2008, 130, 298-311.	1.9	18
18	<i>Staphylococcus aureus</i> subsp. anaerobius isolates from different countries are clonal in nature. <i>Veterinary Microbiology</i> , 2011, 150, 198-202.	1.9	16

#	ARTICLE	IF	CITATIONS
19	Occurrence and preliminary study of antimicrobial resistance of enterococci isolated from dairy goats in Spain. <i>International Journal of Food Microbiology</i> , 2006, 110, 100-103.	4.7	15
20	Subtilase Cytotoxin-Coding Genes in Verotoxin-Producing <i>Escherichia coli</i> Strains from Sheep and Goats Differ from Those from Cattle. <i>Applied and Environmental Microbiology</i> , 2011, 77, 8259-8264.	3.1	14
21	Antigenic and molecular characterisation of Border disease virus associated with high mortality in lambs in Spain. <i>Veterinary Record Open</i> , 2015, 2, e000048.	1.0	14
22	Effect of six organic acids on staphylococcal growth and enterotoxin production. <i>Zeitschrift Fur Lebensmittel-Untersuchung Und -Forschung</i> , 1992, 194, 124-128.	0.6	13
23	Comparison of ruminant and human attaching and effacing <i>Escherichia coli</i> (AEEC) strains. <i>Veterinary Microbiology</i> , 2012, 155, 341-348.	1.9	13
24	Mitigating an undesirable immune response of inherent susceptibility to cutaneous leishmaniosis in a mouse model: the role of the pathoantigenic HISA70 DNA vaccine. <i>Veterinary Research</i> , 2012, 43, 59.	3.0	12
25	Alternative strategy for visceral leishmaniosis control: HisAK70-Salmonella Choleraesuis-pulsed dendritic cells. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2017, 54, 13-19.	1.6	12
26	<i>Salmonella enterica</i> serovar Choleraesuis derivatives harbouring deletions in <i>rpoS</i> and <i>phoP</i> regulatory genes as vehicles for DNA vaccines. <i>Veterinary Microbiology</i> , 2010, 141, 81-88.	1.9	10
27	Restoring catalase activity in <i>Staphylococcus aureus</i> subsp. <i>anaerobius</i> leads to loss of pathogenicity for lambs. <i>Veterinary Research</i> , 2010, 41, 41.	3.0	10
28	Detection of the <i>astA</i> (EAST1) Gene in Attaching and Effacing <i>Escherichia coli</i> from Ruminants. <i>Zoonoses and Public Health</i> , 2006, 53, 75-77.	1.4	9
29	Properties of virulence emergence of <i>Leishmania infantum</i> isolates from <i>Phlebotomus perniciosus</i> collected during the human leishmaniosis outbreak in Madrid, Spain. Hepatic histopathology and immunological parameters as virulence markers in the mouse model. <i>Transboundary and Emerging Diseases</i> , 2021, 68, 704-714.	3.0	9
30	<i>Streptococcus ovuberis</i> sp. nov., isolated from a subcutaneous abscess in the udder of a sheep. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 4340-4344.	1.7	9
31	Detection of staphylococcal enterotoxin and toxic shock syndrome toxin-1 (TSST-1) by immunoblot combined with a semiautomated electrophoresis system. <i>Journal of Immunological Methods</i> , 1991, 144, 197-202.	1.4	7
32	Antigenic Characterization of Bovine Viral Diarrhoea Virus Isolates from Spain with a Panel of Monoclonal Antibodies. <i>Zoonoses and Public Health</i> , 2000, 47, 701-706.	1.4	7
33	Antimicrobial resistant <i>Escherichia coli</i> in the reproductive tract microbiota of cows and sows. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2017, 55, 13-19.	1.6	7
34	Strength and medium-term impact of HisAK70 immunization in dogs: Vaccine safety and biomarkers of effectiveness for ex vivo <i>Leishmania infantum</i> infection. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2019, 65, 137-143.	1.6	7
35	Growth of <i>Staphylococcus aureus</i> and synthesis of enterotoxins in home-made yoghurt. <i>Zeitschrift Fur Lebensmittel-Untersuchung Und -Forschung</i> , 1989, 189, 16-20.	0.6	4
36	Acute death associated with <i>Citrobacter freundii</i> infection in an African elephant (<i>Loxodonta</i>) Tj ETQq0 0 0 rgBT /Oyerlock 10 Tf 50 62 T	1.1	4

#	ARTICLE	IF	CITATIONS
37	Engineering of a live <i>Salmonella enterica</i> serovar Choleraesuis negative-marker strain that allows serological differentiation between immunised and infected animals. <i>Veterinary Journal</i> , 2016, 213, 53-58.	1.7	4
38	Raccoons (<i>Procyon lotor</i>) in the Madrid region of Spain are carriers of antimicrobial-resistant <i>Escherichia coli</i> and enteropathogenic <i>E. coli</i> . <i>Zoonoses and Public Health</i> , 2021, 68, 69-78.	2.2	4
39	A further investigation of the leishmaniosis outbreak in Madrid (Spain): low-infectivity phenotype of the <i>Leishmania infantum</i> BOS1FL1 isolate to establish infection in canine cells. <i>Veterinary Immunology and Immunopathology</i> , 2020, 230, 110148.	1.2	4
40	Transcriptomic Profile of Canine DH82 Macrophages Infected by <i>Leishmania infantum</i> Promastigotes with Different Virulence Behavior. <i>International Journal of Molecular Sciences</i> , 2022, 23, 1466.	4.1	4
41	Subtilase cytotoxin-encoding subAB2 variants in verotoxin-producing <i>Escherichia coli</i> strains isolated from goats and sheep. <i>Research in Veterinary Science</i> , 2016, 105, 74-76.	1.9	3
42	Short communication: Isolation frequency of bacteria causing lymphadenitis and abscesses in small ruminants in central Spain. <i>Small Ruminant Research</i> , 2017, 154, 5-8.	1.2	3
43	Epitope Selection for Fighting Visceral Leishmaniosis: Not All Peptides Function the Same Way. <i>Vaccines</i> , 2020, 8, 352.	4.4	2
44	TSST-1 production by <i>Staphylococcus aureus</i> subsp. <i>anaerobius</i> . <i>Research in Microbiology</i> , 1990, 141, 1073-1076.	2.1	1