

Louisa J Degenhardt

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6469438/louisa-j-degenhardt-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|--------------------|---------------------------|----------------|-----------------|
| 664 papers | 121,167 citations | 112 h-index | 344 g-index |
| 702 ext. papers | 149,780 ext. citations | 8.2 avg, IF | 8.26 L-index |

| # | Paper | IF | Citations |
|-----|---|----|-----------|
| 664 | Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2095-128 | 40 | 8873 |
| 663 | A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2224-60 | 40 | 7625 |
| 662 | Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2197-223 | 40 | 5768 |
| 661 | Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2163-96 | 40 | 4971 |
| 660 | Global, regional, and national age-sex specific all-cause and cause-specific mortality for 240 causes of death, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 385, 117-71 | 40 | 4599 |
| 659 | Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1789-1858 | 40 | 4524 |
| 658 | Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 386, 743-800 | 40 | 3802 |
| 657 | Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1545-1602 | 40 | 3801 |
| 656 | Global burden of disease attributable to mental and substance use disorders: findings from the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2013 , 382, 1575-86 | 40 | 3619 |
| 655 | Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1459-1544 | 40 | 3525 |
| 654 | Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1211-1259 | 40 | 3432 |
| 653 | Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1736-1788 | 40 | 2850 |
| 652 | Global, regional, and national age-sex specific mortality for 264 causes of death, 1980-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1151-1210 | 40 | 2542 |
| 651 | Selected major risk factors and global and regional burden of disease. <i>Lancet, The</i> , 2002 , 360, 1347-60 | 40 | 2492 |
| 650 | Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1659-1724 | 40 | 2431 |
| 649 | Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1923-1994 | 40 | 1964 |
| 648 | Global burden of 369 diseases and injuries in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1204-1222 | 40 | 1847 |

| | | | |
|-----|---|------|------|
| 647 | Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 386, 2287-323 | 40 | 1776 |
| 646 | Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1345-1422 | 40 | 1378 |
| 645 | Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1859-1922 | 40 | 1283 |
| 644 | Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1603-1658 | 40 | 1216 |
| 643 | Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990-2013: quantifying the epidemiological transition. <i>Lancet, The</i> , 2015 , 386, 2145-91 | 40 | 1203 |
| 642 | Alcohol use and burden for 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018 , 392, 1015-1035 | 40 | 1171 |
| 641 | Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1260-1344 | 40 | 1152 |
| 640 | Global burden of 87 risk factors in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1223-1249 | 40 | 1013 |
| 639 | Global epidemiology of injecting drug use and HIV among people who inject drugs: a systematic review. <i>Lancet, The</i> , 2008 , 372, 1733-45 | 40 | 971 |
| 638 | Global epidemiology of hepatitis B and hepatitis C in people who inject drugs: results of systematic reviews. <i>Lancet, The</i> , 2011 , 378, 571-83 | 40 | 958 |
| 637 | Global, regional, and national levels and causes of maternal mortality during 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014 , 384, 980-1004 | 40 | 950 |
| 636 | Extent of illicit drug use and dependence, and their contribution to the global burden of disease. <i>Lancet, The</i> , 2012 , 379, 55-70 | 40 | 857 |
| 635 | Common values in assessing health outcomes from disease and injury: disability weights measurement study for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2129-43 | 40 | 842 |
| 634 | Adverse health effects of non-medical cannabis use. <i>Lancet, The</i> , 2009 , 374, 1383-91 | 40 | 769 |
| 633 | Mortality risk during and after opioid substitution treatment: systematic review and meta-analysis of cohort studies. <i>BMJ, The</i> , 2017 , 357, j1550 | 5.9 | 693 |
| 632 | Global, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014 , 384, 1005-70 | 40 | 653 |
| 631 | Global prevalence of injecting drug use and sociodemographic characteristics and prevalence of HIV, HBV, and HCV in people who inject drugs: a multistage systematic review. <i>The Lancet Global Health</i> , 2017 , 5, e1192-e1207 | 13.6 | 649 |
| 630 | The global burden of mental, neurological and substance use disorders: an analysis from the Global Burden of Disease Study 2010. <i>PLoS ONE</i> , 2015 , 10, e0116820 | 3.7 | 649 |

| | | | |
|-----|--|------|-----|
| 629 | The State of US Health, 1990-2016: Burden of Diseases, Injuries, and Risk Factors Among US States. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 1444-1472 | 27.4 | 632 |
| 628 | Cannabis use and mental health in young people: cohort study. <i>BMJ, The</i> , 2002 , 325, 1195-8 | 5.9 | 616 |
| 627 | The global burden of injury: incidence, mortality, disability-adjusted life years and time trends from the Global Burden of Disease study 2013. <i>Injury Prevention</i> , 2016 , 22, 3-18 | 3.2 | 611 |
| 626 | Global burden of disease attributable to illicit drug use and dependence: findings from the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2013 , 382, 1564-74 | 4.0 | 551 |
| 625 | Mortality among regular or dependent users of heroin and other opioids: a systematic review and meta-analysis of cohort studies. <i>Addiction</i> , 2011 , 106, 32-51 | 4.6 | 544 |
| 624 | HIV prevention, treatment, and care services for people who inject drugs: a systematic review of global, regional, and national coverage. <i>Lancet, The</i> , 2010 , 375, 1014-28 | 4.0 | 536 |
| 623 | Toward a global view of alcohol, tobacco, cannabis, and cocaine use: findings from the WHO World Mental Health Surveys. <i>PLoS Medicine</i> , 2008 , 5, e141 | 11.6 | 516 |
| 622 | Global burden of diseases, injuries, and risk factors for young people's health during 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2016 , 387, 2383-401 | 4.0 | 483 |
| 621 | The global burden of disease attributable to alcohol and drug use in 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Psychiatry, the</i> , 2018 , 5, 987-1012 | 23.3 | 456 |
| 620 | Trauma and PTSD in the WHO World Mental Health Surveys. <i>Högre Utbildning</i> , 2017 , 8, 1353383 | 5 | 446 |
| 619 | Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1084-1150 | 4.0 | 421 |
| 618 | Global, regional, national, and selected subnational levels of stillbirths, neonatal, infant, and under-5 mortality, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1725-1774 | 4.0 | 413 |
| 617 | Exploring the association between cannabis use and depression. <i>Addiction</i> , 2003 , 98, 1493-504 | 4.6 | 384 |
| 616 | Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980-2015: the Global Burden of Disease Study 2015. <i>Lancet HIV, the</i> , 2016 , 3, e361-e387 | 7.8 | 382 |
| 615 | Addressing the burden of mental, neurological, and substance use disorders: key messages from Disease Control Priorities, 3rd edition. <i>Lancet, The</i> , 2016 , 387, 1672-85 | 4.0 | 375 |
| 614 | Global statistics on alcohol, tobacco and illicit drug use: 2017 status report. <i>Addiction</i> , 2018 , 113, 1905-1926 | 12.6 | 371 |
| 613 | Mental disorders as risk factors for substance use, abuse and dependence: results from the 10-year follow-up of the National Comorbidity Survey. <i>Addiction</i> , 2010 , 105, 1117-28 | 4.6 | 369 |
| 612 | Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013: Findings From the Global Burden of Disease 2013 Study. <i>JAMA Pediatrics</i> , 2016 , 170, 267-87 | 8.3 | 347 |

| | | | |
|-----|--|------|-----|
| 611 | Prevention of HIV infection for people who inject drugs: why individual, structural, and combination approaches are needed. <i>Lancet, The</i> , 2010 , 376, 285-301 | 40 | 329 |
| 610 | Health of the world's adolescents: a synthesis of internationally comparable data. <i>Lancet, The</i> , 2012 , 379, 1665-75 | 40 | 311 |
| 609 | Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1813-1850 | 40 | 302 |
| 608 | Opiate substitution treatment and HIV transmission in people who inject drugs: systematic review and meta-analysis. <i>BMJ, The</i> , 2012 , 345, e5945 | 5.9 | 299 |
| 607 | The prevalence and burden of bipolar disorder: findings from the Global Burden of Disease Study 2013. <i>Bipolar Disorders</i> , 2016 , 18, 440-50 | 3.8 | 292 |
| 606 | Mortality among people who inject drugs: a systematic review and meta-analysis. <i>Bulletin of the World Health Organization</i> , 2013 , 91, 102-23 | 8.2 | 287 |
| 605 | The descriptive epidemiology of DSM-IV Adult ADHD in the World Health Organization World Mental Health Surveys. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2017 , 9, 47-65 | 3.1 | 284 |
| 604 | The prognosis of common mental disorders in adolescents: a 14-year prospective cohort study. <i>Lancet, The</i> , 2014 , 383, 1404-11 | 40 | 277 |
| 603 | Young adult sequelae of adolescent cannabis use: an integrative analysis. <i>Lancet Psychiatry, the</i> , 2014 , 1, 286-93 | 23.3 | 272 |
| 602 | A heavy burden on young minds: the global burden of mental and substance use disorders in children and youth. <i>Psychological Medicine</i> , 2015 , 45, 1551-63 | 6.9 | 270 |
| 601 | Mortality among clients of a state-wide opioid pharmacotherapy program over 20 years: risk factors and lives saved. <i>Drug and Alcohol Dependence</i> , 2009 , 105, 9-15 | 4.9 | 265 |
| 600 | Transancestral GWAS of alcohol dependence reveals common genetic underpinnings with psychiatric disorders. <i>Nature Neuroscience</i> , 2018 , 21, 1656-1669 | 25.5 | 257 |
| 599 | The global epidemiology and burden of opioid dependence: results from the global burden of disease 2010 study. <i>Addiction</i> , 2014 , 109, 1320-33 | 4.6 | 251 |
| 598 | Global, regional, and country-level coverage of interventions to prevent and manage HIV and hepatitis C among people who inject drugs: a systematic review. <i>The Lancet Global Health</i> , 2017 , 5, e1208-e1220 | 13.6 | 236 |
| 597 | The increasing global health priority of substance use in young people. <i>Lancet Psychiatry, the</i> , 2016 , 3, 251-64 | 23.3 | 234 |
| 596 | Alcohol, cannabis and tobacco use among Australians: a comparison of their associations with other drug use and use disorders, affective and anxiety disorders, and psychosis. <i>Addiction</i> , 2001 , 96, 1603-14 | 4.6 | 230 |
| 595 | The burden attributable to mental and substance use disorders as risk factors for suicide: findings from the Global Burden of Disease Study 2010. <i>PLoS ONE</i> , 2014 , 9, e91936 | 3.7 | 226 |
| 594 | Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1423-1459 | 40 | 224 |

| | | | |
|-----|---|------|-----|
| 593 | Testing hypotheses about the relationship between cannabis use and psychosis. <i>Drug and Alcohol Dependence</i> , 2003 , 71, 37-48 | 4.9 | 210 |
| 592 | Incidence and prevalence of hepatitis C in prisons and other closed settings: results of a systematic review and meta-analysis. <i>Hepatology</i> , 2013 , 58, 1215-24 | 11.2 | 209 |
| 591 | Cannabis and cannabinoids for the treatment of people with chronic noncancer pain conditions: a systematic review and meta-analysis of controlled and observational studies. <i>Pain</i> , 2018 , 159, 1932-1954 ⁸ | | 209 |
| 590 | CDT, GGT, and AST As Markers of Alcohol Use: The WHO/ISBRA Collaborative Project. <i>Alcoholism: Clinical and Experimental Research</i> , 2002 , 26, 332-339 | 3.7 | 205 |
| 589 | Evaluating the drug use "gateway" theory using cross-national data: consistency and associations of the order of initiation of drug use among participants in the WHO World Mental Health Surveys. <i>Drug and Alcohol Dependence</i> , 2010 , 108, 84-97 | 4.9 | 199 |
| 588 | A synthesis of oral morphine equivalents (OME) for opioid utilisation studies. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 733-7 | 2.6 | 192 |
| 587 | Global, regional, and national incidence, prevalence, and mortality of HIV, 1980-2017, and forecasts to 2030, for 195 countries and territories: a systematic analysis for the Global Burden of Diseases, Injuries, and Risk Factors Study 2017. <i>Lancet HIV,the</i> , 2019 , 6, e831-e859 | 7.8 | 191 |
| 586 | Population and fertility by age and sex for 195 countries and territories, 1950-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1995-2051 | 40 | 189 |
| 585 | Exploring Comorbidity Within Mental Disorders Among a Danish National Population. <i>JAMA Psychiatry</i> , 2019 , 76, 259-270 | 14.5 | 188 |
| 584 | Association between cannabis use and psychosis-related outcomes using sibling pair analysis in a cohort of young adults. <i>Archives of General Psychiatry</i> , 2010 , 67, 440-7 | | 187 |
| 583 | The global epidemiology and contribution of cannabis use and dependence to the global burden of disease: results from the GBD 2010 study. <i>PLoS ONE</i> , 2013 , 8, e76635 | 3.7 | 183 |
| 582 | Global patterns of opioid use and dependence: harms to populations, interventions, and future action. <i>Lancet, The</i> , 2019 , 394, 1560-1579 | 40 | 182 |
| 581 | Prevention, early intervention, harm reduction, and treatment of substance use in young people. <i>Lancet Psychiatry,the</i> , 2016 , 3, 280-96 | 23.3 | 181 |
| 580 | Alcohol- and drug-use disorders in Australia: implications of the National Survey of Mental Health and Wellbeing. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, 206-13 | 2.6 | 179 |
| 579 | Needle and syringe programmes and opioid substitution therapy for preventing HCV transmission among people who inject drugs: findings from a Cochrane Review and meta-analysis. <i>Addiction</i> , 2018 , 113, 545-563 | 4.6 | 176 |
| 578 | Distribution of major health risks: findings from the Global Burden of Disease study. <i>PLoS Medicine</i> , 2004 , 1, e27 | 11.6 | 163 |
| 577 | Estimating the burden of disease attributable to injecting drug use as a risk factor for HIV, hepatitis C, and hepatitis B: findings from the Global Burden of Disease Study 2013. <i>Lancet Infectious Diseases, The</i> , 2016 , 16, 1385-1398 | 25.5 | 159 |
| 576 | Cannabinoids for the treatment of mental disorders and symptoms of mental disorders: a systematic review and meta-analysis. <i>Lancet Psychiatry,the</i> , 2019 , 6, 995-1010 | 23.3 | 158 |

| | | | |
|-----|---|------|-----|
| 575 | The persistence of the association between adolescent cannabis use and common mental disorders into young adulthood. <i>Addiction</i> , 2013 , 108, 124-33 | 4.6 | 158 |
| 574 | Preventing depression and anxiety in young people: a review of the joint efficacy of universal, selective and indicated prevention. <i>Psychological Medicine</i> , 2016 , 46, 11-26 | 6.9 | 156 |
| 573 | Why young people's substance use matters for global health. <i>Lancet Psychiatry</i> , 2016 , 3, 265-79 | 23.3 | 154 |
| 572 | Mortality among cocaine users: a systematic review of cohort studies. <i>Drug and Alcohol Dependence</i> , 2011 , 113, 88-95 | 4.9 | 152 |
| 571 | The association between psychosis and problematical drug use among Australian adults: findings from the National Survey of Mental Health and Well-Being. <i>Psychological Medicine</i> , 2001 , 31, 659-68 | 6.9 | 152 |
| 570 | Exposure to opioid maintenance treatment reduces long-term mortality. <i>Addiction</i> , 2008 , 103, 462-8 | 4.6 | 136 |
| 569 | Adolescent cannabis users at 24 years: trajectories to regular weekly use and dependence in young adulthood. <i>Addiction</i> , 2008 , 103, 1361-70 | 4.6 | 136 |
| 568 | Symptom screening scales for detecting major depressive disorder in children and adolescents: a systematic review and meta-analysis of reliability, validity and diagnostic utility. <i>Journal of Affective Disorders</i> , 2015 , 174, 447-63 | 6.6 | 135 |
| 567 | Meth/amphetamine use and associated HIV: Implications for global policy and public health. <i>International Journal of Drug Policy</i> , 2010 , 21, 347-58 | 5.5 | 129 |
| 566 | Cannabis use and psychosis: a review of clinical and epidemiological evidence. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, 26-34 | 2.6 | 127 |
| 565 | The adverse health effects of chronic cannabis use. <i>Drug Testing and Analysis</i> , 2014 , 6, 39-45 | 3.5 | 126 |
| 564 | A longitudinal study of the effects of adolescent cannabis use on high school completion. <i>Addiction</i> , 2003 , 98, 685-92 | 4.6 | 125 |
| 563 | What has been achieved in HIV prevention, treatment and care for people who inject drugs, 2010-2012? A review of the six highest burden countries. <i>International Journal of Drug Policy</i> , 2014 , 25, 53-60 | 5.5 | 124 |
| 562 | Variability in the prevalence of adult ADHD in treatment seeking substance use disorder patients: results from an international multi-center study exploring DSM-IV and DSM-5 criteria. <i>Drug and Alcohol Dependence</i> , 2014 , 134, 158-166 | 4.9 | 123 |
| 561 | Cannabis dependence in young adults: an Australian population study. <i>Addiction</i> , 2002 , 97, 187-94 | 4.6 | 123 |
| 560 | The relationship between cannabis use and other substance use in the general population. <i>Drug and Alcohol Dependence</i> , 2001 , 64, 319-27 | 4.9 | 119 |
| 559 | Prevalence and correlates of cannabis use in developed and developing countries. <i>Current Opinion in Psychiatry</i> , 2007 , 20, 393-7 | 4.9 | 118 |
| 558 | Public health implications of legalising the production and sale of cannabis for medicinal and recreational use. <i>Lancet, The</i> , 2019 , 394, 1580-1590 | 4.0 | 117 |

| | | | |
|-----|--|-------|-----|
| 557 | The impact of opioid substitution therapy on mortality post-release from prison: retrospective data linkage study. <i>Addiction</i> , 2014 , 109, 1306-17 | 4.6 | 117 |
| 556 | Effect of cannabis use in people with chronic non-cancer pain prescribed opioids: findings from a 4-year prospective cohort study. <i>Lancet Public Health, The</i> , 2018 , 3, e341-e350 | 22.4 | 117 |
| 555 | The global epidemiology and burden of psychostimulant dependence: findings from the Global Burden of Disease Study 2010. <i>Drug and Alcohol Dependence</i> , 2014 , 137, 36-47 | 4.9 | 114 |
| 554 | GHB use among Australians: characteristics, use patterns and associated harm. <i>Drug and Alcohol Dependence</i> , 2002 , 67, 89-94 | 4.9 | 114 |
| 553 | Effects of medication-assisted treatment on mortality among opioids users: a systematic review and meta-analysis. <i>Molecular Psychiatry</i> , 2019 , 24, 1868-1883 | 15.1 | 113 |
| 552 | Opioid agonist treatment for pharmaceutical opioid dependent people. <i>The Cochrane Library</i> , 2016 , CD011117 | 11.17 | 112 |
| 551 | Global epidemiology of mental disorders: what are we missing?. <i>PLoS ONE</i> , 2013 , 8, e65514 | 3.7 | 112 |
| 550 | The 12-month prevalence of substance use and ICD-10 substance use disorders in Australian adults: findings from the National Survey of Mental Health and Well-Being. <i>Addiction</i> , 1999 , 94, 1541-1550 | 4.6 | 112 |
| 549 | Needle syringe programmes and opioid substitution therapy for preventing hepatitis C transmission in people who inject drugs. <i>The Cochrane Library</i> , 2017 , 9, CD012021 | 5.2 | 111 |
| 548 | Global, regional, and country-level estimates of hepatitis C infection among people who have recently injected drugs. <i>Addiction</i> , 2019 , 114, 150-166 | 4.6 | 110 |
| 547 | Trends in heroin and pharmaceutical opioid overdose deaths in Australia. <i>Drug and Alcohol Dependence</i> , 2017 , 179, 291-298 | 4.9 | 109 |
| 546 | A systematic review of injecting-related injury and disease among people who inject drugs. <i>Drug and Alcohol Dependence</i> , 2017 , 171, 39-49 | 4.9 | 106 |
| 545 | Does cannabis use increase the risk of death? Systematic review of epidemiological evidence on adverse effects of cannabis use. <i>Drug and Alcohol Review</i> , 2010 , 29, 318-30 | 3.2 | 105 |
| 544 | HIV due to female sex work: regional and global estimates. <i>PLoS ONE</i> , 2013 , 8, e63476 | 3.7 | 104 |
| 543 | Association between Mental Disorders and Subsequent Medical Conditions. <i>New England Journal of Medicine</i> , 2020 , 382, 1721-1731 | 59.2 | 103 |
| 542 | Psychiatric comorbidity in treatment-seeking substance use disorder patients with and without attention deficit hyperactivity disorder: results of the IASP study. <i>Addiction</i> , 2014 , 109, 262-72 | 4.6 | 103 |
| 541 | What data are available on the extent of illicit drug use and dependence globally? Results of four systematic reviews. <i>Drug and Alcohol Dependence</i> , 2011 , 117, 85-101 | 4.9 | 101 |
| 540 | The relationship between cannabis use, depression and anxiety among Australian adults: findings from the National Survey of Mental Health and Well-Being. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001 , 36, 219-27 | 4.5 | 101 |

| | | | |
|-----|---|------|-----|
| 539 | New psychoactive substances: challenges for drug surveillance, control, and public health responses. <i>Lancet, The</i> , 2019 , 394, 1668-1684 | 4.0 | 100 |
| 538 | Is ecstasy a drug of dependence?. <i>Drug and Alcohol Dependence</i> , 2010 , 107, 1-10 | 4.9 | 100 |
| 537 | Socio-demographic risk factors for alcohol and drug dependence: the 10-year follow-up of the national comorbidity survey. <i>Addiction</i> , 2009 , 104, 1346-55 | 4.6 | 99 |
| 536 | Estimating treatment coverage for people with substance use disorders: an analysis of data from the World Mental Health Surveys. <i>World Psychiatry</i> , 2017 , 16, 299-307 | 14.4 | 98 |
| 535 | Changes in patterns of drug injection concurrent with a sustained reduction in the availability of heroin in Australia. <i>Drug and Alcohol Dependence</i> , 2003 , 70, 275-86 | 4.9 | 97 |
| 534 | Reasons for cannabis use in psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006 , 40, 570-4 | 2.6 | 96 |
| 533 | How many dependent heroin users are there in Australia?. <i>Medical Journal of Australia</i> , 2000 , 173, 528-31 | 4.1 | 96 |
| 532 | Opioid use disorder. <i>Nature Reviews Disease Primers</i> , 2020 , 6, 3 | 51.1 | 95 |
| 531 | Evidence for cannabis and cannabinoids for epilepsy: a systematic review of controlled and observational evidence. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018 , 89, 741-753 | 5.5 | 92 |
| 530 | Effects of a sustained heroin shortage in three Australian States. <i>Addiction</i> , 2005 , 100, 908-20 | 4.6 | 92 |
| 529 | The external validity of results derived from ecstasy users recruited using purposive sampling strategies. <i>Drug and Alcohol Dependence</i> , 2004 , 73, 33-40 | 4.9 | 91 |
| 528 | Cohort trends in the age of initiation of drug use in Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2000 , 24, 421-6 | 2.3 | 91 |
| 527 | Systematic review of prospective studies investigating "remission" from amphetamine, cannabis, cocaine or opioid dependence. <i>Addictive Behaviors</i> , 2010 , 35, 741-9 | 4.2 | 90 |
| 526 | The epidemiology of methamphetamine use and harm in Australia. <i>Drug and Alcohol Review</i> , 2008 , 27, 243-52 | 3.2 | 90 |
| 525 | Definitions related to the use of pharmaceutical opioids: extramedical use, diversion, non-adherence and aberrant medication-related behaviours. <i>Drug and Alcohol Review</i> , 2011 , 30, 236-45 | 3.2 | 89 |
| 524 | Mortality among amphetamine users: a systematic review of cohort studies. <i>Drug and Alcohol Dependence</i> , 2009 , 105, 1-8 | 4.9 | 87 |
| 523 | Does the 'gateway' matter? Associations between the order of drug use initiation and the development of drug dependence in the National Comorbidity Study Replication. <i>Psychological Medicine</i> , 2009 , 39, 157-67 | 6.9 | 87 |
| 522 | Outcomes of occasional cannabis use in adolescence: 10-year follow-up study in Victoria, Australia. <i>British Journal of Psychiatry</i> , 2010 , 196, 290-5 | 5.4 | 86 |

| | | | |
|-----|---|------|----|
| 521 | The Pain and Opioids IN Treatment study: characteristics of a cohort using opioids to manage chronic non-cancer pain. <i>Pain</i> , 2015 , 156, 231-242 | 8 | 85 |
| 520 | Mental disorders as risk factors for later substance dependence: estimates of optimal prevention and treatment benefits. <i>Psychological Medicine</i> , 2009 , 39, 1365-77 | 6.9 | 85 |
| 519 | Child maltreatment as a risk factor for opioid dependence: Comparison of family characteristics and type and severity of child maltreatment with a matched control group. <i>Child Abuse and Neglect</i> , 2009 , 33, 343-52 | 4.3 | 85 |
| 518 | The epidemiology of GHB and ketamine use in an Australian household survey. <i>International Journal of Drug Policy</i> , 2008 , 19, 311-6 | 5.5 | 85 |
| 517 | Mortality risk of opioid substitution therapy with methadone versus buprenorphine: a retrospective cohort study. <i>Lancet Psychiatry</i> , 2015 , 2, 901-8 | 23.3 | 84 |
| 516 | Crystalline methamphetamine use and methamphetamine-related harms in Australia. <i>Drug and Alcohol Review</i> , 2017 , 36, 160-170 | 3.2 | 83 |
| 515 | Responding to global stimulant use: challenges and opportunities. <i>Lancet, The</i> , 2019 , 394, 1652-1667 | 4.0 | 83 |
| 514 | Is cannabis use a contributory cause of psychosis?. <i>Canadian Journal of Psychiatry</i> , 2006 , 51, 556-65 | 4.8 | 83 |
| 513 | Burden attributable to child maltreatment in Australia. <i>Child Abuse and Neglect</i> , 2015 , 48, 208-20 | 4.3 | 81 |
| 512 | Cannabis use and the risk of developing a psychotic disorder. <i>World Psychiatry</i> , 2008 , 7, 68-71 | 14.4 | 81 |
| 511 | The ratio of non-fatal to fatal heroin overdose. <i>Addiction</i> , 2003 , 98, 1169-71 | 4.6 | 81 |
| 510 | Recent trends in the use of "club drugs": an Australian review. <i>Substance Use and Misuse</i> , 2005 , 40, 1241-56 | | 81 |
| 509 | Experience of adjunctive cannabis use for chronic non-cancer pain: findings from the Pain and Opioids IN Treatment (POINT) study. <i>Drug and Alcohol Dependence</i> , 2015 , 147, 144-50 | 4.9 | 80 |
| 508 | A descriptive epidemiology of substance use and substance use disorders in Nigeria during the early 21st century. <i>Drug and Alcohol Dependence</i> , 2007 , 91, 1-9 | 4.9 | 79 |
| 507 | Association of the OPRM1 Variant rs1799971 (A118G) with Non-Specific Liability to Substance Dependence in a Collaborative de novo Meta-Analysis of European-Ancestry Cohorts. <i>Behavior Genetics</i> , 2016 , 46, 151-69 | 3.2 | 77 |
| 506 | Benzodiazepine use among chronic pain patients prescribed opioids: associations with pain, physical and mental health, and health service utilization. <i>Pain Medicine</i> , 2015 , 16, 356-66 | 2.8 | 77 |
| 505 | Sex differences amongst dependent heroin users: histories, clinical characteristics and predictors of other substance dependence. <i>Addictive Behaviors</i> , 2011 , 36, 27-36 | 4.2 | 77 |
| 504 | Epidemiological patterns of extra-medical drug use in the United States: evidence from the National Comorbidity Survey Replication, 2001-2003. <i>Drug and Alcohol Dependence</i> , 2007 , 90, 210-23 | 4.9 | 77 |

| | | | |
|-----|---|------|----|
| 503 | Suicidal behaviour and associated risk factors among opioid-dependent individuals: a case-control study. <i>Addiction</i> , 2007 , 102, 1933-41 | 4.6 | 76 |
| 502 | Sexual identity and prevalence of alcohol and other drug use among Australians in the general population. <i>International Journal of Drug Policy</i> , 2016 , 28, 76-82 | 5.5 | 75 |
| 501 | Patterns of ecstasy use in Australia: findings from a national household survey. <i>Addiction</i> , 2004 , 99, 187-256 | 4.5 | 75 |
| 500 | Cannabis use and psychotic disorders: an update. <i>Drug and Alcohol Review</i> , 2004 , 23, 433-43 | 3.2 | 75 |
| 499 | Evaluating explanations of the Australian 'heroin shortage'. <i>Addiction</i> , 2005 , 100, 459-69 | 4.6 | 75 |
| 498 | Evidence of CNH3 involvement in opioid dependence. <i>Molecular Psychiatry</i> , 2016 , 21, 608-14 | 15.1 | 74 |
| 497 | The contribution of injection drug use to hepatitis C virus transmission globally, regionally, and at country level: a modelling study. <i>The Lancet Gastroenterology and Hepatology</i> , 2019 , 4, 435-444 | 18.8 | 74 |
| 496 | Causes of death in a cohort treated for opioid dependence between 1985 and 2005. <i>Addiction</i> , 2014 , 109, 90-9 | 4.6 | 74 |
| 495 | Opioid agonist pharmacotherapy in New South Wales from 1985 to 2006: patient characteristics and patterns and predictors of treatment retention. <i>Addiction</i> , 2009 , 104, 1363-72 | 4.6 | 74 |
| 494 | The temporal dynamics of relationships between cannabis, psychosis and depression among young adults with psychotic disorders: findings from a 10-month prospective study. <i>Psychological Medicine</i> , 2007 , 37, 927-34 | 6.9 | 73 |
| 493 | Substance use, dependence and treatment seeking in the United States and Australia: a cross-national comparison. <i>Drug and Alcohol Dependence</i> , 2006 , 81, 149-55 | 4.9 | 73 |
| 492 | Mental and substance use disorders in Sub-Saharan Africa: predictions of epidemiological changes and mental health workforce requirements for the next 40 years. <i>PLoS ONE</i> , 2014 , 9, e110208 | 3.7 | 73 |
| 491 | The Use of Cannabis and Cannabinoids in Treating Symptoms of Multiple Sclerosis: a Systematic Review of Reviews. <i>Current Neurology and Neuroscience Reports</i> , 2018 , 18, 8 | 6.6 | 71 |
| 490 | Cannabinoid receptor genotype moderation of the effects of childhood physical abuse on anhedonia and depression. <i>Archives of General Psychiatry</i> , 2012 , 69, 732-40 | | 71 |
| 489 | A systematic review of research examining benzodiazepine-related mortality. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 93-103 | 2.6 | 69 |
| 488 | Sociodemographic predictors of transitions across stages of alcohol use, disorders, and remission in the National Comorbidity Survey Replication. <i>Comprehensive Psychiatry</i> , 2009 , 50, 299-306 | 7.3 | 69 |
| 487 | Estimating the number of regular and dependent methamphetamine users in Australia, 2002-2014. <i>Medical Journal of Australia</i> , 2016 , 204, 153 | 4 | 69 |
| 486 | The Burden of Mental Disorders in the Eastern Mediterranean Region, 1990-2013. <i>PLoS ONE</i> , 2017 , 12, e0169575 | 3.7 | 68 |

| | | | |
|-----|--|------|----|
| 485 | Using cohort studies to estimate mortality among injecting drug users that is not attributable to AIDS. <i>Sexually Transmitted Infections</i> , 2006 , 82 Suppl 3, iii56-63 | 2.8 | 68 |
| 484 | The emergence of potent forms of methamphetamine in Sydney, Australia: a case study of the IDRS as a strategic early warning system. <i>Drug and Alcohol Review</i> , 2002 , 21, 341-8 | 3.2 | 68 |
| 483 | Cocaine use and risk of stroke: a systematic review. <i>Drug and Alcohol Dependence</i> , 2014 , 142, 1-13 | 4.9 | 67 |
| 482 | Establishing the Melbourne Injecting Drug User Cohort Study (MIX): rationale, methods, and baseline and twelve-month follow-up results. <i>Harm Reduction Journal</i> , 2013 , 10, 11 | 4.6 | 66 |
| 481 | The Global Burden of Disease projects: what have we learned about illicit drug use and dependence and their contribution to the global burden of disease?. <i>Drug and Alcohol Review</i> , 2014 , 33, 4-12 | 3.2 | 63 |
| 480 | Opioid overdose mortality in Australia, 1964-1997: birth-cohort trends. <i>Medical Journal of Australia</i> , 1999 , 171, 34-7 | 4 | 63 |
| 479 | Trends in morphine prescriptions, illicit morphine use and associated harms among regular injecting drug users in Australia. <i>Drug and Alcohol Review</i> , 2006 , 25, 403-12 | 3.2 | 60 |
| 478 | Crystal meth use among polydrug users in Sydney's dance party subculture: characteristics, use patterns and associated harms. <i>International Journal of Drug Policy</i> , 2003 , 14, 17-24 | 5.5 | 60 |
| 477 | The prevalence and correlates of gamma-hydroxybutyrate (GHB) overdose among Australian users. <i>Addiction</i> , 2003 , 98, 199-204 | 4.6 | 60 |
| 476 | Adolescent substance use and educational attainment: An integrative data analysis comparing cannabis and alcohol from three Australasian cohorts. <i>Drug and Alcohol Dependence</i> , 2015 , 156, 90-96 | 4.9 | 59 |
| 475 | Association of OPRD1 polymorphisms with heroin dependence in a large case-control series. <i>Addiction Biology</i> , 2014 , 19, 111-21 | 4.6 | 59 |
| 474 | Cannabis and progression to other substance use in young adults: findings from a 13-year prospective population-based study. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, e26 | 5.1 | 59 |
| 473 | Posttraumatic stress disorder among female street-based sex workers in the greater Sydney area, Australia. <i>BMC Psychiatry</i> , 2006 , 6, 24 | 4.2 | 59 |
| 472 | Pharmaceutical Opioid Use and Dependence among People Living with Chronic Pain: Associations Observed within the Pain and Opioids in Treatment (POINT) Cohort. <i>Pain Medicine</i> , 2015 , 16, 1745-58 | 2.8 | 58 |
| 471 | Early cannabis use and estimated risk of later onset of depression spells: Epidemiologic evidence from the population-based World Health Organization World Mental Health Survey Initiative. <i>American Journal of Epidemiology</i> , 2010 , 172, 149-59 | 3.8 | 58 |
| 470 | Excess mortality from mental, neurological and substance use disorders in the Global Burden of Disease Study 2010. <i>Epidemiology and Psychiatric Sciences</i> , 2015 , 24, 121-40 | 5.1 | 56 |
| 469 | Systematic review and meta-analysis of cannabinoids in palliative medicine. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2018 , 9, 220-234 | 10.3 | 55 |
| 468 | Injecting risk behaviour and related harm among men who use performance- and image-enhancing drugs. <i>Drug and Alcohol Review</i> , 2008 , 27, 679-86 | 3.2 | 55 |

| | | | |
|-----|--|------|----|
| 467 | Trends and characteristics of accidental and intentional codeine overdose deaths in Australia. <i>Medical Journal of Australia</i> , 2015 , 203, 299 | 4 | 54 |
| 466 | Patterns of co-morbidity between alcohol use and other substance use in the Australian population. <i>Drug and Alcohol Review</i> , 2003 , 22, 7-13 | 3.2 | 54 |
| 465 | Health and wellbeing of Indigenous adolescents in Australia: a systematic synthesis of population data. <i>Lancet, The</i> , 2018 , 391, 766-782 | 4.0 | 54 |
| 464 | Post-marketing surveillance of buprenorphine-naloxone in Australia: diversion, injection and adherence with supervised dosing. <i>Drug and Alcohol Dependence</i> , 2011 , 118, 265-73 | 4.9 | 53 |
| 463 | Are non-fatal opioid overdoses misclassified suicide attempts? Comparing the associated correlates. <i>Addictive Behaviors</i> , 2009 , 34, 723-9 | 4.2 | 53 |
| 462 | The importance of timing of transitions for risk of regular smoking and nicotine dependence. <i>Annals of Behavioral Medicine</i> , 2008 , 36, 87-92 | 4.5 | 52 |
| 461 | Cannabis and psychosis. <i>Current Psychiatry Reports</i> , 2002 , 4, 191-6 | 9.1 | 52 |
| 460 | The influence of personality disorder on the future mental health and social adjustment of young adults: a population-based, longitudinal cohort study. <i>Lancet Psychiatry, the</i> , 2016 , 3, 636-45 | 23.3 | 52 |
| 459 | Global Burden Of Disease Studies: Implications For Mental And Substance Use Disorders. <i>Health Affairs</i> , 2016 , 35, 1114-20 | 7 | 50 |
| 458 | Can the severity of dependence scale be usefully applied to 'ecstasy'?. <i>Neuropsychobiology</i> , 2009 , 60, 137-47 | 4 | 50 |
| 457 | The predictors and consequences of adolescent amphetamine use: findings from the Victoria Adolescent Health Cohort Study. <i>Addiction</i> , 2007 , 102, 1076-84 | 4.6 | 50 |
| 456 | Trends in opiate-related deaths in the United Kingdom and Australia, 1985-1995. <i>Drug and Alcohol Dependence</i> , 2000 , 57, 247-54 | 4.9 | 50 |
| 455 | Physical Distancing Due to COVID-19 Disrupts Sexual Behaviors Among Gay and Bisexual Men in Australia: Implications for Trends in HIV and Other Sexually Transmissible Infections. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020 , 85, 309-315 | 3.1 | 50 |
| 454 | The extent and correlates of community-based pharmaceutical opioid utilisation in Australia. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 521-38 | 2.6 | 50 |
| 453 | Association of Opioid Agonist Treatment With All-Cause Mortality and Specific Causes of Death Among People With Opioid Dependence: A Systematic Review and Meta-analysis. <i>JAMA Psychiatry</i> , 2021 , 78, 979-993 | 14.5 | 50 |
| 452 | Mental health, drug use and sexual risk behavior among gay and bisexual men. <i>International Journal of Drug Policy</i> , 2018 , 55, 169-179 | 5.5 | 49 |
| 451 | Community pharmacist knowledge, attitudes and confidence regarding naloxone for overdose reversal. <i>Addiction</i> , 2016 , 111, 2177-2186 | 4.6 | 49 |
| 450 | Mental health outcomes associated with of the use of amphetamines: A systematic review and meta-analysis. <i>EclinicalMedicine</i> , 2019 , 16, 81-97 | 11.3 | 49 |

| | | | |
|-----|---|------|----|
| 449 | Trends in fentanyl prescriptions and fentanyl-related mortality in Australia. <i>Drug and Alcohol Review</i> , 2013 , 32, 269-75 | 3.2 | 49 |
| 448 | The persistence of adolescent binge drinking into adulthood: findings from a 15-year prospective cohort study. <i>BMJ Open</i> , 2013 , 3, e003015 | 3 | 48 |
| 447 | The increasing mortality burden of liver disease among opioid-dependent people: cohort study. <i>Addiction</i> , 2011 , 106, 2186-92 | 4.6 | 48 |
| 446 | Mortality related to pharmacotherapies for opioid dependence: a comparative analysis of coronial records. <i>Drug and Alcohol Review</i> , 2007 , 26, 405-10 | 3.2 | 48 |
| 445 | Predictors of frequent use of amphetamine type stimulants among HIV-negative gay men in Sydney, Australia. <i>Drug and Alcohol Dependence</i> , 2007 , 91, 260-8 | 4.9 | 48 |
| 444 | Take-Home Naloxone for the Emergency Interim Management of Opioid Overdose: The Public Health Application of an Emergency Medicine. <i>Drugs</i> , 2019 , 79, 1395-1418 | 12.1 | 47 |
| 443 | Using intervention time series analyses to assess the effects of imperfectly identifiable natural events: a general method and example. <i>BMC Medical Research Methodology</i> , 2006 , 6, 16 | 4.7 | 47 |
| 442 | The prevalence and correlates of chronic pain and suicidality in a nationally representative sample. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 803-11 | 2.6 | 46 |
| 441 | Cis-Expression Quantitative Trait Loci Mapping Reveals Replicable Associations with Heroin Addiction in OPRM1. <i>Biological Psychiatry</i> , 2015 , 78, 474-84 | 7.9 | 46 |
| 440 | Study protocol: the Childhood to Adolescence Transition Study (CATS). <i>BMC Pediatrics</i> , 2013 , 13, 160 | 2.6 | 46 |
| 439 | Alcohol Use Disorders in ICD-11: Past, Present, and Future. <i>Alcoholism: Clinical and Experimental Research</i> , 2019 , 43, 1617-1631 | 3.7 | 45 |
| 438 | Incidence and predictors of non-fatal drug overdose after release from prison among people who inject drugs in Queensland, Australia. <i>Drug and Alcohol Dependence</i> , 2015 , 153, 43-9 | 4.9 | 45 |
| 437 | ANKK1, TTC12, and NCAM1 polymorphisms and heroin dependence: importance of considering drug exposure. <i>JAMA Psychiatry</i> , 2013 , 70, 325-33 | 14.5 | 45 |
| 436 | A longitudinal comparison of retention in buprenorphine and methadone treatment for opioid dependence in New South Wales, Australia. <i>Addiction</i> , 2015 , 110, 646-55 | 4.6 | 44 |
| 435 | What are the major drivers of prevalent disability burden in young Australians?. <i>Medical Journal of Australia</i> , 2011 , 194, 232-5 | 4 | 44 |
| 434 | Interventions for people with alcohol use disorders and an intellectual disability: A review of the literature. <i>Journal of Intellectual and Developmental Disability</i> , 2000 , 25, 135-146 | 1.9 | 44 |
| 433 | The Effect of a Reduction in Heroin Supply in Australia upon Drug Distribution and Acquisitive Crime. <i>British Journal of Criminology</i> , 2004 , 45, 2-24 | 2.1 | 43 |
| 432 | 'Diagnostic orphans' among young adult cannabis users: persons who report dependence symptoms but do not meet diagnostic criteria. <i>Drug and Alcohol Dependence</i> , 2002 , 67, 205-12 | 4.9 | 43 |

| | | | |
|-----|--|------|----|
| 431 | A large-scale genome-wide association study meta-analysis of cannabis use disorder. <i>Lancet Psychiatry, the</i> , 2020 , 7, 1032-1045 | 23.3 | 43 |
| 430 | Understanding comorbidity between substance use, anxiety and affective disorders: broadening the research base. <i>Addictive Behaviors</i> , 2009 , 34, 526-30 | 4.2 | 42 |
| 429 | Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors: A Cross-National Analysis From the World Health Organization World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2017 , 74, 1136-1144 | 14.5 | 41 |
| 428 | The availability, diversion and injection of pharmaceutical opioids in South Asia. <i>Drug and Alcohol Review</i> , 2011 , 30, 246-54 | 3.2 | 41 |
| 427 | Research priorities to achieve universal access to hepatitis C prevention, management and direct-acting antiviral treatment among people who inject drugs. <i>International Journal of Drug Policy</i> , 2017 , 47, 51-60 | 5.5 | 40 |
| 426 | Mortality among older adults with opioid use disorders in the Veteran's Health Administration, 2000-2011. <i>Drug and Alcohol Dependence</i> , 2015 , 147, 32-7 | 4.9 | 40 |
| 425 | Opioid substitution therapy as a strategy to reduce deaths in prison: retrospective cohort study. <i>BMJ Open</i> , 2014 , 4, e004666 | 3 | 40 |
| 424 | Driving, drug use behaviour and risk perceptions of nightclub attendees in Victoria, Australia. <i>International Journal of Drug Policy</i> , 2006 , 17, 41-46 | 5.5 | 40 |
| 423 | Association of parental supply of alcohol with adolescent drinking, alcohol-related harms, and alcohol use disorder symptoms: a prospective cohort study. <i>Lancet Public Health, The</i> , 2018 , 3, e64-e71 | 22.4 | 39 |
| 422 | The diversion and injection of a buprenorphine-naloxone soluble film formulation. <i>Drug and Alcohol Dependence</i> , 2014 , 136, 21-7 | 4.9 | 39 |
| 421 | Poor health and social outcomes for ex-prisoners with a history of mental disorder: a longitudinal study. <i>Australian and New Zealand Journal of Public Health</i> , 2014 , 38, 424-9 | 2.3 | 39 |
| 420 | Increasing cancer mortality among opioid-dependent persons in Australia: a new public health challenge for a disadvantaged population. <i>Australian and New Zealand Journal of Public Health</i> , 2011 , 35, 220-5 | 2.3 | 39 |
| 419 | The epidemiology of cannabis use and cannabis-related harm in Australia 1993-2007. <i>Addiction</i> , 2010 , 105, 1071-9 | 4.6 | 39 |
| 418 | The "lessons" of the Australian "heroin shortage". <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2006 , 1, 11 | 3.4 | 39 |
| 417 | The effect of a reduction in heroin supply on fatal and non-fatal drug overdoses in New South Wales, Australia. <i>Medical Journal of Australia</i> , 2005 , 182, 20-3 | 4 | 39 |
| 416 | Frequency of health-care utilization by adults who use illicit drugs: a systematic review and meta-analysis. <i>Addiction</i> , 2020 , 115, 1011-1023 | 4.6 | 39 |
| 415 | The prevalence of non-fatal overdose among people who inject drugs: A multi-stage systematic review and meta-analysis. <i>International Journal of Drug Policy</i> , 2019 , 73, 172-184 | 5.5 | 38 |
| 414 | Factors associated with the timing and onset of cannabis use and cannabis use disorder: results from the 2007 Australian National Survey of Mental Health and Well-Being. <i>Drug and Alcohol Review</i> , 2014 , 33, 555-64 | 3.2 | 38 |

| | | | |
|-----|--|------|----|
| 413 | Predicting the impact of the 2011 conflict in Libya on population mental health: PTSD and depression prevalence and mental health service requirements. <i>PLoS ONE</i> , 2012 , 7, e40593 | 3.7 | 38 |
| 412 | Opioid overdose deaths can occur in patients with naltrexone implants. <i>Medical Journal of Australia</i> , 2007 , 186, 152-153 | 4 | 38 |
| 411 | Hospital separations for cannabis- and methamphetamine-related psychotic episodes in Australia. <i>Medical Journal of Australia</i> , 2007 , 186, 342-5 | 4 | 38 |
| 410 | The relationship between age and risky injecting behaviours among a sample of Australian people who inject drugs. <i>Drug and Alcohol Dependence</i> , 2013 , 132, 541-6 | 4.9 | 37 |
| 409 | Agreement between definitions of pharmaceutical opioid use disorders and dependence in people taking opioids for chronic non-cancer pain (POINT): a cohort study. <i>Lancet Psychiatry</i> , 2015 , 2, 314-22 ²³⁻³ | | 37 |
| 408 | Substance use in adulthood following adolescent self-harm: a population-based cohort study. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 61-8 | 6.5 | 36 |
| 407 | Should burden of disease estimates include cannabis use as a risk factor for psychosis?. <i>PLoS Medicine</i> , 2009 , 6, e1000133 | 11.6 | 36 |
| 406 | Risk and benefit perceptions of party drug use. <i>Addictive Behaviors</i> , 2006 , 31, 137-42 | 4.2 | 36 |
| 405 | Following Lives Undergoing Change (Flux) study: Implementation and baseline prevalence of drug use in an online cohort study of gay and bisexual men in Australia. <i>International Journal of Drug Policy</i> , 2017 , 41, 41-50 | 5.5 | 35 |
| 404 | Changes in non-opioid substitution treatment episodes for pharmaceutical opioids and heroin from 2002 to 2011. <i>Drug and Alcohol Dependence</i> , 2015 , 149, 212-9 | 4.9 | 35 |
| 403 | Defining populations and injecting parameters among people who inject drugs: Implications for the assessment of hepatitis C treatment programs. <i>International Journal of Drug Policy</i> , 2015 , 26, 950-7 | 5.5 | 35 |
| 402 | Global Epidemiology of HIV Among Women and Girls Who Use or Inject Drugs: Current Knowledge and Limitations of Existing Data. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015 , 69 Suppl 2, S100-9 | 3.1 | 35 |
| 401 | A systematic review and meta-analysis of naltrexone implants for the treatment of opioid dependence. <i>Drug and Alcohol Review</i> , 2014 , 33, 115-28 | 3.2 | 34 |
| 400 | Cohort protocol paper: the Pain and Opioids In Treatment (POINT) study. <i>BMC Pharmacology & Toxicology</i> , 2014 , 15, 17 | 2.6 | 34 |
| 399 | A randomised controlled trial of sublingual buprenorphine-naloxone film versus tablets in the management of opioid dependence. <i>Drug and Alcohol Dependence</i> , 2013 , 131, 119-26 | 4.9 | 34 |
| 398 | Alcohol use and risk taking among regular ecstasy users. <i>Substance Use and Misuse</i> , 2006 , 41, 1095-109 | 2.2 | 34 |
| 397 | Injection of medications used in opioid substitution treatment in Australia after the introduction of a mixed partial agonist-antagonist formulation. <i>Medical Journal of Australia</i> , 2009 , 191, 161-5 | 4 | 33 |
| 396 | Comorbid attention deficit hyperactivity disorder and substance use disorder complexity and chronicity in treatment-seeking adults. <i>Drug and Alcohol Review</i> , 2015 , 34, 683-93 | 3.2 | 32 |

| | | | |
|-----|--|------|----|
| 395 | The Australian longitudinal study on male health-methods. <i>BMC Public Health</i> , 2016 , 16, 1030 | 4.1 | 32 |
| 394 | Assessment of cocaine and other drug dependence in the general population: "gated" versus "ungated" approaches. <i>Drug and Alcohol Dependence</i> , 2008 , 93, 227-32 | 4.9 | 32 |
| 393 | Case ascertainment of alcohol dependence in general population surveys: 'gated' versus 'ungated' approaches. <i>International Journal of Methods in Psychiatric Research</i> , 2007 , 16, 111-23 | 4.3 | 32 |
| 392 | A survey of regular ecstasy users knowledge and practices around determining pill content and purity: Implications for policy and practice. <i>International Journal of Drug Policy</i> , 2006 , 17, 464-472 | 5.5 | 32 |
| 391 | What are the policy implications of the evidence on cannabis and psychosis?. <i>Canadian Journal of Psychiatry</i> , 2006 , 51, 566-74 | 4.8 | 32 |
| 390 | Effects of reduction in heroin supply on injecting drug use: analysis of data from needle and syringe programmes. <i>BMJ, The</i> , 2004 , 329, 428-9 | 5.9 | 32 |
| 389 | The associations between psychotic experiences and substance use and substance use disorders: findings from the World Health Organization World Mental Health surveys. <i>Addiction</i> , 2018 , 113, 924-934 | 4.6 | 31 |
| 388 | Health service utilisation attributable to methamphetamine use in Australia: Patterns, predictors and national impact. <i>Drug and Alcohol Review</i> , 2018 , 37, 196-204 | 3.2 | 31 |
| 387 | Complex health needs in the youth justice system: a survey of community-based and custodial offenders. <i>Journal of Adolescent Health</i> , 2014 , 54, 521-6 | 5.8 | 31 |
| 386 | Mitigating the risk of HIV infection with opioid substitution treatment. <i>Bulletin of the World Health Organization</i> , 2013 , 91, 148-9 | 8.2 | 31 |
| 385 | Leveraging genome-wide data to investigate differences between opioid use vs. opioid dependence in 41,176 individuals from the Psychiatric Genomics Consortium. <i>Molecular Psychiatry</i> , 2020 , 25, 1673-1687 | 15.1 | 30 |
| 384 | Crime, drugs and distress: patterns of drug use and harm among criminally involved injecting drug users in Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2009 , 33, 223-7 | 2.3 | 30 |
| 383 | The effects of restricting publicly subsidised temazepam capsules on benzodiazepine use among injecting drug users in Australia. <i>Medical Journal of Australia</i> , 2004 , 181, 300-4 | 4 | 30 |
| 382 | HIV Pre-exposure Prophylaxis (PrEP) Uptake Among Gay and Bisexual Men in Australia and Factors Associated With the Nonuse of PrEP Among Eligible Men: Results From a Prospective Cohort Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 81, e73-e84 | 3.1 | 30 |
| 381 | The epidemiology of alcohol use disorders cross-nationally: Findings from the World Mental Health Surveys. <i>Addictive Behaviors</i> , 2020 , 102, 106128 | 4.2 | 30 |
| 380 | Parental supply of alcohol and alcohol consumption in adolescence: prospective cohort study. <i>Psychological Medicine</i> , 2017 , 47, 267-278 | 6.9 | 29 |
| 379 | Concordance of ICD-11 and DSM-5 definitions of alcohol and cannabis use disorders: a population survey. <i>Lancet Psychiatry</i> , 2016 , 3, 673-84 | 23.3 | 29 |
| 378 | An ecological study of the extent and factors associated with the use of prescription and over-the-counter codeine in Australia. <i>European Journal of Clinical Pharmacology</i> , 2016 , 72, 469-94 | 2.8 | 29 |

| | | | |
|-----|---|------|----|
| 377 | Pain, alcohol use disorders and risky patterns of drinking among people with chronic non-cancer pain receiving long-term opioid therapy. <i>Drug and Alcohol Dependence</i> , 2016 , 162, 79-87 | 4.9 | 29 |
| 376 | Real-time monitoring of Schedule 8 medicines in Australia: evaluation is essential. <i>Medical Journal of Australia</i> , 2013 , 198, 80-1 | 4 | 29 |
| 375 | The association between delusional-like experiences, and tobacco, alcohol or cannabis use: a nationwide population-based survey. <i>BMC Psychiatry</i> , 2011 , 11, 202 | 4.2 | 29 |
| 374 | Impulsivity and borderline personality as risk factors for suicide attempts among opioid-dependent individuals. <i>Psychiatry Research</i> , 2009 , 169, 16-21 | 9.9 | 29 |
| 373 | Assessing cannabis dependence in community surveys: methodological issues. <i>International Journal of Methods in Psychiatric Research</i> , 2007 , 16, 43-51 | 4.3 | 29 |
| 372 | Changes in the initiation of heroin use after a reduction in heroin supply. <i>Drug and Alcohol Review</i> , 2006 , 25, 307-13 | 3.2 | 29 |
| 371 | Perceptions of extended-release buprenorphine injections for opioid use disorder among people who regularly use opioids in Australia. <i>Addiction</i> , 2020 , 115, 1295-1305 | 4.6 | 29 |
| 370 | The association between childhood maltreatment, psychopathology, and adult sexual victimization in men and women: results from three independent samples. <i>Psychological Medicine</i> , 2016 , 46, 563-73 | 6.9 | 29 |
| 369 | Defined daily doses (DDD) do not accurately reflect opioid doses used in contemporary chronic pain treatment. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 587-591 | 2.6 | 28 |
| 368 | The relationship between methamphetamine use and heterosexual behaviour: evidence from a prospective longitudinal study. <i>Addiction</i> , 2018 , 113, 1276-1285 | 4.6 | 28 |
| 367 | Trends in opioid utilisation in Australia, 2006-2015: Insights from multiple metrics. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 504-512 | 2.6 | 28 |
| 366 | Prevalence and Correlates of Suicidal Thoughts and Suicide Attempts in People Prescribed Pharmaceutical Opioids for Chronic Pain. <i>Clinical Journal of Pain</i> , 2016 , 32, 292-301 | 3.5 | 28 |
| 365 | Effects of HIV antiretroviral therapy on sexual and injecting risk-taking behavior: a systematic review and meta-analysis. <i>Clinical Infectious Diseases</i> , 2014 , 59, 1483-94 | 11.6 | 28 |
| 364 | Who are the new amphetamine users? A 10-year prospective study of young Australians. <i>Addiction</i> , 2007 , 102, 1269-79 | 4.6 | 28 |
| 363 | Changes in patterns of drug use among injecting drug users following changes in the availability of heroin in New South Wales, Australia. <i>Drug and Alcohol Review</i> , 2004 , 23, 287-94 | 3.2 | 28 |
| 362 | The introduction of a potentially abuse deterrent oxycodone formulation: Early findings from the Australian National Opioid Medications Abuse Deterrence (NOMAD) study. <i>Drug and Alcohol Dependence</i> , 2015 , 151, 56-67 | 4.9 | 27 |
| 361 | Longitudinal injecting risk behaviours among people with a history of injecting drug use in an Australian prison setting: The HITS-p study. <i>International Journal of Drug Policy</i> , 2018 , 54, 18-25 | 5.5 | 27 |
| 360 | Adverse adult consequences of different alcohol use patterns in adolescence: an integrative analysis of data to age 30 years from four Australasian cohorts. <i>Addiction</i> , 2018 , 113, 1811-1825 | 4.6 | 27 |

| | | | |
|-----|---|-----|----|
| 359 | Risk behaviours among substance use disorder treatment seekers with and without adult ADHD symptoms. <i>Drug and Alcohol Dependence</i> , 2014 , 144, 70-7 | 4.9 | 27 |
| 358 | The impact of a reduction in drug supply on demand for and compliance with treatment for drug dependence. <i>Drug and Alcohol Dependence</i> , 2005 , 79, 129-35 | 4.9 | 27 |
| 357 | Mortality amongst Illicit Drug Users: Epidemiology, Causes and Intervention 2006 , | | 27 |
| 356 | A Cross-National Examination of Differences in Classification of Lifetime Alcohol Use Disorder Between DSM-IV and DSM-5: Findings from the World Mental Health Survey. <i>Alcoholism: Clinical and Experimental Research</i> , 2016 , 40, 1728-36 | 3.7 | 26 |
| 355 | Transitions from injection-drug-use-concentrated to self-sustaining heterosexual HIV epidemics: patterns in the international data. <i>PLoS ONE</i> , 2012 , 7, e31227 | 3.7 | 26 |
| 354 | The association between trauma and delusional-like experiences. <i>Psychiatry Research</i> , 2011 , 189, 259-64 | 9.9 | 26 |
| 353 | Estimating the size and dynamics of an injecting drug user population and implications for health service coverage: comparison of indirect prevalence estimation methods. <i>Addiction</i> , 2008 , 103, 1604-13 | 4.6 | 26 |
| 352 | Drug use and risk behaviour among regular ecstasy users: Does sexuality make a difference?. <i>Culture, Health and Sexuality</i> , 2005 , 7, 599-614 | 2.5 | 26 |
| 351 | Monoacylglycerol lipase (MGLL) polymorphism rs604300 interacts with childhood adversity to predict cannabis dependence symptoms and amygdala habituation: Evidence from an endocannabinoid system-level analysis. <i>Journal of Abnormal Psychology</i> , 2015 , 124, 860-77 | 7 | 26 |
| 350 | Is sexual content in new media linked to sexual risk behaviour in young people? A systematic review and meta-analysis. <i>Sexual Health</i> , 2016 , 13, 501-515 | 2 | 26 |
| 349 | Effectiveness of needle/syringe programmes and opiate substitution therapy in preventing HCV transmission among people who inject drugs. <i>Cochrane Database of Systematic Reviews</i> , 2016 , 2016, | | 26 |
| 348 | Estimating the number of people who inject drugs in Australia. <i>BMC Public Health</i> , 2017 , 17, 757 | 4.1 | 25 |
| 347 | Relationship between the duration of methamphetamine use and psychotic symptoms: A two-year prospective cohort study. <i>Drug and Alcohol Dependence</i> , 2018 , 187, 363-369 | 4.9 | 25 |
| 346 | To what extent do data from pharmaceutical claims under-estimate opioid analgesic utilisation in Australia?. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 550-555 | 2.6 | 25 |
| 345 | The epidemiology of drug use disorders cross-nationally: Findings from the WHO's World Mental Health Surveys. <i>International Journal of Drug Policy</i> , 2019 , 71, 103-112 | 5.5 | 25 |
| 344 | Investigating the co-occurrence of self-mutilation and suicide attempts among opioid-dependent individuals. <i>Suicide and Life-Threatening Behavior</i> , 2010 , 40, 50-62 | 3.9 | 25 |
| 343 | Underlying causes of cocaine, amphetamine and opioid related deaths in Australia. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2005 , 12, 187-95 | | 25 |
| 342 | Prevalence of Injecting Drug Use and Coverage of Interventions to Prevent HIV and Hepatitis C Virus Infection Among People Who Inject Drugs in Canada. <i>American Journal of Public Health</i> , 2020 , 110, 45-50 | 5.1 | 25 |

| | | | |
|-----|---|------|----|
| 341 | Defining problematic pharmaceutical opioid use among people prescribed opioids for chronic noncancer pain: do different measures identify the same patients?. <i>Pain</i> , 2016 , 157, 1489-1498 | 8 | 25 |
| 340 | Cohort Profile: Ten to Men (the Australian Longitudinal Study on Male Health). <i>International Journal of Epidemiology</i> , 2017 , 46, 793-794i | 7.8 | 25 |
| 339 | Factors associated with the development of depression in chronic non-cancer pain patients following the onset of opioid treatment for pain. <i>Journal of Affective Disorders</i> , 2015 , 184, 72-80 | 6.6 | 24 |
| 338 | Recent increase in detection of alprazolam in Victorian heroin-related deaths. <i>Medical Journal of Australia</i> , 2013 , 198, 206-9 | 4 | 24 |
| 337 | Cross-national comparisons of sex differences in opportunities to use alcohol or drugs, and the transitions to use. <i>Substance Use and Misuse</i> , 2011 , 46, 1169-78 | 2.2 | 24 |
| 336 | Characteristics of drug-related hospital separations in Australia. <i>Drug and Alcohol Dependence</i> , 2008 , 92, 149-55 | 4.9 | 24 |
| 335 | The adverse effects of cannabinoids: implications for use of medical marijuana. <i>Cmaj</i> , 2008 , 178, 1685-6 | 3.5 | 24 |
| 334 | Knowledge of Opioid Overdose and Attitudes to Supply of Take-Home Naloxone Among People with Chronic Noncancer Pain Prescribed Opioids. <i>Pain Medicine</i> , 2018 , 19, 533-540 | 2.8 | 23 |
| 333 | Examining non-AIDS mortality among people who inject drugs. <i>Aids</i> , 2014 , 28 Suppl 4, S435-44 | 3.5 | 23 |
| 332 | Factors associated with driving under the influence of alcohol and drugs among an Australian sample of regular ecstasy users. <i>Drug and Alcohol Dependence</i> , 2009 , 100, 24-31 | 4.9 | 23 |
| 331 | The link between cannabis use and psychosis: furthering the debate. <i>Psychological Medicine</i> , 2003 , 33, 3-6 | 6.9 | 23 |
| 330 | Medical marijuana initiatives : are they justified? How successful are they likely to be?. <i>CNS Drugs</i> , 2003 , 17, 689-97 | 6.7 | 23 |
| 329 | The validity of an Australian modification of the AUDIT questionnaire. <i>Drug and Alcohol Review</i> , 2001 , 20, 143-154 | 3.2 | 23 |
| 328 | All-Cause and Cause-Specific Mortality Among People Using Extramedical Opioids: A Systematic Review and Meta-analysis. <i>JAMA Psychiatry</i> , 2020 , 77, 493-502 | 14.5 | 23 |
| 327 | Persistence and Subtype Stability of ADHD Among Substance Use Disorder Treatment Seekers. <i>Journal of Attention Disorders</i> , 2019 , 23, 1438-1453 | 3.7 | 23 |
| 326 | Substantial Decline in Use of HIV Preexposure Prophylaxis Following Introduction of COVID-19 Physical Distancing Restrictions in Australia: Results From a Prospective Observational Study of Gay and Bisexual Men. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021 , 86, 22-30 | 3.1 | 23 |
| 325 | The effect of a potentially tamper-resistant oxycodone formulation on opioid use and harm: main findings of the National Opioid Medications Abuse Deterrence (NOMAD) study. <i>Lancet Psychiatry</i> , 2018 , 5, 155-166 | 23.3 | 22 |
| 324 | A cost-effectiveness analysis of opioid substitution therapy upon prison release in reducing mortality among people with a history of opioid dependence. <i>Addiction</i> , 2015 , 110, 1975-84 | 4.6 | 22 |

| | | | |
|-----|---|-------|----|
| 323 | Improving targets for the prevention of drug use disorders: sociodemographic predictors of transitions across drug use stages in the national comorbidity survey replication. <i>Preventive Medicine</i> , 2008 , 47, 629-34 | 4.3 | 22 |
| 322 | Development of a brief tool for monitoring aberrant behaviours among patients receiving long-term opioid therapy: The Opioid-Related Behaviours In Treatment (ORBIT) scale. <i>Drug and Alcohol Dependence</i> , 2016 , 159, 42-52 | 4.9 | 22 |
| 321 | Global opioid agonist treatment: a review of clinical practices by country. <i>Addiction</i> , 2020 , 115, 2243-2254 | 4.6 | 21 |
| 320 | Pharmaceutical opioid use and harm in Australia: The need for proactive and preventative responses. <i>Drug and Alcohol Review</i> , 2018 , 37 Suppl 1, S203-S205 | 3.2 | 21 |
| 319 | The prevalence and correlates of buprenorphine inhalation amongst opioid substitution treatment (OST) clients in Australia. <i>International Journal of Drug Policy</i> , 2011 , 22, 167-71 | 5.5 | 21 |
| 318 | Are diagnostic orphans at risk of developing cannabis abuse or dependence? Four-year follow-up of young adult cannabis users not meeting diagnostic criteria. <i>Drug and Alcohol Dependence</i> , 2008 , 92, 86-90 | 4.9 | 21 |
| 317 | Reliability of heroin users' reports of drug use behaviour using a 24 month timeline follow-back technique to assess the impact of the Australian heroin shortage. <i>Addiction Research and Theory</i> , 2004 , 12, 433-443 | 2.6 | 21 |
| 316 | Intensive sex partying with gamma-hydroxybutyrate: factors associated with using gamma-hydroxybutyrate for chemsex among Australian gay and bisexual men - results from the Flux Study. <i>Sexual Health</i> , 2018 , 15, 123-134 | 2 | 20 |
| 315 | The contributions of viral hepatitis and alcohol to liver-related deaths in opioid-dependent people. <i>Drug and Alcohol Dependence</i> , 2013 , 131, 252-7 | 4.9 | 20 |
| 314 | How did we arrive at burden of disease estimates for mental and illicit drug use disorders in the Global Burden of Disease Study 2010?. <i>Current Opinion in Psychiatry</i> , 2013 , 26, 376-83 | 4.9 | 20 |
| 313 | Contextualising psychological distress among regular ecstasy users: the importance of sociodemographic factors and patterns of drug use. <i>Drug and Alcohol Review</i> , 2010 , 29, 243-9 | 3.2 | 20 |
| 312 | Comparing probability and non-probability sampling methods in Ecstasy research: implications for the internet as a research tool. <i>Substance Use and Misuse</i> , 2010 , 45, 437-50 | 2.2 | 20 |
| 311 | Affective disorders, anxiety disorders and psychological distress in non-drinkers. <i>Journal of Affective Disorders</i> , 2007 , 99, 165-72 | 6.6 | 20 |
| 310 | Documenting the heroin shortage in New South Wales. <i>Drug and Alcohol Review</i> , 2006 , 25, 297-305 | 3.2 | 20 |
| 309 | Substance Use and Mental Health in Longitudinal Perspective | 43-51 | 20 |
| 308 | Substance use and risk of death in young offenders: a prospective data linkage study. <i>Drug and Alcohol Review</i> , 2015 , 34, 46-50 | 3.2 | 19 |
| 307 | Comparing treatment-seeking codeine users and strong opioid users: Findings from a novel case series. <i>Drug and Alcohol Review</i> , 2015 , 34, 304-11 | 3.2 | 19 |
| 306 | A polymorphism in the OPRM1 3'-untranslated region is associated with methadone efficacy in treating opioid dependence. <i>Pharmacogenomics Journal</i> , 2018 , 18, 173-179 | 3.5 | 19 |

| | | | |
|-----|--|-----|----|
| 305 | How do drug market changes affect characteristics of injecting initiation and subsequent patterns of drug use? Findings from a cohort of regular heroin and methamphetamine injectors in Melbourne, Australia. <i>International Journal of Drug Policy</i> , 2015 , 26, 43-50 | 5.5 | 19 |
| 304 | The sources of pharmaceuticals for problematic users of benzodiazepines and prescription opioids. <i>Medical Journal of Australia</i> , 2013 , 199, 696-9 | 4 | 19 |
| 303 | Opioid dependence latent structure: two classes with differing severity?. <i>Addiction</i> , 2011 , 106, 590-8 | 4.6 | 19 |
| 302 | Further evidence of differences in substance use and dependence between Australia and the United States. <i>Drug and Alcohol Dependence</i> , 2009 , 100, 258-64 | 4.9 | 19 |
| 301 | The importance of blood-borne viruses in elevated cancer risk among opioid-dependent people: a population-based cohort study. <i>BMJ Open</i> , 2012 , 2, | 3 | 19 |
| 300 | Prevalence of injecting drug use and associated risk behavior among regular ecstasy users in Australia. <i>Drug and Alcohol Dependence</i> , 2006 , 83, 210-7 | 4.9 | 19 |
| 299 | How can data harmonisation benefit mental health research? An example of The Cannabis Cohorts Research Consortium. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 317-23 | 2.6 | 18 |
| 298 | Evaluating the potential impact of a reformulated version of oxycodone upon tampering, non-adherence and diversion of opioids: the National Opioid Medications Abuse Deterrence (NOMAD) study protocol. <i>Addiction</i> , 2015 , 110, 226-37 | 4.6 | 18 |
| 297 | Associations between psychotic symptoms and substance use in young offenders. <i>Drug and Alcohol Review</i> , 2015 , 34, 673-82 | 3.2 | 18 |
| 296 | Engagement with the criminal justice system among opioid-dependent people: a retrospective cohort study. <i>Addiction</i> , 2013 , 108, 2152-65 | 4.6 | 18 |
| 295 | A systematic review of evidence on the association between cocaine use and seizures. <i>Drug and Alcohol Dependence</i> , 2013 , 133, 795-804 | 4.9 | 18 |
| 294 | Pattern and characteristics of ecstasy and related drug (ERD) presentations at two hospital emergency departments, Melbourne, Australia, 2008-2010. <i>Emergency Medicine Journal</i> , 2014 , 31, 317-22 | 1.5 | 18 |
| 293 | Estimating the level of HIV prevention coverage, knowledge and protective behavior among injecting drug users: what does the 2008 UNGASS reporting round tell us?. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009 , 52 Suppl 2, S132-42 | 3.1 | 18 |
| 292 | The use of drug detection dogs in Sydney, Australia. <i>Drug and Alcohol Review</i> , 2009 , 28, 658-62 | 3.2 | 18 |
| 291 | Drug dependence and associated risks among female street-based sex workers in the greater Sydney area, Australia. <i>Substance Use and Misuse</i> , 2008 , 43, 1202-17 | 2.2 | 18 |
| 290 | Naloxone for administration by peers in cases of heroin overdose. <i>Medical Journal of Australia</i> , 2009 , 191, 469 | 4 | 18 |
| 289 | Crystal methamphetamine smoking among regular ecstasy users in Australia: increases in use and associations with harm. <i>Drug and Alcohol Review</i> , 2008 , 27, 292-300 | 3.2 | 18 |
| 288 | Gender differences among regular injecting drug users in Sydney, Australia, 1996-2003. <i>Drug and Alcohol Review</i> , 2005 , 24, 353-8 | 3.2 | 18 |

| | | | |
|-----|---|------|----|
| 287 | Ambulance calls to suspected overdoses: New South Wales patterns July 1997 to June 1999. <i>Australian and New Zealand Journal of Public Health</i> , 2001 , 25, 447-450 | 2.3 | 18 |
| 286 | Cohort trends in youth suicide in Australia 1964-1997. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, 408-12 | 2.6 | 18 |
| 285 | Meeting Sexual Partners Through Internet Sites and Smartphone Apps in Australia: National Representative Study. <i>Journal of Medical Internet Research</i> , 2018 , 20, e10683 | 7.6 | 18 |
| 284 | Estimating the risk of suicide associated with mental disorders: A systematic review and meta-regression analysis. <i>Journal of Psychiatric Research</i> , 2021 , 137, 242-249 | 5.2 | 18 |
| 283 | Mortality among people with regular or problematic use of amphetamines: a systematic review and meta-analysis. <i>Addiction</i> , 2019 , 114, 1738-1750 | 4.6 | 17 |
| 282 | A Global Meta-analysis of the Prevalence of HIV, Hepatitis C Virus, and Hepatitis B Virus Among People Who Inject Drugs-Do Gender-Based Differences Vary by Country-Level Indicators?. <i>Journal of Infectious Diseases</i> , 2019 , 220, 78-90 | 7 | 17 |
| 281 | The characteristics of a cohort who tamper with prescribed and diverted opioid medications. <i>Journal of Substance Abuse Treatment</i> , 2015 , 58, 51-61 | 4.2 | 17 |
| 280 | Effect of intubation for gamma-hydroxybutyric acid overdose on emergency department length of stay and hospital admission. <i>Academic Emergency Medicine</i> , 2014 , 21, 1226-31 | 3.4 | 17 |
| 279 | Peer Victimization and Academic Performance in Primary School Children. <i>Academic Pediatrics</i> , 2017 , 17, 830-836 | 2.7 | 17 |
| 278 | Self-harm in young offenders. <i>Suicide and Life-Threatening Behavior</i> , 2014 , 44, 641-52 | 3.9 | 17 |
| 277 | Estimating the burden of disease attributable to illicit drug use and mental disorders: what is 'Global Burden of Disease 2005' and why does it matter?. <i>Addiction</i> , 2009 , 104, 1466-71 | 4.6 | 17 |
| 276 | Excess Mortality from Mental, Neurological, and Substance Use Disorders in the Global Burden of Disease Study 2010 2016 , 41-65 | | 17 |
| 275 | Depression, post-traumatic stress disorder, suicidality and self-harm among people who inject drugs: A systematic review and meta-analysis. <i>Drug and Alcohol Dependence</i> , 2020 , 207, 107793 | 4.9 | 17 |
| 274 | Concordance between the diagnostic guidelines for alcohol and cannabis use disorders in the draft ICD-11 and other classification systems: analysis of data from the WHO's World Mental Health Surveys. <i>Addiction</i> , 2019 , 114, 534-552 | 4.6 | 17 |
| 273 | Alcohol and parenthood: An integrative analysis of the effects of transition to parenthood in three Australasian cohorts. <i>Drug and Alcohol Dependence</i> , 2019 , 197, 326-334 | 4.9 | 16 |
| 272 | Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use Disorder, and Remission From Disorder: Findings From the World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2019 , 76, 708-720 | 14.5 | 16 |
| 271 | Physical appearance concerns are uniquely associated with the severity of steroid dependence and depression in anabolic-androgenic steroid users. <i>Drug and Alcohol Review</i> , 2018 , 37, 664-670 | 3.2 | 16 |
| 270 | Psychotic experiences and general medical conditions: a cross-national analysis based on 28 002 respondents from 16 countries in the WHO World Mental Health Surveys. <i>Psychological Medicine</i> , 2018 , 48, 2730-2739 | 6.9 | 16 |

| | | | |
|-----|--|-----|----|
| 269 | Prescribers' perceptions of the diversion and injection of medication by opioid substitution treatment patients. <i>Drug and Alcohol Review</i> , 2011 , 30, 613-20 | 3.2 | 16 |
| 268 | The epidemiology of ecstasy use and harms in Australia. <i>Neuropsychobiology</i> , 2009 , 60, 176-87 | 4 | 16 |
| 267 | Are adolescents who moderate their cannabis use at lower risk of later regular and dependent cannabis use?. <i>Addiction</i> , 2009 , 104, 806-14 | 4.6 | 16 |
| 266 | Opioid overdose deaths can occur in patients with naltrexone implants. <i>Medical Journal of Australia</i> , 2007 , 186, 152-3 | 4 | 16 |
| 265 | Drug use and risk among regular injecting drug users in Australia: does age make a difference?. <i>Drug and Alcohol Review</i> , 2008 , 27, 357-60 | 3.2 | 16 |
| 264 | The definition of opioid-related deaths in Australia: implications for surveillance and policy. <i>Drug and Alcohol Review</i> , 2005 , 24, 401-9 | 3.2 | 16 |
| 263 | General risks of harm with cannabinoids, cannabis, and cannabis-based medicine possibly relevant to patients receiving these for pain management: an overview of systematic reviews. <i>Pain</i> , 2021 , 162, S80-S96 | 8 | 16 |
| 262 | The variance shared across forms of childhood trauma is strongly associated with liability for psychiatric and substance use disorders. <i>Brain and Behavior</i> , 2016 , 6, e00432 | 3.4 | 16 |
| 261 | Using routinely collected data to understand and predict adverse outcomes in opioid agonist treatment: Protocol for the Opioid Agonist Treatment Safety (OATS) Study. <i>BMJ Open</i> , 2018 , 8, e025204 ³ | | 16 |
| 260 | A mapping review of take-home naloxone for people released from correctional settings. <i>International Journal of Drug Policy</i> , 2017 , 46, 7-16 | 5.5 | 15 |
| 259 | Regulatory and other responses to the pharmaceutical opioid problem. <i>Medical Journal of Australia</i> , 2019 , 210, 6-8.e1 | 4 | 15 |
| 258 | Excess mortality among opioid-using patients treated with oral naltrexone in Australia. <i>Drug and Alcohol Review</i> , 2015 , 34, 90-6 | 3.2 | 15 |
| 257 | Alcohol Use Disorders in the Draft ICD-11, and How They Compare with DSM-5. <i>Current Addiction Reports</i> , 2018 , 5, 257-264 | 3.9 | 15 |
| 256 | Characteristics and circumstances of heroin and pharmaceutical opioid overdose deaths: Comparison across opioids. <i>Drug and Alcohol Dependence</i> , 2019 , 205, 107533 | 4.9 | 15 |
| 255 | Associations of borderline personality with pain, problems with medications and suicidality in a community sample of chronic non-cancer pain patients prescribed opioids for pain. <i>General Hospital Psychiatry</i> , 2015 , 37, 434-40 | 5.6 | 15 |
| 254 | The global burden of mental and substance use disorders: changes in estimating burden between GBD1990 and GBD2010. <i>Epidemiology and Psychiatric Sciences</i> , 2014 , 23, 239-49 | 5.1 | 15 |
| 253 | Was an increase in cocaine use among injecting drug users in New South Wales, Australia, accompanied by an increase in violent crime?. <i>BMC Public Health</i> , 2005 , 5, 40 | 4.1 | 15 |
| 252 | Global Priorities for Addressing the Burden of Mental, Neurological, and Substance Use Disorders 2016 , 1-27 | | 15 |

| | | | |
|-----|---|------|----|
| 251 | Cross-national patterns of substance use disorder treatment and associations with mental disorder comorbidity in the WHO World Mental Health Surveys. <i>Addiction</i> , 2019 , 114, 1446-1459 | 4.6 | 14 |
| 250 | The extramedical use and diversion of opioid substitution medications and other medications in prison settings in Australia following the introduction of buprenorphine-naloxone film. <i>Drug and Alcohol Review</i> , 2016 , 35, 76-82 | 3.2 | 14 |
| 249 | Predictive validity of the AUDIT for hazardous alcohol consumption in recently released prisoners. <i>Drug and Alcohol Dependence</i> , 2014 , 134, 322-329 | 4.9 | 14 |
| 248 | Transition to and from injecting drug use among regular ecstasy users. <i>Addictive Behaviors</i> , 2010 , 35, 909-12 | 4.2 | 14 |
| 247 | The effects of the market withdrawal of temazepam gel capsules on benzodiazepine injecting in Sydney, Australia. <i>Drug and Alcohol Review</i> , 2008 , 27, 145-51 | 3.2 | 14 |
| 246 | Methadone-related and heroin-related deaths among opiate users: methadone helps save lives. <i>Addiction</i> , 2003 , 98, 387-8 | 4.6 | 14 |
| 245 | Progress Towards Elimination of Hepatitis C Infection Among People Who Inject Drugs in Australia: The ETHOS Engage Study. <i>Clinical Infectious Diseases</i> , 2021 , 73, e69-e78 | 11.6 | 14 |
| 244 | The association between psychotic experiences and health-related quality of life: a cross-national analysis based on World Mental Health Surveys. <i>Schizophrenia Research</i> , 2018 , 201, 46-53 | 3.6 | 14 |
| 243 | The effect of entry and retention in opioid agonist treatment on contact with the criminal justice system among opioid-dependent people: a retrospective cohort study. <i>Lancet Public Health</i> , The , 2019 , 4, e334-e342 | 22.4 | 13 |
| 242 | Methods and predictors of tampering with a tamper-resistant controlled-release oxycodone formulation. <i>International Journal of Drug Policy</i> , 2015 , 26, 1265-72 | 5.5 | 13 |
| 241 | The impact of blood-borne viruses on cause-specific mortality among opioid dependent people: An Australian population-based cohort study. <i>Drug and Alcohol Dependence</i> , 2015 , 152, 264-71 | 4.9 | 13 |
| 240 | Alcohol abuse in developed and developing countries in the World Mental Health Surveys: Socially defined consequences or psychiatric disorder?. <i>American Journal on Addictions</i> , 2014 , 23, 145-55 | 3.7 | 13 |
| 239 | Pills and pints: risky drinking and alcohol-related harms among regular ecstasy users in Australia. <i>Drug and Alcohol Review</i> , 2012 , 31, 273-80 | 3.2 | 13 |
| 238 | Does the social context of early alcohol use affect risky drinking in adolescents? Prospective cohort study. <i>BMC Public Health</i> , 2015 , 15, 1137 | 4.1 | 13 |
| 237 | Geographical clustering of cannabis use: results from the New Zealand Mental Health Survey 2003-2004. <i>Drug and Alcohol Dependence</i> , 2009 , 99, 309-16 | 4.9 | 13 |
| 236 | Cannabis and the increased incidence and persistence of psychosis. <i>BMJ</i> , The , 2011 , 342, d719 | 5.9 | 13 |
| 235 | Age differentials in the impacts of reduced heroin: effects of a "heroin shortage" in NSW, Australia. <i>Drug and Alcohol Dependence</i> , 2005 , 79, 397-404 | 4.9 | 13 |
| 234 | Recent trends in heroin supply to markets in Australia, the United States and Western Europe. <i>International Journal of Drug Policy</i> , 2005 , 16, 293-299 | 5.5 | 13 |

| | | | |
|-----|---|------|----|
| 233 | Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020 , 26, i12-i26 | 3.2 | 13 |
| 232 | Trends in new psychoactive substances from surface and "dark" net monitoring. <i>Lancet Psychiatry</i> , 2017 , 4, 16-18 | 23.3 | 12 |
| 231 | Estimating the proportion of prescription opioids that is consumed by people who inject drugs in Australia. <i>Drug and Alcohol Review</i> , 2013 , 32, 468-74 | 3.2 | 12 |
| 230 | Predictors of social anxiety in an opioid dependent sample and a control sample. <i>Journal of Anxiety Disorders</i> , 2010 , 24, 49-54 | 10.9 | 12 |
| 229 | Reprint of "Understanding comorbidity between substance use, anxiety and affective disorders: broadening the research base". <i>Addictive Behaviors</i> , 2009 , 34, 795-9 | 4.2 | 12 |
| 228 | The impact of illicit drug market changes on health agency operations in Sydney, Australia. <i>Journal of Substance Abuse Treatment</i> , 2005 , 28, 35-40 | 4.2 | 12 |
| 227 | Is there a specific cannabis psychosis? 2004 , 89-100 | | 12 |
| 226 | Cannabinoids, cannabis, and cannabis-based medicine for pain management: a protocol for an overview of systematic reviews and a systematic review of randomised controlled trials. <i>Pain Reports</i> , 2019 , 4, e741 | 3.5 | 12 |
| 225 | Predictors of transitions across stages of heroin use and dependence prior to treatment-seeking among people in treatment for opioid dependence. <i>Drug and Alcohol Dependence</i> , 2018 , 191, 145-151 | 4.9 | 12 |
| 224 | Age-related differences in patterns of criminal activity among a large sample of polydrug injectors in Australia. <i>Journal of Substance Use</i> , 2016 , 21, 48-56 | 0.8 | 11 |
| 223 | A latent class analysis of self-reported clinical indicators of psychosocial stability and adherence among opioid substitution therapy patients: do stable patients receive more unsupervised doses?. <i>Drug and Alcohol Dependence</i> , 2014 , 142, 46-55 | 4.9 | 11 |
| 222 | Examining the association of NRXN3 SNPs with borderline personality disorder phenotypes in heroin dependent cases and socio-economically disadvantaged controls. <i>Drug and Alcohol Dependence</i> , 2013 , 128, 187-93 | 4.9 | 11 |
| 221 | Diversion of prescribed opioids by people living with chronic pain: results from an Australian community sample. <i>Drug and Alcohol Review</i> , 2014 , 33, 27-32 | 3.2 | 11 |
| 220 | GHB in Sydney, Australia, 2000-2006: a case study of the EDRS as a strategic early warning system. <i>International Journal of Drug Policy</i> , 2009 , 20, 413-7 | 5.5 | 11 |
| 219 | Improving the data to strengthen the global response to HIV among people who inject drugs. <i>International Journal of Drug Policy</i> , 2010 , 21, 100-2 | 5.5 | 11 |
| 218 | The management of alcohol, tobacco and illicit drug use problems by general practitioners in Australia. <i>Drug and Alcohol Review</i> , 2005 , 24, 499-506 | 3.2 | 11 |
| 217 | Patterns of illicit drug use in NSW, Australia following a reduction in heroin supply. <i>International Journal of Drug Policy</i> , 2005 , 16, 300-307 | 5.5 | 11 |
| 216 | Allowing the medical use of cannabis. <i>Medical Journal of Australia</i> , 2001 , 175, 39-40 | 4 | 11 |

| | | | |
|-----|--|------|----|
| 215 | Initiation of strong prescription opioids in Australia: cohort characteristics and factors associated with the type of opioid initiated. <i>British Journal of Clinical Pharmacology</i> , 2016 , 82, 1123-33 | 3.8 | 11 |
| 214 | The Lancet Public Health Commission on gambling. <i>Lancet Public Health, The</i> , 2021 , 6, e2-e3 | 22.4 | 11 |
| 213 | Substance dependence among those without symptoms of substance abuse in the World Mental Health Survey. <i>International Journal of Methods in Psychiatric Research</i> , 2017 , 26, | 4.3 | 10 |
| 212 | Genome-Wide Association Study of Opioid Cessation. <i>Journal of Clinical Medicine</i> , 2020 , 9, | 5.1 | 10 |
| 211 | Accurate identification of opioid overdose deaths using coronial data. <i>Forensic Science International</i> , 2018 , 287, 40-46 | 2.6 | 10 |
| 210 | Post-marketing studies of pharmaceutical opioid abuse-deterrent formulations: a framework for research design and reporting. <i>Addiction</i> , 2019 , 114, 389-399 | 4.6 | 10 |
| 209 | Strategies to reduce drug-related harm: responding to the evidence base. <i>Lancet, The</i> , 2019 , 394, 1490-1493 | 4.9 | 10 |
| 208 | Jurisdictional differences in opioid use, other licit and illicit drug use, and harms associated with substance use among people who tamper with pharmaceutical opioids. <i>Drug and Alcohol Review</i> , 2015 , 34, 611-22 | 3.2 | 10 |
| 207 | Reflections on the development and implementation of an early warning system for ecstasy and related drug markets in Australia. <i>Drug and Alcohol Review</i> , 2006 , 25, 445-9 | 3.2 | 10 |
| 206 | Global Burden of Mental, Neurological, and Substance Use Disorders: An Analysis from the Global Burden of Disease Study 2010 2016 , 29-40 | | 10 |
| 205 | Association Between Opioid Agonist Therapy and Testing, Treatment Uptake, and Treatment Outcomes for Hepatitis C Infection Among People Who Inject Drugs: A Systematic Review and Meta-analysis. <i>Clinical Infectious Diseases</i> , 2021 , 73, e107-e118 | 11.6 | 10 |
| 204 | Estimating service demand for respite care among informal carers of people with psychological disabilities in Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2015 , 39, 284-92 | 2.3 | 9 |
| 203 | The impact of cohort substance use upon likelihood of transitioning through stages of alcohol and cannabis use and use disorder: Findings from the Australian National Survey on Mental Health and Wellbeing. <i>Drug and Alcohol Review</i> , 2018 , 37, 546-556 | 3.2 | 9 |
| 202 | Mortality trends among people with hepatitis B and C: a population-based linkage study, 1993-2012. <i>BMC Infectious Diseases</i> , 2018 , 18, 215 | 4 | 9 |
| 201 | Modelling the potential prevention benefits of a treat-all hepatitis C treatment strategy at global, regional and country levels: A modelling study. <i>Journal of Viral Hepatitis</i> , 2019 , 26, 1388-1403 | 3.4 | 9 |
| 200 | Opioid substitution therapy is associated with increased detection of hepatitis C virus infection: a 15-year observational cohort study. <i>Drug and Alcohol Dependence</i> , 2015 , 148, 213-6 | 4.9 | 9 |
| 199 | Imprisonment of opioid-dependent people in New South Wales, Australia, 2000-2012: a retrospective linkage study. <i>Australian and New Zealand Journal of Public Health</i> , 2014 , 38, 165-70 | 2.3 | 9 |
| 198 | PTSD risk associated with a functional DRD2 polymorphism in heroin-dependent cases and controls is limited to amphetamine-dependent individuals. <i>Addiction Biology</i> , 2014 , 19, 700-7 | 4.6 | 9 |

| | | | |
|-----|---|------|---|
| 197 | Sexual and injecting risk behaviours among regular ecstasy users. <i>Addictive Behaviors</i> , 2010 , 35, 157-60 | 4.2 | 9 |
| 196 | Frequency of injecting among people who inject drugs: A systematic review and meta-analysis. <i>International Journal of Drug Policy</i> , 2020 , 76, 102619 | 5.5 | 9 |
| 195 | Global, regional, and national sex-specific burden and control of the HIV epidemic, 1990-2019, for 204 countries and territories: the Global Burden of Diseases Study 2019. <i>Lancet HIV</i> , 2021 , 8, e633-e651 | 7.8 | 9 |
| 194 | Excessive gambling and gaming: addictive disorders?. <i>Lancet Psychiatry</i> , 2017 , 4, 433-435 | 23.3 | 8 |
| 193 | Rates, characteristics and manner of cannabis-related deaths in Australia 2000-2018. <i>Drug and Alcohol Dependence</i> , 2020 , 212, 108028 | 4.9 | 8 |
| 192 | Familial alcohol supply, adolescent drinking and early alcohol onset in 45 low and middle income countries. <i>Addictive Behaviors</i> , 2018 , 84, 178-185 | 4.2 | 8 |
| 191 | Person-level changes in oxycodone use after the introduction of a tamper-resistant formulation in Australia. <i>Cmaj</i> , 2018 , 190, E355-E362 | 3.5 | 8 |
| 190 | The POPPY Research Programme protocol: investigating opioid utilisation, costs and patterns of extramedical use in Australia. <i>BMJ Open</i> , 2015 , 5, e007030 | 3 | 8 |
| 189 | Hepatitis C testing and status among opioid substitution treatment clients in New South Wales. <i>Australian and New Zealand Journal of Public Health</i> , 2014 , 38, 160-4 | 2.3 | 8 |
| 188 | Commentary: improving the mental health and substance use estimates in the Global Burden of Disease study: strengthening the evidence base for public policy. <i>International Journal of Epidemiology</i> , 2014 , 43, 296-301 | 7.8 | 8 |
| 187 | Illicit Drug Dependence 2016 , 109-125 | | 8 |
| 186 | Biomedical HIV Protection Among Gay and Bisexual Men Who Use Crystal Methamphetamine. <i>AIDS and Behavior</i> , 2020 , 24, 1400-1413 | 4.3 | 8 |
| 185 | Perceived helpfulness of treatment for posttraumatic stress disorder: Findings from the World Mental Health Surveys. <i>Depression and Anxiety</i> , 2020 , 37, 972-994 | 8.4 | 8 |
| 184 | Sleep Quality Among People Living With Chronic Noncancer Pain: Findings From the Pain and Opioids IN Treatment (POINT) Cohort. <i>Clinical Journal of Pain</i> , 2016 , 32, 380-7 | 3.5 | 8 |
| 183 | Adolescent Predictors of a Typology of DSM-5 Alcohol Use Disorder Symptoms in Young Adults Derived by Latent Class Analysis Using Data From an Australian Cohort Study. <i>Journal of Studies on Alcohol and Drugs</i> , 2016 , 77, 757-65 | 1.9 | 8 |
| 182 | Diversion and injection of buprenorphine-naloxone film two years post-introduction in Australia. <i>Drug and Alcohol Review</i> , 2016 , 35, 83-91 | 3.2 | 8 |
| 181 | High hepatitis C treatment uptake among people with recent drug dependence in New South Wales, Australia. <i>Journal of Hepatology</i> , 2021 , 74, 293-302 | 13.4 | 8 |
| 180 | Current Opioid Access, Use, and Problems in Australasian Jurisdictions. <i>Current Addiction Reports</i> , 2018 , 5, 464-472 | 3.9 | 8 |

| | | | |
|-----|---|------|---|
| 179 | Does adolescent heavier alcohol use predict young adult aggression and delinquency? Parallel analyses from four Australasian cohort studies. <i>Aggressive Behavior</i> , 2019 , 45, 427-436 | 2.8 | 7 |
| 178 | Antidepressant Use Among People Prescribed Opioids for Chronic Noncancer Pain. <i>Pain Medicine</i> , 2019 , 20, 2450-2458 | 2.8 | 7 |
| 177 | A systematic review and meta-analysis of racial and ethnic disparities in hepatitis C antibody prevalence in United States correctional populations. <i>Annals of Epidemiology</i> , 2016 , 26, 570-578.e2 | 6.4 | 7 |
| 176 | Concerns and Help-Seeking Among Patients Using Opioids for Management of Chronic Noncancer Pain. <i>Pain Medicine</i> , 2019 , 20, 758-769 | 2.8 | 7 |
| 175 | Estimating Centre for Disease Control and Prevention-defined overdose risk in people prescribed opioids for chronic non-cancer pain: implications for take-home naloxone provision. <i>Internal Medicine Journal</i> , 2019 , 49, 1054-1055 | 1.6 | 7 |
| 174 | Estimating the number of adults with severe and persistent mental illness who have complex, multi-agency needs. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 799-809 | 2.6 | 7 |
| 173 | Examining the quality of name code record linkage: what is the impact on death and cancer risk estimates? A validation study. <i>Australian and New Zealand Journal of Public Health</i> , 2015 , 39, 141-7 | 2.3 | 7 |
| 172 | The introduction of buprenorphine-naloxone film in opioid substitution therapy in Australia: Uptake and issues arising from changing buprenorphine formulations. <i>Drug and Alcohol Review</i> , 2015 , 34, 603-10 | 3.2 | 7 |
| 171 | Potential bias due to outcome-related loss to follow-up in cohort studies on incidence of drug injection: systematic review and meta-analysis. <i>Addiction</i> , 2015 , 110, 1247-57 | 4.6 | 7 |
| 170 | Offending, custody and opioid substitution therapy treatment utilisation among opioid-dependent people in contact with the criminal justice system: comparison of Indigenous and non-Indigenous Australians. <i>BMC Public Health</i> , 2014 , 14, 920 | 4.1 | 7 |
| 169 | The impact of changes to heroin supply on blood-borne virus notifications and injecting related harms in New South Wales, Australia. <i>BMC Public Health</i> , 2005 , 5, 84 | 4.1 | 7 |
| 168 | Examining links between cocaine use and street-based sex work in New South Wales, Australia. <i>Journal of Sex Research</i> , 2006 , 43, 107-14 | 4 | 7 |
| 167 | How common is comorbidity and why does it occur?. <i>Australian Psychologist</i> , 2005 , 40, 81-87 | 1.7 | 7 |
| 166 | Drug use and risk behaviours among injecting drug users: a comparison between sex workers and non-sex workers in Sydney, Australia. <i>Harm Reduction Journal</i> , 2005 , 2, 7 | 4.6 | 7 |
| 165 | The Mortality After Release from Incarceration Consortium (MARIC): Protocol for a multi-national, individual participant data meta-analysis. <i>International Journal of Population Data Science</i> , 2020 , 5, 1145 | 1.4 | 7 |
| 164 | Alcohol- and Drug-Use Disorders in Australia: Implications of the National Survey of Mental Health and Wellbeing | | 7 |
| 163 | Trans-ancestral GWAS of alcohol dependence reveals common genetic underpinnings with psychiatric disorders | | 7 |
| 162 | Associations between national development indicators and the age profile of people who inject drugs: results from a global systematic review and meta-analysis. <i>The Lancet Global Health</i> , 2020 , 8, e76-e91 | 13.6 | 7 |

| | | | |
|-----|---|------|---|
| 161 | Integrating HIV pre-exposure prophylaxis and harm reduction among men who have sex with men and transgender women to address intersecting harms associated with stimulant use: a modelling study. <i>Journal of the International AIDS Society</i> , 2020 , 23 Suppl 1, e25495 | 5.4 | 7 |
| 160 | International Association for the Study of Pain Presidential Task Force on Cannabis and Cannabinoid Analgesia: research agenda on the use of cannabinoids, cannabis, and cannabis-based medicines for pain management. <i>Pain</i> , 2021 , 162, S117-S124 | 8 | 7 |
| 159 | Alcohol use among young Australian adults in May-June 2020 during the COVID-19 pandemic: a prospective cohort study. <i>Addiction</i> , 2021 , 116, 3398-3407 | 4.6 | 7 |
| 158 | A cross-sectional study of correlates of imprisonment in opioid-dependent men and women in New South Wales, Australia. <i>Drug and Alcohol Review</i> , 2016 , 35, 686-692 | 3.2 | 7 |
| 157 | Same-day use of opioids and other central nervous system depressants amongst people who tamper with pharmaceutical opioids: A retrospective 7-day diary study. <i>Drug and Alcohol Dependence</i> , 2016 , 166, 125-33 | 4.9 | 7 |
| 156 | All-cause and cause-specific mortality among people with regular or problematic cocaine use: a systematic review and meta-analysis. <i>Addiction</i> , 2021 , 116, 725-742 | 4.6 | 7 |
| 155 | Prevalence and Characteristics Associated with Chronic Noncancer Pain in Suicide Decedents: A National Study. <i>Suicide and Life-Threatening Behavior</i> , 2020 , 50, 778-791 | 3.9 | 6 |
| 154 | Correlates of pain in an in-treatment sample of opioid-dependent people. <i>Drug and Alcohol Review</i> , 2013 , 32, 489-94 | 3.2 | 6 |
| 153 | The Australian Illicit Drug Reporting System: Monitoring Trends in Illicit Drug Availability, Use and Drug-Related Harm in Australia 1996-2006. <i>Contemporary Drug Problems</i> , 2009 , 36, 643-661 | 1.3 | 6 |
| 152 | Estimating the costs of drug-related hospital separations in Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2008 , 32, 156-61 | 2.3 | 6 |
| 151 | Open-label, multicentre, single-arm trial of monthly injections of depot buprenorphine in people with opioid dependence: protocol for the CoLAB study. <i>BMJ Open</i> , 2020 , 10, e034389 | 3 | 6 |
| 150 | Modelling the intervention effect of opioid agonist treatment on multiple mortality outcomes in people who inject drugs: a three-setting analysis. <i>Lancet Psychiatry</i> , 2021 , 8, 301-309 | 23.3 | 6 |
| 149 | Geographic Variation in Health Service Use and Perceived Access Barriers for Australian Adults with Chronic Non-Cancer Pain Receiving Opioid Therapy. <i>Pain Medicine</i> , 2016 , 17, 2003-2016 | 2.8 | 6 |
| 148 | Increases in controlled-release oxycodone utilisation following the subsidy of oxycodone with naloxone formulations: An Australian population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 97-105 | 2.6 | 6 |
| 147 | Prevalence of childhood maltreatment among people with opioid use disorder: A systematic review and meta-analysis. <i>Drug and Alcohol Dependence</i> , 2021 , 219, 108459 | 4.9 | 6 |
| 146 | Combating escalating harms associated with pharmaceutical opioid use in Australia: the POPPY II study protocol. <i>BMJ Open</i> , 2018 , 8, e025840 | 3 | 6 |
| 145 | Prevalence of HIV, HCV and HBV infection and sociodemographic characteristics of people who inject drugs in China: A systematic review and meta-analysis. <i>International Journal of Drug Policy</i> , 2019 , 70, 87-93 | 5.5 | 5 |
| 144 | Global systematic review and ecological analysis of HIV in people who inject drugs: National population sizes and factors associated with HIV prevalence. <i>International Journal of Drug Policy</i> , 2020 , 77, 102656 | 5.5 | 5 |

| | | | |
|-----|---|------|---|
| 143 | A nationwide study of the extent and factors associated with fentanyl use in Australia. <i>Research in Social and Administrative Pharmacy</i> , 2018 , 14, 303-308 | 2.9 | 5 |
| 142 | Treating codeine dependence with buprenorphine: Dose requirements and induction outcomes from a retrospective case series in New South Wales, Australia. <i>Drug and Alcohol Review</i> , 2016 , 35, 70-75 ^{3,2} | 3.2 | 5 |
| 141 | Injecting buprenorphine-naloxone film: Findings from an explorative qualitative study. <i>Drug and Alcohol Review</i> , 2015 , 34, 623-9 | 3.2 | 5 |
| 140 | The use of paracetamol (acetaminophen) among a community sample of people with chronic non-cancer pain prescribed opioids. <i>International Journal of Clinical Practice</i> , 2015 , 69, 1366-76 | 2.9 | 5 |
| 139 | Sexual identity, same-sex partners and risk behaviour among a community-based sample of young people in Australia. <i>International Journal of Drug Policy</i> , 2015 , 26, 153-61 | 5.5 | 5 |
| 138 | Methods estimating the prevalence of problem drug use. <i>International Journal of Drug Policy</i> , 2006 , 17, 154-158 | 5.5 | 5 |
| 137 | Substance use disorders in an Australian community survey. <i>Drug and Alcohol Review</i> , 2002 , 21, 275-80 | 3.2 | 5 |
| 136 | Parental supply of sips and whole drinks of alcohol to adolescents and associations with binge drinking and alcohol-related harms: A prospective cohort study. <i>Drug and Alcohol Dependence</i> , 2020 , 215, 108204 | 4.9 | 5 |
| 135 | Injecting risk behaviours amongst people who inject drugs: A global multi-stage systematic review and meta-analysis. <i>International Journal of Drug Policy</i> , 2020 , 84, 102866 | 5.5 | 5 |
| 134 | Profile and correlates of injecting-related injuries and diseases among people who inject drugs in Australia. <i>Drug and Alcohol Dependence</i> , 2020 , 216, 108267 | 4.9 | 5 |
| 133 | Estimating the contribution of stimulant injection to HIV and HCV epidemics among people who inject drugs and implications for harm reduction: A modeling analysis. <i>Drug and Alcohol Dependence</i> , 2020 , 213, 108135 | 4.9 | 5 |
| 132 | The contribution of methamphetamine use to crime: Evidence from Australian longitudinal data. <i>Drug and Alcohol Dependence</i> , 2020 , 216, 108262 | 4.9 | 5 |
| 131 | Big data and predictive modelling for the opioid crisis: existing research and future potential. <i>The Lancet Digital Health</i> , 2021 , 3, e397-e407 | 14.4 | 5 |
| 130 | Protocol for the Data-Linkage Alcohol Cohort Study (DACS): investigating mortality, morbidity and offending among people with an alcohol-related problem using linked administrative data. <i>BMJ Open</i> , 2019 , 9, e030605 | 3 | 5 |
| 129 | A population-based study of transdermal fentanyl initiation in Australian clinical practice. <i>European Journal of Clinical Pharmacology</i> , 2019 , 75, 401-408 | 2.8 | 5 |
| 128 | Trends in treatment episodes for methamphetamine smoking and injecting in Australia, 2003-2019. <i>Drug and Alcohol Review</i> , 2021 , 40, 1281-1286 | 3.2 | 5 |
| 127 | The next wave? Mental health comorbidities and patients with substance use disorders in under-resourced and rural areas. <i>Journal of Substance Abuse Treatment</i> , 2021 , 121, 108189 | 4.2 | 5 |
| 126 | Interventions to enhance testing, linkage to care, and treatment initiation for hepatitis C virus infection: a systematic review and meta-analysis.. <i>The Lancet Gastroenterology and Hepatology</i> , 2022 , | 18.8 | 5 |

| | | | |
|-----|---|------|---|
| 125 | Prescription Opioid Access Patterns and Factors Associated with Increasing Number of Prescribers, Pharmacies, and Dispensings: An Observational Study Using Pharmaceutical Claims. <i>Pain Medicine</i> , 2018 , 19, 1170-1183 | 2.8 | 4 |
| 124 | Development of a Brief Patient-Administered Screening Tool for Prescription Opioid Dependence for Primary Care Settings. <i>Pain Medicine</i> , 2020 , 21, e79-e88 | 2.8 | 4 |
| 123 | Reductions in emergency department presentations associated with opioid agonist treatment vary by geographic location: A retrospective study in New South Wales, Australia. <i>Drug and Alcohol Review</i> , 2019 , 38, 690-698 | 3.2 | 4 |
| 122 | Patterns of, and Factors Associated With, Illicit Pharmaceutical Opioid Analgesic Use in a Prospective Cohort of People Who Inject Drugs in Melbourne, Australia. <i>Substance Use and Misuse</i> , 2015 , 50, 1650-9 | 2.2 | 4 |
| 121 | A typology of people who tamper with pharmaceutical opioids: responses to introduction of a tamper-resistant formulation of controlled-release oxycodone. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 1321-33 | 2.6 | 4 |
| 120 | Ecstasy Use, Outcome Expectancies, and Sexual Risk Taking. <i>Australian Psychologist</i> , 2011 , 46, 219-228 | 1.7 | 4 |
| 119 | What are the policy implications of the evidence on cannabis use and psychosis?. <i>Addiction</i> , 2010 , 105, 1332-3 | 4.6 | 4 |
| 118 | Projecting the impact of changes in cannabis use upon schizophrenia in England and Wales: the role of assumptions and balance in framing an evidence-based cannabis policy. <i>Addiction</i> , 2007 , 102, 515-6; discussion 516-8 | 4.6 | 4 |
| 117 | Identification and quantification of change in Australian illicit drug markets. <i>BMC Public Health</i> , 2006 , 6, 200 | 4.1 | 4 |
| 116 | Societal issues and policy implications related to the use of cannabinoids, cannabis, and cannabis-based medicines for pain management. <i>Pain</i> , 2021 , 162, S110-S116 | 8 | 4 |
| 115 | Opioid use and harms associated with a sustained-release tapentadol formulation: A post-marketing surveillance study. <i>Drug and Alcohol Dependence</i> , 2020 , 206, 107697 | 4.9 | 4 |
| 114 | All-Cause and Overdose Mortality Risk Among People Prescribed Opioids: A Systematic Review and Meta-analysis. <i>Pain Medicine</i> , 2020 , 21, 3700-3711 | 2.8 | 4 |
| 113 | Data Resource Profile: The Opioid Agonist Treatment and Safety (OATS) Study, New South Wales, Australia. <i>International Journal of Epidemiology</i> , 2021 , 49, 1774-1775 | 7.8 | 4 |
| 112 | Changes in illicit drug use and markets with the COVID-19 pandemic and associated restrictions: findings from the Ecstasy and Related Drugs Reporting System, 2016-20. <i>Addiction</i> , 2022 , 117, 182-194 | 4.6 | 4 |
| 111 | Patterns of smoking and injecting methamphetamine and their association with health and social outcomes. <i>Drug and Alcohol Review</i> , 2021 , 40, 1256-1265 | 3.2 | 4 |
| 110 | Opioid agonist doses for oxycodone and morphine dependence: Findings from a retrospective case series. <i>Drug and Alcohol Review</i> , 2017 , 36, 311-316 | 3.2 | 3 |
| 109 | Parental supply of alcohol as a predictor of adolescent alcohol consumption patterns: A prospective cohort. <i>Drug and Alcohol Dependence</i> , 2019 , 204, 107529 | 4.9 | 3 |
| 108 | Reducing extramedical use and harms of pharmaceutical opioids: the potential role of abuse-deterrent formulations. <i>Lancet Psychiatry</i> , 2015 , 2, 957-9 | 23.3 | 3 |

| | | | |
|-----|--|------|---|
| 107 | Health service utilisation by people living with chronic non-cancer pain: findings from the Pain and Opioids IN Treatment (POINT) study. <i>Australian Health Review</i> , 2016 , 40, 490-499 | 1.8 | 3 |
| 106 | Amphetamine use in the fourth decade of life: Social profiles from a population-based Australian cohort. <i>Drug and Alcohol Review</i> , 2018 , 37, 743-751 | 3.2 | 3 |
| 105 | Opioid agonist treatment for pharmaceutical opioid dependent people 2014 , | | 3 |
| 104 | Escalating patterns of emergency health care prior to first admission with amphetamine psychosis: A window of opportunity?. <i>Drug and Alcohol Dependence</i> , 2017 , 180, 171-177 | 4.9 | 3 |
| 103 | A comparative study of opioid substitution therapy utilisation among opioid-dependent men and women. <i>Drug and Alcohol Review</i> , 2014 , 33, 499-505 | 3.2 | 3 |
| 102 | Injecting drug use and related health behaviours in a small case series of East African migrants in Melbourne. <i>Australian and New Zealand Journal of Public Health</i> , 2012 , 36, 586-7 | 2.3 | 3 |
| 101 | CANNABIS ABUSE AND DEPENDENCE 2008 , 117-148 | | 3 |
| 100 | MAPPING THE CONSEQUENCES OF AN UNANTICIPATED DRUG SUPPLY CHANGE OF UNCERTAIN ORIGINS: RESPONSE TO THE COMMENTARIES. <i>Addiction</i> , 2005 , 100, 930-932 | 4.6 | 3 |
| 99 | Cohort trends in youth suicide in Australia 1964-1997. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, 408-412 | 2.6 | 3 |
| 98 | Self-harm in primary school-aged children: Prospective cohort study. <i>PLoS ONE</i> , 2020 , 15, e0242802 | 3.7 | 3 |
| 97 | Epidemiology of Substance Use Internationally. <i>Advances in Prevention Science</i> , 2019 , 19-36 | 0.9 | 3 |
| 96 | Correlates of indicators of potential extra-medical opioid use in people prescribed opioids for chronic non-cancer pain. <i>Drug and Alcohol Review</i> , 2020 , 39, 128-134 | 3.2 | 3 |
| 95 | Risk factors for indicators of opioid-related harms amongst people living with chronic non-cancer pain: Findings from a 5-year prospective cohort study. <i>EClinicalMedicine</i> , 2020 , 28, 100592 | 11.3 | 3 |
| 94 | Life expectancy of people who are dependent on opioids: A cohort study in New South Wales, Australia. <i>Journal of Psychiatric Research</i> , 2020 , 130, 435-440 | 5.2 | 3 |
| 93 | The effect of person, treatment and prescriber characteristics on retention in opioid agonist treatment: a 15-year retrospective cohort study. <i>Addiction</i> , 2021 , 116, 3139-3152 | 4.6 | 3 |
| 92 | Longitudinal patterns of amphetamine use from adolescence to adulthood: A latent class analysis of a 20-year prospective study of Australians. <i>Drug and Alcohol Dependence</i> , 2019 , 194, 121-127 | 4.9 | 3 |
| 91 | Understanding an emerging treatment population: Protocol for and baseline characteristics of a prospective cohort of people receiving treatment for pharmaceutical opioid dependence. <i>Drug and Alcohol Review</i> , 2018 , 37, 887-896 | 3.2 | 3 |
| 90 | Alcohol use disorder and associated physical health complications and treatment amongst individuals with and without opioid dependence: A case-control study. <i>Drug and Alcohol Dependence</i> , 2018 , 188, 304-310 | 4.9 | 3 |

| | | | |
|----|--|------|---|
| 89 | Age-related prevalence and twelve-month incidence of illicit drug use in a cohort of Australian gay and bisexual men: Results from the Flux Study. <i>Drug and Alcohol Dependence</i> , 2018 , 188, 175-179 | 4.9 | 3 |
| 88 | Risk of discharge against medical advice among hospital inpatients with a history of opioid agonist therapy in New South Wales, Australia: A cohort study and nested crossover-cohort analysis. <i>Drug and Alcohol Dependence</i> , 2020 , 217, 108343 | 4.9 | 2 |
| 87 | Generational trends in US opioid-overdose deaths. <i>Nature Medicine</i> , 2020 , 26, 651-652 | 50.5 | 2 |
| 86 | Response to Hser et al. (2014): The necessity for more and better data on the global epidemiology of opioid dependence. <i>Addiction</i> , 2014 , 109, 1335-7 | 4.6 | 2 |
| 85 | Commentary on Kelty & Hulse (2012): is the comparison of mortality between patients prescribed implanted or oral naltrexone an unbiased and unconfounded comparison?. <i>Addiction</i> , 2012 , 107, 1825-6 | 4.6 | 2 |
| 84 | Impact of drug market changes on substance-using pregnant women in three key Sydney drug markets. <i>Women and Health</i> , 2006 , 44, 93-105 | 1.7 | 2 |
| 83 | UK classification of cannabis: is a change needed and why?. <i>Lancet, The</i> , 2007 , 370, 1541 | 4.0 | 2 |
| 82 | Reasons for Cannabis use in Psychosis | | 2 |
| 81 | Previous disorders and depression outcomes in individuals with 12-month major depressive disorder in the World Mental Health surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e70 | 5.1 | 2 |
| 80 | Outcomes of a single-arm implementation trial of extended-release subcutaneous buprenorphine depot injections in people with opioid dependence. <i>International Journal of Drug Policy</i> , 2021 , 100, 103492 | 5.5 | 2 |
| 79 | Leveraging genome-wide data to investigate differences between opioid use vs. opioid dependence in 41,176 individuals from the Psychiatric Genomics Consortium | | 2 |
| 78 | Pharmaceutical Opioid Use Patterns and Indicators of Extramedical Use and Harm in Adults With Chronic Noncancer Pain, 2012-2018. <i>JAMA Network Open</i> , 2021 , 4, e213059 | 10.4 | 2 |
| 77 | Association between opioid agonist therapy use and HIV testing uptake among people who have recently injected drugs: a systematic review and meta-analysis. <i>Addiction</i> , 2021 , 116, 1664-1676 | 4.6 | 2 |
| 76 | Trends in cocaine use, markets and harms in Australia, 2003-2019. <i>Drug and Alcohol Review</i> , 2021 , 40, 946-956 | 3.2 | 2 |
| 75 | Retention of opioid agonist treatment prescribers across New South Wales, Australia, 2001-2018: Implications for treatment systems and potential impact on client outcomes. <i>Drug and Alcohol Dependence</i> , 2021 , 219, 108464 | 4.9 | 2 |
| 74 | Clinical correlates and outcomes associated with pregabalin use among people prescribed opioids for chronic non-cancer pain: A five-year prospective cohort study. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 3092-3104 | 3.8 | 2 |
| 73 | Patterns and correlates of patient-reported helpfulness of treatment for common mental and substance use disorders in the WHO World Mental Health Surveys.. <i>World Psychiatry</i> , 2022 , 21, 272-286 | 14.4 | 2 |
| 72 | Variation in mortality risk of people released from prison. <i>Lancet Psychiatry</i> , 2015 , 2, 681 | 23.3 | 1 |

| | | | |
|----|--|------|---|
| 71 | The association between parental supply of alcohol and supply from other sources to young people: a prospective cohort. <i>Addiction</i> , 2020 , 115, 2140-2147 | 4.6 | 1 |
| 70 | The overall effect of parental supply of alcohol across adolescence on alcohol-related harms in early adulthood-a prospective cohort study. <i>Addiction</i> , 2020 , 115, 1833-1843 | 4.6 | 1 |
| 69 | Socio-demographic and ecological factors associated with anti-HCV prevalence in people who inject drugs: A systematic review. <i>Drug and Alcohol Dependence</i> , 2020 , 209, 107899 | 4.9 | 1 |
| 68 | Drug-Use Disorders243-262 | | 1 |
| 67 | Opioid use and harms associated with a sustained-release tapentadol formulation: a postmarketing study protocol. <i>BMJ Open</i> , 2018 , 8, e020006 | 3 | 1 |
| 66 | Psychiatric Epidemiology 2015 , 407-434 | | 1 |
| 65 | Reply: To PMID 23504650. <i>Hepatology</i> , 2014 , 59, 733-4 | 11.2 | 1 |
| 64 | Afghanistan has a sizeable problem with opioid use. <i>The Lancet Global Health</i> , 2014 , 2, e557-8 | 13.6 | 1 |
| 63 | Commentary on Mehta et al. (2012): Natural history of injecting drug use. <i>Addiction</i> , 2012 , 107, 359-60 | 4.6 | 1 |
| 62 | What are the policy implications of the evidence on cannabis and psychosis?55-65 | | 1 |
| 61 | The association between cannabis use and depression: a review of the evidence114-128 | | 1 |
| 60 | The global diversion of pharmaceutical drugs series. <i>Addiction</i> , 2009 , 104, 333-4 | 4.6 | 1 |
| 59 | The Decline in Alcohol Disorders with Age: Causes and Implications. <i>Australasian Journal on Ageing</i> , 1998 , 17, 158-159 | 1.5 | 1 |
| 58 | A review of the use of US-derived aetiological fractions in an Australian setting for antenatal problems related to cocaine use. <i>Australian and New Zealand Journal of Public Health</i> , 2008 , 32, 393-4 | 2.3 | 1 |
| 57 | Canadian heroin supply and the Australian 'heroin shortage'. <i>Addiction</i> , 2006 , 101, 1667-8 | 4.6 | 1 |
| 56 | Increase in Depression and Anxiety Among Australian Gay and Bisexual Men During COVID-19 Restrictions: Findings from a Prospective Online Cohort Study.. <i>Archives of Sexual Behavior</i> , 2022 , 51, 355 | 3.5 | 1 |
| 55 | Trends in comorbid opioid and stimulant use disorders among Veterans receiving care from the Veterans Health Administration, 2005-2019.. <i>Drug and Alcohol Dependence</i> , 2022 , 232, 109310 | 4.9 | 1 |
| 54 | Perceptions of injectable opioid agonist treatment (iOAT) among people who regularly use opioids in Australia: findings from a cross-sectional study in three Australian cities. <i>Addiction</i> , 2021 , 116, 1482-1494 | 4.6 | 1 |

| | | | |
|----|--|------|---|
| 53 | Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. <i>Drug and Alcohol Dependence</i> , 2021 , 229, 109158 | 4.9 | 1 |
| 52 | Drug-related aggression among injecting drug users. <i>NSW Public Health Bulletin</i> , 2006 , 17, 12-6 | | 1 |
| 51 | Opportunities to Enhance Linkage to Hepatitis C Care Among Hospitalized People With Recent Drug Dependence in New South Wales, Australia: A Population-based Linkage Study. <i>Clinical Infectious Diseases</i> , 2021 , 73, 2037-2044 | 11.6 | 1 |
| 50 | Estimating the number of regular and dependent methamphetamine users in Australia, 2002-2014. <i>Medical Journal of Australia</i> , 2016 , 205, 426 | 4 | 1 |
| 49 | Commentary on Cousins et al. (2016): Accumulating evidence on risk of mortality on and off opioid substitution treatment. <i>Addiction</i> , 2016 , 111, 83-4 | 4.6 | 1 |
| 48 | Adolescent cannabis use disorders 2020 , 111-135 | | 1 |
| 47 | Feasibility and acceptability of take-home naloxone for people released from prison in New South Wales, Australia. <i>Drug and Alcohol Review</i> , 2021 , 40, 98-108 | 3.2 | 1 |
| 46 | Hospitalisations for non-fatal overdose among people with a history of opioid dependence in New South Wales, Australia, 2001-2018: Findings from the OATS retrospective cohort study. <i>Drug and Alcohol Dependence</i> , 2021 , 218, 108354 | 4.9 | 1 |
| 45 | Genome-wide association study of phenotypes measuring progression from first cocaine or opioid use to dependence reveals novel risk genes. <i>Exploration of Medicine</i> , 2021 , 2, 60-73 | 1.1 | 1 |
| 44 | Cannabis use and non-cancer chronic pain - Authors' reply. <i>Lancet Public Health, The</i> , 2018 , 3, e469 | 22.4 | 1 |
| 43 | Unintentional and intentional drug poisoning deaths, Australia, 2012-2016: Drug pattern profile and demographic characteristics. <i>Drug and Alcohol Dependence</i> , 2021 , 229, 109112 | 4.9 | 1 |
| 42 | Using administrative data to predict cessation risk and identify novel predictors among new entrants to opioid agonist treatment. <i>Drug and Alcohol Dependence</i> , 2021 , 228, 109091 | 4.9 | 1 |
| 41 | Quantitative Data Analysis163-183 | | 1 |
| 40 | A Typology of Predictive Risk Factors for Non-Adherent Medication-Related Behaviors among Chronic Non-Cancer Pain Patients Prescribed Opioids: A Cohort Study. <i>Pain Physician</i> , 2016 , 19, E421-34 | 1.8 | 1 |
| 39 | The impact of opioid agonist treatment on fatal and non-fatal drug overdose among people with a history of opioid dependence in NSW, Australia, 2001-2018: Findings from the OATS retrospective linkage study.. <i>Drug and Alcohol Dependence</i> , 2022 , 236, 109464 | 4.9 | 1 |
| 38 | Trends in methamphetamine use, markets and harms in Australia, 2003-2019. <i>Drug and Alcohol Review</i> , | 3.2 | 1 |
| 37 | Effectiveness and framing of pharmaceutical opioid abuse-deterrent formulations. <i>Addiction</i> , 2019 , 114, 404-405 | 4.6 | 0 |
| 36 | Characteristics of gay and bisexual men who rarely use HIV risk reduction strategies during condomless anal intercourse: Results from the FLUX national online cohort study. <i>PLoS ONE</i> , 2020 , 15, e0233922 | 3.7 | 0 |

| | | | |
|----|---|-----|---|
| 35 | Illicit Drugs: Patterns of Use, Dependence, and Contribution to Disease Burden in Developed Countries 2017 , 134-145 | | o |
| 34 | Cannabis Use and the Development and Maintenance of Psychosis 2013 , 517-524 | | o |
| 33 | Australian heroin seizures and the causes of the 2001 heroin shortage. <i>International Journal of Drug Policy</i> , 2008 , 19, 293-4; discussion 295-6 | 5.5 | o |
| 32 | Mortality amongst illicit drug users20-41 | | o |
| 31 | Exposure to childhood trauma increases risk of opioid use disorder among people prescribed opioids for chronic non-cancer pain. <i>Drug and Alcohol Dependence</i> , 2021 , 230, 109199 | 4.9 | o |
| 30 | Comorbidity between mood and substance-related disorders: A systematic review and meta-analysis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 48674211054740 | 2.6 | o |
| 29 | Economic analysis of out-of-pocket costs among people in opioid agonist treatment: A cross-sectional survey in three Australian jurisdictions. <i>International Journal of Drug Policy</i> , 2021 , 99, 103472 | 5.5 | o |
| 28 | Gender differences in the supply of alcohol to adolescent daughters and sons. <i>American Journal of Drug and Alcohol Abuse</i> , 2021 , 47, 508-520 | 3.7 | o |
| 27 | Excess mortality from mental, neurological and substance use disorders in the Global Burden of Disease Study 2010 [CORRIGENDUM. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 91-92 | 5.1 | o |
| 26 | A trial of Criminal Infringement Notices as an alternative to criminal penalties for illicit drug offences in New South Wales, Australia: Estimated savings. <i>Drug and Alcohol Review</i> , 2021 , 40, 93-97 | 3.2 | o |
| 25 | Variations in Long-term Opioid Therapy Definitions: A Systematic Review of Observational Studies Using Routinely Collected Data (2000-2019). <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 3706-3720 ⁸ | 2.8 | o |
| 24 | Hepatitis C virus cascade of care among people who inject drugs in Australia: Factors associated with testing and treatment in a universal healthcare system. <i>Drug and Alcohol Dependence</i> , 2021 , 228, 109050 | 4.9 | o |
| 23 | Declining prevalence of current HCV infection and increased treatment uptake among people who inject drugs: The ETHOS Engage study.. <i>International Journal of Drug Policy</i> , 2022 , 105, 103706 | 5.5 | o |
| 22 | The impact of opioid agonist treatment on hospitalisations for injecting-related diseases among an opioid dependent population: A retrospective data linkage study. <i>Drug and Alcohol Dependence</i> , 2022 , 109494 | 4.9 | o |
| 21 | Cannabinoids for the treatment of mental disorders - Author's reply. <i>Lancet Psychiatry</i> , 2020 , 7, 127-128 | 3.5 | |
| 20 | The Impact of Illicit Drugs on Public Health 2015 , 300-319 | | |
| 19 | P2-416 Estimating the prevalence of hepatitis B infection among people who inject drugs: results from a global systematic review. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, A336-A337 | 5.1 | |
| 18 | Adverse health effects of non-medical cannabis use [Authors' reply. <i>Lancet, The</i> , 2010 , 375, 197 | 4.0 | |

- 17 Response to Brewer. *Drug and Alcohol Review*, **2008**, 27, 448-449 3.2
- 16 Cannabis-Induced Psychosis among Aboriginal People in the Northwest Territories. *Canadian Journal of Psychiatry*, **2007**, 52, 475-476 4.8
- 15 Mortality and suicide80-95
- 14 Why illicit drug-related deaths matter1-9
- 13 The global epidemiology of illicit drug use10-19
- 12 Mortality and drug overdose42-66
- 11 Illicit drug use and disease67-79
- 10 Mortality and trauma96-110
- 9 Reducing drug-related mortality111-134
- 8 The association between cannabis use and depression: a review of the evidence **2004**, 54-74
- 7 CDT, GGT, and AST As Markers of Alcohol Use: The WHO/ISBRA Collaborative Project. *Alcoholism: Clinical and Experimental Research*, **2002**, 26, 332-339 3.7
- 6 Schizophrenia secondary to cannabis use169-178
- 5 Opioid dependence and management **2009**, 1-14
- 4 Cannabis: A Clue or a Distraction in the Search for Causes of Psychosis? **2010**, 367-376
- 3 Response to Bird et al.: The importance of post-release engagement in treatment in estimating impacts on post-release deaths. *Addiction*, **2016**, 111, 560-1 4.6
- 2 Trends in methamphetamine and opioid use among clients of needle-syringe programs in Queensland, Australia: 2007-2015. *Drug and Alcohol Review*, **2019**, 38, 159-168 3.2
- 1 Self-reported challenges obtaining ongoing prescription opioids among Australians with chronic non-cancer pain.. *International Journal of Drug Policy*, **2022**, 105, 103708 5.5